


Property Address

111 Thomas Park Dr
Hutto, TX 78634

Measurements

Area:	3158.1 sq ft
Roof Facets:	12
Predominant Pitch:	14°
Number of Stories:	<=1
Ridges/Hips:	141.1 ft
Valleys:	40.6 ft
Rakes:	169.4 ft
Eaves:	223.5 ft
Estimated Attic:	3031.2 sq ft
Roof Obstructions:	28
Roof Obstructions Perimeter:	108 ft
Roof Obstructions Area:	33 sq ft



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Contents

Lengths	1
Pitch (Degrees)	2
Pitch (on 12)	3
Rafters	4
Azimuth	5
Area	6
Roof Obstructions	7
Imagery	8
Roofing Report Summary	11

Prepared for



Carlos Hernandez
Kstylez Roofing & Construction
16801 Radholme Court Suite D
Round Rock, TX 78664
512-910-8009

Lengths


Ridges = 141.1 ft
Hips = 0 ft
Valleys = 40.6 ft

Rakes = 169.4 ft
Eaves = 223.5 ft
Flashing = 0 ft

Step flashing = 16.2 ft
Parapets = 0 ft



©2025 Eagle View Technologies, Inc., All Rights Reserved.





September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Pitch (Degrees)

Pitches are labeled for facet areas larger than 20 square feet. In some cases, pitch labels have been removed for readability. Flat facets are labeled 'F'.





September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Pitch (on 12)

Pitches are labeled for facet areas larger than 20 square feet. In some cases, pitch labels have been removed for readability. Flat facets are labeled 'F'.




September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Rafters

Rafter lengths (rounded to the nearest whole number) over 5 feet. In some cases, segment labels have been removed for readability. Some numbers are prefaced by “+” signs to avoid confusion when rotated (e.g. +6 and +9).





September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606




Azimuth

The azimuth is the orientation of the structure to true north. In this diagram roof facet directions are labeled in degrees, with 0° (360°) as true north. Flat facets are labeled as 'F'.



© 2025 Eagle View Technologies, Inc. All Rights Reserved.





September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606




Area

The area is measured in square feet per roof facet. The values have been rounded to the nearest foot square.





© 2025 Eagle View Technologies, Inc. All Rights Reserved.




September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Roof Obstructions



© 2025 Eagle View Technologies, Inc., All Rights Reserved.




September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Imagery

These are images of the property taken from multiple angles.

TOP VIEW



NORTH SIDE



September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



SOUTH SIDE



EAST SIDE



September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



WEST SIDE



September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



Copyright © 2008-2025 EagleView Technologies, Inc. – All Rights Reserved – Covered by U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125.
Other Patents Pending.

ROOFING REPORT SUMMARY

Structure #1

Areas per Pitch

Roof Pitches	3/12
Area (sq ft)	2584.2
% of Roof	100%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity

Simple	Normal	Complex
--------	--------	---------


Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	0%	4%	7%	9%	11%	14%	19%	24%	29%
Area (Sq ft)	2585	2689	2766	2818	2870	2947	3077	3206	3335
Squares *	26.00	27.00	27.66	28.33	29.00	29.66	31.00	32.33	33.66
	Measured			Suggested					

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 6
Total Roof Obstructions = 28

Lengths, Areas and Pitches

Ridges = 103.8 ft (3 Ridges)
Hips = 0 ft (0 Hips).
Valleys = 40.6 ft (2 Valleys)
Rakes† = 106.8 ft (8 Rakes)
Eaves/Starter‡ = 151 ft (5 Eaves)
Drip Edge (Eaves + Rakes) = 257.8 ft (13 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 0 ft (0 Lengths)
Step flashing = 16.1 ft (2 Lengths)
Predominant Pitch = 3/12

Total Area (All Pitches) = 2584.4 sq ft

Property Location

Longitude = -97.5535928
Latitude = 30.5863054

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606



ROOFING REPORT SUMMARY

Structure #2

Areas per Pitch

Roof Pitches	2/12	5/12	15/12
Area (sq ft)	350.5	130.8	92.6
% of Roof	61.1%	22.8%	16.1%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity

Simple	Normal	Complex
--------	--------	---------


Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	0%	5%	10%	15%	18%	20%	22%	25%	30%
Area (Sq ft)	224	236	247	258	265	269	274	280	292
Squares *	2.33	2.66	2.66	2.66	2.66	3.00	3.00	3.00	3.00
	Measured					Suggested			

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 6
Total Roof Obstructions = 28

Lengths, Areas and Pitches

Ridges = 37.4 ft (2 Ridges)
Hips = 0 ft (0 Hips)
Valleys = 0 ft (0 Valleys)
Rakes† = 62.1 ft (12 Rakes)
Eaves/Starter‡ = 72.7 ft (4 Eaves)
Drip Edge (Eaves + Rakes) = 134.8 ft (16 Lengths)
Parapet Walls = 0 (0 Lengths)
Flashing = 0 ft (0 Lengths)
Step flashing = 0 ft (0 Lengths)
Predominant Pitch = 2/12

Total Area (All Pitches) = 573.7 sq ft

Property Location

Longitude = -97.5535928
Latitude = 30.5863054

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606




ROOFING REPORT SUMMARY

All Structures

Areas per Pitch				
Roof Pitches	2/12	3/12	5/12	15/12
Area (sq ft)	350.4	2584.4	130.7	92.6
% of Roof	11.1%	81.8%	4.1%	2.9%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

All Structures Totals



Total Roof Facets = 12
Total Roof Obstructions = 28

Lengths, Areas and Pitches

Ridges = 141.1 ft (5 Ridges)
Hips = 0 ft (0 Hips).
Valleys = 40.6 ft (2 Valleys)
Rakes[†] = 169.4 ft (20 Rakes)
Eaves/Starter[‡] = 223.5 ft (9 Eaves)
Drip Edge (Eaves + Rakes) = 392.9 ft (29 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 0 ft (0 Lengths)
Step flashing = 16.2 ft (2 Lengths)
Total Roof Obstructions Area = 33 sq ft
Total Roof Area Less Roof Obstructions = 3125.1 sq ft
Total Roof Obstructions Perimeter = 108 ft
Predominant Pitch = 3/12
Total Area (All Pitches) = 3158.1 sq ft

Property Location

Longitude = -97.5535928
Latitude = 30.5863054

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 30, 2025
Property Address:
111 Thomas Park Dr, Hutto, TX 78634
Report: 67676606

