Seekers Community: End-to-End Build Plan

Version 1.0 · 30 September 2026 · Status: draft for sign-off

Written for: the team that builds it. Part A is the sign-off section for Shresth and Harshika.

Covers: what we build, how it is built, how it is deployed, how it launches, and the new UI direction.

Domain: `<domain>` is a placeholder throughout until the real domain is chosen.

How to read this. Part A takes ten minutes and holds every decision that needs a founder. Parts B to F are the build: product modules, UI, engineering, deployment, then roadmap and risks. Each module in Part B has the same seven headings (purpose, user stories, functional requirements, acceptance criteria, data entities, phase, status today), so it can be lifted straight into tickets.

Contents

PART A: SIGN-OFF (Shresth and Harshika) 3

A1. What we are building 3
A2. Decisions already made, not reopened by this plan 3
A3. Decisions that are still yours 4
A4. Where the new list conflicts with earlier decisions 4
A5. What ships when 5
A6. Sign-off 5

PART B: THE PRODUCT 6

B0. Users and roles 6
B0.1 Site map 7
B1. About Us / Vision and Mission (point 1) 7
B2. Business Directory (point 2) 8
B3. Community Members Directory (point 3) 9
B4. Shareable Business Page Link (point 4) 9
B5. Wealth Seekers Landing Page (point 5) 10
B6. Referral Dashboard, with the referral engine (point 6) 11
B7. Admin Dashboard (point 7) 12
B9. Events and Social Initiatives (point 9) 13
B10. Knowledge Section (point 10) 14
B11. Community Owner Revenue-Share Program (point 11) 15
B12. Subscription and Monetization (freemium to paid) (point 12) 16
B13. Verification Badges (point 13) 18
B14. Ratings and Testimonials (point 14) 18
B15. Welcome and Onboarding Sequence (point 15) 19
B16. FAQ and Help (point 16) 20
B17. Invite a Member (point 17) 20
B18. Featured / Spotlight on Home (point 18) 21
B19. Cross-cutting requirements 22

PART C: UI DIRECTION 23

C1. What is wrong with the current UI 23
C2. The new direction 24
C3. Colour. Decision: Shresth (D1) 25
C4. Type, spacing and motion 26
C5. Components and navigation 26
C6. The screens 27
C7. How the mockups were checked 39

PART D: ENGINEERING 40

D1. Architecture 40
D2. Data model 41
D3. API routes 43
D4. Authentication 44
D5. Security, privacy and compliance 45
D6. Integrations 47

PART E: DEPLOYMENT AND OPERATIONS 49

E1. Environments 49
E2. Accounts and who owns them 49
E3. Continuous integration (on every pull request) 50
E4. Releasing 50
E4.1 Who performs each outward step 50
E5. Secrets and configuration 51
E6. Backups, monitoring and incidents 51
E7. Costs of running it 52
E8. Domain and DNS (once D2 is decided) 52
E9. QA and test plan 53
E10. Launch checklist 53

PART F: ROADMAP, BUILT VERSUS TO BUILD, AND RISKS 54

F1. Built versus to build 54
F2. Phase plan 56
F3. Risks 57
F4. Glossary 57
Appendix: Sources 58

PART A: SIGN-OFF (Shresth and Harshika)

A1. What we are building

Seekers is the web home for a closed community of **2,000 plus members**: Indian business owners, freelancers, and stock-market and investing people. Members find trusted businesses, refer each other, share knowledge and meet at events. Every referral is tracked end to end, so the person who made the introduction gets the credit and the business knows where the lead came from.

On 30 September the product grew from "a referral engine" to "a community platform with a referral engine inside it". The new list adds public business pages that can be shared on WhatsApp and LinkedIn, a members directory, a Knowledge feed, Events and social initiatives, a Wealth Seekers landing page, a Community Owner revenue share, and the groundwork for paid plans. **The referral engine already built stays as the core. The new modules sit on top of it.**

It is a **responsive website, designed for phones first** and installable to the home screen, because members will arrive from WhatsApp links. Not a native app.

A2. Decisions already made, not reopened by this plan

Decision	Made	What it means for the build
The 30 Sep list **sits on top of** the referral engine	30 Sep	Engine = module 6. Nothing already built is thrown away
Businesses pay a **success fee on closed referrals**; no lead-unlock fee	1 Sep	The engine records deal value and computes the fee
Seeker Credits are the member reward; a cash rail exists but is switched off	1 Sep	`currency` column already on the ledger
Phone numbers and emails are never reachable from the browser	1 Sep	Enforced in the database, not the UI. Governs every new module
Referral rewards and success fee are **set per business by admin**, versioned	2 Sep	Already built (`set_business_terms`)
No category exclusivity; businesses rank on confirmed referrals, honesty, activity	5 Sep	Directory sort order uses the honour rate
Single community. Community Owners are attribution only, no sub-communities	30 Sep	One member base, one directory, one feed
Wealth Seekers is a separate brand; the in-app page captures leads	30 Sep	Public landing page + lead table
F&O and investment-service revenue is excluded from Community Owner commission until a compliance review	30 Sep	Revenue events carry a `commissionable` flag, default false for that source
No payments provider in the MVP (no Razorpay for now)	30 Sep	Money is recorded, not collected. Payment seams are designed, nothing is wired
Knowledge posts are **approved before publishing** at launch, by an Admin or a Moderator the Admin appoints	30 Sep	Moderation queue in admin
Badges = **document upload + admin review**, no paid KYC	30 Sep	Private document storage + review queue
Reviews only from members with a **closed referral or enquiry**	30 Sep	Review eligibility checked server-side
Stack stays **Next.js + Supabase + Vercel**	30 Sep	See Part D

A3. Decisions that are still yours

Each has a recommendation. Nothing here is built as settled until you choose.

#	Decision	Options	Recommendation	Blocks
D1	**Colour palette**	three shown in Part C	Recommended palette in Part C	Phase 0 design system
D2	**Domain**	n/a	Choose before staging goes public. Email sending, link previews and SEO all need it	Launch
D3	**What gets paywalled** (point 12)	see §B12	Keep members free; charge businesses for an upgraded listing	Paid launch only
D4	**Grandfathering rules** (point 12)	see §B12	Early members free for good; early businesses get a founding period, then a founding discount	Paid launch only
D5	**Pricing tiers** (point 12)	see §B12	One paid business tier first. Community Owners never pay	Paid launch only
D6	**Billing cycle** (point 12)	see §B12	Annual, one-off payment first; recurring later	Paid launch only
D7	**Success fee: percent, slab or flat**, and the amounts	all three are built	Your call. The engine supports all three already	Charging the first fee
D8	**Wealth Seekers compliance review**: who does it, and is Wealth Seekers SEBI-registered?	n/a	Get a securities lawyer's opinion before the landing page goes live and before any investment revenue is attributed	Module 5 going live; commission on investment revenue
D9	**Who can join**: code-only, or open sign-up with admin approval	code-only · open + approval · open	Code or approval. A closed room is what makes reputation work	Phase 1 sign-up
D10	**Do invites earn Seeker Credits?**	yes · no · yes with a cap	Off at launch, admin can switch on. Inviting is easy to game	Module 17 rewards
D11	**Does a member who joins via someone attributed to a Community Owner also count for that owner?**	direct only · one level down	Direct only. Chains are hard to explain and easy to farm	Module 11
D12	**Default Community Owner commission %**	any number	Set per owner by admin; no default until you choose one	First owner onboarded

A4. Where the new list conflicts with earlier decisions

These are shown both ways on purpose. The plan's reconciliation is a proposal, and you can overrule it.

#	New list says	Earlier decision says	How this plan reconciles them
C1	Public **"Send Enquiry"** form on every business page, with the visitor's contact details	**Contact gating**: nobody gets a business's contact details, and no introduction happens outside the tracked referral	The enquiry carries the **visitor's** details to the business (the visitor chose to share them). The **business's** details stay hidden. Enquiries are tracked in the business's inbox but **earn no credits and no discount**. Logged-in members see a nudge: "Ask through Seekers to get the community discount".
C2	**Subscriptions / freemium** and a platform-wide paywall switch	**Success fee only** (1 Sep)	Both are kept and switched off at launch. The success fee is recorded by the engine and invoiced by hand; subscriptions arrive later as flags and plans. You choose the mix in D3 to D6
C3	**Community Owners** onboard "their own community"	**Single community** (28 Aug)	Owners bring people **into the one community**. Attribution is a tag on the member, not a separate space

#	New list says	Earlier decision says	How this plan reconciles them
C4	"Route through the **community owner dashboard** for approval" (point 10)	Point 11 uses **Community Owner** for the revenue-share role	Two different things share a name. In this plan **Admin** runs the platform and **Community Owner** is the revenue-share partner. Knowledge moderation belongs to Admin
C5	Paid events "tie into Razorpay"; payouts "via Razorpay"	"No need of Razorpay for now" (30 Sep)	Paid events show a price and collect registrations; payment happens off-platform. Payouts are manual and recorded in the app
C6	Revenue share on an **"F&O service"**	SEBI restricts regulated entities from paying unregistered people for referrals (see §D5)	Excluded from commission until the review in D8
C7	New UI direction	**Navy #1B4F72 + amber #F39C12**, locked 1 Sep	Unlocked by you on 30 Sep. Part C proposes a replacement
C8	Knowledge = **member-shared links**	Spec §9: an in-house content team publishing articles, Voxpop and podcasts to Discover	Both fit in one feed: member links and editorial posts, each labelled. Discover becomes the Home page

A5. What ships when

Phase	Name	What a member sees at the end of it
P0	Foundations	Nothing new on screen. Uncommitted work committed; the 11 defects in §F1 fixed; one identity and real sign-in; every page moved off the mock onto the database; the new design system; public pages allowed through; staging live
P1	Public face and directories	About, Business Directory with catalogues and enquiries, **shareable business pages**, Members Directory, Wealth Seekers page, FAQ, onboarding
P2	The referral loop	Refer and request, lead inbox, confirmation, **Referral Dashboard** and scorecard, invites
P3	Community and trust	Knowledge feed, Events and initiatives, Spotlight, **verification badges**, reviews
P4	Community Owners and money seams	Owner dashboard, revenue and commission ledger, manual payouts, paywall switches (off). Owner attribution and the grandfather flag are already being captured from P1
Later	Payments and scale	A payments provider, paid plans switched on, WhatsApp notifications, automated payouts

One thing cannot wait for P4: Community Owner attribution and the grandfather flag must be **captured from the first sign-up in P1**. A member who joins before P4 without their owner's code recorded can never be attributed afterwards. The tables arrive in P1; the dashboard in P4.

Cut line if time halves: keep P0, P1 and P2. Cut Spotlight rotation to a single pinned item, Knowledge to admin-posted links only, and verification to one badge type. Never cut the database-level contact protection or the referral confirmation. They are the product.

A6. Sign-off

	Name	Decision	Date
Founder	Shresth	☐ approved ☐ approved with changes ☐ not approved	
Co-founder	Harshika	☐ approved ☐ approved with changes ☐ not approved	

PART B: THE PRODUCT

B0. Users and roles

One account can hold several roles. Roles are stored server-side and checked on every request.

Role	Who	Gets
Visitor	Anyone, not signed in	About, public business pages, Wealth Seekers page, FAQ, public event pages. Can send an enquiry and submit a Wealth Seekers lead
Member	Anyone who has joined	Everything a visitor gets, plus the directories, Knowledge, Events RSVP, referrals, invites, wallet
Business / Freelancer	A member who owns a listing	Listing and catalogue editing, enquiry inbox, lead inbox, reviews, verification application
Community Owner	A member who brought their own community in, appointed by Admin	Owner code and link, owner dashboard, commission statement
Moderator	Trusted member, appointed by Admin	Knowledge and review moderation queues only
Admin	Platform operators	Everything, including approvals, analytics, money records, settings

Permission matrix (✓ = allowed · own = only their own records · ✕ = not allowed)

Capability	Visitor	Member	Business	Comm. Owner	Moderator	Admin
View public business page	✓	✓	✓	✓	✓	✓
Send enquiry	✓	✓	✓	✓	✓	✓
Browse Business Directory	✕	✓	✓	✓	✓	✓
Browse Members Directory	✕	✓	✓	✓	✓	✓
See a business's phone/email	✕	after the business accepts a referral	own	after accept	✕	✓ (logged)
Create / edit a listing and catalogue	✕	✕	own	✕	✕	✓
Read enquiries	✕	✕	own	✕	✕	✓
Refer / request a service	✕	✓	✓	✓	✓	✓
Submit Knowledge post	✕	✓	✓	✓	✓	✓
Approve Knowledge / reviews	✕	✕	✕	✕	✓	✓
Leave a review	✕	if eligible	if eligible	if eligible	if eligible	✕
Create an event	✕	✕	✕	✕	✕	✓
RSVP	✕	✓	✓	✓	✓	✓
View owner dashboard	✕	✕	✕	own	✕	✓ (all)
Approve businesses / badges	✕	✕	✕	✕	✕	✓
Record revenue, payouts	✕	✕	✕	✕	✕	✓
Switch paywall flags	✕	✕	✕	✕	✕	✓

B0.1 Site map

Public (no sign-in, indexable): `/` (landing for visitors) · `/about` · `/business/[slug]` (business page) · `/wealth-seekers` · `/faq` · `/events/[slug]` (public event page) · `/join` and `/join/[code]` · `/sign-in` · `/privacy` · `/terms`.

App (signed in): `/home` · `/directory` · `/directory/[slug]` · `/members` · `/members/[id]` · `/knowledge` · `/knowledge/new` · `/events` · `/referrals` (dashboard) · `/leads` (business inbox) · `/enquiries` (business) · `/wallet` · `/invite` · `/profile` · `/my-business/edit` · `/my-business/catalogue` · `/my-business/verification` · `/owner` (Community Owner) · `/onboarding/*`.

Admin: `/admin` · `/admin/members` · `/admin/businesses` · `/admin/verification` · `/admin/moderation` · `/admin/events` · `/admin/spotlight` · `/admin/owners` · `/admin/revenue` · `/admin/payouts` · `/admin/terms` · `/admin/content` (About, FAQ, announcements) · `/admin/leads` (Wealth Seekers) · `/admin/settings` (flags) · `/admin/analytics`.

Navigation: phone = bottom bar with five tabs (Home, Directory, Referrals, Community, Me). Desktop = sidebar grouped by intent. Detail in §C5.

B1. About Us / Vision and Mission (point 1)

Purpose. Tell a visitor what Seekers is and why to join, in under a minute. It is also the page people land on from a shared link who have never heard of the community.

User stories.

- As a visitor, I want to understand what Seekers stands for and who is behind it, so I can decide whether to ask for an invite.
- As an admin, I want to edit the mission, founder note and "why join" copy without a deploy.

Functional requirements.

1. Sections: mission, what Seekers stands for (3 to 5 values), founder note with photo, "Why join", call to action (request an invite / join with a code).
2. Copy is edited in `/admin/content`; the page renders server-side and is indexable.
3. **Community stats are live counts from the database** (members, verified businesses, events held). Each stat is shown only once it passes a threshold admin sets, so the page never advertises "14 members". No stat is ever typed in by hand.

Acceptance criteria.

- Page renders signed out, returns the content saved in admin, and passes the Open Graph check in §D6.
- With a stat below its threshold, that stat is absent from the HTML (not hidden with CSS).
- Changing the founder note in admin shows on the page within one revalidation cycle, with no deploy.

Data entities. `site_content` (key, body, updated_by, updated_at) · live counts from `profiles`, `business_profiles`, `events`.

Phase. P1 · size S.

Status today. Not built. No route exists, and `app/src/proxy.ts:7` lets only `/auth/login`, `/auth/signup` and `/onboarding` through without a session, so **no public page is possible until the proxy gains a public-path list** (P0).

B2. Business Directory (point 2)

Purpose. The searchable heart of the product: every business and freelancer, what they sell, and whether the community trusts them.

User stories.

- As a business owner, I want to create my profile (name, category, bio, logo) and list my products or services, so members can find me.
- As a business owner, I want to add, edit, reorder and remove catalogue items myself.
- As a member, I want to filter by category and search by keyword, so I can find the right provider quickly.
- As a member or visitor, I want to send an enquiry without leaving the page.

Functional requirements.

1. **Profile:** name, type (business / freelancer), category (from the admin taxonomy), bio, logo, location or service area, years in business, website and social links (optional). New and edited listings go to **admin approval** before they are public (module 7).
2. **Catalogue:** items with title, description, optional price or "price on request", optional image, and display order. Owner can add, edit, hide, delete and reorder. Admin sets a maximum item count (default open).
3. **Send Enquiry:** a form with name, message, phone or email (at least one) and a consent line ("Your details will be shared with this business so they can reply"). It lands in the business's `/enquiries` inbox and triggers an email to the business. Rate-limited per IP and per recipient, and protected by a bot check. **It never reveals the business's own contact details** (conflict C1).
4. Members who are signed in see a second, preferred action: **"Ask through Seekers"**, which creates a tracked referral (self-service type) and carries the community discount.
5. **Filters:** category, keyword (name, bio, catalogue text), location, verified only, rating. **Sort:** rank (default), newest, rating. Rank uses the honour rate and confirmed referrals already built (decision 12, 5 Sep).
6. Search runs server-side on Postgres full-text search. No external search service at this size.
7. Regulated categories (insurance, CA/tax, legal, investment advisory) keep the existing rule: **no credits and no paid referral**. The listing shows why.

Acceptance criteria.

- A business can create a listing, add three catalogue items, reorder them, delete one, and see the result on its public page after approval.
- An unapproved listing returns 404 on its public URL and is absent from directory results.
- An enquiry submitted signed out appears in the business's inbox, sends one email, and the business's phone number is absent from the page HTML and the API response.
- A 6th enquiry from the same IP within the rate window is refused with a clear message.
- Searching a word that appears only in a catalogue item returns that business.

Data entities. `business_profiles` (existing, extend with slug, type, logo_path, approval_status) · `business_contacts` (existing, private) · `catalogue_items` (new) · `enquiries` (new) · `categories` (existing).

Phase. P1 · size L.

Status today. Partial, on the in-browser mock. `app/src/app/directory/page.tsx`, `directory/[id]/page.tsx`, `components/directory/filter-rail.tsx`, `business-card.tsx`; creation only in `app/src/app/onboarding/business/page.tsx`. Missing: catalogue (only a `services text[]` of plain strings), any edit or delete of a listing, logo upload (no storage bucket), Send Enquiry, and search beyond the name (`directory/page.tsx:42`). Categories are hard-coded twice instead of read from the `categories` table.

B3. Community Members Directory (point 3)

Purpose. Let members find each other by name, company, industry or interest. Networking is half the reason people join.

User stories.

- As a member, I want a profile with my photo, designation, company, bio and interest tags.
- As a member, I want to search by name, company, industry or tag.
- As a member, I want to decide whether I appear in the directory at all.
- As a member, I want to reach another member without either of us exposing a phone number up front.

Functional requirements.

1. Profile fields: name, photo, designation, company, industry (from a list), bio, interest tags (admin-curated list plus free tags that admins can merge).
2. **Visibility is off until the member switches it on.** Onboarding asks the question explicitly with a clear choice. Members who are not visible are **absent from results and their profile URL returns 404** to other members. This is a consent choice under India's data protection law (§D5).
3. Search and filters: name, company, industry, tag. Server-side, paginated.
4. **Connect:** a member sends a connect request with a short note. If accepted, both see the contact method each chose to share. Contact details are never part of the directory itself.
5. Members can block another member; blocked members cannot send requests.

Acceptance criteria.

- A member with visibility off does not appear in any directory query, including by exact name, and their profile URL returns 404 to another member.
- Switching visibility on makes them appear in the next query.
- Before a connect request is accepted, neither party's phone or email is present in any response.

Data entities. `profiles` (existing, extend with designation, company, industry, directory_visible default false) · `profile_tags` · `tags` · `connect_requests` (new) · `member_contacts` (existing, private) · `blocks` (new).

Phase. P1 · size M.

Status today. Not built. No `/members` route; `profiles` has name, photo, location and interests only (`supabase/migrations/20260901000001_baseline.sql`). Designation, company, bio, industry and the visibility switch do not exist; `app/src/app/profile/page.tsx` has no form.

B4. Shareable Business Page Link (point 4)

Purpose. Every approved business gets a public page it can share on WhatsApp and LinkedIn. It is the business's own reason to bring its customers to Seekers.

User stories.

- As a business owner, I want a short public link to my page that previews well when I paste it into WhatsApp or LinkedIn.
- As a visitor, I want to see the business, its catalogue, its badges and its reviews, and send an enquiry, without signing up.

Functional requirements.

1. URL `https://<domain>/business/[slug]`. The slug is generated from the name, is unique, and can be changed once by the owner. Old slugs redirect (301) to the new one.
2. Server-rendered for speed and for link-preview crawlers. Static generation with on-demand revalidation when the listing changes.
3. Content: logo, name, category, bio, verified badge (module 13), rating summary and reviews (module 14), catalogue (module 2), location or service area, **Send Enquiry**, and a "Member of Seekers Community" footer that links to `/about`.
4. **Open Graph and Twitter tags** generated per page: title (the business name), description (80 characters or fewer, from the bio), image (a generated 1200 × 630 JPEG of 300 KB or less with logo, name, category and badge; see §D6), canonical URL.
5. Structured data (`LocalBusiness` or `Organization`, with `aggregateRating` only when there are real reviews) for search engines.
6. Business owner gets a **Share** button: copy link, share to WhatsApp (prefilled message), share to LinkedIn.
7. No contact details anywhere on the page or in its metadata.

Acceptance criteria.

- The page returns 200 signed out, loads its main content without JavaScript, and contains `og:title`, `og:description`, `og:image` and `og:url`.
- The `og:image` URL returns an image at the size set in §D6.
- Pasting the link into WhatsApp and LinkedIn's Post Inspector shows the title, description and image (checked by hand at P1 sign-off, screenshot kept).
- Changing the slug returns a 301 from the old URL.
- The business's phone number and email appear nowhere in the HTML.

Data entities. `business_profiles.slug`, `slug_history` (new) · reads catalogue, badges, reviews.

Phase. P1 · size M.

Status today. Partial, and private. `app/src/app/directory/[id]/page.tsx` is the detail view, but it is a client component (so no per-page metadata is possible) and sits behind the sign-in redirect. No slug, no Open Graph (0 hits for `generateMetadata` / `openGraph`).

B5. Wealth Seekers Landing Page (point 5)

Purpose. A public page that sends traffic and leads to the Wealth Seekers brand, and brings search traffic into Seekers.

User stories.

- As a visitor, I want to understand what Wealth Seekers offers and contact them or learn more.
- As an admin, I want every lead captured, with consent, and exportable.

Functional requirements.

1. Route `/wealth-seekers`, public, server-rendered, indexable, with its own metadata and Open Graph image.
2. Content edited in admin: headline, what Wealth Seekers is, who it is for, and a **regulatory block** (registration details if Wealth Seekers is registered, plus the disclaimer the compliance review in D8 prescribes).

3. Calls to action: **"Learn more"** goes to the Wealth Seekers site (URL set in admin), tagged with UTM parameters. **"Contact us"** opens a lead form: name, phone or email, what they are interested in (fixed list), and an explicit consent checkbox that is not pre-ticked.
4. Leads go to `ws_leads`, email admin, and are visible and exportable (CSV) in `/admin/leads`. They never reach the member-facing app.
5. **Compliance guard:** the page carries no return figures, no "tips", and no performance claims. Copy changes on this page need an admin with the compliance permission to publish.
6. If the visitor is a signed-in member, the lead records their member id, so Community Owner attribution can apply later **only if** D8 clears it.

Acceptance criteria.

- The lead form refuses to submit without the consent box ticked; a submitted lead appears in admin and in the CSV export.
- The outbound link carries `utm_source=seekers`.
- The page is not published until the regulatory block has content (checked by a publish guard).

Data entities. `site_content` (ws_*) · `ws_leads` (new, private) · `compliance_approvals` (new, who approved which copy version).

Phase. P1 build; **goes live only after D8**. Size S.

Status today. Not built. No page, no lead table.

B6. Referral Dashboard, with the referral engine (point 6)

Purpose. The differentiator. A member refers someone (or asks for a service), the business accepts, and the outcome is confirmed. Everyone can see where every referral stands.

What already exists. The state machine, the contact protection, the credits ledger and the per-business terms are **built and tested in the database** (details in §D2 and §F1). This module adds the member-facing dashboard, the remaining screens, and the plain-language status.

User stories.

- As a member, I want to see every referral I sent and received, and where each one stands.
- As a member, I want a simple scorecard: referrals made, closed, credits earned.
- As a business, I want an inbox of incoming leads that I can accept, update and close.
- As a seeker, I want to confirm when the work was done, so the referrer gets credit.

Functional requirements.

1. **Status in plain language.** The nine engine states map to his three tags plus two honest extras:

Shown to members	Engine states
Pending	`INITIATED`, `ACCEPTED`
In progress	`CONTACTED`, `IN_PROGRESS`
Closed · won	`CLOSED_WON`
Closed · no deal	`CLOSED_LOST`, `EXPIRED`, `UNRESOLVED`
Needs attention	`DISPUTED`

2. Dashboard tabs: **Sent** (I referred someone), **Received** (someone referred me, or I asked), and for business owners **Leads**. Each row: counterpart, business, status chip, last update, next action.
3. **Scorecard** per member: referrals made, closed-won, conversion, credits earned (from the ledger, never a stored counter).
4. **Leaderboard** (optional, as he said): monthly top referrers and top businesses by closed-won. **Members appear only if they opt in.** Regulated categories are excluded from the business board.
5. Referral creation: both types (self-service and third-party), including a non-member by phone, where the referrer sends the WhatsApp message from their own phone (design of 1 Sep, unchanged).
6. Confirmation: seeker confirms first with a deal value or band; business confirms; mismatch goes to `DISPUTED` and admin decides. Credits are pending for 7 days, then settle.
7. Nudges: in-app and email reminders at each state's timeout (engine timings).
8. Lead-flow gating: a business with 2 or more `UNRESOLVED` referrals stops receiving new ones, and the referrer is told why. The threshold moves from an environment variable into admin settings.

Acceptance criteria.

- Every engine state renders one of the five labels above; a table-driven test covers all nine.
- A member's scorecard totals equal a direct query over `referrals` and `credit_transactions` on a seeded fixture.
- A member with leaderboard opt-in off is absent from the leaderboard response.
- The existing database tests stay green: the 12 checks in `supabase/tests/phase0.sh` and the terms suite in `supabase/tests/terms.sh`.

Data entities. `referrals`, `referral_transitions`, `credit_transactions`, `member_balance` (view), `business_honour` (view), `referral_terms_defaults`, `business_referral_terms`, `success_fee_slabs` (all existing) · `leaderboard_optins` (new, or a column on `profiles`).

Phase. P2 · size L (much of the back end exists).

Status today. Partial, and split in two. `app/src/app/activity/page.tsx` runs on the mock with the old six-value status and hard-codes 100 credits on confirm (`app/src/lib/local/store.ts:303`), which contradicts the database's seeker-first rule. `app/src/app/leads/page.tsx` with `components/referral/lead-inbox.tsx` and `lead-card.tsx` runs on the real database (uncommitted). **No screen exists for any step after Accept**, and no referral is created server-side (the only insert is the mock one in `components/referral/referral-wizard.tsx:86`). The leaderboard ranks by a balance column the database marks non-authoritative.

B7. Admin Dashboard (point 7)

Purpose. One place to run the community: people, listings, content, events, money and settings.

User stories.

- As an admin, I want to approve or reject businesses, badges, Knowledge posts and reviews from queues.
- As an admin, I want to see active members, new sign-ups and referral volume at a glance.
- As an admin, I want to feature or pin a business or an announcement.

Functional requirements.

1. **Members:** search, view, roles, suspend and reinstate, attributed Community Owner, grandfathered flag. Every role change is audit-logged.
2. **Approvals:** new and edited listings, verification applications (module 13), event submissions if opened to members.

3. **Moderation queue:** Knowledge posts, reviews, reported content, reported members. Approve, reject with reason, or remove. The author is notified.
4. **Events:** create, edit, cancel, see RSVPs, export attendees.
5. **Feature and pin:** pin an announcement to Home; feature a business in the directory; manage the Spotlight rotation (module 18).
6. **Analytics** (definitions fixed so numbers do not drift):
   - *Active members* = distinct members with at least one signed-in request in the last 30 days.
   - *New sign-ups* = accounts created per week.
   - *Referral volume* = referrals created per week, split by status label.
   - Plus enquiries per week, Knowledge posts approved, RSVPs. Computed from the database with SQL views. No third-party analytics needed at launch.
7. **Money records** (P4): revenue events, commissions, payouts (module 11), success-fee invoices.
8. **Settings:** categories and which are regulated, referral terms (built), lead-flow threshold, stat thresholds (module 1), paywall flags (module 12), invite rewards on or off (D10).
9. Every admin route checks the role **on the server, against the database**. The POC's admin check ran in the browser and has been replaced for the routes built so far.

Acceptance criteria.

- A non-admin calling any `/api/admin/*` route gets 403 (test covers every admin route).
- Each analytics number matches a hand-run SQL query on a seeded fixture.
- Every approve, reject, role change and money action writes an `audit_log` row with actor, action, target and time.

Data entities. `audit_log` (new) · `announcements` (new) · views for analytics · every queue table above.

Phase. Grows every phase: approvals in P1, moderation in P3, money in P4. Size L overall.

Status today. Partial, mixed data sources. `app/src/app/admin/page.tsx` and `admin/analytics` read the server mock; `admin/verification` and `admin/codes` read the browser mock; `admin/terms` and the admin layout gate use the real database (uncommitted). Missing: member management, event management, moderation queue, feature/pin, audit log, and an "active members" measure (no last-seen data). Current counts use a legacy `COMPLETED` status that the new engine no longer has.

B9. Events and Social Initiatives (point 9)

(Point 8 is not in the list; the numbering is kept as given.)

Purpose. Bring the community together in person and online, and show the good it does.

User stories.

- As a member, I want to see upcoming events and RSVP in one tap.
- As a visitor, I want to see an event page someone shared with me.
- As a member, I want to see the NGO and social initiatives the community supports and how to get involved.
- As an admin, I want to see who is coming, and keep a record of past events.

Functional requirements.

1. **Events:** title, date and time (IST), venue or online link, description, cover image, capacity, host, free or paid.

2. **RSVP:** one tap for free events; capacity enforced with a waitlist; add-to-calendar file; reminder email the day before. Online links are shown only to people who RSVP'd.
3. **Paid events (no payments in the MVP):** show the price and "Registration opens soon" or "Pay at venue", as admin chooses. Admin can record an attendee as paid by hand, which writes a **revenue event** (module 11).
4. **Past events archive:** recap text, photos, attendee count (from real RSVPs and check-ins, never typed).
5. **Initiatives:** a separate tab. Title, organisation name, description, image, and one or more ways to help: volunteer (form to the organiser), donate (**outbound link only**, we never handle money), contact. Admin-managed.
6. Public event page at `/events/[slug]` with Open Graph tags, so events can be shared.

Acceptance criteria.

- RSVP beyond capacity puts the member on the waitlist; a cancellation promotes the first waitlisted member and emails them.
- The online link is absent from the page for a member who has not RSVP'd.
- A donate button's link goes to the external URL and the app stores no payment data.

Data entities. `events` (existing, extend) · `event_rsvps` (new) · `initiatives` (new) · `initiative_responses` (new).

Phase. P3 · size M.

Status today. Partial, on the in-browser mock. `app/src/app/events/page.tsx` and `events/[id]/page.tsx` list and show events; RSVP rewrites an array from the browser and capacity is enforced only by a disabled button. No create or edit screen. **Initiatives: nothing.**

B10. Knowledge Section (point 10)

Purpose. A feed of useful articles and videos shared by members (markets, trading psychology, personal finance), so people come back when they don't need a service.

User stories.

- As a member, I want to share a link with a title, a short description and a category, and see a preview automatically.
- As a member, I want to sort by newest or most helpful and filter by category.
- As a member, I want to mark a post "helpful" and save it for later.
- As a moderator, I want to approve posts before they are public.

Functional requirements.

1. **Submit:** link (required), title, short description (max 280 characters), category (admin list: Markets, Trading psychology, Personal finance, Business growth, Tax and compliance, and so on). The preview (title, image, site name) is fetched **on the server** from the page's Open Graph tags or, for YouTube, from YouTube's oEmbed endpoint. Server-side fetching is locked down against request forgery (§D5).
2. **Moderation:** every post starts **pending**. Moderators approve or reject with a reason. Admin can later switch trusted members to auto-publish (a per-member flag).
3. **Feed:** newest (default), most helpful (last 30 days), saved. Filter by category. Editorial posts from admin carry an "Editorial" label.
4. **Reactions:** "Helpful" (one per member per post) and Save. Counts come from the reaction table, never stored totals.
5. **Report** a post: goes to the moderation queue.

6. **Compliance line** on every post in market categories: "Shared by a member for education. Not investment advice." (final wording from D8).
7. **Moderation checklist (SEBI, §D5):** reject a post that names a security while indicating its future price or a recommendation using the last **30 days** of price data, and any return or performance claim.

Acceptance criteria.

- A submitted post is invisible to other members until approved.
- A link to a private network address (e.g. `http://169.254.169.254/`) is refused by the preview fetcher (test).
- "Most helpful" order matches a direct count query on a fixture.

Data entities. `content` (existing, extend with `url`, `preview_*`, `status`, `source` member/editorial) · `content_reactions` (new) · `content_reports` (new) · `categories` or a `knowledge_categories` list.

Phase. P3 · size M.

Status today. Partial, admin-authored only. `app/src/app/knowledge/page.tsx` (search and category filter), `knowledge/[id]/page.tsx`, and a CMS at `app/src/app/content/*` gated to admins and content creators. Missing: member submission, link previews, helpful and save, sort by helpful. The `content.status` workflow is a ready-made moderation state.

B11. Community Owner Revenue-Share Program (point 11)

Purpose. Reward people who bring their existing communities onto Seekers, with a share of the revenue their members generate.

User stories.

- As a Community Owner, I want my own link and code, so everyone who joins through it is attributed to me.
- As a Community Owner, I want to see how many members I brought in, the revenue they generated, and my commission so far.
- As an admin, I want to set each owner's percentage, review commissions and record payouts.

Functional requirements.

1. Admin appoints a member as Community Owner and sets their **commission %** (per owner, versioned like referral terms, so a change never rewrites past commission).
2. Each owner gets a code and link, `https://<domain>/join/[code]`. **Attribution is written at sign-up and never expires** (30 Sep default). It is one owner per member, direct only (D11), and cannot be changed by the member. Admin can correct it, with an audit-log entry.
3. **Attribution is captured from P1**, before the dashboard exists (see A5).
4. **Revenue events:** every rupee the platform earns becomes one row: source (subscription, paid event, success fee, Wealth Seekers or other service), member it is attributed to, amount in paise, date, and a `commissionable` flag. **Investment and F&O revenue is recorded as not commissionable** until D8 clears it. In the MVP, admin records revenue by hand, because no payments provider is wired.
5. **Commission** is computed from revenue events × the owner's rate in force on that date, and written to an append-only commission ledger (same pattern as the credits ledger).
6. **Owner dashboard** (`/owner`): members brought in (count and list with join date; names only, no contact details), revenue generated by them (by month and source), commission earned, paid and outstanding.
7. **Payouts:** admin marks a period's commission as paid, recording the date, method and reference of a bank transfer made **outside the app**. The owner sees the status change.

Acceptance criteria.

- A member who signs up via an owner link has that owner recorded; the member cannot change it.
- A revenue event flagged not-commissionable produces zero commission (test).
- Changing an owner's rate on day X does not change commission on revenue dated before X (test).
- An owner sees only their own members and totals (403 on another owner's data).
- Owner dashboard totals equal a direct SQL sum on a fixture.

Data entities. `community_owners` (new: member_id, code, status) · `owner_rates` (new, versioned) · `profiles.attributed_owner_id` (new, set once) · `revenue_events` (new) · `owner_commissions` (new, append-only) · `payouts` (new).

Phase. Attribution in P1; dashboard, ledger and payouts in P4. Size M.

Status today. Not built. Only `profiles.invited_by` exists. The ledger's `currency` column already allows `INR`, which the commission ledger can follow.

B12. Subscription and Monetization (freemium to paid) (point 12)

Purpose. Launch free, and be able to switch on paid plans later without rebuilding.

User stories.

- As an admin, I want every early account marked as grandfathered automatically, so early members keep whatever the founders decide they are owed.
- As an admin, I want to switch paid mode, or a single feature, on or off without a deploy.
- As a developer, I want every gateable feature behind one check, so turning on a paywall later is configuration, not a rewrite.

Functional requirements (what the MVP builds, with no payments):

1. **`grandfathered` flag** on every account, set to true automatically while the platform is in free mode. Admin can view and override it.
2. **Feature entitlements:** each paywallable feature (e.g. business listing upgrade, event access, directory search limits) has a key. A server-side check `can(user, feature)` is used everywhere a feature could later be gated. At launch every check returns "allowed".
3. **Admin switches:** a global "paid mode" flag and per-feature flags, all **off**. Switching one on without a payment method in place shows a warning and requires a second confirmation.
4. **Plans table**, empty at launch, ready for tiers.
5. The payment provider is a **later** addition behind one interface (`PaymentProvider`), so the choice of provider does not leak into the rest of the code.

Acceptance criteria.

- Every account created while paid mode is off has `grandfathered = true`.
- With all flags off, `can()` returns allowed for every feature for every role (test).
- Turning a feature flag on makes `can()` deny it to a non-entitled, non-grandfathered test user (test), proving the switch works before it is ever used.

Data entities. `profiles.grandfathered` · `feature_flags` · `plans` · `entitlements`.

The four questions from point 12. Decision: Shresth

Q1. What gets paywalled? *Decision: Shresth*

Option	What it means	For	Against
A. Whole platform	Members pay to be in the community	Simplest to explain	Members are the source of referrals and demand. A member fee shrinks both, and businesses already pay a success fee
B. Business side only *(recommended)*	Members stay free. Businesses pay for an upgraded listing (bigger catalogue, featured slots, enquiry analytics)	Charges the party that earns money from the platform. Keeps the member side open	Two charges on businesses (listing + success fee) need to feel fair
C. Premium extras	Everything core stays free; specific extras are paid (certain events, advanced search, Knowledge extras)	Low risk	Harder to find extras worth paying for

Q2. Grandfathering rules? *Decision: Shresth*

Option	For	Against
A. Early users free forever	Strongest thank-you; easy to explain	Permanently removes the most engaged businesses from revenue
B. Early users get a lifetime discount	Keeps goodwill and some revenue	A discount needs a price to discount from
C. Early users get a free period, then pay	Clean, time-boxed	Can feel like a bait-and-switch if not announced from day one
Recommended: split by side	Early **members** free for good (under Q1-B members are free anyway). Early **businesses** get a founding free period, then a founding discount. Announce the rule at sign-up so nobody is surprised	Needs two numbers from you: period length and discount

Q3. Pricing tiers? *Decision: Shresth*

Option	For	Against
A. One paid business tier first *(recommended)*	One price to test; simplest to build and explain	Leaves money on the table from larger businesses
B. Member / business / Community Owner tiers	Matches his list	Community Owners are partners bringing revenue. Charging them works against the programme
C. Several business tiers (Basic / Pro / Featured)	Captures more value	Premature before any business has paid anything

Q4. Billing cycle, and one-time or recurring? *Decision: Shresth*

Option	For	Against
A. Annual, paid once, renewed by reminder *(recommended to start)*	No recurring-payment mandates to build or support; fewer failed renewals to chase	Manual renewal reminders
B. Monthly recurring	Lower entry price	Needs recurring-payment support from the provider, and more failed payments
C. Both	Choice for the buyer	Two flows to build before either has been proven

Phase. The `grandfathered` flag is set from the first sign-up in **P1** (see A5); flags, plans and entitlements in **P4**; paid plans **Later**. Size S for the seams.

Status today. Not built. No plan, flag or grandfather field anywhere in code or schema.

B13. Verification Badges (point 13)

Purpose. Make trust visible. A badge says Seekers checked something, and says what.

User stories.

- As a business or freelancer, I want to apply for a badge by uploading documents.
- As a visitor, I want to see what a badge means when I tap it.
- As an admin, I want a queue of applications with the documents side by side.

Functional requirements.

1. Badges: **Verified Business** and **Verified Freelancer** (his list). The existing spec's *Community Verified* (vouched for by a verified member) is kept as a lighter tier if you want it; it is not built by default.
2. Required documents per category, set by admin (for example GST certificate or Udyam registration for a business; ID plus a portfolio link for a freelancer; the professional registration number for regulated categories).
3. Documents upload to a **private storage bucket**, readable only by admins through short-lived signed links, and are **deleted a set period after the decision** (retention set in admin). Nothing about the documents is public.
4. Decision: approve (badge granted with a date), reject with reason, or ask for more. The applicant is notified.
5. Badges can expire (admin sets a renewal period) and can be revoked, with an audit-log entry.
6. Tapping a badge explains exactly what was checked and when.

Acceptance criteria.

- A signed-out request, or one from a non-admin member, for a document file is refused.
- A revoked badge disappears from the public page on the next render.
- Documents past their retention date are deleted by the scheduled job (test with a back-dated fixture).

Data entities. `verification_applications` (new) · `verification_documents` (new, pointers to private storage) · `badges` (new: business_id, type, granted_at, expires_at, revoked_at).

Phase. P3 · size M.

Status today. Partial, on the browser mock. `app/src/app/admin/verification/page.tsx` flips a status with three buttons; badges render in `directory/[id]/page.tsx` and `business-card.tsx`. No document upload, no document viewer (admin sees a count), no record of who verified what.

B14. Ratings and Testimonials (point 14)

Purpose. Social proof on the business page, which is what converts a visitor from a shared link.

User stories.

- As a member whose referral or enquiry closed with a business, I want to leave a rating and a one-line review.
- As a business, I want to ask past clients who are not members for a testimonial.
- As a visitor, I want to tell a checked review from a testimonial the business collected.

Functional requirements.

1. **Verified review:** 1 to 5 stars plus one line (max 200 characters). Allowed only for the seeker on a `CLOSED_WON` referral, or the sender of an enquiry the business marked "became a customer". One per referral or enquiry. Checked on the server.
2. **Client testimonial:** the business generates a single-use link and sends it to a past client. The client leaves a name, one line and optional stars. It is shown with the label **"Client testimonial, collected by the business"** and does **not** count towards the star average.
3. Both go through moderation (module 7). The business can reply once, publicly.
4. The average rating and count are computed from approved verified reviews only, and are shown only once there are at least 3 (admin-set).

Acceptance criteria.

- A member with no closed referral or qualifying enquiry is refused when posting a review (403).
- A testimonial link works once; a second use is refused.
- The star average equals a direct query over approved verified reviews and excludes testimonials.

Data entities. `reviews` (new: type verified/testimonial, source referral_id or enquiry_id or invite token, rating, text, status, reply).

Phase. P3 · size S.

Status today. Not built. `business_profiles.rating` is a hand-seeded number and `components/ui/star-rating.tsx` draws it. There is no way to leave a review.

B15. Welcome and Onboarding Sequence (point 15)

Purpose. A new member should never land on an empty screen. Three steps get them to value.

User stories.

- As a new member, I want a short guided set of steps, so I know what to do first.
- As a business owner, I want the flow to take me straight to listing my business.

Functional requirements.

1. Sign-up path: code or invite link → account (email one-time code, 18+ declaration, privacy notice) → **profile** (photo, designation, company, tags) → **directory visibility choice** (module 3) → optional **list your business** → **Knowledge taster** (three approved posts in their chosen interests) → Home.
2. A **checklist card** on Home until complete, with the four steps from point 15 plus the visibility choice: complete profile · choose directory visibility · list your business (shown only to members who said they run one) · read a Knowledge post. Each item is ticked by the real action, never by a click on the checklist. Once it is done, Home suggests the next habits (RSVP to an event, invite someone) as ordinary cards, not checklist items.
3. Every empty state in the app has a next step (for example, an empty referrals tab offers "Refer someone you trust").
4. The two welcome emails (on join, and after three days if the profile is incomplete) are sent through the email provider.

Acceptance criteria.

- A new test member who completes each real action sees the matching item ticked; skipping leaves it open.

- The checklist disappears once every applicable item is done.
- No screen in the app renders an empty list without a call to action (checked on every list screen with an empty fixture).

Data entities. `onboarding_progress` (new, or derived from the real tables) · `email_log` (new).

Phase. P1 · size S.

Status today. Partial, static. `app/src/app/auth/signup/page.tsx`, `onboarding/welcome/page.tsx` (three static cards), `onboarding/business/page.tsx`. No checklist or progress. **The welcome copy says "SEBI-certified traders" and "two-sided confirmation" (`onboarding/welcome/page.tsx:11,16`);** both must go (compliance, and it contradicts the engine).

B16. FAQ and Help (point 16)

Purpose. Answer the obvious questions (how referrals work, what a badge means, privacy) without a human.

User stories.

- As a visitor or member, I want to find an answer by topic or by searching, without contacting anyone.
- As a member who is still stuck, I want to send a question and know it reached someone.
- As an admin, I want to add and reorder answers without a deploy.

Functional requirements.

1. Public `/faq`: questions grouped by topic (Joining, Referrals and credits, Businesses, Privacy, Community Owners), with search.
2. Edited in admin; markdown answers; order set by admin.
3. "Still stuck?" opens a help form that emails admin and records a ticket.
4. `FAQPage` structured data for search engines.

Acceptance criteria. An FAQ added in admin appears on `/faq`; search finds it by a word in its answer; the help form creates a ticket and sends one email.

Data entities. `faq_items` (new) · `support_tickets` (new).

Phase. P1 · size S.

Status today. Not built.

B17. Invite a Member (point 17)

Purpose. A light "invite a friend" for every member, separate from the Community Owner programme.

User stories.

- As a member, I want to send a friend an invite link from my own WhatsApp in one tap.
- As a member, I want to see how many people joined through my link.
- As an admin, I want to cap or reward invites without a deploy.

Functional requirements.

1. Every member has a personal invite link, `https://<domain>/join?ref=[code]`, and a **Share on WhatsApp** button with a prefilled message. **We never ask for or store the friend's phone number or email.** The member sends the invite from their own phone.

2. Joining via a member's link records `invited_by`. It does **not** create Community Owner attribution. If a person arrives with both an owner code and a member code, the owner code decides attribution and the member code decides `invited_by`.
3. `/invite` shows the member: link, times opened, people joined.
4. Invite credits: **off at launch** (D10). The ledger already supports an invite award if you switch it on.
5. Admin can cap invites per member if abuse appears.

Acceptance criteria.

- A sign-up via a member link records `invited_by` and no owner.
- A sign-up with both codes records both correctly.
- No table stores a non-member's contact details from the invite flow.

Data entities. `profiles.invite_code`, `profiles.invited_by` (existing in the spec model) · `invite_events` (new: opened, joined).

Phase. P2 · size S.

Status today. Partial. `profiles.invite_code` is shown on Discover and Profile; `app/src/app/api/auth/signup/route.ts:17–25` resolves a code and writes 50 pending credits to a non-authoritative column, not the ledger. No share button, no WhatsApp share, no tracking.

B18. Featured / Spotlight on Home (point 18)

Purpose. Keep Home alive: a rotating highlight of a business, a Community Owner or a Knowledge post.

User stories.

- As a member, I want Home to show something new each time I open it.
- As an admin, I want to schedule who or what is highlighted, and for how long.
- As a business or Community Owner, I want to be featured only if I have agreed to it.

Functional requirements.

1. Admin adds spotlight items: type (business, owner, Knowledge post, event, announcement), the item, a one-line reason ("Top referred this month"), start and end date, order.
2. Home shows one item at a time, rotating on each visit (or every few seconds on desktop, pausable and respecting reduced-motion).
3. If no item is scheduled, a fallback shows automatically: the business with most closed referrals this month, or the most helpful Knowledge post this week. Never an empty slot.
4. Spotlight on a member or owner requires that person's opt-in.

Acceptance criteria. With no scheduled items, the fallback renders; an expired item is not shown; a person who has not opted in is never spotlighted.

Data entities. `spotlights` (new).

Phase. P3 · size S.

Status today. Partial. `content.featured` drives the Discover hero (`app/src/app/discover/page.tsx:33`) and `components/discover/featured-businesses.tsx` shows the top eight by referral count. No admin-picked rotation or schedule, and Home is behind sign-in.

B19. Cross-cutting requirements

Area	Requirement
Notifications	In-app notification centre (bell) plus email, behind one provider-agnostic interface (decision 5, 1 Sep). WhatsApp is later. Web push is optional: on iPhone it reaches only members who installed the app (§D6). Each member can turn email categories off.
Search	Postgres full-text search across businesses, catalogue, members (visible only), Knowledge. The top-bar search becomes real (it does nothing in the POC).
Performance	Public pages server-rendered; target Largest Contentful Paint under 2.5 s on a mid-range phone on 4G (checked with Lighthouse on staging).
Accessibility	WCAG 2.2 AA: contrast, focus states, keyboard use, labels, reduced motion. Checked on every screen before a phase closes.
PWA	Web app manifest, icons, service worker for install and an offline fallback page. No offline data.
SEO	Public pages only: metadata, canonical URLs, sitemap (`/sitemap.xml` listing approved business pages, events, About, FAQ, Wealth Seekers), `robots.txt` blocking the app and admin.
Analytics	First-party only at launch (admin SQL views). No third-party trackers without a consent banner.
Language and locale	English, IST times, ₹ with Indian digit grouping (1,00,000).


PART C: UI DIRECTION

The full specification, with every measurement, is `ui-direction/ui-direction.md`. The mockups are static HTML in `ui-direction/mockups/` and open in any browser with no internet connection. **Every number on every mockup is sample data**, and each screen with figures says so.

C1. What is wrong with the current UI

Measured on the live site on 30 September at phone (375 px) and desktop (1440 px) width. The layout no longer breaks; **the problems are identity, hierarchy, trust and touch.**

#	Problem	Evidence
G1	**No identity.** Everything renders in the system font; nothing on screen says *Seekers*	measured font stack on every screen
G2	**Colour means nothing.** Four decorative icon colours on Discover; two badges in two colours for one idea; the amber used for credits is **2.19:1 on white, which fails accessibility as text**	computed contrast
G3	**Phone navigation hides behind a menu.** Six sections sit in a drawer, two taps each	`before/discover-menu-open-375.png`
G4	**Touch targets are desktop-sized.** 46 of 49 controls on the directory are under 44 px tall on a phone	measured
D1	**Discover has no single most important thing**: nine blocks at equal weight, 3,579 px of scrolling on a phone	measured
D2	**Vanity numbers lead** ("In Directory: 7"); what needs the member (a lead to accept, a deal to confirm) is absent	`before/discover-1440.png`
B1	**Business names are cut off on every directory card** ("TaxEas…") because the badge shares the line	`before/directory-375.png`
P1	The main button's label breaks out of the button on the business page	`before/directory_biz-002-375.png`
A1	**Admin is a menu, not a dashboard**; its biggest number is "0 Pending Verification"	`before/admin-as-admin-1440.png`
LE1	`/leads` shows a 404 page on the live site; the lead inbox exists only in the uncommitted code	`before/leads-375.png`



The current Discover screen, first screen on a phone


C2. The new direction

1. **Trust shown as evidence, not decoration.** Every business carries three things a visitor can check: a *Verified business* seal with a line saying what was checked, a *vouch line* naming the members who stand behind it, and a rating that says where it came from ("4.7 from 12 reviews").
2. **The visiting card is the signature.** A business page opens on its own visiting card, the object an Indian business owner already hands out. The same card is the WhatsApp link preview, so a shared link looks the same in the chat as on the page.
3. **A phone app first, with a desktop layout for real work.** Bottom tabs on phones, a grouped sidebar on desktop, a light canvas, one deep accent colour, and a wide display face for names and numbers.

Five design principles, each tied to a user and a job:

Principle	For whom
Show why to trust, in one glance. Seal, vouches and sourced rating above the fold; no badge without its explanation	A visitor opening a business link from WhatsApp
Lead with what is waiting on you. Home and Admin open on actions, not counts	A member or owner opening the app between meetings
One thumb, one phone, one decision per screen. Bottom tabs, 44 px targets, 16 px body text, a sticky main action	Members arriving from WhatsApp links on their phones
Money and status are never ambiguous. Status is colour plus icon plus words; provisional amounts say so ("+50 pending, settles 6 Oct"); excluded revenue is shown and explained	Anyone tracking a referral, credit or commission
Premium comes from restraint. One accent, display type only for names and figures, borders not shadows	A closed community that should feel select without looking like a bank

C3. Colour. Decision: Shresth (D1)



Palette board: the recommended palette and two alternatives on the same components

Palette	Brand	Deep	Ink	Canvas	Character
Peacock *(recommended)*	`#0B5D63`	`#083F43`	`#15201E`	`#F6F7F5`	Steady and financial without copying the navy of every Indian bank and broker; far from every status colour
Jamun	`#5A2B5F`	`#3D1B41`	`#1D1720`	`#F7F6F8`	The most distinctive; leans more on the seal and copy to carry trust
Navy and amber, corrected	`#1B4F72`	`#12384F`	`#0F172A`	`#F8FAFC`	Continuity with the prototype. Amber `#F39C12` allowed **only as a fill under dark text** (8.14:1), never as text

Status colours are the same in all three palettes, and each means one thing:

Status	Text on fill	Contrast	Engine states
Pending	`#8A4B00` on `#FDF1DC`	6.09:1	`INITIATED`, `ACCEPTED`
In progress	`#1D4F91` on `#E5EDF8`	6.90:1	`CONTACTED`, `IN_PROGRESS`
Closed · won	`#17663A` on `#E3F2E8`	6.05:1	`CLOSED_WON`
Closed · no deal	`#4F5B59` on `#ECEFED`	6.10:1	`CLOSED_LOST`, `EXPIRED`, `UNRESOLVED`
Needs attention	`#A52A1C` on `#FBE9E6`	6.07:1	`DISPUTED`

Contrast, computed (Peacock): body text on white 16.70:1, on canvas 15.54:1, secondary text 6.57:1, white on brand buttons 7.61:1. Every body-text pair clears the 4.5:1 accessibility minimum, and the lowest body-text contrast measured on any rendered mockup is **5.79:1**.

C4. Type, spacing and motion

Role	Face	Size (desktop / phone)
Business names, page titles, figures	**Anek Latin**, wide (112%)	38 / 28 px
Public page heroes	Anek Latin	52 / 34 px
Headings	Hanken Grotesk	20 / 19 px
Body	**Hanken Grotesk**	**16 px**, line height 1.55
Meta	Hanken Grotesk	14 px

Both fonts are **SIL Open Font License 1.1**: free for commercial use and embedding. Anek Latin is by Ek Type, an Indian foundry, and has a matching Devanagari companion, so Hindi can be added later. **Hanken Grotesk has no ₹ glyph** (checked in the font file itself). The build declares Anek Latin for the ₹ character only (`unicode-range: U+20B9`), so every rupee sign renders in the same family.

Spacing on a 4 px base (4, 8, 12, 16, 20, 24, 32, 40, 48, 64, 80). **Radius**: controls 8, cards 12, heroes 16, chips round. **Elevation**: flat with a border by default; a shadow only means "lifted". **Motion**: 120 to 240 ms; the Spotlight rotates only on action or every 8 s and stops for reduced-motion users. **Focus**: a 3 px brand outline on everything.

C5. Components and navigation

- **Business card (the visiting card):** logo tile, name in display type and **never cut off**, category and city, then seal, sourced rating and vouch line. One main action per card.
- **Verified badge:** one badge, "Verified business" or "Verified freelancer", always followed by what was checked. Community vouching is a line of names, not a second badge.


- **Rating:** a number, one star and a count ("4.7 from 12 reviews"). Each review says where it came from ("Closed referral" or "Closed enquiry").
- **Status chips:** the five families above. The chip carries the group; a line underneath carries the exact state ("Waiting for Meera to accept · 31 h left").
- **Empty states:** say what happened, what to try, and offer one or two actions. Never a bare zero.
- **Forms:** labels above inputs, 48 px inputs with 16 px text (no zoom on iPhone), one primary button with a verb, and a hint saying where the data goes.
- **Navigation, phones and tablets:** a five-tab bottom bar, **Home · Directory · Referrals · Community · Me**. Community holds Events, Initiatives and Knowledge; Me holds profile, invite, help, and the Owner and Admin areas.
- **Navigation, desktop (1024 px and up):** a sidebar grouped by intent (Find, Refer, Community, plus role groups). The top bar holds search, the credit balance, notifications and **Refer someone**.
- **Public pages versus the app:** public pages have a slim bar with **Member sign in**, and the subject is the business, not Seekers. They never show phone numbers, referral codes or credits.

C6. The screens


Nine screens were designed and checked at phone and desktop width. Each is shown below at desktop width and as the first screen a phone user sees.

Home (points 6, 9, 15, 17, 18)

The onboarding checklist, what is waiting on you (a lead to accept, a deal to confirm), the Spotlight stage, events coming up, and quick actions.




Home, desktop




Home, phone first screen

Public business page (points 2, 4, 13, 14)

The visiting-card hero, seal with what was checked, vouch line, catalogue, reviews from closed referrals and enquiries only, and **Send enquiry** with no sign-in. It includes the WhatsApp preview card.




Public business page, desktop



Public business page, phone first screen

Members directory (point 3)


Search, industry filter and tags. Members who switched visibility off are simply absent. Your own visibility switch sits at the top.




Members directory, desktop

Referral dashboard (point 6)

Sent and received, the five status chips over the nine engine states, the scorecard, a leaderboard ranked on deals won (not credits held), and a legend of what each status means.




Referral dashboard, desktop



Referral dashboard, phone first screen

Community Owner dashboard (point 11)


The owner's link and code, members brought in, eligible revenue, commission at the admin-set rate, payout status "manual", and the **F&O and investment exclusion shown as a struck-through row with its reason**.



Community Owner dashboard, desktop

Admin dashboard (point 7)


A decision queue (verification with documents, a dispute with both sides, a Knowledge post flagged for the SEBI check, a new listing), basic analytics, Spotlight rotation and pinned announcement.



Admin dashboard, desktop

Knowledge (point 10)


Feed with previews, sort by recent, helpful or saved, categories, the Helpful reaction, and the submission form with a fetched preview and an "In review" state.



Knowledge, desktop

Events and initiatives (point 9)


RSVP, "You're going", a paid event marked "Paid · registration opens later", the past archive, and NGO initiatives with Volunteer, Donate (on their own site) and Contact.



Events and initiatives, desktop

Wealth Seekers (point 5)

A public funnel page with its own wordmark on the deep brand colour, a three-step "how it works", a call-back form with consent, and a marked placeholder for the disclaimer the compliance review will set.



Wealth Seekers, desktop

C7. How the mockups were checked

Each of the 20 screenshots (nine screens and the palette board, at 375 px and 1440 px) was measured in a real browser: **0 px horizontal overflow, 0 console errors, 0 external requests, and 0 body-text contrast failures** (lowest 5.79:1). The checking script was itself proven to fail on planted faults (overflow, contrast, external request, console error) before its passes were trusted.

Not yet checked: a keyboard and screen-reader walk-through, Devanagari rendering, and a real Android device. The link-preview card is a design mock, not a generated image. These move to the build's accessibility and link-preview checks (§E9).

PART D: ENGINEERING

D1. Architecture

```
Browser (phone-first PWA)
  │  HTML from server components; small client islands for interaction
  ▼
Next.js App Router on Vercel
  ├─ Public pages  (/, /about, /business/[slug], /wealth-seekers, /faq, /events/[slug])
  │     static + on-demand revalidation · Open Graph images generated per page
  ├─ App pages     (server components; read through the server data layer)
  ├─ Route handlers /api/*   ← every write, every private read
  │     resolveActor() → role check from the DATABASE → the one function allowed to touch PII
  └─ Scheduled jobs (Vercel Cron → route handlers): referral timeouts, credit settlement,
       document retention, reminder emails
  │
  ▼
Supabase
  ├─ Postgres  · RLS on every table · PII tables with NO policy (server key only)
  │            · state machine + ledgers enforced by triggers and functions
  ├─ Auth      · sessions for members (replaces the signed-cookie stopgap)
  └─ Storage   · public bucket (logos, event images) · private bucket (verification docs)
  │
  ▼
Email provider (transactional) · later: payments provider, WhatsApp provider
```

Rules every developer follows:

1. **No database call from a `"use client"` file.** Reads go through server components or route handlers.
2. **The service key lives only in files marked `server-only`.** The build fails if a client file imports it (a CI check, §E3).
3. **The actor is derived from the session, never from the request body.** A bug of exactly this kind was found and fixed on 2 Sep.
4. **Money is integer paise.** Never floating point.
5. **Ledgers are append-only**: credits, commissions, payouts. Corrections are new rows.
6. **Every admin and money action writes the audit log.**

D2. Data model

What exists (from the migrations in the repo)

Six migrations in `supabase/migrations/` define the schema. (`supabase/schema.sql` is a stale copy of the first migration only; treat the migrations as the truth.)

Table	Holds	Row-level security today
`profiles`	name, photo, location, interests, roles, personal and invite codes, `invited_by`, tier	On; everyone can read; own-row update with no column limit (F6)
`business_profiles`	owner, type, name, logo URL, category and `category_id`, description, services, years, location, business code, verification fields, rating	On; everyone can read; owner update with no column limit (F6)
`referrals`	code, type, referrer, business, seeker, **`state`**, deal value (paise) and band, lost reason, accepted and expiry times, terms snapshot, credits, success fee	On; parties only; browser updates revoked
`credit_transactions`	member, referral, amount, type, status, currency (`CREDIT` or `INR`)	On; own rows; **append-only**
`member_contacts`, `business_contacts`	phones and emails	**On, no policy, revoked from browser roles**
`content`	pillar, type, title, body, media, author, tags, six-step status, featured	On
`events`	host, title, date, location, online URL, capacity, status, `rsvps` array	On; over-broad update (F11)
`message_threads`, `messages`	a thread per referral	On; **no screen uses them**
`categories`	slug, name, `referral_fee_allowed`, `required_doc_tier`, regulator	**Off** (F2)
`referral_transitions`	the 14 legal (from, to, actor) moves	**Off** (F2)
`referral_terms_defaults`, `business_referral_terms`, `success_fee_slabs`	global and per-business terms, versioned	**Off** (F2)

Views: `member_balance` (balance from the ledger), `business_honour` (honour rate), `businesses_missing_category` (must always be empty). Functions: `transition_referral`, `award_referral_credits`, `resolve_referral_terms`, `set_business_terms`, `calculate_success_fee`, plus legacy `confirm_referral`, `add_user_role`, `increment_credits_pending` (F3, F6). Tests: `supabase/tests/phase0.sh` (12 checks) and `supabase/tests/terms.sh`. **No app, route or end-to-end tests exist.**

New tables this plan adds

Table	Key columns	Module	Access
`site_content`	key, body, version, updated_by	1, 5, 16	public read (published), admin write
`catalogue_items`	id, business_id, title, description, price_paise null, price_label, image_path, position, hidden	2	public read (approved business), owner write
`enquiries`	id, business_id, sender_profile_id null, name, message, contact_encrypted, status, became_customer, created_at	2, 14	**private**: business owner + admin via server routes
`slug_history`	business_id, old_slug, changed_at	4	server

Table	Key columns	Module	Access
`tags`, `profile_tags`	tag, profile_id	3	member read (visible profiles)
`connect_requests`	from_id, to_id, note, status	3	parties only
`blocks`	blocker_id, blocked_id	3	self
`ws_leads`	id, name, contact_encrypted, interest, consent_at, member_id null, utm	5	**private**, admin
`compliance_approvals`	content_key, version, approved_by, approved_at	5	admin
`audit_log`	actor_id, action, target_type, target_id, detail jsonb, at	7	admin read, insert-only
`announcements`	title, body, pinned, starts_at, ends_at	7	member read
`event_rsvps`	event_id, profile_id, status (going / waitlist / cancelled / attended), paid_recorded	9	self + admin
`initiatives`, `initiative_responses`	org, description, links; response type, message	9	member read; admin
`content_reactions`	content_id, profile_id, type (helpful / save)	10	self write, counts public
`content_reports`	content_id, reporter_id, reason	10	moderators
`community_owners`	profile_id, code, status	11	admin; owner reads own
`owner_rates`	owner_id, percent, effective_from, effective_to	11	admin
`revenue_events`	id, source, profile_id, amount_paise, occurred_on, commissionable, recorded_by, reference	11, 12	admin; owner sees aggregates for own members
`owner_commissions`	owner_id, revenue_event_id, rate, amount_paise	11	append-only
`payouts`	owner_id, period, amount_paise, paid_on, method, reference	11	admin; owner reads own
`feature_flags`, `plans`, `entitlements`	key, enabled; plan; user × feature	12	admin
`verification_applications`, `verification_documents`	business_id, type, status; storage path, delete_after	13	applicant + admin
`badges`	business_id, type, granted_at, expires_at, revoked_at	13	public read
`reviews`	type, business_id, author_profile_id null, referral_id null, enquiry_id null, token_hash null, rating, text, status, reply	14	public read (approved)
`onboarding_progress`	profile_id, step, done_at	15	self
`faq_items`, `support_tickets`	question, answer, topic, position; ticket	16	public read; admin
`invite_events`	inviter_id, type (opened / joined), at	17	self aggregates
`spotlights`	type, ref_id, reason, starts_at, ends_at, position	18	public read
`notifications`, `email_log`, `notification_prefs`	recipient, type, payload, read_at	all	self

Columns added to existing tables: `profiles` (designation, company, industry, directory_visible default false, leaderboard_opt_in default false, spotlight_opt_in default false, attributed_owner_id set-once, grandfathered, invite_code, invited_by) · `business_profiles` (slug, type, logo_path, approval_status, approved_at) · `events` (slug,

capacity, is_paid, price_paise, online_link private) · `content` (url, preview_title, preview_image, site_name, status, source).

D3. API routes

Existing routes (built): `POST /api/auth/login` · `logout` · `signup` · `GET /api/auth/me` (mock sign-in, replaced in P0) · `POST /api/referrals/[id]/accept` (F1) · `POST /api/referrals/[id]/state` · `GET /api/referrals/[id]/contact` (the contact gate) · `GET/POST /api/admin/terms`.

New routes, all server-side, all role-checked:

Method · Route	Who	Does
`GET /api/directory`	member	Approved businesses, filters, rank sort. Never contacts
`POST /api/business` · `PATCH /api/business/:id`	owner	Create / edit listing → approval queue
`POST/PATCH/DELETE /api/business/:id/catalogue[/:item]`	owner	Catalogue CRUD, reorder
`POST /api/enquiries`	anyone	Rate-limited, bot-checked enquiry
`GET/PATCH /api/enquiries`	business owner	Inbox; mark replied / became customer
`GET /api/members`	member	Visible profiles only
`POST /api/connect` · `POST /api/connect/:id/accept`	member	Connect request; reveals chosen contact on accept
`POST /api/ws-leads`	anyone	Wealth Seekers lead with consent
`GET /api/referrals/summary`	member	Scorecard from ledger and referrals
`POST /api/referrals`	member	**Create a referral** (self-service or third-party, including a non-member by phone). Refuses a business with 2 or more `UNRESOLVED` and says why. In the 1 Sep spec; **not built** (today the only insert is the mock one in the browser)
`POST /api/referrals/:id/confirm` · `/dispute`	seeker · party	Thin wrappers over the **existing** `POST /api/referrals/[id]/state` route and `transition_referral()`, adding the checks those do not make: a deal value or band is required to confirm, and a reason to dispute. They do not replace the state route
`POST /api/knowledge` · `POST /api/knowledge/preview`	member	Submit; server-side preview fetch (request-forgery guarded)
`POST /api/knowledge/:id/react`	member	Helpful / save
`POST /api/events/:id/rsvp`	member	RSVP / waitlist / cancel
`POST /api/verification` · upload URL	business owner	Apply; signed upload to the private bucket
`POST /api/reviews` · `POST /api/testimonials/:token`	eligible member · token holder	Review / testimonial
`GET /api/owner/summary`	Community Owner	Own members, revenue, commission, payouts
`PATCH /api/profile`	member	Edit own profile, including directory visibility, leaderboard and spotlight opt-ins (column allow-list)
`POST /api/blocks` · `DELETE /api/blocks/:id`	member	Block and unblock another member

Method · Route	Who	Does
`GET /api/invite`	member	Own invite link, opens and joins
`POST /api/support`	anyone	FAQ "Still stuck?" help ticket
`POST /api/initiatives/:id/respond`	member	Volunteer or contact an initiative's organiser
`GET /api/notifications` · `PATCH /api/notifications/:id`	member	Notification centre; mark read
`POST /api/reviews/:id/reply`	business owner	One public reply to a review
`POST /api/testimonials/links`	business owner	Create a single-use testimonial link
`/api/admin/*`	admin	Approvals, moderation, events, spotlight, owners, revenue, payouts, flags, content, analytics, exports
`GET /api/cron/*`	Vercel Cron (secret)	Timeouts, settlement, retention, reminders

D4. Authentication

The POC uses **signed cookies**. They stop forgery but are not real sign-in (decision 8, 2 Sep). P0 replaces them with **Supabase Auth**.

Recommendation: launch on email sign-in (one-time code or magic link), add phone later.

Option	What it needs	Lead time	Verdict
Email one-time code / magic link via Supabase Auth + our own email sender	A custom SMTP provider. Supabase's built-in email "is not meant for production use", sends only to the project team, and is limited to **2 messages per hour** [S-AUTH2]	None beyond the domain (D2)	**Launch with this**
SMS one-time code	Supabase supports MessageBird, Twilio, Vonage and TextLocal, or any Indian gateway through its Send SMS hook [S-AUTH1]. **India's TRAI DLT rules apply**: register the business as a Principal Entity, a sender header (max 11 characters) and message templates before sending OTPs [S-DLT1]. TRAI states entity registration takes up to 7 days and header registration up to 2 days; template approval time is `UNKNOWN` [S-DLT2]	Days to weeks	Add after launch; start DLT registration early
WhatsApp one-time code	Built into Supabase only via Twilio [S-AUTH1]	Twilio account; prices `UNKNOWN` (not read)	Later option

After custom SMTP is added, Supabase imposes a default limit of **30 auth emails per hour**, which must be raised in Auth → Rate Limits before launch [S-AUTH2].

Identity migration (P0): every user gets one Supabase Auth UUID; `profiles.user_id` links to it; the mock ids and `SEED_USERS` are deleted; row-level security is rewritten against `auth.uid()`; every `security definer` function is re-audited for a browser caller (F3, F4, F6).

Age gate: sign-up asks the person to declare they are 18 or over. India's DPDP Act defines a child as under eighteen and requires verifiable parental consent to process a child's data [S-DPDP1 s.2(f), s.9]. A finance and business community has no need to onboard minors.

D5. Security, privacy and compliance

Security

Risk	Control	Test
Contact details leak to the browser	PII tables: row-level security on, no policy, privileges revoked from browser roles. One server function reads them, after its own check	As a browser role, selecting from both contact tables returns 0 rows (exists)
A member acts as someone else	Actor derived from the session; never from the request body	A forged body field is ignored (test per route)
Admin powers used by a non-admin	Server-side role check against the database on every admin route	403 for every admin route as a member
Server-side link fetch used to reach internal addresses (Knowledge previews)	Allow only http/https, resolve DNS and refuse private, loopback and link-local ranges, no redirects to such ranges, 3 s timeout, 1 MB cap, strip cookies	Private-range URLs refused (test)
Spam through enquiry, lead and help forms	Rate limit per IP and recipient, bot check, honeypot field	6th request in window refused
Malicious uploads	Type and size limits, images re-encoded, documents in a private bucket, served only through short-lived signed links	Non-admin document fetch refused
Secrets in the repo	`.env*` git-ignored; `.env.example` with names only; a secret scan in CI	CI fails on a planted key
Tampering with money records	Append-only ledgers; audit log; admin actions need a reason	UPDATE/DELETE on a ledger row changes nothing (exists for credits)

Privacy (India's Digital Personal Data Protection Act)

The DPDP Rules were notified on 13 November 2025. The duties that matter most here (notice, security, breach reporting, retention, rights, children) come into force **eighteen months after publication**, which secondary sources put at 14 May 2027 [S-DPDP2, S-DPDP3]. **Seekers will launch before then. The plan builds the duties in now anyway**, because adding consent records afterwards means asking every existing member again.

Obligation	What the law says	How Seekers meets it
Notice and consent	Consent must be "free, specific, informed, unconditional and unambiguous with a clear affirmative action"; the notice must itemise the data and purpose and give an easy way to withdraw [S-DPDP1 s.5-6; S-DPDP2 r.3]	Itemised privacy notice at sign-up; no pre-ticked boxes; consent rows stored with timestamps; withdraw from Settings in one step
Members directory	A separate purpose needs its own consent [S-DPDP1 s.6]	Visibility **off by default**; an explicit choice in onboarding; the choice and its time are stored
Enquiries from non-members	Data a person voluntarily provides for a specified purpose may be processed for that purpose, and processing must stop once it is served [S-DPDP1 s.7(a)]	Consent line on the form; enquiry contacts deleted after an admin-set period
Invite a friend	The Act does not address data supplied by a third party; legal position `UNKNOWN`	**Designed around it**: the member shares a link from their own phone; Seekers never receives the friend's number
Security	Encryption, masking, access control, logs, backups; keep logs for one year [S-DPDP2 r.6]	PII split (built), encrypted enquiry and lead contacts, audit log kept one year, tested backups
Breach	Tell affected people "without delay" and give the Data Protection Board a detailed report "within seventy-two hours" [S-DPDP2 r.7]	Incident runbook (§E6) with the 72-hour clock written in

Obligation	What the law says	How Seekers meets it
Rights and grievances	Publish how to make a request, a contact person, and a grievance response time "not exceeding ninety days" [S-DPDP2 r.9, r.14]	`/privacy` page, a data-request form, a named contact
Children	Under-18s need verifiable parental consent; no tracking of children [S-DPDP1 s.9]	18+ declaration at sign-up
Hosting location	Transfer abroad is permitted subject to conditions the government may set; no general localisation mandate [S-DPDP2 r.15]	Host in Mumbai anyway (§E1) for latency

Penalties in the Act's Schedule reach up to ₹250 crore for a security-safeguard failure [S-DPDP1 Schedule]. Nothing in this section is legal advice.

Regulated categories and SEBI

Four categories cannot carry a paid referral (existing, enforced in the award function):

Category	Rule	Source
Insurance	Insurance Act 1938 s.40(1): no remuneration "for soliciting or procuring insurance business" to anyone except an agent or intermediary	[S-REG1] (secondary host; whether a 2025-26 amendment changed the wording is `UNKNOWN`)
CA / tax	CA Act 1949, First Schedule Part I cl.(2): misconduct to share fees or commission with a non-member	[S-REG2] (secondary host)
Legal	**BCI Rule 36** (no soliciting work, directly or indirectly, including through touts). ⚠️ Earlier Seekers documents cite Rules 47-52, which cover other employment; **Rule 36 is the correct citation**	[S-REG3]
Investment advisory	SEBI Intermediaries Regulations, Reg 16A (below)	[S-SEBI1]

SEBI: the three facts that shape this product

1. **Registered entities may not associate with unregistered advice-givers.** Since 29 August 2024, SEBI-regulated persons and their agents "shall not have any direct or indirect association" with anyone who gives securities advice without registration, or "makes any claim, of returns or performance". "Association" includes "a transaction involving money or money's worth" and "referral of a client", and SEBI's FAQ says lead generation "by any name" is covered [S-SEBI1].
2. **Selling F&O trading calls, price targets or stop-losses requires Research Analyst registration** [S-SEBI2]. Individualised advice needs Investment Adviser registration, and SEBI says "trading calls shall not be considered as investment advice" (they fall under RA) [S-SEBI3].
3. **The education carve-out tightened on 8 May 2026.** A person engaged solely in education must not use "the market price data of the preceding **thirty days**" to name a security while indicating its future price or a recommendation. It was three months before [S-SEBI1, FAQ 8]. Any older Seekers document that says three months is out of date.

What the plan does about it

Where	Rule built into the product
Community Owner commission	Investment and F&O revenue is `commissionable = false` until D8 is resolved. Whether a registered provider may pay a share to an owner who gives no advice is `UNKNOWN` and needs a securities lawyer
Wealth Seekers page (module 5)	Built, not published until D8. No return figures, no win rates or P&L screenshots, no named-stock calls or targets, no "guaranteed". Show registration details **only if** Wealth Seekers is registered; whether it is registered is `UNKNOWN`
Knowledge (module 10)	Moderation checklist: reject posts that name a security with a price view using the last 30 days of price data, and any return or performance claim. Every market-category post carries an education-only line
Directory	Businesses in Stock Trading and Investments are listed with their SEBI registration number shown, and earn no credits
Onboarding copy	Remove "SEBI-certified traders" from `app/src/app/onboarding/welcome/page.tsx:11`

Nothing in this section is legal advice.

D6. Integrations

Integration	MVP?	Use	Notes
Supabase (Postgres, Auth, Storage)	Yes	Everything	Region and plan in §E7
Vercel	Yes	Hosting, preview deploys, cron, Open Graph image generation	Plan in §E7
Transactional email	Yes	Enquiries, notifications, welcome, reminders, sign-in if email-based	Needs the real domain (DNS records) before production sending
Link preview (Open Graph / YouTube oEmbed)	Yes	Knowledge previews	Server-side, guarded
Payments provider	**No, later**	Paid events, subscriptions, success-fee collection, payouts	Behind a `PaymentProvider` interface. No provider chosen
WhatsApp messaging	**No, later**	Notifications	Sharing links via WhatsApp works today with no integration
SMS	Depends on D4	Phone sign-in	See §D4

Link-preview spec (module 4, events, Wealth Seekers), designed to the stricter of the sources:

Item	Spec	Source
Required tags	`og:title`, `og:description`, `og:url` (all non-empty), `og:image`	WhatsApp [S-OG1], LinkedIn [S-OG2]
Image	**1200 × 630 JPEG, 300 KB or less.** LinkedIn needs at least 1200 × 627 and 1.91:1; WhatsApp's own page says under 600 KB, while many guides say about 300 KB, so we design to 300 KB	[S-OG1], [S-OG2]
Description	80 characters or fewer	[S-OG1]
Placement	Meta tags in the first 300 KB of the HTML, absolute URLs (`metadataBase` = `https://<domain>`)	[S-OG1], [S-NEXT1]
Next.js	`generateMetadata` in a server component; `opengraph-image.tsx` with `ImageResponse` (500 KB bundle limit including fonts; ttf, otf or woff only). WhatsApp and LinkedIn bots are in Next.js's default list of bots that get metadata in the `<head>`, so do not override `htmlLimitedBots`	[S-NEXT1], [S-NEXT2]
Refreshing	LinkedIn: re-scrape with Post Inspector after changes; it affects new posts only	[S-OG3]
Privacy	Never put member personal data in any meta tag	Governing rule (A2)

PWA: Chrome's install criteria are a manifest with name, 192 px and 512 px icons, `start_url`, `display: standalone`, and HTTPS; a service worker is not required to install [S-PWA1]. **iPhones have no install prompt**, so the app shows a "Share → Add to Home Screen" hint [S-PWA3]. **Web push on iPhone reaches only members who installed the app** (iOS 16.4 and later) [S-PWA2], so **email stays the main notification channel**.

Knowledge previews: YouTube, Vimeo and Spotify links use each provider's oEmbed endpoint (YouTube's needs no key; tested on 30 Sep) and the submitted URL itself is never fetched [S-OE1]. Other links are fetched under the OWASP request-forgery rules: allow only http/https on ports 80 and 443, resolve DNS and reject private, loopback, link-local and cloud-metadata addresses for **every** resolved IP, follow no redirects automatically, short timeout, size cap, parse `<head>` only [S-OWASP]. Preview images are re-hosted, never hot-linked. The fetcher runs in a Vercel function, away from the database network.

PART E: DEPLOYMENT AND OPERATIONS

E1. Environments

Environment	Where	Database	Who uses it	Deployed by
Local	Developer laptop	Supabase in Docker (`project_id = "seekers"`, ports 54321 to 54324)	Developers	n/a
Staging	Vercel preview + a staging Supabase project	Separate project, seeded with test data only	Team, and client demos	Automatically on every merge to `main` **if** Vercel is connected to Git (E2); until then, the builder runs `vercel deploy` from `app/`
Production	Vercel production at `https://<domain>`, functions in Mumbai (`bom1`)	Production Supabase project in Mumbai (`ap-south-1`), Pro plan	Members	Manual promote after staging checks pass

Production data never goes to staging or local. Test data is generated from `supabase/seed.sql`.

E2. Accounts and who owns them

All accounts are created and owned by **Shresth under his own identity** (`agrawalshresth32@gmail.com`, GitHub `Shresth0710`). No account is created under any other identity.

Account	Status today	Needed for
GitHub private repo `Shresth0710/Seekers-Community`	Exists (29 Aug)	Source, CI
Vercel project `seekers-community`	Exists, deployed by command line, **not connected to Git**. Plan not recorded; **Pro is required for commercial use** (§E7)	Hosting
Supabase cloud: staging and production projects	**Not created** (blocker B1 since 1 Sep)	Anything past local
Email provider account + API key	**Not created** (blocker B2). Resend recommended (§E7)	Sign-in emails and every notification. **Sign-in depends on it** (§D4)
Domain registrar	**Not chosen** (D2)	Production URL, email sending, link previews
Payments provider	Not needed for the MVP	Later

Recommendation: connect the Vercel project to the private repo so every merge deploys to staging automatically, while production stays a manual promote. The 29 Aug decision was to deploy by command line only, because auto-connect picked the co-founder's public repo. Connecting explicitly to the private repo avoids that risk. **Shresth's call**; the plan works either way.

E3. Continuous integration (on every pull request)

1. Install with `npm ci` (fails if the lockfile has drifted).
2. Type-check (`tsc --noEmit`) and lint.
3. `next build`.
4. Database tests: start Supabase in the CI runner, apply every migration from zero, run `supabase/tests/*` (the existing `phase0.sh` and `terms.sh` suites plus every new module's tests).
5. **Guard checks:** fail if any `"use client"` file imports the server client or the service key; fail if the built client bundle contains the service key; secret scan.
6. End-to-end smoke tests with Playwright on the preview deploy: sign in, open a public business page signed out, send an enquiry, create a referral, admin approves a listing.

A pull request cannot merge with any of these red.

E4. Releasing

1. Every schema change is a **new migration file**. Migrations already applied are never edited.
2. Merge to `main` → CI green → staging deploys (automatically if Vercel is connected to Git, otherwise by `vercel deploy` from `app/`) → migrations applied to staging (`supabase db push` against staging).
3. Staging checks: the smoke suite, plus a manual look at any changed screen at phone and desktop width.
4. **Production:** apply migrations to production first (they must be backwards-compatible with the running code), then promote the same build. Tag the release.
5. **Rollback:** promote the previous build in Vercel. Schema changes are forward-only, so any destructive column change is split across two releases (add → migrate data → remove later).

E4.1 Who performs each outward step

Everything that touches a production account, the domain or real members is done by **Shresth**, because every account is his (E2) and nothing is ever done under another identity. The builder prepares each step and hands it over; Shresth runs it or approves it at that moment.

Step	Performed by	Prepared by
Create Supabase, Vercel, email and domain accounts; upgrade Vercel and Supabase to Pro	**Shresth**	Builder (checklist)
Deploy to staging	Builder	Builder
Apply migrations to staging	Builder	Builder
Apply migrations to production	**Shresth**, or the builder with his go-ahead for that release	Builder (migration list, dry run on staging)
Promote a build to production	**Shresth**, or the builder with his go-ahead for that release	Builder (staging checks passed)
Roll back production	**Shresth**, or the builder in an incident he has declared	Builder (runbook)
Point DNS at Vercel; add SPF, DKIM and DMARC records	**Shresth** (registrar account)	Builder (exact records)
Set production secrets in Vercel	**Shresth**	Builder (list from §E5)
Remove seeded demo accounts from production	Builder, verified by Shresth	Builder

Step	Performed by	Prepared by
Approve founding businesses, appoint Community Owners and set their rates	**Admin (Shresth or Harshika)**	n/a
Tick the launch checklist (§E10) and announce to members	**Shresth**	Builder (evidence for each line)
Push to any GitHub remote	**Shresth**, per push	Builder (states what will be pushed)

E5. Secrets and configuration

Variable	Where	Notes
`NEXT_PUBLIC_SUPABASE_URL`, `NEXT_PUBLIC_SUPABASE_ANON_KEY`	Vercel env (per environment)	Safe for the browser; RLS protects the data
`SUPABASE_SERVICE_ROLE_KEY`	Vercel env, server only	Never in a `NEXT_PUBLIC_` variable; CI guard
`SESSION_SECRET`	Vercel env	Until Supabase Auth fully replaces signed cookies
`EMAIL_API_KEY`, `EMAIL_FROM`	Vercel env	After D2 and the email account
`CRON_SECRET`	Vercel env	Scheduled job routes refuse calls without it
`CONTACT_ENCRYPTION_KEY`	Vercel env	For encrypted enquiry and lead contacts
`SEEKERS_UNRESOLVED_PAUSE_THRESHOLD`	Moves to admin settings in P2	Currently an environment variable

`.env.example` lists every name with no values. Real values live only in Vercel and in local `.env.local`, which is git-ignored.

E6. Backups, monitoring and incidents

- **Backups:** Supabase's backups on the chosen plan (see §E7 for what each plan includes), **plus** a nightly `pg_dump` of production to storage Shresth controls, kept 30 days. **Restore is tested once before launch and once a quarter**; a backup that has never been restored is an assumption.
- **Errors:** server errors logged with a request id; Vercel logs for requests. An error tracker is optional at launch.
- **Uptime:** a free external check on `/` and `/api/health` every 5 minutes, alerting Shresth by email.
- **Scheduled jobs:** each job writes a heartbeat row; admin shows the last run of each; a job not seen for twice its interval raises an alert.
- **Incidents:** a data leak or suspected breach follows the DPDP breach steps in §D5: tell affected members without delay, and send the Data Protection Board a detailed report within 72 hours. One named person is on point (Shresth, unless delegated).

E7. Costs of running it

List prices read from each vendor's pricing page on 30 September 2026, in US dollars, before tax. **Usage is not modelled**, so overages are not estimated. No rupee conversion is given.

Service	Plan needed	Why this plan	List price	Source
Vercel	**Pro**	"Hobby teams are restricted to non-commercial personal use only"; advertising products or services counts as commercial. **The existing project must move to Pro before launch** (its current plan is not recorded)	$20/month, includes one deploying seat and $20 usage credit; more deploying seats $20 each; viewer seats free	[S-V1], [S-V2]
Supabase	**Pro**	Free projects "are paused after 1 week of inactivity" and have **no automatic backups**	$25/month; daily backups kept 7 days; 8 GB database, 100 GB storage, 100,000 monthly active users included	[S-SB1]
Point-in-time recovery	Optional add-on	Restore to any moment, not just last night	$100/month per 7 days of retention	[S-SB1]
Email: Resend	Free to start, **Pro before any announcement to all members**	Free is capped at **100 emails a day**, so one announcement to 2,000 plus members would exceed it	Free: 3,000/month, 100/day. Pro: $20/month for 50,000/month	[S-RS1]
Email: Postmark (alternative)	n/a	n/a	Basic $15/month for 10,000 emails	[S-PM1]
Domain	D2	n/a	`UNKNOWN` until chosen	n/a
SMS (if added)	n/a	DLT registration and per-message prices	`UNKNOWN` (not read)	n/a

Base run-rate at list price: Vercel Pro $20 + Supabase Pro $25 = $45 a month, plus Resend Pro $20 once broadcasts start. Overages depend on usage and are not estimated.

Limits that shape the build:

- Vercel functions accept request bodies up to **4.5 MB**, so logo, photo and document uploads go **directly to Supabase Storage** with signed upload URLs, never through a function [S-V3].
- Supabase Pro includes image transformations for 100 origin images, then $5 per 1,000 [S-SB1]. Resize on upload and serve fixed sizes, or use Vercel's image optimisation. **Use one, not both**, or the same resize is paid twice.
- Both vendors have Mumbai: Vercel `bom1` and Supabase `ap-south-1` [S-V4], [S-SB2]. Put the functions and the database in the same region.
- Vercel Pro allows cron jobs as often as once a minute; Hobby only once a day [S-V5].

E8. Domain and DNS (once D2 is decided)

1. Buy the domain under Shresth's account.
2. Point it at Vercel (A/CNAME records as Vercel shows); HTTPS is automatic.
3. Email sending: add the email provider's SPF, DKIM and DMARC records; verify before sending.
4. Replace `<domain>` in site config, Open Graph URLs, sitemap and email templates. It is one config value (`NEXT_PUBLIC_SITE_URL`), so nothing is hard-coded.
5. Re-check link previews after the switch (LinkedIn caches previews; see §D6).

E9. QA and test plan

Level	What	When
Database tests	Every rule the database enforces: PII unreachable, state machine, ledgers, attribution set-once, commission maths, rate versioning, review eligibility, visibility	Every PR (CI)
Route tests	Every route: happy path, wrong role (403), wrong party, forged actor, rate limit	Every PR
End-to-end (Playwright)	The smoke journeys in §E3, at 375 px and 1440 px	Every staging deploy
Visual check	Every changed screen screenshotted at phone and desktop width and compared to the Part C mockups	Before a phase closes
Accessibility	Automated scan + keyboard pass on every screen	Before a phase closes
Link previews	WhatsApp and LinkedIn checked by hand for a business page, an event and Wealth Seekers	P1 close, and after the domain goes live
Restore drill	Restore last night's backup into a scratch project and count rows	Before launch

Project rule, learned four times on this codebase: a claim about what the software does is verified by running it, never by reading a spec, a status code, or an earlier document. A page that returns 200 may be the login page; check what it **renders**.

E10. Launch checklist

- [ ] D1 palette chosen; D2 domain bought and pointed; D8 compliance review done (Wealth Seekers page stays off until it is)
- [ ] Production Supabase created under Shresth's account, in the chosen region; migrations applied; RLS verified with the test suite **against production**
- [ ] Email domain verified (SPF, DKIM, DMARC); custom SMTP set in Supabase Auth and its rate limit raised; a real sign-in email received from production
- [ ] Vercel on Pro and Supabase on Pro (§E7); both in Mumbai
- [ ] Privacy notice and terms published and linked from sign-up, enquiry and lead forms
- [ ] Every CI check green on the release commit
- [ ] Smoke suite passes on production
- [ ] Backup restore drill done
- [ ] Uptime check and job heartbeats alerting
- [ ] Admin accounts created; every seeded demo account (`password123`) **removed from production**
- [ ] Categories set, regulated categories flagged, referral terms set (D7)
- [ ] Founding businesses approved and their public pages previewed on WhatsApp and LinkedIn
- [ ] Founding Community Owners created with their rates (D12) and links tested end to end
- [ ] About, FAQ and Wealth Seekers copy approved
- [ ] Paid mode and every feature flag confirmed **off**

PART F: ROADMAP, BUILT VERSUS TO BUILD, AND RISKS

F1. Built versus to build

Verified by reading the code on 30 September 2026, not taken from earlier documents.

Paths are relative to the repository root (`Seekers/`). "Mock" means the in-memory seeded store (`app/src/lib/local/store.ts`); "database" means the real Supabase layer. **Score against the 17 modules: 0 fully built, 10 partial, 7 not built.**

#	Module	Status	Runs on	Evidence	What is missing
1	About	Not built	n/a	none; `app/src/proxy.ts:7` blocks every public path	Page, public-path list in the proxy
2	Business Directory	Partial	Mock	`app/src/app/directory/page.tsx`, `app/src/components/directory/filter-rail.tsx`, `app/src/app/onboarding/business/page.tsx`	Catalogue, edit/delete, logo upload, enquiries, full-text search
3	Members Directory	Not built	n/a	`profiles` columns in `supabase/migrations/20260901000001_baseline.sql`	Route, fields, visibility switch, connect
4	Shareable page	Partial (private)	Mock	`app/src/app/directory/[id]/page.tsx`	Public route, slug, Open Graph, server rendering
5	Wealth Seekers	Not built	n/a	none	Everything
6	Referral Dashboard	Partial, split	Mock + database	`app/src/app/activity/page.tsx`, `app/src/app/leads/page.tsx`, `app/src/components/referral/lead-card.tsx`	Server-side creation, every screen after Accept, status labels, scorecard from the ledger
7	Admin	Partial, mixed	Mock + database	`app/src/app/admin/page.tsx`, `app/src/app/admin/terms/page.tsx`, `app/src/lib/server/admin.ts`	Members, events, moderation, pin/feature, audit log, analytics definitions
9	Events + Initiatives	Partial	Mock	`app/src/app/events/page.tsx`, `app/src/app/events/[id]/page.tsx`	Registrations table, capacity on the server, create/edit, initiatives
10	Knowledge	Partial (admin only)	Mock	`app/src/app/knowledge/page.tsx`, `app/src/app/content/page.tsx`	Member submission, previews, helpful/save, moderation
11	Community Owners	Not built	n/a	`profiles.invited_by` only	Everything
12	Subscription seams	Not built	n/a	none	Flags, plans, entitlements, grandfather flag
13	Verification badges	Partial	Mock	`app/src/app/admin/verification/page.tsx`	Upload, private storage, viewer, audit, badge types
14	Ratings	Not built	Seeded number	`app/src/components/ui/star-rating.tsx`	Reviews, eligibility, moderation
15	Onboarding	Partial (static)	Mock	`app/src/app/onboarding/welcome/page.tsx`, `app/src/app/auth/signup/page.tsx`	Checklist, progress, empty states; remove "SEBI-certified" copy
16	FAQ	Not built	n/a	none	Everything

#	Module	Status	Runs on	Evidence	What is missing
17	Invite	Partial	Mock	`app/src/app/api/auth/signup/route.ts`	Share link and button, tracking, ledger award
18	Spotlight	Partial	Mock	`app/src/app/discover/page.tsx`, `app/src/components/discover/featured-businesses.tsx`	Admin rotation, schedule, fallback
n/a	Engine: state machine	**Built (database)**; screens partial	Database	`supabase/migrations/20260901000002_pii_split_and_state_machine.sql`, `supabase/migrations/20260902000004_transition_rpc.sql`, `app/src/lib/server/referrals.ts`	Server-side creation, scheduler for timeouts, screens after Accept
n/a	Engine: contact protection	**Built**	Database	`app/src/app/api/referrals/[id]/contact/route.ts`	Move seeker phone off `referrals` (see P0 fixes)
n/a	Engine: credits ledger	**Built, not wired**	Database	`supabase/migrations/20260901000003_actor_enforcement_and_append_only.sql`	Nothing calls the award; no settlement; no double-award guard
n/a	Engine: terms	**Built**	Database	`supabase/migrations/20260902000005_referral_terms_config.sql`, `app/src/components/admin/terms-editor.tsx`	Slab editor; pause threshold into admin
n/a	Sign-in	**Stopgap**	Mock passwords + signed cookie	`app/src/lib/server/session.ts`, `app/src/lib/local/auth.ts`	Real auth; new sign-ups live only in server memory
n/a	Notifications	Not built	n/a	`app/src/components/layout/topbar.tsx` (placeholder bell)	Everything
n/a	Global search	Not built	n/a	`app/src/components/layout/topbar.tsx` (input goes nowhere)	Everything

⚠️ **Uncommitted.** The whole database layer (six migrations, `app/src/lib/server/`, `/leads`, `/admin/terms`, the referral API routes, both test scripts): 25 untracked files and 7 modified ones. They are on neither GitHub remote. **Committing them is the first act of P0.**

The two halves of the app use different identities. Sign-in creates a session for mock ids such as `user-admin-001` (`app/src/lib/local/seed.ts:4`); the database keys every row on a UUID (`supabase/seed.sql:4`). It is inferred from the code, and not yet exercised, that a user signed in through the UI cannot reach the database-backed pages. P0 replaces both with one identity.

P0 fix list, found by reading the code on 30 September

These are defects in what exists, not new features. Most are dormant today because no browser talks to the database. **Every one becomes live the day real sign-in ships**, so they are fixed in P0, before it.

#	Defect	Evidence	Fix
F1	The Accept route never checks that the caller owns the business. Any signed-in user can accept any lead	`app/src/app/api/referrals/[id]/accept/route.ts:18`	Use `resolveActor()` as the state route already does
F2	Five configuration tables have no row-level security, including the regulated-category flags and the state-machine table	`categories`, `referral_transitions`, `referral_terms_defaults`, `business_referral_terms`, `success_fee_slabs`	Enable RLS; read-only to members; writes via admin routes only
F3	The old `confirm_referral` function still exists and awards 100 credits, bypassing the regulatory gate and the annual cap	`supabase/migrations/20260901000001_baseline.sql:175-214`	Drop it in a new migration
F4	`transition_referral` accepts the caller's own claim of who they are, and any signed-in user may call it	`supabase/migrations/20260902000004_transition_rpc.sql`	Derive the actor inside the function from `auth.uid()`; revoke from browser roles

#	Defect	Evidence	Fix
F5	The seeker's phone and name sit on `referrals`, which the business can read, bypassing the contact gate	`supabase/migrations/20260901000002_pii_split_and_state_machine.sql:52–53`	Move to a private table like the other contacts
F6	`add_user_role` has no caller check, and the profile and business update policies allow any column, so a user could make themselves admin or verified	`baseline.sql:154–172, 229, 234`	Admin-only function; column-restricted update policies
F7	The regulatory gate lets a business through when it has no category, and onboarding never sets one	`supabase/migrations/20260902000005_referral_terms_config.sql:253`, `app/src/app/onboarding/business/page.tsx`	Fail closed on a missing category; require a category on create
F8	Credits are never awarded, never settle, and a double call would double-credit	no caller of `award_referral_credits`; no unique key on `credit_transactions.referral_id`	Award on `CLOSED_WON`, settle after 7 days, unique constraint
F9	No scheduler, so leads never expire and the pause on businesses with unresolved leads can never trigger	no cron anywhere; `canReceiveLeads()` never called	Scheduled jobs (§D1); call the check on referral creation
F10	Demo passwords (`password123`) ship in the browser bundle through the mock store	`app/src/lib/local/seed.ts` via `app/src/lib/supabase/client.ts`	Removed with the mock store in P0
F11	Any signed-in user may update any column of any event	`baseline.sql:276`	Registrations table; events writable by admin only

The trap to avoid: there are 39 browser-side query calls in 12 client files today, all hitting the mock. Pointing `app/src/lib/supabase/client.ts` at the real database **before** those calls move to the server would publish every profile and business row to every visitor. The CI guard in §E3 exists to make that impossible.

What to keep: the migrations and the server layer are the hard, well-reasoned part and are broadly right. They need the fixes above, not a redesign. **The UI is not worth carrying**: tokens are bypassed by 192 raw colour classes and 12 hard-coded hex values, so the new direction is a rewrite of each page, not a theme swap.

F2. Phase plan

Sizes are relative (S, M, L), not durations. Durations depend on who builds it and are not estimated here.

Phase	Modules	Exit test (all must pass before the next phase starts)
P0 Foundations	Commit the uncommitted engine; fix F1 to F11 (§F1); Supabase Auth with one identity; move every page off the mock store; public-path list in the proxy; design system from Part C; CI (§E3); staging; audit log; `.env.example`	CI green; no `"use client"` page touches the database (CI guard); staging live under Shresth's accounts; every existing test green
P1 Public face and directories	1 About · 2 Business Directory · 3 Members Directory · 4 Shareable page · 5 Wealth Seekers (built, live after D8) · 15 Onboarding · 16 FAQ · 7 admin: members and listing approvals · attribution and grandfather capture from 11 and 12	A signed-out visitor can open a business page from a WhatsApp link, see a clean preview, and send an enquiry the business receives
P2 Referral loop	6 Referral Dashboard and the rest of the engine (confirmation, dispute, timeouts, nudges) · 17 Invite · notifications	**5 real businesses accept 5 real leads and reach "In progress"** (the 1 Sep gate, unchanged)

Phase	Modules	Exit test (all must pass before the next phase starts)
P3 Community and trust	9 Events and Initiatives · 10 Knowledge · 13 Badges · 14 Reviews · 18 Spotlight · 7 admin: moderation queue, event management, spotlight	First approved Knowledge posts, first event with RSVPs, first badge issued, first verified review
P4 Community Owners and money seams	11 owner dashboard, revenue events, commissions, payouts · 12 flags, plans, entitlements · 7 admin: money records and analytics	Commission statement for one real owner matches a hand calculation
Later	Payments provider; paid plans on; WhatsApp notifications; automated payouts; masked calling	n/a

F3. Risks

#	Risk	Likelihood · impact	Mitigation
R1	**Revenue depends on self-reported closure.** With success fee only, every rupee relies on someone telling the truth	High · high	Seeker-first confirmation, honour rate, lead-flow pause (all designed; mostly built). P2 gate tests it with real businesses before more is built
R2	**SEBI exposure** from the Wealth Seekers page and any revenue share on investment services	Unknown until D8 · high	Page built but not live; investment revenue not commissionable; lawyer review
R3	**Public enquiries become a way around referrals** (conflict C1)	Medium · medium	Enquiries earn nothing; members are nudged to "Ask through Seekers"; watch the enquiry-to-referral ratio in admin
R4	**Personal data handling** (directory, enquiries, leads, documents) under the DPDP Act	Medium · high	Visibility off by default, consent on every form, encrypted contacts, document deletion, breach runbook
R5	**Attribution lost** for members who join before Community Owner features exist	High if not handled · high	Capture from P1 (A5)
R6	**Empty community at launch**: directory, Knowledge and Events look bare	Medium · high	Founding businesses and seeded editorial posts before launch; stats hidden below thresholds; fallback Spotlight
R7	**Uncommitted work lost.** The server data layer, six migrations and their tests exist only in the working tree, not in git	Present today · high	Commit them to the private repo as the first act of P0
R8	**Deploying with demo accounts** (`password123`) still live	Medium · high	Launch checklist item; CI check that production has no seeded demo users
R9	Moderation load falls on one or two admins	Medium · medium	Moderator role; auto-publish for trusted members once the queue is steady

F4. Glossary

Referral: a tracked introduction between a member and a business. **Seeker**: the person who needs the service. **Referrer**: the member who made the introduction. **Seeker Credits**: the member reward, recorded in an append-only ledger. **Success fee**: what a business pays when a referral closes. **Honour rate**: how honestly a business closes out the leads it accepted. **Community Owner**: a partner who brought their community in and earns a share of the revenue their members generate. **Admin**: a platform operator. **Grandfathered**: an account created while the platform was free.

Appendix: Sources

All accessed 30 September 2026. Full notes, quotes and the sources that disagreed are in the run folder (`runs/2026-09-30-end-to-end-product-plan/inputs/research-facts.md`).

Key	Source
S-SEBI1	SEBI circular SEBI/HO/MIRSD/MIRSD-PoD-1/P/CIR/2025/11 (29 Jan 2025, updated 8 May 2026): https://www.sebi.gov.in/legal/circulars/jan-2025/details-clarifications-on-provisions-related-to-association-of-persons-regulated-by-the-board-miis-and-their-agents-with-persons-engaged-in-prohibited-activities_91356.html
S-SEBI2	SEBI (Research Analysts) Regulations 2014, amended to 25 Nov 2025: https://www.sebi.gov.in/legal/regulations/nov-2025/securities-and-exchange-board-of-india-research-analysts-regulations-2014-last-amended-on-november-25-2025-_98248.html
S-SEBI3	SEBI (Investment Advisers) Regulations 2013, amended to 25 Nov 2025: https://www.sebi.gov.in/legal/regulations/nov-2025/securities-and-exchange-board-of-india-investment-advisers-regulations-2013-and-securities-last-amended-on-november-25-2025-_98246.html
S-REG1	Insurance Act 1938 s.40: https://indiankanoon.org/doc/852291/
S-REG2	CA Act 1949 First Schedule Part I: https://www.advocatekhoj.com/library/bareacts/charteredaccountants/schedule1part1.php
S-REG3	BCI Rules, Rule 36: https://delhibarcouncil.com/assets/file/Etiqquetes.pdf
S-DPDP1	Digital Personal Data Protection Act 2023: https://www.meity.gov.in/static/uploads/2024/06/2bf1f0e9f04e6fb4f8fef35e82c42aa5.pdf
S-DPDP2	DPDP Rules 2025 (G.S.R. 846(E), 13 Nov 2025): https://www.meity.gov.in/static/uploads/2025/11/53450e6e5dc0bfa85ebd78686cadad39.pdf
S-DPDP3	Legal500 on DPDP timelines: https://www.legal500.com/intelligence/india/privacy/meity-notifies-dpdp-rules-enforcement-timelines-and-formation-of-the-board
S-V1	Vercel fair use: https://vercel.com/docs/limits/fair-use-guidelines
S-V2	Vercel Pro plan: https://vercel.com/docs/plans/pro-plan · https://vercel.com/pricing
S-V3	Vercel function limits: https://vercel.com/docs/functions/limitations
S-V4	Vercel regions: https://vercel.com/docs/regions
S-V5	Vercel cron: https://vercel.com/docs/cron-jobs/usage-and-pricing
S-SB1	Supabase pricing: https://supabase.com/pricing
S-SB2	Supabase regions: https://supabase.com/docs/guides/platform/regions
S-RS1	Resend pricing: https://resend.com/pricing
S-PM1	Postmark pricing: https://postmarkapp.com/pricing
S-AUTH1	Supabase phone login and Send SMS hook: https://supabase.com/docs/guides/auth/phone-login · https://supabase.com/docs/guides/auth/auth-hooks/send-sms-hook
S-AUTH2	Supabase SMTP and rate limits: https://supabase.com/docs/guides/auth/auth-smtp · https://supabase.com/docs/guides/auth/rate-limits
S-DLT1	TRAI advice to senders: https://trai.gov.in/advice-to-senders
S-DLT2	TRAI government entities (registration times): https://trai.gov.in/government-entities
S-OG1	WhatsApp link previews: https://developers.facebook.com/documentation/business-messaging/whatsapp/link-previews/
S-OG2	LinkedIn shared-content images: https://www.linkedin.com/help/linkedin/answer/a521928
S-OG3	LinkedIn Post Inspector: https://www.linkedin.com/help/linkedin/answer/a6233775

Key	Source
S-NEXT1	Next.js generateMetadata: https://nextjs.org/docs/app/api-reference/functions/generate-metadata
S-NEXT2	Next.js opengraph-image: https://nextjs.org/docs/app/api-reference/file-conventions/metadata/opengraph-image
S-PWA1	Chrome install criteria: https://web.dev/articles/install-criteria
S-PWA2	WebKit, web push on iOS: https://webkit.org/blog/13878/web-push-for-web-apps-on-ios-and-ipados/
S-PWA3	Next.js PWA guide: https://nextjs.org/docs/app/guides/progressive-web-apps
S-OE1	YouTube oEmbed and provider registry: https://www.youtube.com/oembed · https://oembed.com/providers.json
S-OWASP	OWASP SSRF prevention: https://cheatsheetseries.owasp.org/cheatsheets/Server_Side_Request_Forgery_Prevention_Cheat_Sheet.html