

CYBERCRIME & SOCIAL MEDIA — DETAILED EXAM NOTES

UNIT 2 — IMPORTANT 10–15 MARK QUESTIONS

Topics covered

1. Cybercrime and Social Media — Structure and Objectives
2. Social Engineering
 - Evolution
 - Types
 - Phishing
 - Pretexting
 - Baiting
 - Quid Pro Quo
 - Tailgating/Piggybacking
 - Impersonation
 - Scareware
3. Social Media Platforms — Case Study
4. Cyberstalking
 - Types of cyberstalking behavior
 - Direct cyberstalking
 - Indirect cyberstalking
 - Prevention and protection
5. Cybercrimes
 - Taxonomies of cybercrime
 - Social media as cybercrime ecosystem
 - Cybercrime-as-a-Service
 - Economic impact
 - Challenges in cybercrime investigation

6. Botnets

- Architecture and evolution
- Capabilities and criminal applications
- Monetization strategies
- Case study

7. Attack Vectors — Classification

1. CYBERCRIME AND SOCIAL MEDIA — STRUCTURE AND OBJECTIVES

1.1 What is Cybercrime?

Cybercrime refers to illegal activities in which computers, networks, digital devices, or the Internet are used as a **tool, target, or environment for committing a crime**.

Examples

- Hacking
- Identity theft
- Online fraud
- Phishing
- Cyberstalking
- Malware attacks
- Ransomware
- Data theft
- Account takeover
- Online harassment

Simple definition for exam

Cybercrime is any unlawful activity carried out using computers, digital devices, communication networks, or the Internet.

1.2 What is Social Media?

Social media refers to online platforms that allow users to **create, share, communicate and interact with digital content**.

Examples:

- Facebook
- Instagram
- X
- LinkedIn
- YouTube
- WhatsApp
- Telegram
- Snapchat

1.3 Relationship Between Cybercrime and Social Media

Social media provides criminals with a huge environment containing:


- Personal information
- Photos
- Contact information
- Location information
- Social connections
- Professional information
- User interests
- Public conversations

This information can be misused for cybercrime.

Basic structure

SOCIAL MEDIA

|



1.4 Structure of Cybercrime on Social Media

The social-media cybercrime ecosystem generally contains:

1. Victim

The person or organization targeted by the criminal.

2. Attacker

The individual or group attempting to commit the crime.

3. Platform

The social-media service through which communication or activity occurs.

4. Information

Information collected from profiles, posts, messages, photos, etc.

5. Attack mechanism

The technique used by the attacker.

Examples:

- Phishing
- Fake profiles
- Malicious links
- Social engineering
- Account takeover

6. Criminal objective

The final goal of the attacker.

Examples:

- Money
- Personal information
- Account access
- Revenge
- Espionage
- Fraud

1.5 Objectives of Cybercrime on Social Media

1. Financial gain

Attackers may attempt to steal money through:

- Fake investment schemes
- Shopping fraud
- Payment scams
- Account takeover

2. Identity theft

Personal information can be used to impersonate a victim.

3. Credential theft

Attackers may attempt to obtain:

- Usernames
- Passwords
- Authentication information

4. Privacy violation

Private photographs, conversations or personal information may be obtained or exposed.

5. Cyberstalking

Repeated unwanted monitoring or contact can be performed through social platforms.

6. Reputation damage

Fake posts or accounts may be used to damage someone's reputation.

7. Malware distribution

Malicious links or files can be distributed through social platforms.

8. Misinformation and manipulation

Social media can be used to distribute false or misleading information.

1.6 Why Social Media is Attractive to Cybercriminals

- Large number of users
- Huge amount of personal information
- Easy communication
- Fake accounts can be created
- Users often trust familiar-looking profiles
- Information can be collected through public posts
- Rapid information sharing
- Global reach

Conclusion

Social media provides significant benefits for communication and information sharing, but its large user base and availability of personal information also create opportunities for cybercriminal activities.

2. SOCIAL ENGINEERING

2.1 Definition

Social engineering is the manipulation of people into performing an action or revealing information that compromises security.

The attacker generally exploits **human psychology rather than only technical vulnerabilities**.

Important line for exam

Social engineering attacks target the **human element of security**.

2.2 Basic Social Engineering Process

Information Gathering



Target Selection



Building Trust



Manipulation



Victim performs action



Information / Access obtained



Criminal objective

2.3 Why Social Engineering Works

Attackers commonly exploit psychological factors such as:

- Trust
- Fear
- Curiosity
- Urgency
- Authority
- Greed
- Helpfulness
- Social pressure

For example:

"Your account will be blocked unless you verify it immediately."

The attacker creates **fear + urgency**, encouraging the victim to act without checking the message.

2.4 Evolution of Social Engineering

Social engineering has evolved alongside communication technology.

Stage 1 — Traditional social engineering

Attackers manipulated people through:

- Telephone calls
- Face-to-face communication
- Letters

Stage 2 — Email-based attacks

With the growth of email, criminals began using deceptive messages to obtain information.

Stage 3 — Web-based attacks

Fake websites and online services became common attack mechanisms.

Stage 4 — Social-media attacks

Attackers started using:

- Fake profiles
- Direct messages
- Fake advertisements
- Social-media impersonation

Stage 5 — Mobile-based attacks

Smartphones introduced:

- SMS scams
- Fake mobile applications
- Messaging-platform scams

Stage 6 — AI-assisted social engineering

Modern attacks can use automation and AI to create highly convincing:

- Messages
- Fake profiles
- Voice impersonation
- Images
- Emails

Evolution diagram

Traditional



Telephone



Email



Web



Social Media



Mobile/Messaging



AI-assisted attacks

3. TYPES OF SOCIAL ENGINEERING ATTACKS

3.1 PHISHING

Definition

Phishing is a social-engineering attack in which an attacker pretends to be a legitimate person or organization to trick a victim into revealing information or performing an unsafe action.

Common targets

- Passwords
- Banking information
- Account credentials
- Personal information

Common characteristics

- Fake identity
- Urgent message
- Suspicious link
- Fake login page
- Request for sensitive information

Example

A victim receives:

"Your account requires immediate verification."

The message contains a link to a fraudulent website designed to imitate a legitimate service.

Types of phishing

Email phishing

Fraudulent emails are sent to victims.

Spear phishing

A phishing attack specifically targeted at a particular person or organization.

Whaling

A targeted attack against high-level individuals such as executives.

Smishing

Phishing through SMS/text messages.

Vishing

Phishing through voice calls.

Social-media phishing

Phishing through social-media messages or fake profiles.

Prevention

- Verify the sender
- Don't blindly click links
- Check website addresses
- Use MFA
- Never share passwords
- Use password managers
- Report suspicious messages

3.2 PRETEXTING

Definition

Pretexting is an attack in which the attacker creates a false story or situation, called a **pretext**, to convince the victim to provide information or perform an action.

Example

An attacker pretends to be:

"IT support"

and claims that the employee's account has a technical problem.

The attacker attempts to convince the employee to reveal sensitive information.

Key idea

Pretext = Fake story

Characteristics

- Fake identity
- Fake scenario
- Trust building
- Information request

Prevention

- Verify identity independently
- Follow organizational procedures
- Never disclose confidential information based only on a phone/email request

3.3 BAITING

Definition

Baiting uses something attractive or interesting to tempt a victim into performing an unsafe action.

The "bait" may involve:

- Free software
- Free rewards
- Interesting files

- Fake offers
- Suspicious physical devices

Example

A person receives a message:

"Congratulations! You have won a reward. Click here."

Curiosity causes the person to interact with the malicious content.

Key word

Baiting = Temptation

Prevention

- Avoid unknown downloads
 - Don't accept unknown devices
 - Verify offers
 - Use security software
-

3.4 QUID PRO QUO

Definition

Quid pro quo means "**something for something.**"

The attacker offers a supposed benefit or service in exchange for information or access.

Example

An attacker pretends to be technical support and offers to "fix" a computer problem in exchange for account information.

Key concept

Attacker offers benefit



Victim accepts



Victim provides information/access

Difference from baiting

Baiting

Uses temptation

"Take this reward"

Victim is attracted

Quid Pro Quo

Uses exchange

"Give me this and I will give you something"

Victim expects a benefit

3.5 TAILGATING / PIGGYBACKING

Definition

Tailgating is an unauthorized physical entry into a restricted area by following an authorized person.

Example

An unauthorized person follows an employee through a secure door.

Authorized employee



Secure door



Unauthorized person follows



Restricted area

Tailgating vs Piggybacking

Tailgating: Unauthorized person enters without explicit permission.

Piggybacking: The authorized person may knowingly or unknowingly allow the other person to enter.

Prevention

- Access cards

- Security guards
 - Visitor verification
 - Turnstiles
 - Security awareness
 - Don't hold secure doors open for unknown people
-

3.6 IMPERSONATION

Definition

Impersonation occurs when an attacker pretends to be another person or trusted entity.

Examples:

- Fake employee
- Fake customer-support agent
- Fake friend
- Fake company representative
- Fake social-media account

Objective

To gain:

- Trust
- Information
- Money
- Access

Prevention

- Verify identity
- Use official communication channels
- Don't trust profile pictures alone
- Use MFA

3.7 SCAREWARE

Definition

Scareware is a technique that uses fear or alarming warnings to convince victims to perform an action.

Example

A fake popup says:

"Your computer is infected! Click immediately to fix it."

The user may be encouraged to download malicious software or provide information.

Psychological principle

Fear



Urgency



Reduced thinking



Unsafe action

Prevention

- Don't trust unexpected security warnings
- Use legitimate security software
- Close suspicious popups
- Keep software updated

4. SOCIAL MEDIA PLATFORMS — CASE STUDY

For a 10–15 mark answer, you can use a **generic social-media case study**.

Case Study: Fake Social Media Account and Phishing

Situation

An attacker creates a fake social-media profile that looks similar to a legitimate organization.

The attacker contacts users and sends a message claiming:

"Your account requires verification."

A link directs users to a fraudulent page.

Attack flow

Fake Profile



Builds credibility



Contacts users



Sends fraudulent message



Victim clicks link



Fake website



Victim enters information



Attacker obtains information

Techniques involved

- Impersonation
- Social engineering
- Phishing
- Fake profile

- Psychological manipulation

Impact

- Account compromise
- Identity theft
- Financial loss
- Privacy violation
- Reputation damage

Prevention

1. Verify accounts.
2. Don't trust unsolicited messages.
3. Check URLs.
4. Enable MFA.
5. Don't share OTPs/passwords.
6. Report fake profiles.
7. Use privacy settings.
8. Educate users.

Conclusion

Social-media platforms can become cybercrime ecosystems when attackers exploit trust, personal information and communication features.

5. CYBERSTALKING

5.1 Definition

Cyberstalking is the repeated use of digital communication technologies to monitor, harass, threaten, intimidate, or otherwise unwantedly target an individual.

It may occur through:

- Social media
- Email

- Messaging platforms
 - Forums
 - Online communities
-

5.2 Characteristics

- Repeated unwanted contact
 - Monitoring online activities
 - Harassing messages
 - Threatening communication
 - Fake profiles
 - Spreading personal information
 - Tracking online activity
-

5.3 Types of Cyberstalking Behavior

1. Harassment

Repeated unwanted messages or communication.

2. Monitoring

Repeatedly observing someone's online activities.

3. Impersonation

Creating fake accounts pretending to be the victim.

4. Threatening behavior

Sending threatening or intimidating messages.

5. Information gathering

Collecting personal information from public sources.

6. Defamation

Posting false or damaging information.

7. Identity misuse

Using another person's identity or information online.

6. DIRECT CYBERSTALKING

Definition

Direct cyberstalking involves **direct communication or interaction with the victim.**

Examples:

- Repeated unwanted messages
- Threatening emails
- Repeated calls
- Direct messages
- Harassing comments

Diagram

Stalker



Direct communication



Victim

7. INDIRECT CYBERSTALKING

Definition

Indirect cyberstalking involves monitoring, influencing, or targeting the victim **without necessarily communicating directly with them.**

Examples:

- Monitoring public activities
- Creating fake accounts

- Collecting personal information
- Contacting people connected to the victim
- Spreading information about the victim

Diagram

Stalker



Online information / third parties



Victim

8. DIRECT VS INDIRECT CYBERSTALKING

Direct

Indirect

Direct contact with victim May occur without direct contact

Messages/calls/comments Monitoring/information gathering

Easier to recognize May be difficult to detect

Threats may be explicit Behavior may be less obvious

9. PREVENTION AND PROTECTION AGAINST CYBERSTALKING

1. Privacy settings

Restrict who can see personal information.

2. Block the stalker

Use platform blocking features.

3. Report the account

Report abusive or threatening behavior.

4. Preserve evidence

Keep:

- Screenshots
- URLs
- Messages
- Dates and times
- Usernames

5. Strengthen accounts

Use:

- Strong passwords
- Unique passwords
- MFA

6. Reduce personal information

Avoid publicly sharing:

- Phone numbers
- Home addresses
- Real-time locations
- Sensitive personal details

7. Inform trusted people

Tell trusted family members, friends, educational institutions, or employers where appropriate.

8. Contact authorities when necessary

Threatening or serious cases should be reported to appropriate law-enforcement/cybercrime authorities.

10. CYBERCRIME TAXONOMIES

Taxonomy means systematic classification.

Cybercrime can be classified based on the role played by technology.

10.1 Computer as a Target

The computer/system itself is attacked.

Examples:

- Hacking
 - Malware
 - Denial-of-service attacks
 - Unauthorized access
-

10.2 Computer as a Tool

The computer is used to commit another crime.

Examples:

- Online fraud
 - Identity theft
 - Cyberstalking
 - Online extortion
-

10.3 Computer as a Storage/Environment

Digital systems are used to store or distribute illegal information.

Examples:

- Stolen databases
 - Illegally obtained information
 - Malicious content
-

Another useful classification

1. Crimes against individuals

- Identity theft

- Cyberstalking
- Online harassment
- Phishing

2. Crimes against organizations

- Data breaches
- Ransomware
- DDoS
- Corporate espionage

3. Crimes against governments

- Cyber espionage
- Attacks against government infrastructure
- Website defacement

4. Crimes against society

- Large-scale fraud
- Illegal online markets
- Distribution of harmful content

11. SOCIAL MEDIA AS A CYBERCRIME ECOSYSTEM

Definition

A **cybercrime ecosystem** is a network of people, technologies, services, platforms and resources that collectively support cybercriminal activities.

Social media can provide criminals with:

Victims

+

Information

+

Communication

+

Trust

+

Distribution

↓

Cybercrime Ecosystem

Major components

1. Attackers

Individuals or criminal groups.

2. Victims

Individuals, businesses and organizations.

3. Platforms

Social-media and messaging platforms.

4. Information

Personal and professional data.

5. Criminal services

Fraud, stolen-account markets, malicious services, etc.

6. Financial infrastructure

Payment mechanisms used by criminals.

Why it is an ecosystem

A cybercriminal may not perform every step personally.

One actor may obtain information, another may conduct fraud, and another may provide technical services.

12. CYBERCRIME-AS-A-SERVICE (CaaS)

Definition

Cybercrime-as-a-Service is a model in which cybercriminal capabilities, infrastructure, or services are provided to other criminals for payment.

It is similar to the legitimate **as-a-Service** business model, but used for illegal activities.

General structure

Service Provider



Criminal Service



Customer/Criminal



Attack



Victim

Examples of criminal services

At a high level, these can include:

- Stolen credentials
- Malware-related services
- Fraud infrastructure
- Botnet access
- Compromised accounts

Advantages to criminals

- Reduces technical knowledge required
- Reduces cost of entry
- Allows specialization
- Enables large-scale operations

Impact

CaaS can increase the **scale and accessibility of cybercrime**.

13. ECONOMIC IMPACT OF CYBERCRIME

Cybercrime causes both **direct and indirect economic losses**.

Direct losses

1. Financial theft

Money may be stolen from individuals or organizations.

2. Ransom payments

Organizations may face demands for payment after ransomware attacks.

3. Data recovery

Organizations may spend money recovering systems and data.

Indirect losses

1. Business interruption

Systems may become unavailable.

2. Reputation damage

Customers may lose trust.

3. Legal costs

Organizations may face investigation and legal expenses.

4. Security investment

Organizations need to spend more on:

- Cybersecurity
- Training
- Monitoring
- Incident response

5. Productivity loss

Employees may be unable to work during an incident.

Economic impact chain

Cyberattack



System/Data compromise



Business disruption



Recovery cost



Revenue loss



Reputation damage



Long-term economic impact

14. CHALLENGES IN CYBERCRIME INVESTIGATION

This is a **very important 10–15 mark question**.

1. Anonymity

Attackers may hide their identity using different technical and online mechanisms.

2. Jurisdiction

The attacker, victim, server and evidence may be located in different countries.

Attacker → Country A

Server → Country B

Victim → Country C

This creates legal and investigative challenges.

3. Encryption

Encrypted communication can make evidence difficult to obtain or interpret.

4. Large volume of data

Investigators may need to examine:

- Emails
- Logs
- Messages
- Files
- Devices
- Network traffic

5. Volatile evidence

Some digital evidence can disappear or change quickly.

6. Attribution

Finding out **who actually performed the attack** can be difficult.

7. Multiple identities

Criminals may use:

- Fake accounts
- Multiple usernames
- Compromised accounts

8. Anti-forensic techniques

Attackers may attempt to hide or destroy evidence.

9. Rapidly changing technology

Cybercriminal methods and technologies continuously evolve.

10. International cooperation

Investigations may require cooperation between:

- ## Conclusion

15. BOTNETS


The infected devices are commonly called **bots** or **zombies**.

The devices can potentially be used together for malicious activities.

Two common architectural concepts are:

1. Centralized architecture

Bots communicate with a centralized command-and-control system.



Advantage for attacker


Centralized management can make coordination straightforward.

Weakness

If the central infrastructure is disrupted, many bots may lose communication.

15.3 Decentralized / Peer-to-Peer Architecture

Bots communicate through multiple nodes instead of depending on one central server.



Advantage

There is no single central point that necessarily controls all communication.

Challenge

Disrupting such a network may be more difficult.

16. EVOLUTION OF BOTNETS

Early botnets

Initially, botnets were relatively simple networks of compromised computers.

Development

They evolved to include:

- Automated control

- Larger numbers of devices
- More resilient communication
- Multiple types of Internet-connected devices

IoT era

Botnets increasingly targeted:

- Routers
- Cameras
- IoT devices
- Other Internet-connected devices

Modern botnets

Modern botnets can potentially contain large numbers of compromised devices and may be used for multiple criminal purposes.

17. BOTNET CAPABILITIES AND CRIMINAL APPLICATIONS

At a high level, botnets can be used for:

1. Distributed denial-of-service attacks

Large numbers of compromised devices send traffic toward a target.

Bot 1 —┐

Bot 2 —┐

Bot 3 —┐ —→ Target

Bot 4 —┐

Bot 5 —┐

2. Spam distribution

Compromised devices can be used to send large amounts of unwanted messages.

3. Malware distribution

Bots can help distribute malicious software.

4. Credential/data theft

Compromised systems may be used to steal information.

5. Cryptocurrency-related abuse

Compromised computing resources may be misused for unauthorized computation.

6. Proxying/traffic routing

Compromised devices may be used to route malicious traffic.

18. BOTNET MONETIZATION STRATEGIES

Monetization means converting criminal capabilities into financial benefit.

1. Renting botnet resources

Criminal groups may sell access to compromised infrastructure.

2. DDoS-for-hire

Botnet capabilities may be offered to other criminals for attacks.

3. Spam services

Botnets can be used as infrastructure for large-scale spam campaigns.

4. Credential theft

Stolen credentials may be monetized through criminal markets or fraud.

5. Resource abuse

Compromised computing resources may be used for unauthorized computation.

Important diagram

Compromised Devices

↓

Botnet

↓

+-----+-----+

| | |

DDoS Spam Data theft

| | |

+-----+-----+



Criminal profit

19. BOTNET CASE STUDY — MIRAI

Mirai is a well-known example of an IoT botnet.

Basic concept

Mirai demonstrated how vulnerable IoT devices could be compromised and organized into a botnet.

General attack chain

Vulnerable IoT Devices



Infection



Botnet formation



Coordinated activity



DDoS attacks

Importance of Mirai

The case demonstrated:

- Security risks of IoT devices
- Importance of changing default credentials
- Risks of insecure connected devices

- Potential scale of IoT-based botnets

Security lessons

- Change default passwords
 - Update firmware
 - Disable unnecessary services
 - Segment IoT networks
 - Monitor unusual traffic
 - Replace unsupported devices
-

20. ATTACK VECTORS — CLASSIFICATION

20.1 Definition

An **attack vector** is the method, pathway, or technique through which an attacker gains unauthorized access to a system, network, account, or information.

Simple definition

Attack vector = **Path used by an attacker to reach the target.**

20.2 Major Classification of Attack Vectors

A. Human-based attack vectors

These exploit human behavior.

Examples:

- Phishing
- Pretexting
- Baiting
- Impersonation
- Social engineering

Attacker



Human manipulation



Victim



Access/information

B. Network-based attack vectors

These exploit weaknesses in network communication or infrastructure.

Examples:

- Network attacks
 - Denial-of-service attacks
 - Network traffic interception
 - Exploitation of exposed services
-

C. Software-based attack vectors

These exploit vulnerabilities in software.

Examples:

- Malicious software
 - Exploitation of software vulnerabilities
 - Malicious files
 - Web application vulnerabilities
-

D. Web-based attack vectors

These use websites or web applications.

Examples:

- Malicious websites
 - Fake login pages
 - Web application vulnerabilities
 - Drive-by downloads
-

E. Email-based attack vectors

Examples:

- Phishing emails
 - Malicious attachments
 - Malicious links
 - Business email compromise
-

F. Physical attack vectors

These require physical access or physical interaction.

Examples:

- Unauthorized device access
 - Malicious USB devices
 - Tailgating
 - Device theft
-

G. Mobile attack vectors

Examples:

- Malicious applications
- SMS-based scams
- Fake applications
- Unsafe links

H. Cloud-based attack vectors

Examples:

- Compromised cloud credentials
 - Misconfigured storage
 - Weak authentication
 - Excessive permissions
-

I. Supply-chain attack vectors

An attacker compromises a trusted third party or software/service provider to reach the final target.

Attacker



Third-party supplier



Trusted software/service



Target organization

21. ATTACK VECTOR CLASSIFICATION — EXAM TABLE

Attack Vector	Target/Weakness	Example
Human	Human behavior	Phishing
Network	Network infrastructure	DoS
Software	Software vulnerability	Malware/exploit
Web	Website/web application	Fake website

Attack Vector	Target/Weakness	Example
Email	Email communication	Phishing
Physical	Physical access	Tailgating
Mobile	Mobile device/app	Malicious app
Cloud	Cloud configuration/account	Account compromise
Supply chain	Trusted third party	Compromised software

★ VERY IMPORTANT DIFFERENCES FOR EXAM

Phishing vs Pretexting vs Baiting vs Quid Pro Quo

Technique	Main idea	Memory Trick
Phishing	Fake communication	 Fish for information
Pretexting	Fake story	 Pretext = Story
Baiting	Attractive bait	 Temptation
Quid Pro Quo	Something for something	 Exchange
Tailgating	Follow authorized person	 Follow
Impersonation	Pretend to be someone	 Fake identity
Scareware	Use fear	 Scare

★ CYBERSTALKING — EASY MEMORY

Remember:

H-M-I-T-D-I

- **H** — Harassment
- **M** — Monitoring

- **I** — Impersonation
 - **T** — Threats
 - **D** — Defamation
 - **I** — Identity misuse
-

★ **SOCIAL ENGINEERING — EASY FLOW**

Remember:

G → T → M → A → G

Gather information

↓

Target victim

↓

Manipulate victim

↓

Action by victim

↓

Gain access/information

★ **CYBERCRIME INVESTIGATION — 10 MARKS QUICK REVISION**

Remember:


A-E-J-E-D-A-V-I

- **A** — Anonymity
- **E** — Encryption
- **J** — Jurisdiction
- **E** — Evidence volatility
- **D** — Data volume
- **A** — Attribution
- **V** — Multiple virtual identities


- I — International cooperation


★ BOTNET — EASY EXAM DIAGRAM

Draw this:



★ COMPLETE UNIT REVISION MAP





SOCIAL MEDIA TECHNOLOGY



Social Engineering Botnets Attack



Vectors




Phish Pretext Bait



Quid Pro Quo Impersonation



Scareware



Tailgating



Cyberstalking Cybercrime Ecosystem



Direct/Indirect CaaS



Prevention Economic Impact

Investigation Challenges

How to write a 10–15 marks answer

For **almost every topic in this unit**, follow this structure in the exam:

1. Definition — 1–2 marks

Give a precise definition.

2. Introduction — 1 mark

Explain the topic in 2–3 lines.

3. Types/Classification — 3–4 marks

Explain each type with a small example.

4. Working/Structure — 2–3 marks

Draw a flow diagram.

5. Example/Case Study — 2 marks

Give one realistic example.

6. Prevention/Impact — 2–3 marks

Write 5–7 points.

7. Conclusion — 1 mark

End with 2–3 lines.

This structure can comfortably turn a short topic into a complete 10–15 mark answer.

If your exam is tomorrow, the **highest-priority topics to prepare in full-answer format** are: **Social Engineering & its types, Cyberstalking, Cybercrime Taxonomy, Social Media as a Cybercrime Ecosystem, Cybercrime-as-a-Service, Challenges in Cybercrime Investigation, Botnet Architecture & Applications, and Attack Vector Classification.**