

ACL Risk Movement Screening Report

SCREENING ONLY — NOT A CLINICAL DIAGNOSIS

1. Clip Metadata

Field	Value
Filename	WhatsApp Video 2026-04-14 at 12.21.17.mp4
Duration	29.17 s
FPS	30.0
Total frames analyzed	875
Camera angle	sagittal

2. Risk Distribution

Risk Level	Windows	Percentage
Low	12	21.1%
Medium	29	50.9%
High	16	28.1%
Total	57	100%

Peak Risk Event: Frames 255–284 | P(High) = 1.000

3. Annotated High Risk Events

#	Frames	Signal	Annotation
1	269–313	ASYM	Asymmetric loading detected — frames 269–313
2	344–478	ASYM	Asymmetric loading detected — frames 344–478
3	809–868	ASYM	Asymmetric loading detected — frames 809–868

4. Risk Score Timeline



5. Known Limitations (Mandatory Disclosure)

IMPORTANT: This report is a movement quality screening tool only. It uses 2D camera estimates to assess movement patterns and is NOT a medical diagnosis. Do not make clinical or return-to-sport decisions based solely on this output. Consult a qualified sports medicine professional for any injury-related concerns.

1. 2D pose estimates carry up to 18° absolute error vs. 3D clinical systems; relative temporal trends are reliable, absolute angle values are not.
2. Literature thresholds used as directional references, not exact clinical cutoffs.
3. Proxy labels used in training; no verified injury outcome data.
4. The annotation identifies the most prominent biomechanical signal in a flagged window, not the causal interaction the model detected (BiLSTM temporal co-occurrence patterns exceed per-frame sub-score attribution).