



**BHASKARACHARYA NATIONAL INSTITUTE FOR SPACE
APPLICATIONS AND GEO-INFORMATICS**

WEEKLY PROGRESS REPORT (29/01/2026 – 04/02/2026)

WEEK 5

PROJECT NAME	Monitoring and change detection system using OSINT
---------------------	---

PROJECT DESCRIPTION :

**CREATING OSINT TOOL FOR MONITORING AND
CHANGE DETECTION SYSTEM BY MONITORING
PUBLICLY AVAILABLE INFORMATION.**

GROUP MEMBER :

Harshil Vaniya, Shalomo Agarwarkar, Vrushank Thakkar

GROUP ID :

2026G195

GROUP GUIDE :

CHASIYA KRUTIKA

GROUP COORDINATOR :

SIDHDHARTH PATEL

COLLEGE GUIDE NAME :

BHUMIKA DOSHI

COLLEGE GUIDE No. :

9016888925

COLLEGE GUIDE EMAIL. :

BHUMIKASDOSHI@GMAIL.COM

COLLEGE NAME :

**DEPT. OF BIOCHEMISTRY AND FORENSICS SCIENCE, GUJARAT
UNIVERSITY**


29/01/2026	• Subfinder and amass module integration into framework (Vrushank Thakkar, Harshil Vaniya) • Tried to create flight tracker module (Shalomo Agarwarkar)
30/01/2026	• Social Media PII detector creation and error solving (Vrushank Thakkar) • VS Code Error Solving (Harshil Vaniya) • Flight tracker module result format optimization (Shalomo Agarwarkar)
31/01/2026	• Google Colab and notebook creation research(Vrushank Thakkar, Harshil Vaniya) • Notebook creation of Instagram osint PII detector code (Vrushank Thakkar) • Tried to implement marine vessel osint but not possible (Shalomo Agarwarkar) • Half Day leave (Harshil Vaniya)
01/02/2026	Holiday (Sunday)
02/02/2026	• Cross platform compatibility check of current framework (Vrushank Thakkar, Harshil Vaniya) • Created module for blockchain and phone number OSINT (Shalomo Agarwarkar)
03/02/2026	• Basic subdomain change detection framework completed (Harshil Vaniya) • Created manual tool for detecting PII in Instagram, twitter, linkedin (Vrushank Thakkar) • Tried to make browser based PII extractor but failed due to compatibility issues(Shalomo Agarwarkar)
04/02/2026	• Added wayback module to framework (Vaniya Harshil) • Tried to make browser extension for PII detection (Shalomo Agarwarkar) • Created medium OSINT PII detecttool (Vrushank Thakkar)

Next Week Plan	Integrating modules into the basic framework of tool
-----------------------	---

REFERENCE:

- <https://colab.research.google.com/github/jakevdp/PythonDataScienceHandbook/blob/master/notebooks/01.01-Help-And-Docmentation.ipynb/>
- <https://github.com/internetarchive/wayback/tree/master/wayback-cdx-server>
- <https://servicedocs.marinetraffic.com/>
- <https://documentation.pii-tools.com/#getting-started>
- <https://docs.aws.amazon.com/comprehend/latest/dg/how-pii.html>

SCREEN SHOTS:




```
Microsoft Windows [Version 10.0.26299.7523]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Virushank> cd C:\Users\Virushank\Desktop\digital_bharat_engg_internship\osint-engine\osint-engine

C:\Users\Virushank\Desktop\digital_bharat_engg_internship\osint-engine\osint-engine> python -c "from core.orchestrator import run_scan; print(run_scan('geeksforg
geeks.com'))"
[Finding(type='subdomain', value='api.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24
.003929+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ww01.ar.geeksforggeeks.com', source='hackertarget',
target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004988+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Find
ing(type='subdomain', value='www.auth.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:2
4.004838+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='www.www.auth.geeksforggeeks.com', source='hacker
target', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004661+00:00', metadata={'sources': ['hackertarget'], 'verified': True}),
Finding(type='subdomain', value='ww01.beta.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T
05:37:24.004959+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ww01.citrix.geeksforggeeks.com', source='
hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004120+00:00', metadata={'sources': ['hackertarget'], 'verified':
True}), Finding(type='subdomain', value='ww01.example.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='20
26-02-02T05:37:24.004142+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ww01.gilford.geeksforggeeks.com',
source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004165+00:00', metadata={'sources': ['hackertarget'], '
verified': True}), Finding(type='subdomain', value='ww01.gis.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timesta
mp='2026-02-02T05:37:24.004188+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='github.geeksforggeeks.com',
source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004208+00:00', metadata={'sources': ['hackertarget'], '
verified': True}), Finding(type='subdomain', value='hostmaster.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, times
tamp='2026-02-02T05:37:24.004229+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ide.geeksforggeeks.com',
source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004251+00:00', metadata={'sources': ['hackertarget'], 'v
erified': True}), Finding(type='subdomain', value='ww01.mailhost.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, tim
estamp='2026-02-02T05:37:24.004272+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='hostmaster.quiz.geeksf
orggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004293+00:00', metadata={'sources': ['hac
kertarget'], 'verified': True}), Finding(type='subdomain', value='ww01.s13.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidenc
e=0.85, timestamp='2026-02-02T05:37:24.004328+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ww01.sftp.ge
eksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004353+00:00', metadata={'sources': ['h
ackertarget'], 'verified': True}), Finding(type='subdomain', value='magento.shop.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', conf
idence=0.85, timestamp='2026-02-02T05:37:24.004375+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='dev.s
itemap.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004398+00:00', metadata={'sour
ces': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='write.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', co
nfidence=0.85, timestamp='2026-02-02T05:37:24.004420+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='ww0
1.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004454+00:00', metadata={'sources':
['hackertarget'], 'verified': True}), Finding(type='subdomain', value='www.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidenc
e=0.85, timestamp='2026-02-02T05:37:24.004487+00:00', metadata={'sources': ['hackertarget'], 'verified': True}), Finding(type='subdomain', value='f.ww.geeksf
orggeeks.com', source='hackertarget', target='geeksforggeeks.com', confidence=0.85, timestamp='2026-02-02T05:37:24.004510+00:00', metadata={'sources': ['hac
kertarget'], 'verified': True}), Finding(type='subdomain', value='hostmaster.www.geeksforggeeks.com', source='hackertarget', target='geeksforggeeks.com', conf
```

Findings (14 rows)

Export

SELECT * FROM 'findings' LIMIT 0,30

Execute

id	type	value	source	target	confidence	ip_address	verified	discovered_at	metadata
1	subdomain	economy.finance.gov.pk	urlscan	finance.gov.pk	0.85	203.124.44.254	1	2026-01-22T15:22:52.9569...	["discovered_at": "2026-01...
2	subdomain	info@mail.finance.gov.pk	urlscan	finance.gov.pk	0.85	210.56.14.219	1	2026-01-22T15:22:52.9573...	["discovered_at": "2026-01...
3	subdomain	www.finance.gov.pk	urlscan	finance.gov.pk	0.85	210.56.14.219	1	2026-01-22T15:22:52.9576...	["discovered_at": "2026-01...
4	subdomain	api.economy.finance.gov.pk	hackertarget	finance.gov.pk	0.9	203.124.44.254	1	2026-01-22T15:22:53.4569...	["discovered_at": "2026-01...
5	subdomain	bank.economy.finance.gov...	hackertarget	finance.gov.pk	0.9	203.124.44.254	1	2026-01-22T15:22:53.4573...	["discovered_at": "2026-01...
6	subdomain	mail.finance.gov.pk	hackertarget	finance.gov.pk	0.9	210.56.14.219	1	2026-01-22T15:22:53.4577...	["discovered_at": "2026-01...
7	subdomain	prim.finance.gov.pk	hackertarget	finance.gov.pk	0.9	210.56.12.210	1	2026-01-22T15:22:53.4581...	["discovered_at": "2026-01...
8	subdomain	pub.economy.finance.gov...	hackertarget	finance.gov.pk	0.9	203.124.44.254	1	2026-01-22T15:22:53.4585...	["discovered_at": "2026-01...
9	subdomain	sdms.finance.gov.pk	hackertarget	finance.gov.pk	0.9	210.56.11.242	1	2026-01-22T15:22:53.4589...	["discovered_at": "2026-01...
10	subdomain	iso.finance.gov.pk	wayback	finance.gov.pk	0.7		0	2026-01-22T15:23:04.1988...	["discovered_at": "2026-01...
11	subdomain	ftp.finance.gov.pk	dns.bruteforce	finance.gov.pk	1	210.56.14.219	1	2026-01-22T15:23:47.7973...	["discovered_at": "2026-01...
12	subdomain	lists.finance.gov.pk	dns.bruteforce	finance.gov.pk	1	210.56.14.219	1	2026-01-22T15:23:47.9357...	["discovered_at": "2026-01...
13	subdomain	cms.finance.gov.pk	dns.bruteforce	finance.gov.pk	1	203.124.44.149	1	2026-01-22T15:23:48.3342...	["discovered_at": "2026-01...
14	subdomain	msinf.finance.gov.pk	dns.bruteforce	finance.gov.pk	1	210.56.14.219	1	2026-01-22T15:23:49.1874...	["discovered_at": "2026-01...

```

Python 3.12.0 (tags/v3.12.0:111eae5, Oct 14 2023, 14:50:13) [AMD64] on win32
Enter "help" below or click "help" above for more information.

>>>
===== RESTART: C:\Users\Khan\Desktop\allphone_number.py =====
Enter phone number (+) 940435932
1
*Input*: {
  "country_code": "+91 940435932",
  "international_format": "+91 940435932"
}
2
*Country Identification*: {
  "iso_country_code": "IN",
  "country_calling_code": "+91",
  "geographic_description": "India"
}
3
*Number structure*: {
  "national_number": "940435932",
  "national_format": "94043 5932",
  "e164_format": "+91940435932",
  "national_number_length": 10,
  "national_destination_code": "9404"
}
4
*Validation*: {
  "structurally_valid": true,
  "extensionally_possible": true,
  "number_type": "MOBILE"
}
5
*Metadata*: {
  "original_carrier": "Airtel",
  "possible_locations": {
    "Asia/Calcutta"
  }
}
>>>

```

SELECT * FROM 'findings' LIMIT 8,30

id	timestamp	type	value	target	sources	confidence	verified
1	2026-02-03T11:37:19.876156	subdomain	api-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
2	2026-02-03T11:37:19.876156	subdomain	bak-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
3	2026-02-03T11:37:19.876156	subdomain	economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
4	2026-02-03T11:37:19.876156	subdomain	mail.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
5	2026-02-03T11:37:19.876156	subdomain	pub-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
6	2026-02-03T11:37:19.876156	subdomain	webmail.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
7	2026-02-03T11:37:19.876156	subdomain	www.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
8	2026-02-03T11:37:19.876156	subdomain	ftp.finance.gov.pk	finance.gov.pk	dns,bruteforce	0.99	1
9	2026-02-03T11:37:19.876156	subdomain	cms.finance.gov.pk	finance.gov.pk	subfinder	0.7	1
10	2026-02-03T11:37:19.876156	subdomain	lists.cms.finance.gov.pk	finance.gov.pk	subfinder	0.7	1
11	2026-02-03T11:37:19.876156	subdomain	ppc.finance.gov.pk	finance.gov.pk	subfinder	0.7	1
12	2026-02-03T11:37:19.876156	subdomain	uerver.finance.gov.pk	finance.gov.pk	subfinder	0.7	0
13	2026-02-03T11:37:19.876156	subdomain	prim.finance.gov.pk	finance.gov.pk	subfinder	0.7	1
14	2026-02-03T11:37:19.876156	subdomain	edmx.finance.gov.pk	finance.gov.pk	subfinder	0.7	1
15	2026-02-03T11:38:49.167150	subdomain	api-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
16	2026-02-03T11:38:49.167150	subdomain	bak-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
17	2026-02-03T11:38:49.167150	subdomain	economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
18	2026-02-03T11:38:49.167150	subdomain	mail.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1
19	2026-02-03T11:38:49.167150	subdomain	pub-economy.finance.gov.pk	finance.gov.pk	hackertarget,subfinder	0.9	1


```

class BrowserView(QWebView):
    def __init__(self, parent=None):
        super().__init__(parent)
        self.setWindowTitle("Browser View")
        self.setPage(QWebPage())
        self.setUrl(QUrl("http://www.example.com"))

class BrowserApp(QApplication):
    def __init__(self, argv):
        super().__init__(argv)
        self.browser = BrowserView()
        self.show()

if __name__ == '__main__':
    app = BrowserApp(sys.argv)
    app.exec_()

```

