

Problem

The merged array should also be sorted in non-decreasing order. Complete the function mergeSortedArrays that takes the following parameters:

int arr1[n]: the first sorted array
int arr2[m]: the second sorted array
Returns int[]: the merged sorted array

Input Format

The first line contains an integer n, the size of the first array. The second line contains n space-separated integers representing the first sorted array. The third line contains an integer m, the size of the second array. The fourth line contains m space-separated integers representing the second sorted array.

Constraints

$1 \leq n, m \leq 10^5$ $-10^9 \leq arr1[i], arr2[i] \leq 10^9$ Both arrays are sorted in non-decreasing order.

Output Format

Print the merged sorted array as space-separated integers.

Submissions

Leaderboard

Discussions

Change Theme

Language

C



```
1 #include <stdio.h>
2 #include <string.h>
3 #include <math.h>
4 #include <stdlib.h>
5 int main() {
6     int i, j, k, s1, s2;
7     scanf("%d", &s1);
8     int a1[s1];
9     for(i = 0; i < s1; i++)
10         scanf("%d", &a1[i]);
11     scanf("%d", &s2);
12     int a2[s2];
13     for(j = 0; j < s2; j++)
14         scanf("%d", &a2[j]);
15     int res[s1 + s2];
16     i = j = k = 0;
17     while(i < s1 && j < s2) {
18         if(a1[i] < a2[j])
19             res[k++] = a1[i++];
20         else
21             res[k++] = a2[j++];
22     }
23     while(i < s1)
24         res[k++] = a1[i++];
25     while(j < s2)
26         res[k++] = a2[j++];
27     for(i = 0; i < s1 + s2; i++)
28         printf("%d ", res[i]);
29     return 0;
30 }
```

Line: 28 Col: 31

Upload Code as File

Run Code

Submit Code

☐ Test against custom input

No sample test-cases for this question. Please test your code against custom input.