



WATER JUG PROBLEM 5

[Problem](#)[Submissions](#)[Leaderboard](#)

RATE THIS CHALLENGE



You can perform the following operations any number of times:

Fill either jug completely. Empty either jug completely. Pour water from one jug into the other until either the source jug is empty or the destination jug is full.

Given capacities A, B, and a target amount T, determine whether it is possible to measure exactly T liters of water in either jug.

Input Format

The first line contains an integer Q, the number of test cases.

Each of the next Q lines contains three space-separated integers:

A B T

A — capacity of the first jug. B — capacity of the second jug. T — required amount of water.

Constraints

$1 \leq Q \leq 100$ $1 \leq A, B \leq 10^9$ $0 \leq T \leq 10^9$

Output Format

For each test case, print:

YES

if exactly T liters can be measured, otherwise print:

NO

Sample Input 0

```
5 3 4
```

Sample Output 0

```
YES
```

Sample Input 1

```
5 10 3
```

Sample Output 1

```
NO
```



```
1  import java.io.*;
2  import java.util.*;
3
4  public class Solution {
5
6      public static void main(String[] args) {
7          Scanner sc = new Scanner(System.in);
8          int a = sc.nextInt();
9          int b = sc.nextInt();
10         int t = sc.nextInt();
11         int max = Math.max(a,b);
12         while(b != 0){
13             int r = a%b;
14             a = b;
15             b = r;
16         }
17         if(t < max && t % a == 0)
18             System.out.println("YES");
19         else
20             System.out.println("NO");
21     }
22 }
23
```

Line: 23 Col: 1



Upload Code as File



Test against custom input

Run Code

Submit Code

[Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Helpdesk](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#)