



HackerRank in a String! 1

[Problem](#)[Submissions](#)[Leaderboard](#)

RATE THIS CHALLENGE



A subsequence is a sequence that can be derived from another string by deleting some or no characters without changing the order of the remaining characters.

Print:

YES if "hackerrank" is a subsequence of s. NO otherwise.

Input FormatThe first line contains an integer q , the number of test cases.Each of the next q lines contains a string s .**Constraints** $1 \leq q \leq 100$ $1 \leq |s| \leq 10^5$ The sum of the lengths of all strings does not exceed 10^6 .**Output Format**

For each test case, print:

YES

or

NO

Sample Input 0

hackerworld

Sample Output 0

NO

[Change Theme](#)

Language

Java 15



```
1 import java.io.*;
2 import java.util.*;
3
4 public class Solution {
5     public static void subsequence(String s){
6         String target = "hackerrank";
7         int j=0;
8         for(int i=0;i<s.length() && j<target.length();i++){
9             if(s.charAt(i)==target.charAt(j)){
10                 j++;
11             }
12         }
13     }
14 }
```



```
12     }
13     if(j==target.length()){
14         System.out.println("YES");
15     }else{
16         System.out.println("NO");
17     }}
18 public static void main(String args[]){
19     Scanner sc = new Scanner(System.in);
20     String first = sc.nextLine();
21     if(first.matches("//d+")){
22         int q = Integer.parseInt(first);
23         for(int i=0;i<q;i++){
24             subsequence(sc.nextLine());
25         }}
26     else{
27         subsequence(first);
28     }
29 }
30 }
```

Line: 31 Col: 1



Upload Code as File



Test against custom input

Run Code

Submit Code

[Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Helpdesk](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#)