

Risk Audit Capability

Depscan supports OSS Risk audit for this project.

To enable set the environment variable **ENABLE_OSS_RISK=true**

Dependency Scan Results (JS)

Dependency Tree	Insights	Fix Version	Severity	Score
app@1.0.0 └─ marked@0.3.19 ← NPM-1088022	Used in 3 locations	0.6.2	MEDIUM	5.3
app@1.0.0 └─ marked@0.3.19 ← CVE-2022-21680	Used in 3 locations	4.0.10	HIGH	7.5
app@1.0.0 └─ marked@0.3.19 ← CVE-2022-21681	Used in 3 locations	4.0.10	HIGH	7.5
app@1.0.0 └─ trim-newlines@4... ← CVE-2021-33623	Indirect dependency	4.0.1	HIGH	7.5
app@1.0.0 └─ ip@1.1.9 ← CVE-2024-29415	Used in 2 locations		HIGH	8.1
app@1.0.0 └─ marked@0.3.19 ← GHSA-xf5p-87ch-...	Used in 3 locations	0.6.2	MEDIUM	5.3

Recommendation

3 out of 6 vulnerabilities requires your attention.

You can update **all** the packages using the mentioned fix version to remediate.

Proactive Measures

Below are the top reachable packages identified by depscan. Setup alerts and notifications to actively monitor these packages for new vulnerabilities and exploits.

Top Reachable Packages

Package	Reachable Flows
pkg:npm/express@4.18.2	343
pkg:npm/marked@0.3.5	128
pkg:npm/ip@1.1.8	89

Reachable Flows

Below are some reachable flows identified by depscan. Use the provided tips to improve the securability of your application.

#1 Flow starts from a module import

index.js#6	require('express')		
Tags: pkg:npm/express@4.18.2, framework			
index.js#7	require('path')		
index.js#17	path.join(__dirname, 'static')		
Tags: pkg:npm/express@4.18.2, framework			
index.js#18	app.use(bodyParser.urlencoded({ extended: true })))		
Tags: pkg:npm/express@4.18.2			
index.js#28	app.get('/', function (req, res) {		
Tags: pkg:npm/express@4.18.2			
index.js#31	app.get('/markdown', function (req, res) {		
Tags: pkg:npm/express@4.18.2			
index.js#34	app.get('/chat-ui', function (req, res) {		
Tags: pkg:npm/express@4.18.2			
index.js#38	app.get('/trimnewlines', function (req, res) {		
Tags: pkg:npm/express@4.18.2			
index.js#74	app.post('/trimnewlines', function (req, res) {		
Tags: pkg:npm/express@4.18.2			
index.js#126	app.post('/markdown', function (req, res) {		
Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5			
index.js#158	app.get('/checkip', function(req, res) {		
Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8			
index.js#159	res.send		
Tags: framework-output			

Reachable Packages:

pkg:npm/marked@0.3.5

pkg:npm/express@4.18.2

pkg:npm/ip@1.1.8

#2 express.static(path.join(__dirname, 'static')) can be used to reach this package.

index.js#17	express.static(path.join(__dirname, 'static'))	
Tags: pkg:npm/express@4.18.2, framework		
index.js#18	app.use(bodyParser.urlencoded({ extended: true })))	
Tags: pkg:npm/express@4.18.2		

```
└─ index.js#28  app.get('/', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#38  app.get('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#74  app.post('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─
```

Reachable Packages:
pkg:npm/express@4.18.2

#3 express.json({ limit: '10mb' }) can be used to reach this package.

```
index.js#16  express.json({ limit: '10mb' })
|
| Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#17  app.use('/static', express.static(path.join(__dirname,
|
| 'static')))
|
| Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#18  app.use(bodyParser.urlencoded({ extended: true }))
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#28  app.get('/', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#38  app.get('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#74  app.post('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─
```

Reachable Packages:
pkg:npm/express@4.18.2

#4 app.post('/trimnewlines', function (req, res) { can be used to reach 3 packages.

```
index.js#74  app.post('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#126 app.post('/markdown', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5
|
└─ index.js#158 app.get('/checkip', function(req, res) {
|
| Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8
|
└─ index.js#159 res.send(`
|
| Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/marked@0.3.5
pkg:npm/express@4.18.2
pkg:npm/ip@1.1.8

#5 app.post('/trimnewlines', function (req, res) { can be used to reach this package.

```
index.js#74  app.post('/trimnewlines', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#92  res.send
|
| Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/express@4.18.2

#6 express.static(path.join(__dirname, 'static')) can be used to reach this package.

```
index.js#17  express.static(path.join(__dirname, 'static'))
|
| Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#18  app.use(bodyParser.urlencoded({ extended: true }))
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#28  app.get('/', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|
| Tags: pkg:npm/express@4.18.2
|
└─ index.js#35  res.sendFile(__dirname + '/templates/chat-ui.html')
|
| Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/express@4.18.2

#7 express.static(path.join(__dirname, 'static')) can be used to reach 3 packages.

```
index.js#17  express.static(path.join(__dirname, 'static'))
|
└─
```

Tags: pkg:npm/express@4.18.2, framework	
index.js#18 app.use(bodyParser.urlencoded({ extended: true })))	
Tags: pkg:npm/express@4.18.2	
index.js#28 app.get('/', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#31 app.get('/markdown', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#34 app.get('/chat-ui', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#38 app.get('/trimnewlines', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#74 app.post('/trimnewlines', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#126 app.post('/markdown', function (req, res) {	
Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5	
index.js#158 app.get('/checkip', function(req, res) {	
Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8	
index.js#159 res.send	
Tags: framework-output	

Reachable Packages:
pkg:npm/marked@0.3.5
pkg:npm/express@4.18.2
pkg:npm/ip@1.1.8

#8 express.static(path.join(__dirname, 'static')) can be used to reach this package.

index.js#17 express.static(path.join(__dirname, 'static'))	
Tags: pkg:npm/express@4.18.2, framework	
index.js#18 app.use(bodyParser.urlencoded({ extended: true })))	
Tags: pkg:npm/express@4.18.2	
index.js#28 app.get('/', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#31 app.get('/markdown', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#34 app.get('/chat-ui', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#38 app.get('/trimnewlines', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#39 res.send(`	
Tags: framework-output	

Reachable Packages:
pkg:npm/express@4.18.2

#9 Flow starts from a callback function

index.js#17 app.use('/static', express.static(path.join(__dirname, 'static')))	
Tags: pkg:npm/express@4.18.2, framework	
index.js#18 app.use(bodyParser.urlencoded({ extended: true })))	
Tags: pkg:npm/express@4.18.2	
index.js#28 app.get('/', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#31 app.get('/markdown', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#34 app.get('/chat-ui', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#38 app.get('/trimnewlines', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#74 app.post('/trimnewlines', function (req, res) {	
Tags: pkg:npm/express@4.18.2	

Reachable Packages:
pkg:npm/express@4.18.2

#10 const express = require('express') can be used to reach this package.

index.js#6 const express = require('express')	
Tags: pkg:npm/express@4.18.2, framework	
index.js#15 express.urlencoded({ limit: '10mb', extended: true })	
Tags: pkg:npm/express@4.18.2, framework	
index.js#16 app.use(express.json({ limit: '10mb' })))	
Tags: pkg:npm/express@4.18.2, framework	
index.js#17 app.use('/static', express.static(path.join(__dirname, 'static')))	
Tags: pkg:npm/express@4.18.2, framework	
index.js#18 app.use(bodyParser.urlencoded({ extended: true })))	
Tags: pkg:npm/express@4.18.2	
index.js#28 app.get('/', function (req, res) {	
Tags: pkg:npm/express@4.18.2	
index.js#29 res.sendFile	

Tags: framework-output

Reachable Packages:
pkg:npm/express@4.18.2

#11 const express = require('express') can be used to reach 3 packages.

index.js#6const express = require('express')

Tags: pkg:npm/express@4.18.2, framework

index.js#15express.urlencoded({ limit: '10mb', extended: true })

Tags: pkg:npm/express@4.18.2, framework

index.js#16app.use(express.json({ limit: '10mb' }))

Tags: pkg:npm/express@4.18.2, framework

index.js#17app.use('/static', express.static(path.join(__dirname, 'static')))

Tags: pkg:npm/express@4.18.2, framework

index.js#18app.use(bodyParser.urlencoded({ extended: true })))

Tags: pkg:npm/express@4.18.2

index.js#28app.get('/', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#31app.get('/markdown', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#34app.get('/chat-ui', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#38app.get('/trimnewlines', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#74app.post('/trimnewlines', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#126app.post('/markdown', function (req, res) {

Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5

index.js#158app.get('/checkip', function(req, res) {

Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8

index.js#262app.post('/checkip', function (req, res) {

Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8

index.js#288res.send(responseMessage)

Tags: framework-output

Reachable Packages:
pkg:npm/marked@0.3.5
pkg:npm/express@4.18.2
pkg:npm/ip@1.1.8

#12 Flow starts from a module import

index.js#6require('express')

Tags: pkg:npm/express@4.18.2, framework

index.js#7require('path')

index.js#17path.join(__dirname, 'static')

Tags: pkg:npm/express@4.18.2, framework

index.js#18app.use(bodyParser.urlencoded({ extended: true })))

Tags: pkg:npm/express@4.18.2

index.js#28app.get('/', function (req, res) {

Tags: pkg:npm/express@4.18.2

Reachable Packages:
pkg:npm/express@4.18.2

#13 express.urlencoded({ limit: '10mb', extended: true }) can be used to reach 3 packages.

index.js#15express.urlencoded({ limit: '10mb', extended: true })

Tags: pkg:npm/express@4.18.2, framework

index.js#16app.use(express.json({ limit: '10mb' }))

Tags: pkg:npm/express@4.18.2, framework

index.js#17app.use('/static', express.static(path.join(__dirname, 'static')))

Tags: pkg:npm/express@4.18.2, framework

index.js#18app.use(bodyParser.urlencoded({ extended: true })))

Tags: pkg:npm/express@4.18.2

index.js#28app.get('/', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#31app.get('/markdown', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#34app.get('/chat-ui', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#38app.get('/trimnewlines', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#74app.post('/trimnewlines', function (req, res) {

Tags: pkg:npm/express@4.18.2

index.js#126app.post('/markdown', function (req, res) {

Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5

index.js#158app.get('/checkip', function(req, res) {

Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8


```
└─ index.js#262  app.post('/checkip', function (req, res) {
|   Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8
|
└─ index.js#288  res.send
|   Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/marked@0.3.5
pkg:npm/express@4.18.2
pkg:npm/ip@1.1.8

#14 Flow starts from a callback function

```
index.js#15  app.use(express.urlencoded({ limit: '10mb', extended: true
|   })))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#16  app.use(express.json({ limit: '10mb' }))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#17  app.use('/static', express.static(path.join(__dirname,
|   'static'))))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#18  app.use(bodyParser.urlencoded({ extended: true }))
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#28  app.get('/', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#38  app.get('/trimnewlines', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#74  app.post('/trimnewlines', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#126 app.post('/markdown', function (req, res) {
|   Tags: pkg:npm/express@4.18.2, pkg:npm/marked@0.3.5
|
└─ index.js#158 app.get('/checkip', function(req, res) {
|   Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8
|
└─ index.js#262 app.post('/checkip', function (req, res) {
|   Tags: pkg:npm/express@4.18.2, pkg:npm/ip@1.1.8
|
└─ index.js#288 res.send
|   Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/marked@0.3.5
pkg:npm/express@4.18.2
pkg:npm/ip@1.1.8

#15 Flow starts from a callback function

```
index.js#15  app.use(express.urlencoded({ limit: '10mb', extended: true
|   })))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#16  app.use(express.json({ limit: '10mb' }))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#17  app.use('/static', express.static(path.join(__dirname,
|   'static'))))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#18  app.use(bodyParser.urlencoded({ extended: true }))
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#28  app.get('/', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#35  res.sendFile(__dirname + '/templates/chat-ui.html')
|   Tags: framework-output
|
└─
```

Reachable Packages:
pkg:npm/express@4.18.2

#16 express.static(path.join(__dirname, 'static')) can be used to reach this package.

```
index.js#17  express.static(path.join(__dirname, 'static'))
|   Tags: pkg:npm/express@4.18.2, framework
|
└─ index.js#18  app.use(bodyParser.urlencoded({ extended: true }))
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#28  app.get('/', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#31  app.get('/markdown', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─ index.js#34  app.get('/chat-ui', function (req, res) {
|   Tags: pkg:npm/express@4.18.2
|
└─
```

Reachable Packages:

#17 Flow starts from a callback function

index.js#15	app.use(express.urlencoded({ limit: '10mb', extended: true })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#16	app.use(express.json({ limit: '10mb' })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#17	app.use('/static', express.static(path.join(__dirname, 'static')))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#18	app.use(bodyParser.urlencoded({ extended: true })))		
	Tags: pkg:npm/express@4.18.2		
index.js#28	app.get('/', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#31	app.get('/markdown', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#34	app.get('/chat-ui', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		

Reachable Packages:
pkg:npm/express@4.18.2

#18 Flow starts from a callback function

index.js#15	app.use(express.urlencoded({ limit: '10mb', extended: true })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#16	app.use(express.json({ limit: '10mb' })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#17	app.use('/static', express.static(path.join(__dirname, 'static')))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#18	app.use(bodyParser.urlencoded({ extended: true })))		
	Tags: pkg:npm/express@4.18.2		
index.js#28	app.get('/', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#31	app.get('/markdown', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#34	app.get('/chat-ui', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#38	app.get('/trimnewlines', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		

Reachable Packages:
pkg:npm/express@4.18.2

#19 Flow starts from a callback function

index.js#16	app.use(express.json({ limit: '10mb' })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#17	app.use('/static', express.static(path.join(__dirname, 'static')))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#18	app.use(bodyParser.urlencoded({ extended: true })))		
	Tags: pkg:npm/express@4.18.2		
index.js#28	app.get('/', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#31	app.get('/markdown', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#34	app.get('/chat-ui', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#38	app.get('/trimnewlines', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#74	app.post('/trimnewlines', function (req, res) {		
	Tags: pkg:npm/express@4.18.2		
index.js#92	res.send(`		
	Tags: framework-output		

Reachable Packages:
pkg:npm/express@4.18.2

#20 express() can be used to reach this package.

index.js#14	express()		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#15	app.use(express.urlencoded({ limit: '10mb', extended: true })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#16	app.use(express.json({ limit: '10mb' })))		
	Tags: pkg:npm/express@4.18.2, framework		
index.js#17	app.use('/static', express.static(path.join(__dirname, 'static')))		
	Tags: pkg:npm/express@4.18.2, framework		

index.js#18	app.use(bodyParser.urlencoded({ extended: true })))	
	Tags: pkg:npm/express@4.18.2	
index.js#28	app.get('/', function (req, res) {	
	Tags: pkg:npm/express@4.18.2	
index.js#31	app.get('/markdown', function (req, res) {	
	Tags: pkg:npm/express@4.18.2	
index.js#34	app.get('/chat-ui', function (req, res) {	
	Tags: pkg:npm/express@4.18.2	
index.js#38	app.get('/trimnewlines', function (req, res) {	
	Tags: pkg:npm/express@4.18.2	
index.js#74	app.post('/trimnewlines', function (req, res) {	
	Tags: pkg:npm/express@4.18.2	
index.js#92	res.send	
	Tags: framework-output	

Reachable Packages:
pkg:npm/express@4.18.2

Secure Design Tips

- Consider implementing a common validation/sanitization library to reduce the exploitability risk.