

AI JEWELRY GENERATION NEEDS A MANUFACTURING BRIDGE

From beautiful mesh to production-ready jewelry.

MeshInspector checks, edits, and prepares generated 3D jewelry models before they become STL files, prints, or castable pieces.



THE GAP AFTER IMAGE-TO-3D

Looking right is not the same as being manufacturable.

A generated model can impress the customer and still be wrong for production.

EXACT SIZE	must fit
MATERIAL WEIGHT	must price
WALL THICKNESS	must cast
MESH HEALTH	must print
EXPORT	must trust

WHAT THE PRODUCT ADDS

MeshInspector is the manufacturing control layer.

Measure

Dimensions, ring measurements, material weight prediction, and viewport metrics in millimeters.

Correct

Repair, resize, hollow, thicken, smooth, scoop, and prepare the generated mesh for downstream manufacturing.

Control

Version history, compare overlays, manufacturability snapshots, and current-version STL export.

The user moves from “this looks good” to “this is sized, weighted, checked, and ready to export.”

WHERE IT FITS INSIDE ZENO

A production checkpoint between generation and export.

01

Generate

Image or text to jewelry model through Zeno's existing generation workflow.

02

Inspect

Measure size, weight, thickness, mesh health, and manufacturability risk.

03

Modify

Repair, resize, hollow, thicken, smooth, scoop, or tune the model to target constraints.

04

Export

Download the selected manufacturing STL with version history and comparison intact.

WORKBENCH MODEL


Tools surround the mesh, not the other way around.

Auto repair

Fit to size

Weight control

Prepare for casting



Protected hollow

Thicken region

Scoop / recess

Compare versions

FEATURE SURFACE

What Zeno can expose as production confidence.

Model confidence

- model ingestion and normalization
- mesh health checks
- holes and self-intersections
- manufacturability recommendations

Jewelry constraints

- ring size and inner diameter
- material-based weight prediction
- wall thickness control
- weight-class targeting

Production edits

- repair, resize, hollow
- thicken, smooth, scoop
- versioning and compare
- manufacturing STL export

SUGGESTED LIVE DEMO

Show one generated model becoming controlled.

Keep the demo short: one model, one correction path, one export.

01

Upload

Open a Zeno/Tripo-generated jewelry model.

02

Inspect

Show size, weight, thickness, issues, and recommendations.

03

Correct

Run repair, resize, hollow, or targeted thickening.

04

Compare

Show before/after version history and visual difference.

05

Export

Download STL from the currently selected version.

06

Pitch

Position it as Zeno's manufacturing-ready export layer.

COMMERCIAL PACKAGING FOR ZENO

Three ways this becomes a product feature.

Hosted review tool

Fastest pilot path. Zeno sends generated models into a controlled evaluation workspace.

Best for pilot

Embedded manufacturing step

Generation flows into size, weight, thickness, repair, version compare, and export.

Best for production

Premium export feature

Zeno can package "Manufacturing-ready STL" or "Weight-optimized jewelry model".

Best for monetization

RECOMMENDED NEXT STEP

A paid pilot, then a commercial license.

The goal is to validate production value before deeper integration.

PILOT PROPOSAL

45 days

INR 7.5L-12L

- limited Zeno model validation
- hosted evaluation access
- standard third-party runtime coverage
- success metrics and production plan
- no source code transfer

THE ASK

Make Zeno the first commercial partner for manufacturable AI jewelry.

Validate on real generated models, define the integration path, then license the production workflow.

Decision to ask for

- approve paid pilot scope
- share representative generated models
- define success metrics
- review commercial license after pilot