163. Missing Ranges Premium

Easy | Topics | Companies

You are given an inclusive range `[lower, upper]` and a **sorted unique** integer array `nums`, where all elements are within the inclusive range.

A number `x` is considered **missing** if `x` is in the range `[lower, upper]` and `x` is not in `nums`.

Return *the **shortest sorted** list of ranges that **exactly covers all the missing numbers***. That is, no element of `nums` is included in any of the ranges, and each missing number is covered by one of the ranges.

Example 1:

```
Input: nums = [0,1,3,50,75], lower = 0, upper = 99
Output: [[2,2],[4,49],[51,74],[76,99]]
Explanation: The ranges are:
[2,2]
[4,49]
[51,74]
[76,99]
```

Example 2:

```
Input: nums = [-1], lower = -1, upper = -1
Output: []
Explanation: There are no missing ranges since there are no missing numbers.
```

Constraints:

- `-10^9 <= lower <= upper <= 10^9`
- `0 <= nums.length <= 100`
- `lower <= nums[i] <= upper`
- All the values of `nums` are **unique**.

Seen this question in a real interview before? 1/5

Yes No

Accepted 260.1K | Submissions 757.1K | Acceptance Rate 34.4%

Topics

Array

Companies

0 - 3 months

Meta 12

0 - 6 months

Google 3

6 months ago

TikTok 6 Amazon 2

Similar Questions

Summary Ranges Easy

Find Maximal Uncovered Ranges Medium

Discussion (35)