➢ Exam Dashboard For Admin

- **Source Code :**

- HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="css/bootstrap.min.css" />
 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.4.1/font/bootstrap-icons.css" />
 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.7.2/font/bootstrap-icons.css">
 <link rel="stylesheet" href="css/style.css" />
 <title>College Management System</title>
</head>

<body>
 <!-- top navigation bar -->
 <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top">
  <div class="container-fluid">
   <button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-
target="#sidebar"
    aria-controls="offcanvasExample">
    <span class="navbar-toggler-icon" data-bs-target="#sidebar"></span>
   </button>
   <a class="navbar-brand me-auto ms-lg-0 ms-3 text-uppercase fw-bold"
href="#">PUNE UNIVERSITY</a>
   <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#topNavBar"
    aria-controls="topNavBar" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
   </button>
   <div class="collapse navbar-collapse" id="topNavBar">
    <form class="d-flex ms-auto my-3 my-lg-0">
     <div class="input-group">
      <input class="form-control" type="search" placeholder="Search" aria-
label="Search" />
```

```html
        <button class="btn btn-primary" type="submit">
          <i class="bi bi-search"></i>
        </button>
      </div>
    </form>
    <ul class="navbar-nav">
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle ms-2" href="#" role="button" data-bs-
toggle="dropdown"
          aria-expanded="false">
          <i class="bi bi-person-fill"></i>
        </a>
        <ul class="dropdown-menu dropdown-menu-end">
          <li><a class="dropdown-item" href="#">Profile</a></li>
          <li><a class="dropdown-item" href="#">Logout</a></li>
        </ul>
      </li>
    </ul>
  </div>
 </div>
</nav>
<!-- top navigation bar -->
<!-- offcanvas -->
<div class="offcanvas offcanvas-start sidebar-nav bg-dark" tabindex="-1" id="sidebar">
  <div class="offcanvas-body p-0">
    <nav class="navbar-dark">
      <ul class="navbar-nav">
        <li>
          <div class="text-muted small fw-bold text-uppercase px-3">
            CORE
          </div>
        </li>
        <li>
          <a href="#" class="nav-link px-3 active">
            <span class="me-2"><i class="bi bi-speedometer2"></i></span>
            <span>Dashboard</span>
          </a>
        </li>
        <li class="my-4">
          <hr class="dropdown-divider bg-light" />
        </li>
        <li>
          <div class="text-muted small fw-bold text-uppercase px-3 mb-3">
```

```html
          College Management
        </div>
      </li>
      <li>
        <a class="nav-link px-3 sidebar-link" data-bs-toggle="collapse"
href="#students">
          <span class="me-2"><i class="bi bi-people-fill"></i></span>
          <span>Students</span>
          <span class="ms-auto">
            <span class="right-icon">
              <i class="bi bi-chevron-down"></i>
            </span>
          </span>
        </a>
        <div class="collapse" id="students">
          <ul class="navbar-nav ps-3">
            <li>
              <a href="#" class="nav-link px-3">
                <span class="me-2"><i class="bi bi-list"></i></span>
                <span>Student List</span>
              </a>
            </li>
            <li>
              <a href="#" class="nav-link px-3">
                <span class="me-2"><i class="bi bi-person-plus-fill"></i></span>
                <span>Add Student</span>
              </a>
            </li>
          </ul>
        </div>
      </li>
      <li>
        <a class="nav-link px-3 sidebar-link" data-bs-toggle="collapse"
href="#professors">
          <span class="me-2"><i class="bi bi-person-badge"></i></span>
          <span>Professors</span>
          <span class="ms-auto">
            <span class="right-icon">
              <i class="bi bi-chevron-down"></i>
            </span>
          </span>
        </a>
        <div class="collapse" id="professors">
```

```html
          <ul class="navbar-nav ps-3">
           <li>
            <a href="#" class="nav-link px-3">
             <span class="me-2"><i class="bi bi-list"></i></span>
             <span>Professors List</span>
            </a>
           </li>
           <li>
            <a href="#" class="nav-link px-3">
             <span class="me-2"><i class="bi bi-person-plus-fill"></i></span>
             <span>Add Professors</span>
            </a>
           </li>
          </ul>
         </div>
        </li>
        <li>
         <a class="nav-link px-3 sidebar-link" data-bs-toggle="collapse"
href="#branches">
          <span class="me-2"><i class="bi bi-book"></i></span>
          <span>Branches</span>
          <span class="ms-auto">
           <span class="right-icon">
            <i class="bi bi-chevron-down"></i>
           </span>
          </span>
         </a>
         <div class="collapse" id="branches">
          <ul class="navbar-nav ps-3">
           <li>
            <a href="#" class="nav-link px-3">
             <span class="me-2"><i class="bi bi-list"></i></span>
             <span>Branch List</span>
            </a>
           </li>
           <li>
            <a href="#" class="nav-link px-3">
             <span class="me-2"><i class="bi bi-bookmark-plus-fill"></i></span>
             <span>Add Branch</span>
            </a>
           </li>
          </ul>
         </div>
```

```html
        </li>
      </ul>
    </nav>
   </div>
 </div>
 <!-- offcanvas -->
 <main class="mt-5 pt-3">
  <div class="container-fluid">
   <div class="row">
    <div class="col-md-12">
     <h4>Dashboard</h4>
    </div>
   </div>
   <div class="container-fluid px-4">
    <div class="row g-3 my-2">
     <div class="col-md-4">
      <div class="p-3 bg-primary text-white shadow-lg d-flex justify-content-around
align-items-center rounded">
       <div>
        <h3 class="fs-2">10000</h3>
        <p class="fs-5">Total Students</p>
       </div>
       <i class="bi bi-people-fill border rounded p-3" style="font-size: 1.8rem;"></i>
      </div>
     </div>

     <div class="col-md-4">
      <div class="p-3 bg-danger text-white shadow-lg d-flex justify-content-around
align-items-center rounded">
       <div>
        <h3 class="fs-2">5000</h3>
        <p class="fs-5">Boys</p>
       </div>
       <i class="bi bi-gender-male border rounded p-3" style="font-size: 2rem;"></i>
      </div>
     </div>

     <div class="col-md-4">
      <div class="p-3 bg-success text-white shadow-lg d-flex justify-content-around
align-items-center rounded">
       <div>
        <h3 class="fs-2">5000</h3>
        <p class="fs-5">Girls</p>
```

```html
          </div>
          <i class="bi bi-gender-female border rounded p-3" style="font-size:
1.8rem;"></i>
        </div>
      </div>
    </div>
  </div>
  <div class="container-fluid px-4">
   <div class="row my-4 ">
    <div class="col-md-12">
      <h4>Student List</h4>
    </div>
   </div>
   <table class="table table-hover table-sm">
    <thead>
     <tr>
      <th scope="col">#Roll No</th>
      <th scope="col">Name</th>
      <th scope="col">Branch</th>
      <th scope="col">Mobile No</th>
      <th scope="col">Email</th>
      <th scope="col">Admission Date</th>
     </tr>
    </thead>
    <tbody>
     <tr>
      <td class="left">157</td>
      <td>Vaishnavi Teke</td>
      <td class="left">Information Technology</td>
      <td><a href="tel:9175930316"> 9175930316 </a></td>
      <td><a href="mailto:shuxer@gmail.com"> vaishnavisteke@gmail.com
</a></td>
      <td class="left">22 Feb 2012</td>
     </tr>
     <tr>
      <td class="left">5</td>
      <td>Pooja Patel</td>
      <td class="left">Civil</td>
      <td><a href="tel:9876543210"> 9876543462 </a></td>
      <td><a href="mailto:shuxer@gmail.com"> pooja@gmail.com </a></td>
      <td class="left">27 Aug 2005</td>
     </tr>
     <tr>
```

```html
    <td class="left">15</td>
    <td>Disha Shah</td>
    <td class="left">Electrical</td>
    <td><a href="tel:9876543210"> 9250762846 </a></td>
    <td><a href="mailto:shuxer@gmail.com"> dishah@gmail.com </a></td>
    <td class="left">05 Jun 2011</td>
  </tr>
  <tr>
    <td class="left">23</td>
    <td>John Deo</td>
    <td class="left">Computer Technology</td>
    <td><a href="tel:9876543210"> 7700452895 </a></td>
    <td><a href="mailto:shuxer@gmail.com"> john@gmail.com </a></td>
    <td class="left">15 Feb 2012</td>
  </tr>
  <tr>
    <td class="left">10</td>
    <td>Jay Soni</td>
    <td class="left">Mechanical</td>
    <td><a href="tel:9876543210"> 9876543210 </a></td>
    <td><a href="mailto:shuxer@gmail.com"> kenh@gmail.com </a></td>
    <td class="left">12 Nov 2012</td>
  </tr>
  <tr>
    <td class="left">14</td>
    <td>Jacob Ryan</td>
    <td class="left">E & TC</td>
    <td><a href="tel:9876543210"> 9823397544 </a></td>
    <td><a href="mailto:shuxer@gmail.com"> johnson@gmail.com </a></td>
    <td class="left">03 Dec 2001</td>
  </tr>
  <tr>
    <td class="left">7</td>
    <td>Megha Trivedi</td>
    <td class="left">AIDC</td>
    <td><a href="tel:9876543210"> 9021127637 </a></td>
    <td><a href="mailto:shuxer@gmail.com"> megha@gmail.com </a></td>
    <td class="left">17 Mar 2013</td>
  </tr>
  <tr>
    <td class="left">18</td>
    <td>Rajesh Patil</td>
    <td class="left">Civil</td>
```

```html
            <td><a href="tel:9876543210"> 8805274891 </a></td>
            <td><a href="mailto:shuxer@gmail.com"> rajesh@gmail.com </a></td>
            <td class="left">22 Feb 2000</td>
          </tr>
          <tr>
            <td class="left">5</td>
            <td>Pooja Patel</td>
            <td class="left">Computer Technology</td>
            <td><a href="tel:9876543210"> 8470384243 </a></td>
            <td><a href="mailto:shuxer@gmail.com"> pooja@gmail.com </a></td>
            <td class="left">27 Aug 2005</td>
          </tr>
          <tr>
            <td class="left">18</td>
            <td>Rajesh Bhatt</td>
            <td class="left">Mechanical</td>
            <td><a href="tel:9876543210"> 9876543210 </a></td>
            <td><a href="mailto:shuxer@gmail.com"> rajesh@gmail.com </a></td>
            <td class="left">22 Feb 2010</td>
          </tr>
        </tbody>
       </table>
      <nav aria-label="...">
       <ul class="pagination float-end">
        <li class="page-item disabled">
         <a class="page-link">Previous</a>
        </li>
        <li class="page-item"><a class="page-link" href="#">1</a></li>
        <li class="page-item active" aria-current="page">
         <a class="page-link" href="#">2</a>
        </li>
        <li class="page-item"><a class="page-link" href="#">3</a></li>
        <li class="page-item">
         <a class="page-link" href="#">Next</a>
        </li>
       </ul>
      </nav>
    </div>
 </main>
 <script src="./js/bootstrap.bundle.min.js"></script>
 <script src="./js/jquery-3.5.1.js"></script>
</body></html>
```

- CSS:

```css
@import
url("https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800;900&display=swap");
body,
button {
  font-family: "Inter", sans-serif;
}
:root {
  --offcanvas-width: 270px;
  --topNavbarHeight: 56px;
}
.sidebar-nav {
  width: var(--offcanvas-width);
}
.sidebar-link {
  display: flex;
  align-items: center;
}
.sidebar-link .right-icon {
  display: inline-flex;
}
.sidebar-link[aria-expanded="true"] .right-icon {
  transform: rotate(180deg);
}
@media (min-width: 992px) {
  body {
    overflow: auto !important;
  }
  main {
    margin-left: var(--offcanvas-width);
  }
  /* this is to remove the backdrop */
  .offcanvas-backdrop::before {
    display: none;
  }
  .sidebar-nav {
    -webkit-transform: none;
    transform: none;
    visibility: visible !important;
    height: calc(100% - var(--topNavbarHeight));
    top: var(--topNavbarHeight);
```

```
        }
    }

#sub {
    display: block;
    width: 100%;
    border: 1px solid #ddd;
    padding: 10px;
    border-radius: 5px;
    color: #333
}

#sub:focus {
    outline: none
}
```

➢ **Output :**