

Harshita Sonwani

In Eclipse **import**

java.sql.*;

public class Testing1 {

public static void main(String[] args) {

try{

 Class.forName("com.mysql.cj.jdbc.Driver"); // Registering driver

 Connection con= DriverManager.getConnection(
 "jdbc:mysql://localhost:3306/test","root","abc1234");

 Statement stmt=con.createStatement();

 ResultSet rs=stmt.executeQuery("select*from student");

while(rs.next()){

 System.out.println(rs.getInt(1) + " " + rs.getString(2) + " " + rs.getInt(3));

 }

 con.close();

 }

catch(Exception e){

 System.out.println("Sorry for the inconvenience");

 }

}

}

```
1 import java.sql.*;
2
3 public class Testing1 {
4
5     public static void main(String[] args) {
6
7         try{
8             Class.forName("com.mysql.cj.jdbc.Driver"); // Registering driver
9
10            Connection con= DriverManager.getConnection(
11                "jdbc:mysql://localhost:3306/test", "root", "abc1234");
12
13            Statement stmt=con.createStatement();
14
15            ResultSet rs=stmt.executeQuery("select*from student");
16
17            while(rs.next()){
18                System.out.println(rs.getInt(1) + " " + rs.getString(2) + " " + rs.getInt(3));
19            }
20            con.close();
21        }
22        catch(Exception e){
23            System.out.println("Sorry for the inconvenience");
24        }
25    }
26 }
27 }
```

Console Output:

```
<terminated> Testing1 [Java Application] C:\Program Files\Java\jre1.8.0_221\bin\javaw.exe
101 Nileshe 99
105 Garima 96
104 Aarti 92
103 Sahil 98
102 Shiavm 94
```

In workbench show

databases;

create database test;

use test; create table

student(sid int8,

sname varchar(50),

smarks int1

);

insert into student values(101,"Nilesh",99); insert

into student values(102,"Shiavm",94); insert into

student values(103,"Sahil",98); insert into student

values(104,"Aarti",92);

insert into student values(105,"Garima",96);

MySQL Workbench

Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: 23rdmay_task1(set1)_test 23rdmay_task2(set2)_test SQL File 4" 16may

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information: No object selected

Object Info Session

Query Completed

SQL Editor:

```
1 • show databases;
2
3 • create database test;
4 • use test;
5 • create table student(
6   sid int8,
7   sname varchar(50),
8   smarks int1
9 );
10 • insert into student values(101,"Nilesh",99);
11 • insert into student values(102,"Shiavn",94);
12 • insert into student values(103,"Sahil",98);
13 • insert into student values(104,"Aarti",92);
14 • insert into student values(105,"Garima",96);
```

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
5	18:53:58	insert into student values(101,"Nilesh",99)	1 row(s) affected	0.031 sec
6	18:54:57	insert into student values(105,"Garima",96)	1 row(s) affected	0.000 sec
7	18:55:01	insert into student values(104,"Aarti",92)	1 row(s) affected	0.000 sec
8	18:55:04	insert into student values(103,"Sahil",98)	1 row(s) affected	0.016 sec
9	18:55:07	insert into student values(102,"Shiavn",94)	1 row(s) affected	0.016 sec

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

34°C Clear

Search

ENG IN

19:51

01-06-2026