Signal Without Strategy v1.1 — figure and table plan

Date: 2026-08-27 · For `SIGNAL_WITHOUT_STRATEGY_MANUSCRIPT_v1.1_DRAFT.md`

Every display below uses **only committed results**. No confidence interval was computed, no statistic was created, and no analysis was rerun to complete a display. Fields absent from the artifacts are marked **"not in artifact"** and left blank rather than filled.

Table 1 — Samples, estimands, and evidence level

Purpose: make it impossible to read four different analyses as one. Placed in §4A.

Analysis	Sample	n	Estimand	Inference	Evidence level		
Corrected matched association	Matched treated/control earnings-event pairs, post-correction	73 pairs, 26 clusters	ATT on \	day return\	, pp	CR2 (BRL) on ticker, Satterthwaite df	**1 — Association**
Ticker-clustered magnitude model	Full usable event population	26 clusters, df 16.301	Coefficient on high-attention indicator, pp	CR2 on ticker, Satterthwaite df	**1 — Association**		
Out-of-sample magnitude forecast	Pooled out-of-sample events	per artifact	Pooled MAE, pp; paired loss difference	Paired clustered test	**2 — Incremental prediction**		
Direction forecast	Pooled out-of-sample events	per artifact	Brier score; AUC	Pooled out-of-sample comparison	**2 — Incremental prediction**		
Strategy E incremental	Event strategy population	26 clusters	Coefficient attributable to high attention, pp	CR2 on ticker, Satterthwaite df	**3 — Tradability**		

Rule for this table. The evidence-level column is the point. Rows 1–2 are association; clearing them says nothing about rows 3–5.

Table 2 — Matched Level-1 association: primary and all four sensitivities

Placed in §5.1. **Already drafted in the manuscript.** Reproduced here as the display spec.

Column	Source
Specification	label
n pairs	`/primary/n_pairs`, `/sensitivity/*/n_pairs`
Estimate (pp)	`coef_pp` / `mean_paired_difference_pp` / `min–max` for C
SE (pp)	`cr2_se_pp` — **not in artifact** for B and C
df	`satterthwaite_df`; `welch_df` for B — **not in artifact** for C
t	`t_stat` — **not in artifact** for C
p	`p_value` — **not in artifact** for C
95% CI (pp)	`ci95_pp` — **not in artifact** for B and C
Status	PRIMARY / sensitivity

Typographic requirements.

- The primary row is **bold**; all four sensitivity rows are plain.
- **Sensitivity D must carry its exclusion in the row label**, not a footnote: "excluding the 8 overlap identities". Its 65 pairs must be visible in the same row as its +2.5682 pp.
- No row may be sorted by p-value. Order is Primary, A, B, C, D — never ascending significance.

• Empty cells stay empty. Do not interpolate, estimate, or borrow a CI from a neighbouring row.

Table 3 — Incremental forecasting and trading tests

Placed in §5.3–§5.5. This is the table that carries the paper's negative result.

Test	Comparison	Metric	With attention	Without attention	p	Verdict
Strategy E incremental	Baseline + attention vs baseline	Coefficient, pp	**+0.0131**	—	**0.98332**	**Null**
OOS magnitude forecast	Model C vs model B	Pooled MAE, pp	**3.6299**	**3.6284**	**0.9827**	**Null — marginally worse**
Direction forecast	Logistic vs intercept-only	Brier (lower better)	**0.2711**	**0.2560**	not in artifact	**Null — worse than baseline**
Direction forecast	Logistic	AUC	**0.4654**	0.5 = chance	not in artifact	**Below chance**

Rule. The "With attention" column must not be typeset as an improvement. Where the attention model is worse — MAE, Brier, AUC — that direction must be visible without reading the caption.

Figure 1 — Evidence ladder

Existing asset, retained unchanged: `SIGNAL_WITHOUT_STRATEGY_FIGURE_1_EVIDENCE_LADDER.svg`, built by the committed `tools/build_signal_without_strategy_figures.py`. No underlying number changed in v1.1, so **do not regenerate it.**

Three rungs, ascending: **Association** → **Incremental prediction** → **Tradability**. v1.1 requires only a caption change, marking where attention stops:

Attention clears rung 1 (matched association, +2.0797 pp, p = 0.00397) and fails rungs 2 and 3

(incremental contribution +0.0131 pp, p = 0.98332; no out-of-sample forecast improvement). Clearing

rung 1 does not establish rungs 2 or 3.

Figure 2 — Primary versus sensitivity estimates, estimands visually separated

`PROPOSED` **— presentation only, no new statistics.** Every value already exists in Table 2 and §5.2.

Design. Horizontal coefficient plot, points with 95% CI whiskers where a CI exists in the artifact, grouped into **two visually separated panels** because the estimands differ:

Panel A — matched-pair ATT (73 pairs unless noted):

Row	Estimate	CI	Style
Primary paired difference	+2.0797	[+0.7479, +3.4116]	filled marker, heavy rule
Sensitivity A (113 pairs)	+1.9591	[–0.0120, +3.9302]	open marker
Sensitivity B (unpaired Welch)	+2.0797	**no CI in artifact — point only, no whisker**	open marker, hollow
Sensitivity C (range, 26 refits)	1.8343–2.3772	range bar, not a CI — label as range	grey band
Sensitivity D (65 pairs)	+2.5682	[+1.2354, +3.9009]	open marker

Panel B — full-population regression coefficient (different estimand, do not compare point-to-point with Panel A):

Row	Estimate	CI	Style
Primary clustered magnitude	+1.509	[–0.1133, +3.1313]	filled marker, heavy rule
Benchmark-adjusted sensitivity	+1.5388	not in artifact	open marker

Binding rules.

- **Panels A and B must be visually separated** — separate axes or a labelled rule. They are different estimands on different samples; placing them on one continuous axis invites the reader to treat +2.0797 and +1.509 as competing estimates of one quantity. They are not.
- **Sensitivity C's bar is a range across refits, not a confidence interval.** It must be styled differently from every CI whisker and labelled in-figure.
- **Sensitivity B and the benchmark-adjusted row get no whisker.** No CI exists; drawing one would fabricate a statistic.
- **The zero line must be drawn and must remain visible.** The primary clustered estimate's interval crosses it, and truncating the axis to hide that crossing would misrepresent the paper's own headline caution.
- **No sorting by significance.** Fixed order as tabulated.

Integrity rules for all displays

- **No display may present** `d = 1.294` **alongside matched estimates.** It is an unmatched spike-versus-random-week comparison from a different study. Appendix A.3 text only — no figure, no shared axis.
- **No display may promote** `p = 0.03707`**,** `p = 0.00193`**, or** `p = 0.00075` to headline position. The primary magnitude result is `p = 0.0662`; the primary matched result is `p = 0.00397`.
- **No display may present the 0.8543% standalone return as attention performance.** The same post-earnings drift existed without the attention filter.
- **No display may contain prospective HYP-01 data.** None exists.
- **No display may use causal or alpha language** in title, axis label, or caption.

Build checklist

- [ ] Table 1 typeset in §4A
- [ ] Table 2 typeset in §5.1 with D's exclusion in the row label and empty cells left empty
- [ ] Table 3 typeset with worse-than-baseline direction visible
- [ ] Figure 1 retained unmodified; caption updated
- [ ] Decide Figure 2 (PROPOSED) — recommended, presentation-only
- [ ] Confirm no display violates integrity rules 1–5