



The whole plan, one visual language

Follow the arrows. Use a page + node ID when asking a question.


REFERENCE



COLOR = ROLE



CLICK A CARD TO JUMP / SOLID = FLOW / DASHED = OPTIONAL OR CONDITIONAL



STATUS TAGS: DECIDED / PROPOSED / VERIFIED / UNTESTED | Color never means 'already built'.

Semantic and persistent are different axes

What is remembered? x How long is it kept?

PROPOSED

AXIS 1 / CONTENT KIND

02.A

Semantic

Reusable facts + scoped preferences
Mira: three-bullet Atlas updates

02.B

Episodic

What was reported to happen
User reported sending a checklist

02.C

Procedural

How to carry out a task
Reviewed steps; automatic learning deferred

AXIS 2 / LIFETIME

02.D

Persistent store

Survives requests / restart
Can hold different content kinds

retrieve

02.E

Working context

Selected evidence + current request
Fits the model input budget

prompt

02.F

Model response

Uses the supplied context
Does not update model weights

02.G

Factual memory belongs under semantic memory


02.H

Saved claim does not mean independently verified

One backend, several ways to use it

Every entry point follows the same policy and service logic.


PROPOSED





A memory needs an evidence trail

Store meaning, attribution and uncertainty alongside the original source.

PROPOSED



CLAIM REVISION / INSPECTABLE FIELDS



Keep time and certainty separate

A newer import can describe an older plan.

PROPOSED

ATLAS / TWO OBSERVATIONS, ONE CHANGING PLAN



Launch date is the claim value. Its effective start is separate; unknown stays unknown.

EVIDENCE STATUS / HOW STRONG IS THE STATEMENT?

05.D

Reported / tentative / disputed

Ravi could own the budget IF Finance signs off
Conditional possibility; no confirmed appointment

LIFECYCLE / HOW MAY THIS VERSION BE USED?

05.E

Active / superseded / corrected / excluded

A tentative claim can still be active
A superseded claim may answer a historical question

05.F

Capture time is not content time

Orion says 25 Sep; capture time + app are unknown

05.G


Latest import is not latest truth

Resolve source meaning + scope + relevant time

Learning is a guarded pipeline

A small model interprets eligible input; application code validates and commits.


PROPOSED



The same new sentence can mean different things

Compare subject, property, scope, source meaning and time before changing memory.

PROPOSED




Same words can be different observations. Similar names do not establish the same person.

Decide whether personal retrieval is needed

Check mode before accessing any saved personal information.


PROPOSED



Retrieve candidates, then rank useful evidence

Similarity finds candidates; provenance and policy determine usable evidence.

PROPOSED



Watch three memories support one useful draft

Example: 'Draft an Atlas update for Mira in her requested format.'


PROPOSED



Give each model a bounded role

The smaller model is a cost hypothesis to test, not a trusted database operator.


UNTESTED



Private is a boundary before personal state

Private starts fresh and never backfills into Normal.

DECIDED



12.H

Blocked personal reads + durable writes

History / memory / dictionary / style
Logs / jobs / embeddings / cache / browser / exports
Applies on success, timeout and error

12.I

Hosted inference is a separate boundary


Provider retention + no-training must be checked
Only the Private switch preference may persist

Private example: saved Atlas date is unavailable unless supplied again as temporary context.

Forgetting must follow every dependency

Forgetting a memory is more than deleting its vector.


DECIDED



A shared guard defeats stale work

Illustrative interleaving: Forget commits while extraction is in flight.


PROPOSED



Diagnose feedback before changing memory

Dissatisfaction alone does not supply a new fact or a permanent preference.


PROPOSED




Prove usefulness with controlled comparisons

Targets and planned tests are not measured results.

UNTESTED




ABLATIONS / CHANGE ONE MECHANISM; HOLD RELEVANT SETTINGS FIXED



Every extra mechanism must earn its place

Start small. Measure a concrete failure. Add the smallest justified mechanism.

PROPOSED



The goal is a supported useful task, not the largest collection of frameworks.

Understand here, implement from the same plan

New discussion chat -> recorded decision -> approved CLI work -> tested Git checkpoint.

REFERENCE

