Clusterix Case Study – Prioritized Bug List

Priority	Meaning
1	Critical Security / Data Exposure
2	High Impact Functional or Security Risk
3	Medium User Experience / Workflow Impact
4	Minor Functional or Localization Issue
5	Cosmetic / Nice-to-Have

Bug #1

Title: Password Visible in DOM

Description:
The entered password is exposed as a readable value within the browser DOM, creating a potential security vulnerability.

Steps:

1. Navigate to the Login page.
2. Enter a password.
3. Open Developer Tools.
4. Inspect the password field.
5. Observe the stored value.


Expected:
Password values should not be exposed as readable text within the DOM.

Actual:
The entered password is visible as a readable value in the DOM.

Priority: 1 (Highest)
Reason for Priority:

This is a security vulnerability involving user credentials and could expose sensitive information.

Evidence:



Bug #2

Title: Login Data Lost on Logo Click

Description:
Clicking the Clusterix logo reloads the login page and clears all entered credentials.

Steps:

1. Open the Login page.
2. Enter valid username and password.
3. Click the Clusterix logo.

Expected:
The login form should retain entered values or the logo should not interrupt the login process.

Actual:
The page reloads and all entered credentials are cleared.

Priority: 3 (Medium)

Reason for Priority: The issue does not prevent login but negatively impacts user experience and may cause frustration.

Evidence: Open in Loom Recording

Bug #3

Title: Session Does Not Expire

Description:
The authenticated homepage remains accessible for a prolonged period without session expiration or reauthentication.

Steps:

1. Log in successfully.
2. Leave the application idle for an extended period(1-2 days).
3. Return to the application.

Expected:
The session should expire after the configured timeout period and require reauthentication.

Actual:
The authenticated homepage remains accessible.

Priority: 2 (High)

Reason for Priority: This is a security concern that could allow unauthorized access on shared or unattended devices.

Evidence: **NA**

Bug #4

Title: Validation Message Not Localized

Description:
A password validation message is displayed in French even when English is selected as the application language.

Steps:

1. Open the Registration page.
2. Select English language.


3. Enter an invalid password.
4. Trigger validation.

Expected:
All validation messages should appear in English.

Actual:
The password validation message appears in French.

Priority: 4 (Low-Medium)
Reason for Priority: This is a localization issue that does not impact functionality but affects user experience and language consistency.

Evidence:


app.clusterix.io/register
Clusterix
23:25
Tuesday, August 11
Select User
Login
Register
Register
casestudy7.clusterix@yopmail.com
Harshitha
Gowda
Password
Votre mot de passe doit inclure au moins une minuscule, une majuscule, un chiffre, un caractère spécial et contenir entre 12 et 20 caractères.
Confirm Password
I have read and accept the Terms of Service and Privacy Policy!
Register
Privacy settings
English
Deutsch
Français
Español
Italiano
Português
EN
app.clusterix.io/register
Clusterix
23:31
Tuesday, August 11
Select User
Login
Register
Register
casestudy7.clusterix@yopmail.com
Harshitha
Gowda
Password
Votre mot de passe doit inclure au moins une minuscule, une majuscule, un chiffre, un caractère spécial et contenir entre 12 et 20 caractères.
Confirm Password
I have read and accept the Terms of Service and Privacy Policy!
Register
Privacy settings
EN

Bug #5

Title: Registration Password Visible in DOM

Description:

The registration password field exposes the entered password value within the browser DOM.

Steps:

4. Open the Registration page.
5. Enter a password.
6. Open Developer Tools.
7. Inspect the password field.

Expected:

Password values should not be exposed as readable text within the DOM.


Actual:

The entered password is visible in the DOM.

Priority: 1 (Highest)

Reason for Priority: Exposure of user credentials is a critical security vulnerability and may lead to sensitive information disclosure.

Evidence:



Bug #6

Title: Image Replacement Inserts New Image Instead of Replacing Existing Image

Description:
When an image is already inserted in the document, attempting to replace it by pasting or inserting another image while the existing image is selected does not replace the original image. Instead, the editor inserts an additional image, resulting in duplicate images within the document.

Steps:

1. Open a document.
2. Insert or paste an image into the document.
3. Select the inserted image.
4. Copy a different image.
5. Paste the new image while the original image remains selected.

Expected:
The selected image should be replaced by the newly pasted image, or the editor should provide a clear image replacement option.

Actual:
A new image is inserted into the document while the original image remains unchanged.

Priority: 3 (Medium)

Reason for Priority: This does not cause data loss, but it affects editing efficiency and may lead to duplicate content and additional manual cleanup for users working with images frequently.

Evidence: Open in Loom Recording

Bug #7

Title: Console Errors Observed After Successful Login

Description:
Multiple console errors are generated immediately after successful authentication and navigation to the homepage. The errors indicate failed resource loading and API request failures, which may impact application stability, performance, or functionality.

Steps:

1. Open the application login page.
2. Log in using valid credentials.

3. Wait for the homepage/dashboard to load.
4. Open Browser Developer Tools (F12).
5. Navigate to the Console and Network tabs.
6. Observe the errors generated during page load.

Expected:
The homepage should load without any console errors, failed API calls, or missing resource files.


Actual:
The following errors are observed after login:

- `items` API returns **400 (Bad Request)**
- `env.production.js` fails to load
- `config.json` fails to load or returns an error

Priority: 2 (High)

Reason for Priority: Although users may still be able to access the homepage, failed API calls and missing configuration/resource files can lead to broken functionality, performance issues, incorrect application behavior, and hidden defects affecting downstream modules.

Evidence:



Bug #8

Title: Open Launchpad Theme Changes Based on Browser Zoom Level

Description:
The Open Launchpad interface changes its visual theme depending on the browser zoom percentage. At 100% zoom and above, the Launchpad displays a light-themed UI, whereas below 100% zoom, it switches to a dark-themed UI. This creates an inconsistent user experience and unexpected visual behavior.

Steps:

1. Log in to the application.
2. Navigate to the Homepage.
3. Open the Launchpad at **100% zoom** (or above).
4. Observe the Launchpad appearance.
5. Reduce browser zoom below **100%** (e.g., 90%).
6. Open the Launchpad again.
7. Compare the UI appearance.

Expected:
The Launchpad should maintain a consistent theme regardless of browser zoom level, unless the application explicitly supports theme switching.

Actual:
The Launchpad displays a light-themed UI at 100%+ zoom and a dark-themed UI below 100% zoom.

Priority: 3 (Medium)

Reason for Priority: The issue does not prevent users from accessing functionality, but it creates an inconsistent visual experience and may cause confusion regarding the application's theme behavior.

Evidence: Open in Loom Recording

Bug #9

Title: Page Number Indicator Does Not Update During Scrolling

Description:
The page number indicator remains static while navigating through a multi-page document. As the user scrolls between pages, the displayed page number does not update to reflect the currently visible page.

Steps:

1. Open a document containing multiple pages.
2. Note the page number displayed (e.g., "Page 1 of 3").
3. Scroll down to Page 2 and Page 3.
4. Observe the page number indicator.

Expected:
The page number indicator should dynamically update based on the page currently being viewed (e.g., "Page 2 of 3", "Page 3 of 3").

Actual:
The page number indicator remains unchanged (e.g., continues displaying "Page 1 of 3") regardless of the page being viewed.

Priority: 3 (Medium)

Reason for Priority:
This does not affect document content or editing functionality, but it impacts navigation and usability, especially for long scientific documents where users rely on page indicators to track their location within the manuscript.

Evidence : Open in Loom Recording

Bug #10

Title: Bullet Style Changes When Adjusting Indentation

Description:
When a custom bullet style (e.g., Diamond bullet) is applied to a list, using the Increase Indent or Decrease Indent functionality automatically changes the bullet style. The original bullet format is not preserved during indentation adjustments.

Steps:

1. Open a document.
2. Create a bulleted list.
3. Select the **Diamond** bullet style.
4. Click **Increase Indent**.
5. Observe the bullet style.
6. Click **Decrease Indent**.
7. Observe the bullet style again.

Expected:
The selected bullet style (Diamond) should remain unchanged when increasing or decreasing indentation levels.

Actual:
The bullet style changes automatically when indentation is increased or decreased.

Priority: 3 (Medium)

Reason for Priority:
This issue affects document formatting consistency and can be frustrating for users preparing scientific manuscripts or structured documents. While a workaround exists (reapplying the bullet style), it increases editing effort and may result in inconsistent formatting.

Evidence : Open in Loom Recording

Bug #11

Title: Abstract Character Limit Not Enforced

Description:
The editor allows users to enter content beyond the specified abstract character limit. Although the requirement specifies a maximum of 500 characters, the editor continues accepting additional text without validation, restriction, or warning.

Steps:

1. Open a document containing an Abstract section.
2. Enter text into the Abstract field.
3. Continue typing until the content exceeds 500 characters (e.g., 501+ characters).
4. Observe the editor behavior.

Expected:
The editor should enforce the 500-character limit by:

- Preventing additional input beyond 500 characters, **or**
- Displaying a validation warning/error message when the limit is exceeded.


Actual:
The editor accepts more than 500 characters without any restriction, warning, or validation message.

Priority: 2 (High)

Reason for Priority:
The case study explicitly requires testing abstract length limits. Scientific journals often enforce

strict abstract constraints, and failure to validate these limits can result in non-compliant manuscript submissions and additional manual review effort for authors.

Evidence :



Bug #12

Title: No Back Navigation Available Within Document Workspace

Description:
When working inside a document, there is no visible Back button or navigation control to return to the previous folder, workspace, or document list. Users must rely on browser navigation or manually navigate through the application, which disrupts workflow efficiency.

Steps:

1. Open a folder containing documents.
2. Open any document for editing.
3. Attempt to return to the previous folder or document listing.
4. Look for a Back button or navigation control within the editor.

Expected:
A visible Back button or navigation option should be available to allow users to easily return to the previous folder, workspace, or document list.

Actual:
No Back button or navigation control is available within the document editor.

Priority: 3 (Medium)

Reason for Priority:
The issue does not prevent document editing, but it negatively impacts navigation and usability. Users working across multiple scientific documents and templates may experience reduced productivity due to additional navigation steps.

Evidence :



Bug #13: Bullet Style Preview Missing

Description:
The bullet style dropdown displays empty placeholders instead of visible bullet symbols/styles. Users cannot identify available bullet formats because the preview icons fail to render.

Steps:

1. Open a document in the editor.
2. Work in the document for an extended period (or perform multiple formatting actions).
3. Click the **Bullets** dropdown.
4. Observe the bullet library section.


Expected:
Each bullet option should display its corresponding bullet symbol/style (e.g., ●, ○, ■, ◆, numbered styles) so users can visually select the desired format.

Actual:
The bullet library displays empty boxes/placeholders with no visible bullet previews.

Priority: 3 (Medium)

Reason:
The feature remains functional if users already know the style positions, but discoverability and usability are significantly impacted. This is a UI rendering issue rather than data loss or functional failure.

Evidence :



Bug #14

Title: Text Color Formatting Not Persisted After Page Reload

Description:
Text color formatting applied within the document is not retained after saving and reloading the page. The text reverts to its default color, indicating that color formatting changes are not being properly saved or restored.

Steps:

1. Open a document in the editor.
2. Select any text.
3. Apply a custom font color (e.g., red, blue, green).

4. Save the document.
5. Refresh/reload the page or reopen the document.
6. Observe the previously colored text.

Expected:
The selected text color should persist after saving and remain unchanged when the document is reloaded.

Actual:
The applied text color is lost after reload, and the text appears in the default color.

Priority: 3 (Medium)

Reason for Priority:
This is a formatting persistence issue affecting document fidelity and user experience. While it does not cause data loss, it impacts trust in the editor's save functionality and can be problematic for professionally formatted documents.

Evidence : Open in Loom Recording

Bug #15

Title: Chart Editor Fails to Load When Adding a Chart

Description:
When attempting to insert a chart into the document, the Chart Editor does not load successfully. Instead of displaying chart creation options, an error message is shown indicating that a required resource cannot be retrieved. Not able to edit too.

Steps:

1. Open any document.
2. Navigate to the chart insertion option.
3. Select any chart type (Pie Chart, Bar Chart, etc.).
4. Wait for the Chart Editor to load.

Expected:
The Chart Editor should load successfully and allow users to create and insert charts into the document.

Actual:
The Chart Editor displays an error message:


Cannot GET /9.4.0-d405ba079419bb4ee66efbcfabd9b614/web-apps/apps/spreadsheeteditor/main/...

and no chart creation options are available.

Priority: 2 (High)

Reason for Priority:
Chart creation is a core document-authoring feature. Users cannot create or insert charts, which blocks functionality required for reports, research papers, and data visualization.

Evidence : [Open in Loom Recording]



Bug #16

Title: Saved Google Sheet Fails to Open and Displays Version Change Error

Description:
A Google Sheet that was successfully saved cannot be opened immediately afterward. Upon attempting to open the document, the system displays an **"Unable to open the document"** error. After multiple page reloads, a **"Version Changed"** popup appears repeatedly, and only then does the previously saved data become visible.

Steps:

1. Create or open a Google Sheet document.
2. Add or modify data.
3. Save the document successfully.
4. Close and reopen the sheet (or refresh the page).
5. Observe the loading behavior.
6. Reload the page multiple times.

Expected:
The saved Google Sheet should open successfully on the first attempt, displaying the latest saved content without any errors or version conflict messages.

Actual:

- The document fails to open initially.
- Error displayed: **"Unable to open the document."**
- Multiple reloads trigger a **"Version Changed"** popup.
- Previously saved data eventually appears only after repeated reload attempts.

Priority: 2 (High)

Reason for Priority:
This issue affects document accessibility and creates uncertainty regarding data integrity and save reliability. Users may assume their data has been lost, making it a high-impact usability and reliability issue.

Evidence: Open in Loom Recording and Open in Loom Recording

Bug #17

Title: Chatbot Feedback Popup Layout Broken After Clicking Thumbs Down

Description:
When a user clicks the Thumbs Down/Up feedback icon on a chatbot response, the "Sorry that missed" feedback popup is displayed incorrectly. The popup overlaps the suggestion chips and chat input area, causing content to appear cut off and reducing usability of the chatbot interface.

Steps:

1. Open the Chatbot panel.
2. Send a message and wait for a chatbot response.
3. Click the Thumbs Dow/UP icon below the response.
4. Observe the feedback popup that appears.


Expected:
The feedback popup should be fully visible within the chatbot window, properly aligned, and should not overlap any suggestion chips, messages, or the chat input field.

Actual:
The **"Sorry that missed"** popup appears partially cut off and overlaps the suggestion chips and message input area. Some content is obscured, making the feedback form difficult to view and interact with.

Priority: 3 (Medium)

Reason:
The feedback functionality is available, but the UI layout issue negatively impacts usability and visibility of the feedback form. Users may be unable to view or complete the feedback properly. This is a presentation issue rather than a functional failure.

Evidence:



Bug #18:

Title: Chatbot Input Area Does Not Expand Properly for Multi-Line

Description:

In the collapsed/small chatbot view, when a user types a long message spanning multiple lines, the text input area does not expand correctly. The typing cursor becomes hidden, and a portion of

the entered text is no longer visible. Users can only view the complete message by maximizing the chatbot window.

Steps:

1. Open the chatbot in the small/collapsed view.
2. Click inside the message input field.
3. Enter a long message that spans multiple lines.
4. Continue typing until the text exceeds the visible input area.
5. Observe the cursor position and message visibility.


Expected:
The input field should automatically expand (or provide internal scrolling) as additional lines are entered. The cursor should always remain visible, and users should be able to see the entire message while typing without maximizing the chatbot.

Actual:
The input area does not adjust correctly for multi-line content. The cursor becomes hidden, and part of the typed message is obscured. The full content is only visible after maximizing the chatbot window.

Priority:3 (Medium)

Reason:
Users can still submit messages, but composing long prompts becomes difficult because the cursor and portions of the text are hidden. This significantly impacts usability, especially when entering detailed instructions or lengthy queries.

Evidence:



Bug #19: AI Returns Incorrect or Hallucinated Output for Certain Prompts

Description:

For some document-related prompts, the AI generates responses that do not match the requested action, expected content, or actual document context. The generated output may contain inaccurate information, assumptions, or unrelated results.

Steps:

1. Open a document in CLX Essentials.
2. Launch the AI chatbot.
3. Submit a document-related prompt.
4. Compare the AI response with the expected outcome and document content.

Expected:

The AI should generate responses that accurately reflect the document content, requested operation, and supported functionality.


Actual:

The AI occasionally provides incorrect, unrelated, or misleading responses that do not align with the user's request or document context.

Priority:3 (Medium)

Reason:
The issue impacts AI reliability and user confidence but does not typically cause data corruption or application failure.

Evidence:



Bug #20:

Title: File Deletion Fails with Generic Error Message

Description:
Users are unable to delete files from the workspace. When attempting to move a file to the Trash, the operation fails and a generic error notification is displayed. The selected file remains in its original location and cannot be deleted.

Steps:

1. Navigate to **My Workspace**.
2. Select any file (e.g., *Final_Report_PDF.docx*).
3. Click **Delete** or **Move to Trash**.
4. Observe the result.

Expected: The selected file should be successfully moved to the **Trash** folder and removed from the current workspace view. A success confirmation message should be displayed.

Actual: The file is not deleted and an error toast appears:

"Move to trash failed"
"Oops! Something went wrong while moving the selected item(s) to trash. Please try again."

The file remains in its original location.

Priority: 3 (Medium)

Reason:
Deleting files is a core file management function. Users are unable to remove unwanted or obsolete documents, which can lead to workspace clutter and impact document management workflows. While there is no data loss, a primary file operation is blocked.

Evidence:

