




SKILL-5 HARSHITHA.B



```
File Edit Selection View Go Run ... apiRelated
Welcome x main.py x
main.py > Student > id
1 from fastapi import FastAPI
2 from pydantic import BaseModel
3 from sqlalchemy import create_engine, text
4
5 app = FastAPI()
6 DATABASE_URL = "mysql+pymysql://root:Sumanjali%40123@localhost/university"
7
8 engine = create_engine(DATABASE_URL)
9
10 class Student(BaseModel):
11     id: int
12     name: str
13     department: str
14
15
16 @app.get("/students")
17 def get_students():
18     with engine.connect() as connection:
19         result = connection.execute(
20             text("SELECT * FROM students")
```



```
INFO: Started server process [37528]
INFO: Waiting for application startup.
INFO: Application startup complete.
INFO: 127.0.0.1:49327 - "GET /docs HTTP/1.1" 200 OK
INFO: 127.0.0.1:49327 - "GET /openapi.json HTTP/1.1" 200 OK
INFO: 127.0.0.1:55259 - "GET /students HTTP/1.1" 200 OK
INFO: 127.0.0.1:61839 - "GET /students HTTP/1.1" 200 OK
Ln 11, Col 12 Spaces: 4 U
```



```
4
5
6 @app.get("/students")
7 def get_students():
8     with engine.connect() as connection:
9         result = connection.execute(
10             text("SELECT * FROM students")
11         )
12         students = result.mappings().all()
13         return students
14
```

default

GET /students Get Students

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/students' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/students
```

Server response

Code	Details
200	Response body [

Server response

Code	Details
200	Response body [{ "id": 101, "name": "Ravi", "department": "CSE" }] Response headers content-length: 45 content-type: application/json date: Wed, 09 Sep 2026 10:16:58 GMT server: uvicorn

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

"string"

Limit to 1000 rows

```
1 • CREATE DATABASE university;
2 • USE university;
3 • CREATE TABLE students (
4     id INT PRIMARY KEY,
5     name VARCHAR(100),
6     department VARCHAR(100)
7 );
8 • SELECT * FROM students;
```

MySQL Workbench

Local instance MySQL80 x MySQL Model x Local instance MySQL80 (uni... x

File Edit View Query Database Server Tools Scripting Help

Navigator: week_2_practical SQL File 2" x SQLAdditions

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Va
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration

Information

No object selected

Result Grid

id	name	department
101	Ravi	CSE
NULL	NULL	NULL

students 3 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	15:46:04	CREATE TABLE students (id INT PRIMARY KEY, ...	Error Code: 1050. Table 'students' already exists	0.016 sec
7	15:46:11	INSERT INTO students (id, name, department) VALUE...	1 row(s) affected	0.015 sec
8	15:46:14	SELECT * FROM students LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
24
25
26 @app.post("/students")
27 def create_student(student: Student):
28     with engine.begin() as connection:
29         connection.execute(
30             text("""
31                 INSERT INTO students (id, name, department)
32                 VALUES (:id, :name, :department)
33             """),
34             {
35                 "id": student.id,
36                 "name": student.name,
37                 "department": student.department
38             }
39         )
40
41     return {
42         "message": "Student created",
43         "student": student
44     }
```

POST /students Create Student

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "id": 102,
  "name": "Priya",
  "department": "ECE"
}
```

Execute

Clear

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/students' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 102,
    "name": "Priya",
    "department": "ECE"
  }'
```

Request URL

http://127.0.0.1:8000/students

Server response

Code	Details
200	Response body <pre>{ "message": "Student created", "student": { "id": 102, "name": "Priya", "department": "ECE" } }</pre> Download Response headers <pre>content-length: 84 content-type: application/json date: Thu, 10 Sep 2026 03:59:17 GMT server: uvicorn</pre>

Responses

Code	Description
------	-------------

Links

MySQL Workbench

Local instance MySQL80 x MySQL Model x Local instance MySQL80 (uni... x

File Edit View Query Database Server Tools Scripting Help

Navigator: week_2_practical Skill_week-5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration

Information: No object selected

Result Grid

id	name	department
101	Ravi	CSE
102	Priya	ECE
NULL	NULL	NULL

students 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	15:46:11	INSERT INTO students (id, name, department) VALUE...	1 row(s) affected	0.015 sec
8	15:46:14	SELECT * FROM students LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	09:31:13	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.032 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

44 }
45 @app.put("/students/{student_id}")
46 def update_student(student_id: int, student: Student):
47     with engine.begin() as connection:
48         connection.execute(
49             text("""
50                 UPDATE students
51                 SET name = :name,
52                     department = :department
53                 WHERE id = :student_id
54             """),
55             {
56                 "student_id": student_id,
57                 "name": student.name,
58                 "department": student.department
59             }
60         )
61
62     return {
63         "message": "Student updated",
64         "student_id": student_id,
65         "student": student
66     }

```

default

GET

/students

Get Students

POST

/students

Create Student

PUT

/students/{student_id}

Update Student

Parameters

Cancel

Reset

Name	Description
student_id * required	
integer	
(path)	101

Request body

 required

application/json

Edit Value

Schema

```
{
  "id": 101,
  "name": "Ravi Kumar",
  "department": "AIML"
}
```

```
curl -X 'PUT' \
  'http://127.0.0.1:8000/students/101' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 101,
    "name": "Ravi Kumar",
    "department": "AIML"
  }'
```

Request URL

http://127.0.0.1:8000/students/101

Server response

Code	Details
200	Response body <pre>{ "message": "Student updated", "student_id": 101, "student": { "id": 100, "name": "Ravi Kumar", "department": "AIML" } }</pre> Download Response headers <pre>content-length: 107 content-type: application/json date: Thu, 10 Sep 2026 04:05:07 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

MySQL Workbench

Local instance MySQL80 x MySQL Model x Local instance MySQL80 (uni... x

File Edit View Query Database Server Tools Scripting Help

Navigator: week_2_practical Skill_week-5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Va
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration

Information: No object selected

Result Grid

id	name	department
101	Ravi Kumar	AIML
102	Priya	ECE
NULL	NULL	NULL

students 5 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	15:46:14	SELECT * FROM students LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	09:31:13	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.032 sec / 0.000 sec
10	09:35:55	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

SQLAdditions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

64         "student_id": student_id,
65         "student": student
66     }
67     @app.delete("/students/{student_id}")
68     def delete_student(student_id: int):
69         with engine.begin() as connection:
70             connection.execute(
71                 text("""
72                     DELETE FROM students
73                     WHERE id = :student_id
74                     """),
75                 {
76                     "student_id": student_id
77                 }
78             )
79
80         return {
81             "message": "Student deleted",
82             "student_id": student_id
83         }

```

Ln 83, Col 6 Spaces: 4 UTF-8 CRLF Python Python 3.14.7 Go Live

DELETE

/students/{student_id}

Delete Student

Parameters

Cancel

Name	Description
student_id required	
integer	101
(path)	

ExecuteClear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/students/101' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/students/101
```

Code

Details

200

Response body

```
{
  "message": "Student deleted",
  "student_id": 101
}
```

Download

Response headers

```
content-length: 46
content-type: application/json
date: Thu, 10 Sep 2026 04:09:47 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	"string"	
422	Validation Error	No links
	Media type	
	application/json	
	Example Value Schema	

MySQL Workbench

Local instance MySQL80 x MySQL Model x Local instance MySQL80 (uni... x

File Edit View Query Database Server Tools Scripting Help

Navigator week_2_practical Skill_week-5 SQLAdditions

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Va
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration

Information

No object selected

Result Grid

id	name	department
102	Priya	ECE
NULL	NULL	NULL

students 6 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	09:31:13	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.032 sec / 0.000 sec
10	09:35:55	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
11	09:40:11	SELECT * FROM students LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

FastAPI 0.1.0 OAS 3.1

/openapi.json

default

GET	/students	Get Students	
POST	/students	Create Student	
PUT	/students/{student_id}	Update Student	
DELETE	/students/{student_id}	Delete Student	

Schemas

HTTPValidationError > Expand all object

Student > Expand all object