

SKILL-3 HARSHITHA.B

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

```

1 • DROP DATABASE IF EXISTS harshitha_2520080007;
2 • CREATE DATABASE harshitha_2520080007;
3 • USE harshitha_2520080007;
4 • CREATE TABLE class (
5     id INT,
6     name VARCHAR(30)
7 );
8 • CREATE TABLE class_info (
9     id INT,
10    address VARCHAR(30)
11 );
12 • INSERT INTO class VALUES
13     (1,'abhi'),
14     (2,'adam'),
15     (4,'alex');
16 • INSERT INTO class_info VALUES
17     (1,'DELHI'),
18     (2,'MUMBAI'),
19     (3,'CHENNAI');

```

Output

Action Output

#	Time	Action	Message
✓ 162	02:23:18	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected
✓ 163	02:23:18	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 164	02:23:18	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 165	02:23:18	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned
✓ 166	02:23:18	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

```

19     (3,'CHENNAI');
20 • SELECT * FROM class CROSS JOIN class_info;
21 • SELECT *
22     FROM class
23     INNER JOIN class_info
24     ON class.id = class_info.id;
25 • SELECT class.name,
26     class_info.address
27     FROM class
28     INNER JOIN class_info
29     ON class.id = class_info.id;
30 • INSERT INTO class_info VALUES
31     (7,'NOIDA'),
32     (8,'PANIPAT');
33 • SELECT *
34     FROM class
35     LEFT OUTER JOIN class_info
36     ON class.id = class_info.id;
37 • SELECT *

```

Output

Action Output

#	Time	Action	Message
✓ 167	02:23:18	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned
✓ 168	02:23:18	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table)	1 row(s) returned
✓ 169	02:23:18	SELECT DISTINCT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name	1 row(s) returned
✓ 170	02:23:18	SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name	1 row(s) returned
✓ 171	02:23:18	SELECT f.* FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second_table s WHERE s.id = f.id)	1 row(s) returned

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

Limit to 1000 rows

```

37 • SELECT *
38 FROM class
39 LEFT JOIN class_info
40 ON class.id = class_info.id
41 WHERE class_info.id IS NULL;
42 • SELECT *
43 FROM class
44 RIGHT OUTER JOIN class_info
45 ON class.id = class_info.id;
46 • SELECT *
47 FROM class
48 RIGHT JOIN class_info
49 ON class.id = class_info.id
50 WHERE class.id IS NULL;
51 • SELECT *
52 FROM class
53 LEFT JOIN class_info
54 ON class.id = class_info.id
55 UNION

```

Output

Action Output

#	Time	Action	Message
✓ 171	02:23:18	SELECT f.* FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second_table s WHER...	1 row(s) returned
✓ 172	02:23:18	SELECT DISTINCT f.name FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second...	1 row(s) returned
✓ 173	02:23:18	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0...	2 row(s) returned
✓ 174	02:23:18	SELECT c.id, c.name, CASE WHEN ci.address IS NULL THEN 'Address Missing' ELSE 'Address ...	3 row(s) returned

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

Limit to 1000 rows

```

56 SELECT *
57 FROM class
58 RIGHT JOIN class_info
59 ON class.id = class_info.id;
60 • CREATE TABLE first_table (
61   id INT,
62   name VARCHAR(30)
63 );
64 • CREATE TABLE second_table (
65   id INT,
66   name VARCHAR(30)
67 );
68 • INSERT INTO first_table VALUES
69   (1,'abhi'),
70   (2,'adam');
71 • INSERT INTO second_table VALUES
72   (2,'adam'),
73   (3,'chester');
74 • SELECT * FROM first table

```

Output

Action Output

#	Time	Action	Message
✓ 150	02:23:17	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 151	02:23:17	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 152	02:23:17	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned
✓ 153	02:23:17	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	2 row(s) returned
✓ 154	02:23:17	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class...	2 row(s) returned

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

Limit to 1000 rows

```

75 UNION
76 SELECT * FROM second_table;
77 • SELECT name FROM first_table
78 UNION
79 SELECT name FROM second_table;
80 • SELECT * FROM first_table
81 UNION ALL
82 SELECT * FROM second_table;
83 • SELECT COUNT(*)
84 FROM (
85 SELECT * FROM first_table
86 UNION ALL
87 SELECT * FROM second_table
88 ) A;
89 • SELECT DISTINCT f.*
90 FROM first_table f
91 INNER JOIN second_table s
92 ON f.id = s.id
93 AND f.name = s.name;

```

Output

Action Output

#	Time	Action	Message
✓ 155	02:23:17	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 156	02:23:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned
✓ 157	02:23:17	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS ...	1 row(s) returned
✓ 158	02:23:17	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned
✓ 159	02:23:17	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS N...	3 row(s) returned

WEEK 1 - SKILL 1 WEEK 2 - SKILL 2 WEEK 3 - SKILL 3

Limit to 1000 rows

```

94 • SELECT DISTINCT f.name
95 FROM first_table f
96 INNER JOIN second_table s
97 ON f.name = s.name;
98 • SELECT f.*
99 FROM first_table f
100 WHERE NOT EXISTS (
101 SELECT 1
102 FROM second_table s
103 WHERE s.name = f.name
104 );
105 • SELECT DISTINCT f.name
106 FROM first_table f
107 WHERE NOT EXISTS (
108 SELECT 1
109 FROM second_table s
110 WHERE s.name = f.name
111 );
112 • SELECT c.id, c.name, ci.address

```

Output

Action Output

#	Time	Action	Message
✓ 162	02:23:18	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected
✓ 163	02:23:18	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 164	02:23:18	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 165	02:23:18	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned
✓ 166	02:23:18	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned

WEEK 1 - SKILL 1
WEEK 2 - SKILL 2
WEEK 3 - SKILL 3

Limit to 1000 rows

```

107 WHERE NOT EXISTS (
108     SELECT 1
109     FROM second_table s
110     WHERE s.name = f.name
111 );
112 • SELECT c.id, c.name, ci.address
113     FROM class c
114     INNER JOIN class_info ci
115     ON c.id = ci.id;
116 • SELECT c.id,
117     c.name,
118     CASE
119     WHEN ci.address IS NULL THEN 'Address Missing'
120     ELSE 'Address Available'
121     END AS Status
122     FROM class c
123     LEFT JOIN class_info ci
124     ON c.id = ci.id;

```

Output

Action Output

#	Time	Action	Message
✓ 171	02:23:18	SELECT f.* FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second_table s WHER...	1 row(s) returned
✓ 172	02:23:18	SELECT DISTINCT f.name FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second...	1 row(s) returned
✓ 173	02:23:18	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0...	2 row(s) returned
✓ 174	02:23:18	SELECT c.id, c.name, CASE WHEN ci.address IS NULL THEN 'Address Missing' ELSE 'Address ...	3 row(s) returned