

SECURE HOME AUTOMATION USING RASPBERRY PI BY TELEGRAM APP

Mr. G. Nageswara Rao (ASSOCIATE PROFESSOR)¹

Gandham Harshitha (19K61A1215)², Nimmala Akanksha (19K61A1240)³,

Adapareddy Harika (19K61A1201)⁴

^{1,2,3,4}DEPARTMENT OF INFORMATION TECHNOLOGY, INDIA,
SASI INSTITUTE OF TECHNOLOGY & ENGINEERING

Abstract: In today's generation dealing with security vulnerabilities on all sides. So, we must use streamlined technology to address these problems. In this project, we'll be taking pictures of people and comparing them to images from the database that have already been stored. The most important component of any home security system is the ability to track who enters or departs the property. Unique faces can be used to monitor things instead of passwords or pins because they are a person's biometric feature. In accordance with who we are, we wish to develop a smart door that will guard the entrance. By employing facial detection and identification, this initiative aims to assist users in enhancing the door security of critical locations. If an unauthorised face is automatically detected, the system will take a picture and send it to the appropriate person by telegram.

Keywords: Facial detection, database, doorway, telegram.

I. INTRODUCTION

In this system, an IR sensor is employed to determine any motion at the front door, which activates the camera and causes it to take the picture and send it to the owner by telegram. If the database contains visitor image information, the door will automatically open otherwise the owner will receive the image of an intruder and can choose whether or not to let admission. Our suggested approach leverages Telegram notification to alert the owner, in contrast to existing notification systems. The benefit of utilising Telegram is that some older citizens do not use Gmail or Twitter because they find those services difficult to use and necessitate the setup of accounts. Since Telegram is a messaging programme that can operate online in a similar way to WhatsApp, the majority of elderly folks want to use it. The primary goal of this study proposal is to develop and

deploy a low-cost, secure, and adaptable home automation system that is capable of security employing face detection and motion detection systems that are also used for home automation.

II. LITERATURE REVIEW

Dashi, Deep and Rai et al [1] Technology alters people's daily routines, An android app is created to assist old individuals who are unable to aid themselves, and this created system is used by people who live alone. This system's implementation makes use of WIFI and an easy-to-use web server, both of which have the potential for future growth when combined with improved sensors to boost sensor precision (like up to street Nights)

Dhiraj and Ramana et al [2] Users can access household equipment at any time by connecting to the network and controlling

them as necessary. This system also offers security as it sends an email notice to the user when it detects an intruder or person. The system is operated via a web page and a telegram bot.

Bhavayasri, Neha, Pranaya and Manoj et al [3] technology that automates your home that combines many technologies, such as the Internet of Things. The primary benefit of this system is that it offers users both text and voice communication options. A chatbot application will be used for the user's text input, and a voice assistant will be used for the user's voice input.

Kamal, Biswas and Sayidul et al [4] a security hierarchy of three have been guaranteed. Use of NFC tags with a PIR motion sensor and a password. The door won't open if one of them isn't there. A lock is attached to the shaft of the servomotor that will be used to unlock the door. When the incorrect password is entered, the LCD shows error text.

Sudha and Priya et al [5] By managing and interacting with remote control of home appliances, the IOT offers a comfortable way of living to people. Two Node MCUs are present in the proposed system. The Node MCU (Node unit micro controller) is an open-source device that combines hardware and software to create a far less expensive system based on the ESP8266 chip.

Apeksha and Bhacheh et al [6] While an automated home can be referred to or classified as a smart home, a system for wireless home automation employing the iot employs computers or mobile devices to operate features automatically through the internet from anywhere in the globe.

Ruhi et al [7] These systems often include a detecting and actuation layer made up of passive infrared sensors, also referred to as motion sensors, and web cameras for security.

Akash and Priyanka et al [8] In this system, devices including lighting, fans, and camera access are employed. Any internet-capable device, such as a smart phone or laptop, may be used to control home appliances thanks to an Android application and a Telegram bot. The proposed system also provides home security through the use of a camera that may provide images via a Text and voice communication when no one is at home.

Mohan, Samir, Nihar et al [9] To serve as a connectivity module to show the system's effectiveness and viability. It enables the user to remotely manage a variety of appliances, including lights, fans, and televisions, as well as make decisions based on sensor feedback on various environmental factors.

G. joga and Vinod et al [10] The study is primarily focused on IOT-based home automation utilising a wireless raspberry PI system. IOT enables we can use to automatically control standard household equipment via the internet from anywhere in the world using PCs or mobile devices.

Shaik, Krishna et al [11] These days, everything moves at supersonic speeds, and digital media allows for data to be exchanged at the speed of light. Therefore, utilising Internet protocols, information must come in at the same rate.

Desai, Virendra et al [12] The IoT is at its height in the modern world. As the world becomes smarter, home automation is starting to take off. One of the newest technologies in home automation is smart door control. This study seeks to expand the door automation method utilising a Raspberry Pi and an Android device.

Shakthi and Abishiek et al [13] A smart home is a networked association of automation and management for extraordinary living. Home security is crucial in this regard, becoming a crucial aspect of our lives.

Reeta R et al [14] The facial recognition technology works by first taking a picture with a camera. The snippet of code recognises an individual's characteristics. Using a Raspberry Pi, the captured image is compared to the database of photos after being detected. The faces are then compared to see if they match or not. The 300 SIM GSM module then broadcasts a security alarm to the specified person in case an intruder tries to enter the premises.

Akash Kasote , Priyanka Kolage , Nikita Sadgir , Gayatri Avhad, Dr. P.G.Vispute et al [15] Our project aims to create devices that are simple to operate, including home applications and other devices. Using an application on a cell phone with an Android, iOS, or Windows operating system installed, we may operate fans, air conditioners, lights, and other appliances.

Yasirli Amri , Mukhammad Andri Setiawan et al [16] Email was the basis on which the smart home was formed. This research examined a home security system that identifies facial patterns to allow access. Cameras and a BeagleBone are used in this

system. Email was used by the system to interact with users.

K. H. Shakthi, P.Abisheik, V.Srinath, S.Dinakaran, M.Ajay et al [17] The database contains pictures of people who have been granted approval. The camera records the face of the person who rings the doorbell when they approach the door and compares it to previously recorded photographs in the database. The door unlocks if the image is a match with the one being captured at the moment. If it fails, the user receives the captured face.

Rajiv Kumar, Pooja Mittal et al [18] The system includes a backup in case there is a power outage issue. The power backup devices are switched in place of the main supply, and they continue to power the security system.

Simge Demir Şevval Şimşek et al [19] The goal of their future study is to create an anonymous secure framework (ASF) for smart homes. The ASF model focuses critical progression on session and routine key renewal to get rid of any faults brought on via a falsified key. Although this model offers unlinkability and anonymity, it is missing the property of anonymous identification.

Olutosin Taiwo Absalom E. Ezugwu et al [20] The smartphone application lets you toggle any electrical household equipment ON or OFF to use energy more effectively. It analyzes the home's current humidity and temperature and alerts the user. Additionally, it directs conversion readings of domestic activities and stores or obtains data to or from the cloud.

REFERENCE WORK:

R. No.	TITLE	AUTHOR	YEAR	METHODOLOGY	LIMITATIONS
[1]	“IoT Home Automation”	Dashi, Deep and Rai	2021	Arduino, Relay, Led, Fan, Node MCU is used for automation	Security, privacy, and designing, developing the system is very complex
[2]	“Webpage And Telegram Bot Controlled Home Automation System”	Dhiraj and Ramana	2020	Three 2-channel relays, two fans and 2 light ,electromagnetic door lock, The PIR Sensor , GPIO pins	SMTP server updation can be delayed as usage Of Raspberry Pi makes it more complex as detection of Intrudution Send mail. (It can be enchanced further).
[3]	“Home Automation Using Chatbot And Voice Assistant”	Bhavyasri, Neha, Pranaya and Manoj	2020	Raspberry Pi NLP unit: natural language processing Spoken-to-text conversion will be applied to the Voice Assistant module's speech input. The complete processing of the obtained input takes place in this unit, giving the NLP module a text input.	The system can be further made inclusive of extensions such as attaching of email services as an alternate form of message delivery, in situations of utmost importance. The number of devices that can be connected to the system can not be expanded to a larger range.
[4]	“Design And Implementation Of Smart Home Security System”	Kamal, Biswas and Sayidul	2020	PIR sensor, pin, servo motor ,buzzer ,VDD , VSS ,power supply crystal oscillator set of authorized person data microcontroller sends signal to servo motor	Developing the system is very complex which leads to not reachong all the features.

[5]	“Internet of things Based Smart Security And Smart Automation”	Sudha and Priya	2020	Remotely controlled room temperature, automatic fans, and automatic lights	Security ,privacy, and designing, developing, managing the system .
[6]	“Home Automation And Security Using Iot”	Apeksha and Bhacheh	2020	Drivers/devices, sensors, Wi-Fi router mobile ESP8266 node MCU Wi-Fi Module, Relay Module, DHT11, Current Sensor configure ESP8266 .	This concept combines home automation and security, both of which are necessary nowadays. .
[7]	“Internet of things Based Smart Security And Home Automation”	Ruhi Uzma , Prafulla Anil	2021	NodeMCU , ArduinoNano , Relay LCD , DHT11 sensor, MQ9 Gas sensor , Touch Sensor, Buzzer Operation Voltage,	An advanced feature is offered, which is IoT digital code lock security.
[8]	“Smart Home Automation Via Telegram Chatbot And Android Application”	Akash and Priyanka	2021	Telegram , Telegram bot, Bot Father , The Raspberry Pi , Temperature sensor DHT11, Pi Cam	Computer vision can be used for motion detection and alerting through telegram
[9]	“Arduino Based House Automation Using Iot ”	Mohan, Samir, Nihar	2018	Arduino UNO , 4-Channel Relay , ESP8266-01, WIFI, Gas Sensor , Temperature Sensor, Software Design , Implementation ,	reducing the time it takes an appliance to switch on and off, Adding speech recognition to the system, utilising Wi-fi to detect smart phones automatically so that the loads are activated when they are in range, Wi-Fi

					range expansion to allow for operating across great distances that are acceptable
[10]	“Internet of things Based Web Controlled Home Automation Using Raspberry Pi”	G. joga and Vinod	2019	Raspberry pi , Voltages , SPI , I2C, Serial, Camera , Pir sensor , Relay module, Digital humidity and temperature sensor , door sensor	Security ,privacy, and designing ,developing the system is very complex
[11]	“Home Security And Automation With Telegram Communication Application Using Raspberry Pi”	Shaik, Krishna	2021	Telegram protocol, Remote Support, Meetings Presentations, Remote Access Remote Office Remote Home, Home electronics unit (HEU) , Telegram application unit (TAU),	SMTP server updation can be delayed as usage Of Raspberry Pi makes it more complex as detection of Intrudution Send mail. (It can be enchanced further)
[12]	“Smart Door Security System Using Raspberry Pi With Telegram”	Desai, Virendra	2020	Raspberry pi B3 , PIR Sensor , Camera Module ,Wi-Fi Module .Telegram App	The system can be further made inclusive of extensions such as attaching of email services as an alternate form of message delivery, in situations of utmost importance. The number of devices that can be connected to the system can not be expanded to a larger range.
[13]	“Implementation Of Smart Home Advanced Security Alert System”	S Abishiek	2019	facial recognition, Raspberry Pi 3, camera module, door lock, automation, security	Developing the system is very complex which leads to not reachong all the features

[14]	“Smart Secure Door Lock System Using Internet of things And Eigenface Approach”	Reeta R	2017	Raspberry Pi, Python, Eigenface, Wi-Fi modem, plus relay	The creation of a web-based control system, an integrated smart home security system using the raspberry pi, and Eigenface technology
[15]	“Smart Home Automation Via Telegram Chatbot And Android Application”	Akash, Priyanka Kolage, Sadgir	2021	Home automation, Home security, Internet of Things, Python language, Raspberry Pi3, Android, Telegram Bot	Computer vision can be used for motion detection and alerting through telegram.
[16]	“Improving Smart Home Concept With The Internet Of Things Concept Using Raspberrypi And Nodemcu”	Yasirli Amri, Mukhammad Andri Setiawan	2017	Raspberry Pi, NodeMCU, rain sensor, door sensor, passive infrared sensor (PIR), DHT22	Improve home security The system does not require a great power Users can control and monitoring the house remotely
[17]	“Implementation Of Advanced Smart Home Security Alert System”	Shakthi	2019	facial recognition, Raspberry Pi 3, camera module, door lock, automation, security	Developing the system is very complex which leads to not reaching all the features.
[18]	“A Novel Design And Implementation Of Smart Home Security System: Future Perspective”	Rajiv Kumar, Pooja Mittal	2019	Internet of Things, sensors, GSM (Gsm Modem), and security	This security system has generic concept and implementation with effective GSM to notify users with message with raising alarm.
[19]	“Secure And Iot Gateway For Home Automation”	Simge Demir Şevval Şimşek	2020	IoT device, Vendor, Nonce with identifier	Security, privacy, and designing, developing, managing the system.
[20]	“Internet Of Things-Based Intelligent Smart Home Control System”	Olutosin Taiwo Absalom E. Ezugwu	2021	sensors, a 5 V, transmitter relay module, an ESP32-CAM board, and an ESP8266 board.	The home automation system allows remote and local control of the home. The system controls electrical

					home appliances, monitors environmental conditions through temperature, humidity, and light sensors, and ensures home security through a motion sensor and an IoT camera
--	--	--	--	--	--

III. BLOCK DIAGRAM

This proposal makes use of a number of other modules, including Telegram and image processing, to improve interaction with home security systems. We require both hardware and software codesign in order to create secure home systems. We require a microcontroller in the hardware to manage the system's general operation. Servo motors and LED actuators are employed, Here, load is a representation of how various home applications are connected to the system to become automated.




Figure 3.1: Basic flow of the system

IV. GENERAL VIEW




Figure 4.1: General scenario

As seen in the above graphic, when a visitor's image cannot be matched with photographs already in the file storage, the owner is prompted to open the door by determining whether the visitor is a recognised individual before the automation of the home activities are carried out.

V. METHODOLOGY

Hardware requirements, software requirements, and user requirements are necessary for the proposed system's

implementation design. The suggested system's control flow is depicted in the Hardware Components:

- **Raspberry Pi**

The Raspberry Pi Foundation created the single-board computer, or tiny circuit, to enable teaching programming to novices.

- **USB Camera**

A USB webcam is a camera that connects to a computer by commonly being plugged into a USB port on the computer. The computer receives the video feed, and a software programme allows you to view the images and upload them to the Internet.

- **Sd card**

A Secure Digital card is a small flash memory card made for high-capacity storage and a variety of portable devices, including GPS navigation systems, cell phones, e-books, PDAs, Personal computers, tablets, cameras, mp3 players, and digital video camcorders

- **Servo Motor(door)**

The control circuit for this type of motor often offers feedback on the motor shaft's present position, enabling the servo motors to rotate very precisely.

- **Buzzer**

a signalling tool that uses electricity and generates a buzzing noise.syte

- **Jumper wires**

An electric line known as a jumper wire is used to connect distant

electric circuits on printed circuit boards.

Software Components:

- IDLE Software
- Python language

VI. DFD DIAGRAMS

DFD Level 0

It is intended to be an abstraction view that presents the system as a lone process with its connections to outside entities. It shows




Figure 6.1: Level 0 DFD

the entire system as a single bubble with data input and output indicated by incoming and outgoing arrows.

DFD Level 1

The Contextual diagram is divided into numerous processes in 1-level DFD. This




Figure 6.2: Level 1 DFD

level emphasises the, we highlight the key

operations of the system and decompose the high-level 0-level DFD process into subprocesses

The Contextual diagram is divided into numerous processes in 1-level DFD. In this level, we emphasises the key operations of the system and decompose the high-level 0-level DFD process into subprocesses.

DFD Level 2



Figure 6.3: Level 2 DFD

Parts of 1-level DFD are further explored in 2-level DFD. It can be used to plan or keep track of the precise or important information about how the system works.

VII. FUTURE SCOPE

We have created a smart system that minimises human effort and makes it simple to operate the smart door. This system allows access from anywhere in the world while still offering high security. Both upgrading and portability are simple. By sending a reply message to RPI, The owner of the digital locking system can open the doors and provide entry to a known individual using Telegram.

VIII. CONCLUSION

For a high level of security, this concept uses the Internet of Things and image processing, two cutting-edge technologies. The suggested work is implemented

utilising a Raspberry Pi, which can connect to a computer or a mobile device, making it simple for the user to utilise. Our technology, which uses an IR sensor for object detection and a camera for face identification, is an integrated response to all previous work.

IX. REFERENCES

- [1] Dashi, Deep and Rai “Iot home automation” Research gate august 2021 <https://www.researchgate.net/publication/353789495>
- [2] Dhiraj and Ramana “Controlled by a website and a Telegram bot, the home automation system” research volume 9, issue 02, february 2020
- [3] Bhavyasri, Neha, Pranaya and Manoj “home automation using chatbot and voice assistant” tm web of conferences 32, 01002 (2020) <https://doi.org/10.1051/itmconf/20203201002> ICACC-2020
- [4] Kamal, Biswas and Sayidul “design and implementation of smart home security system” <https://www.researchgate.net/publication/293173717> ,December 2020
- [5] Sudha and Priya “iot based smart security and smart automation” <https://www.researchgate.net/publication/332295600> , March 2021
- [6] Apeksha and Bhacheh “ home automation and security using iot ” research thoughts, volume 8, July 2020

- [7] Ruhi “a review on iot based smart security and home automation” IJSR technology”
<https://doi.org/10.32628/IJSRST2183159>,
volume 8 ,June 2021
- [8] Akash and Priyanka “Smart Home Automation via Telegram Chatbot and Android Application” IJARIE-ISSN(O)-2395-4396 Vol-7 Issue-3 2021
www.ijarie.com
- [9] Mohan, Samir, Nihar “ Arduino based home automation using Internet of things (IoT) “IJPAM Volume 118 No. 17 2018, 769-778 ISSN: 1311-8080 (printed version); ISSN: 1314-3395 (on-line version) url: <http://www.ijpam.eu>
- [10] G. joga and Vinod “Iot based web controlled home automation using raspberry pi” March 2019
<https://www.researchgate.net/publication/332295600>
- [11] Shaik, Krishna “Home Security and Automation with Telegram Communication Application using Raspberry Pi” IJCRT reference journal July 7 www.ijcrt.org
- [12] Desai, Virendra “Smart Door Security System using Raspberry Pi with Telegram” IRJET Volume: 06 Issue: 06 June 2020 , www.irjet.net
- [13] Shakthi and Abishiek “Implementation of Advanced Smart Home Security Alert System” IJSRCSAMS Volume 8, Issue 2 March 2019
www.ijsrcsams.com
- [14] Reeta R “ smart secure door lock system using iot and eigenface approach ” IJCRT Volume 5, December 2017
- [15] Akash Kasote , Dr. P.G.Vispute “Smart Home Automation via Telegram Chatbot and Android Application” IJARIE Vol-7 Issue-3 2021
- [16] Yasirli Amri , Mukhammad Andri Setiawan “Improving Smart Home Concept with the Internet of Things Concept Using RaspberryPi and NodeMCU ” ICITDA 2017
- [17] Shakthi Murugan .Ajay Kumar “Implementation of Advanced Smart Home Security Alert System” IJSR in Computer Science Applications and Management Studies Volume 8, Issue 2 March 2019
- [18] Rajiv Kumar, Pooja Mittal “A Novel Design and Implementation of Smart Home Security System: Future Perspective” International ISSN Volume 14, Number 2 2019
- [19] Simge Demir Şevval Şimşek “Secure and privacy preserving IoT gateway for home automation” International Conference on Security of Information and Networks, SINCONF 2020
<https://doi.org/10.1016/j.compeleceng.2022.108036>
- [20] Olutosin Taiwo Absalom E. Ezugwu “Internet of things-based intelligent smart home control system” Reaserach article Open Acess Volume 2021 Article ID 9928254
<https://doi.org/10.1155/2021/9928254>

The International Journal of Analytical and Experimental Modal analysis

An UGC-CARE Approved Group - II Journal

An ISO : 7021 - 2008 Certified Journal

ISSN NO: 0886-9367 / web : <http://ijaema.com> / e-mail: submitijaema@gmail.com



Certificate of Publication

This is to certify that the paper entitled **CERTIFICATE ID: IJAEMA/8108**

"SECURE HOME AUTOMATION USING RASPBERRY PI BY TELEGRAM APP"

Authored by :

Mr. G. Nageswara Rao, ASSOCIATE PROFESSOR

From

SASI INSTITUTE OF TECHNOLOGY & ENGINEERING

Has been published in

IJAEMA JOURNAL, VOLUME XV, ISSUE II, FEBRUARY-2023



T.A.O.

Michal A. Olszewski Editor-In-Chief
IJAEMA JOURNAL



<http://ijaema.com/>

The International Journal of Analytical and Experimental Modal analysis

An UGC-CARE Approved Group - II Journal

An ISO : 7021 - 2008 Certified Journal

ISSN NO: 0886-9367 / web : <http://ijaema.com> / e-mail: submitijaema@gmail.com



Certificate of Publication

This is to certify that the paper entitled **CERTIFICATE ID: IJAEMA/8108**

"SECURE HOME AUTOMATION USING RASPBERRY PI BY TELEGRAM APP"

Authored by :

Gandham Harshitha

From

SASI INSTITUTE OF TECHNOLOGY & ENGINEERING

Has been published in

IJAEMA JOURNAL, VOLUME XV, ISSUE II, FEBRUARY-2023



T.A.O.

Michal A. Olszewski Editor-In-Chief
IJAEMA JOURNAL



<http://ijaema.com/>

The International Journal of Analytical and Experimental Modal analysis

An UGC-CARE Approved Group - II Journal

An ISO : 7021 - 2008 Certified Journal

ISSN NO: 0886-9367 / web : <http://ijaema.com> / e-mail: submitijaema@gmail.com



Certificate of Publication

This is to certify that the paper entitled **CERTIFICATE ID: IJAEMA/8108**

"SECURE HOME AUTOMATION USING RASPBERRY PI BY TELEGRAM APP"

Authored by :

Nimmala Akanksha

From

SASI INSTITUTE OF TECHNOLOGY & ENGINEERING

Has been published in

IJAEMA JOURNAL, VOLUME XV, ISSUE II, FEBRUARY-2023



T.A.O.

Michal A. Olszewski Editor-In-Chief
IJAEMA JOURNAL



<http://ijaema.com/>

The International Journal of Analytical and Experimental Modal analysis

An UGC-CARE Approved Group - II Journal

An ISO : 7021 - 2008 Certified Journal

ISSN NO: 0886-9367 / web : <http://ijaema.com> / e-mail: submitijaema@gmail.com



Certificate of Publication

This is to certify that the paper entitled **CERTIFICATE ID: IJAEMA/8108**

"SECURE HOME AUTOMATION USING RASPBERRY PI BY TELEGRAM APP"

Authored by :

Adapareddy Harika

From

SASI INSTITUTE OF TECHNOLOGY & ENGINEERING

Has been published in

IJAEMA JOURNAL, VOLUME XV, ISSUE II, FEBRUARY-2023



T.A.O.

Michal A. Olszewski Editor-In-Chief
IJAEMA JOURNAL



<http://ijaema.com/>