```
1  #write a python program to remove an
   item of a tuple.
2  tuplex = "w", 3, "r", "s", "o", "u", "r", "c", "e"
3  print(tuplex)
4  tuplex = tuplex[:2] + tuplex[3:]
5  print(tuplex)
6  listx = list(tuplex)
7  listx.remove("c")
8  tuplex = tuple(listx)
9  print(tuplex)
```

```python
#python program to create the colon of a tuple.
from copy import deepcopy
tuplex = ("HELLO", 5, [], True)
print(tuplex)
tuplex_colon = deepcopy(tuplex)
tuplex_colon[2].append(50)
print(tuplex_colon)
print(tuplex)
```

existstuple.py
/storage/emulate...

```
1  #write a python program to check
   whether an element exists within a tuple.
2  tuplex = ("w", 3, "r", "e", "s", "o", "u", "r", "c",
   "e")
3  print("r" in tuplex)
4  print( 6 in tuplex)
5
```

```
1  #write a program to get the 4th element
   and 4th element from  last of a tuple.
2  tuplex = ("w", 3, "r", "e", "s", "o", "u", "r", "c",
   "e")
3  print(tuplex)
4  item = tuplex[3]
5  print(item)
6  item1 = tuplex[-4]
7  print(item1)
8
```

```
1  #Program to find repeated items of a
   tuple.
2  tuplex = 2, 4, 5, 6, 2, 3, 4, 4, 7
3  print(tuplex)
4  count = tuplex.count(4)
5  print(count)
6
```