```
CREATE TABLE YELP USER(
      YELP ID
                      VARCHAR(10)
                                                PRIMARY KEY,
      Email
                       VARCHAR(30)
                                                NOT NULL,
      First Name
                       VARCHAR(30),
      Last Name
                       VARCHAR(30)
                                                NOT NULL,
      DOB
                        DATE,
      BirthPlace
                       VARCHAR(50),
      Gender
                        CHAR(2)
      );
      /
     INSERT ALL
      INTO YELP_USER(YELP_ID ,Email, First_Name, Last_Name, DOB, BirthPlace, Gender)
      VALUES('Y1','john@yahoo.com','John','Smith',TO DATE('1992-12-12','yyyy-mm-dd'),'LAKE CITY,FL 32056','M')
      INTO YELP_USER(YELP_ID ,Email, First_Name, Last_Name, DOB, BirthPlace, Gender)
  VALUES('Y2','juan@gmail.com','Juan','Carlos',TO_DATE('1988-2-7','yyyy-mm-dd'),'LAKE CITY,FL 32056','M')
      INTO YELP_USER(YELP_ID ,Email, First_Name, Last_Name, DOB, BirthPlace, Gender)
  VALUES('Y3','Jane@gmail.com','Jane','Chapel',TO_DATE('1992-6-1','yyyy-mm-dd'),'VERNON HILLS,IL 60061','F')
      INTO YELP_USER(YELP_ID ,Email, First_Name, Last_Name, DOB, BirthPlace, Gender)
VALUES('Y4','adi@yahoo.com','Aditya','Awasthi',TO DATE('1964-4-12','yyyy-mm-dd'),'SAN FRANCISCO, CA 94102','M')
      SELECT 1 FROM dual;
      INTO YELP USER(YELP ID .Email, First Name, Last Name, DOB, BirthPlace, Gender)
VALUES('Y8','wei@gmail.com','Wei','Zhangi',TO DATE('2004-4-12','yyyy-mm-dd'),'LAS VEGAS.NV 89030
','F')
     INTO YELP USER(YELP ID ,Email, First Name, Last Name, DOB, BirthPlace, Gender)
VALUES('Y13', 'kell@gmail.com', 'Kelly', 'Abraham', TO DATE('2005-9-12', 'yyyy-mm-dd'), 'REDONDO BEACH, CA 90278
','F')
      SELECT 1 FROM dual;
     CREATE TABLE FRIEND LIST(
      Friend ID
                           VARCHAR(10),
      Yelp ID
                           VARCHAR(10),
      Complimented ID
                          VARCHAR(10),
      FOREIGN KEY(Friend_ID) REFERENCES YELP_USER (YELP_ID),
      FOREIGN KEY(Complimented ID) REFERENCES YELP USER (YELP ID)
      );
1. CREATE TABLE BUSINESS(
     Business ID VARCHAR(10)
                                        PRIMARY KEY,
     B name
                   VARCHAR(30),
     City
                    CHAR(30),
     State
                    CHAR(30),
     Phone No
                    VARCHAR(20),
                    VARCHAR(30),
     Category
     Open
                    CHAR(1)
     );
```

## **INSERT ALL**

- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B1','Big Surf','San Jose','CA','(520) 622-6400','BCT1','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B2','AirBorne COFFEE','San Jose','CA','(408) 524-3580','BCT2','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B3','Pedley Richard Architect','San Jose','CA','(419)-244-5200','BCT3','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B4','Safelite AutoGlass','San Jose','CA','(520)-465-5225 ','BCT4','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B5','SMITH THOMSON','San Jose','CA','(855)-808-1480','BCT5','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B6','Catch Your Big Break','San Jose','CA',' (408)-827-8383','BCT6','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B7','Bay Area Coffee Shop','Santa Clara ','CA','(408)-876 7785','BCT7','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B8','China Coffee Toffee ','Santa Clara ','CA','(408)-261-9000','BCT8','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B9','Hastings Water Works',' Brecksville','OH','(440)-832-7700','BCT9','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B10','The Cinebar','Torrance','CA','(408)-465-8308','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B11','In-N-Out Burger','San Jose','CA','(408)-804-8782','BCT11','F')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B12','Coffee Bar & Bistro','Santa Clara','CA','(408)-465-8208','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B13','Renegades',' Santa Clara','CA','(408)-465-8108','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B14','Alex''s 49er Inn','Columbus','OH','(419)-465-8018','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B15','Red Stag Lounge','Brecksville','OH','(419)-465-8028','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B16','JJ"s Blues','Brecksville','OH','(419)-465-8108','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B17','The Bears Cocktails','Vienna','VA','(844)-465-8028','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B18','Trials Pub','Vienna','VA','(844)-465-8038','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B19','Santa Cruz Wine Bar','Vienna','VA','(844)-465-8048','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B20','Firehouse No 1 Gastropub','Tempe','AZ','(520)-465-8058','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B21','Original Gravity Public House','Tempe','AZ','(520)-465-8068','BCT10','T')
- INTO Business (Business\_ID,B\_name,City,State,Phone\_No,Category,Open)VALUES ('B22','Hobee"s','San Jose','CA','(408)-465-8078','BCT5','F')

```
INTO Business (Business ID,B name,City,State,Phone No,Category,Open)VALUES
   ('B23','The Table','San Jose','CA','(408)-465-8908','BCT5','T')
INTO Business (Business ID,B name,City,State,Phone No,Category,Open)VALUES
   ('B24','Top Nosh Café','San Jose','CA','(408)-465-8098','BCT5','T')
INTO Business (Business_ID,B_name,City,State,Phone No,Category,Open)VALUES
   ('B25','Breakfast Place','San Jose','CA','(408)-465-8808','BCT5','F')
INTO Business (Business ID,B name,City,State,Phone No,Category,Open)VALUES
   ('B26','Cafe Rosalena','San Jose','CA','(408)-465-8708','BCT5','F')
INTO Business (Business ID,B name,City,State,Phone No,Category,Open)VALUES
   ('B27','Southern Kitchen','San Jose','CA','(408)-465-8608','BCT5','F')
INTO Business (Business ID,B name,City,State,Phone No,Category,Open)VALUES
   ('B28','Holder''s Country Inn','San Jose','CA','(408)-465-8508','BCT5','F')
SELECT 1 FROM dual:
CREATE TABLE REVIEWS(
Review_ID
              VARCHAR(10)
                                   PRIMARY KEY,
Rating
              INT
                                   CHECK (Rating > 0 AND Rating <= 5),
Author
              VARCHAR(10),
Publish date DATE,
Rec
              CHAR(1),
Friend cool VARCHAR(10),
Business ID VARCHAR(10)
                                   NOT NULL,
Votes funny INT,
Votes cool INT,
Votes useful INT,
FOREIGN KEY(Author) REFERENCES YELP_USER (YELP_ID)
);
INSERT ALL
INTO Reviews (Review_ID, Rating,
Author, Publish date, Friend cool, Rec, Business ID, Votes funny, Votes cool, Votes useful)
VALUES ('R1',2,'Y1',TO DATE('1992-12-12','yyyy-mm-dd'),'Y2','R','B1',1,0,0)
INTO Reviews (Review ID, Rating,
Author, Publish date, Friend cool, Rec, Business ID, Votes funny, Votes cool, Votes useful)
VALUES
   ('R3',2,'Y3',TO DATE('2016-12-12','yyyy-mm-dd'),'Y6','R','B3',0,0,1)
INTO Reviews (Review ID, Rating,
Author, Publish date, Friend cool, Rec, Business ID, Votes funny, Votes cool, Votes useful)
VALUES
   ('R4',2,'Y4',TO_DATE('2018-01-12','yyyy-mm-dd'),'Y7','R','B4',1,0,0)
INTO Reviews (Review ID, Rating,
Author, Publish date, Friend cool, Rec, Business ID, Votes funny, Votes cool, Votes useful)
('R22',5,'Y13',TO DATE('2018-01-12','yyyy-mm-dd'),'Y8','R','B12',0,1,0)
SELECT 1 FROM dual;
CREATE TABLE CATEGORY(
Category_ID
                     VARCHAR(10)
                                           PRIMARY KEY,
```

```
Category_name
                   CHAR(30)
                                       NOT NULL
);
INSERT ALL
INTO Category (Category_ID, Category_name) VALUES
  ('BCT1','Amusement Parks')
INTO Category (Category_ID ,Category_name) VALUES
  ('BCT2','Gymnastics')
INTO Category (Category ID ,Category name) VALUES
  ('BCT3','Architects')
INTO Category (Category_ID, Category_name) VALUES
  ('BCT4','Windshield')
INTO Category (Category_ID, Category_name) VALUES
  ('BCT5','Breakfast & Brunch')
INTO Category (Category_ID ,Category_name) VALUES
  ('BCT6','Career Counseling')
INTO Category (Category ID ,Category name) VALUES
  ('BCT7','Coffee Shops')
INTO Category (Category_ID, Category_name) VALUES
  ('BCT8','Food and More')
INTO Category (Category_ID ,Category_name) VALUES
  ('BCT9','Pool Cleaners')
INTO Category (Category ID ,Category name) VALUES
  ('BCT10','Bars')
INTO Category (Category_ID ,Category_name) VALUES
  ('BCT11','Burgers')
SELECT 1 FROM dual;
```