



Harshitha S 250701234-2025-CSE ▾

H2**Started on** Monday, 5 October 2026, 3:58 PM**State** Finished**Completed on** Monday, 5 October 2026, 4:00 PM**Time taken** 2 mins 40 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1 #include <stdio.h>
2
3 int main() {
4     int T;
5     scanf("%d", &T);
6
7     while (T--) {
8         int m, n;
9
10        scanf("%d", &m);
11        int a[m];
12
13        for (int i = 0; i < m; i++) {
14            scanf("%d", &a[i]);
15        }
16
17        scanf("%d", &n);
18        int b[n];
19
20        for (int i = 0; i < n; i++) {
21            scanf("%d", &b[i]);
22        }

```

```
23
24     int i = 0, j = 0;
25
26     while (i < m && j < n) {
27
28         if (a[i] == b[j]) {
29             printf("%d ", a[i]);
30             i++;
31             j++;
32         }
33         else if (a[i] < b[j]) {
34             i++;
35         }
36         else {
37             j++;
38         }
39     }
40
41     printf("\n");
42 }
43
44 return 0;
45 }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)