



Harshitha S 250701234-2025-CSE ▾

H2

Started on	Friday, 21 August 2026, 4:04 PM
State	Finished
Completed on	Friday, 21 August 2026, 4:06 PM
Time taken	1 min 40 secs
Marks	1.00/1.00

Grade 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:

Input: `nums = [3,2,3]`

Output: 3

Example 2:

Input: `nums = [2,2,1,1,1,2,2]`

Output: 2

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 104`
- `-231 <= nums[i] <= 231 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main()
4  {
5      int n;
6      scanf("%d", &n);
7
8      int nums[n];
9
10     for (int i = 0; i < n; i++)
11     {
12         scanf("%d", &nums[i]);
13     }
14
15     for (int i = 0; i < n; i++)
16     {
17         int count = 0;
18
19         // Linear search to count occurrences
20         for (int j = 0; j < n; j++)
21         {
22             if (nums[i] == nums[j])
23                 count++;
24         }
25
26         if (count > n / 2)

```

```
27 |         {
28 |             printf("%d\n", nums[i]);
29 |             break;
30 |         }
31 |     }
32 |
33 |     return 0;
34 | }
```

	Input	Expected	Got	
✓	3	3	3	✓
	3 2 3			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)