

## HOME.html(page1 code)

```
<html>

<head>

<title>snapdeal</title>

<style>

.button{background-color:gray;border-radius:2px;text-align:center;padding:5px;font-size:3px;}

.button:hover{background-color:yellow;color:red;}

</style>

</head>

<body bgcolor="#ff0066">

<table border="0" width="100%" bgcolor="#ff0066">

<tr>

<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="text" placeholder="search for products and brands">

</td>

<th><a href="login and signup.html"><font color:"white">login&signup</font></a></th>

<th><font color:"white"><button>cart</button></font></th>

</tr>

</table>

<table border="0" width="100%" bgcolor="#ff0066" cellpadding="15">

<tr>

<th><button class="button"><a href="project.html"><font size="5">popular</font></a></button></th>

<th><button class="button"><a href="mens.html"><font size="5">men's fashion</font></a></button></th>

<th><button class="button"><a href="womens.html"><font size="5">women's fashion</font></a></button></th>

<th><button class="button"><a href="electronics.html"><font size="5">electronics</font></a></button></th>

<th><button class="button"><a href="home and living.html"><font size="5">home&living</font></a></button>

</th>

<th><button class="button"><a href="kids.html"><font size="5">kids</font></a></button></th>
```

|  |  |


---



Hi!handpicked deals for you

  

  <iframe src="popular1.html" width="200" height="150" scrolling="no"></iframe>            

```
<iframe src="popular2.html" width="200" height="150"
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

```
<iframe src="popular3.html" width="200" height="150" scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&
```

```
<iframe src="popular4.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
```

<br><br>

```
   <iframe src="popular5.html" width="200" height="150"  
scrolling="no"></iframe>            
```

```
<iframe src="popular6.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

```
<iframe src="popular7.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
```

```
<iframe src="popular8.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
```

MENS.html(page2 code)

```
<html>

<head>

<title>snapdeal</title>

<style>

.button {background-color:gray;border-radius:2px;text-align:center;padding:5px;font-size:3px;}

.button:hover {background-color:yellow;color:red;}

</style></head>

<body bgcolor="#ff0066">

<table border="0" width="100%" bgcolor="#ff0066">

<tr>

<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="text" placeholder="search for products and brands">

</td><th><a href="login and signup.html"><font color:"white">login&signup</font></a></th>

<th><font color:"white"><button>cart</button></font></th>

</tr>

</table>

<table border="0" width="100%" bgcolor="#ff0066" cellpadding="15">

<tr>

<th><button class="button"><a href="project.html"><font size="5">popular</font></a></button></th>

<th><button class="button"><a href="mens.html"><font size="5">men's fashion</font></a></button></th>

<th><button class="button"><a href="womens.html"><font size="5">women's fashion</font></a></button></th>

<th><button class="button"><a href="electronics.html"><font size="5">electronics</font></a></button></th>

<th><button class="button"><a href="home and living.html"><font

size="5">home&living</font></a></button></th>

<th><button class="button"><a href="kids.html"><font size="5">kids</font></a></button></th>

</tr>

<tr>

<a href="project.html">back</a>
```

---

|  |  |
 men's watches | slippers | T-shirts | running shoes | show more |  
  



<div>Hi!handpicked deals for you</div>
--

  

---

```
  <iframe src="mens1.html" width="200" height="150"
scrolling="no"></iframe>            
```

```
<iframe src="mens2.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

```
<iframe src="mens3.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
```

```
<iframe src="mens4.html" width="200" height="150"
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<br><br>
```

```
   <iframe src="mens5.html" width="200" height="150"  
scrolling="no"></iframe>            
```

```
<iframe src="mens6.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&
```

```
<iframe src="mens7.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
```

```
<iframe src="mens8.html" width="200" height="150"  
scrolling="no"></iframe>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

&lt;/body&gt;&lt;/html&gt;

WOMENS.html(page3 code)

```
<html>

<head>

<title>snapdeal</title>

<style>

.button{background-color:gray;border-radius:2px;text-align:center;padding:5px;font-size:3px;}

.button:hover{background-color:yellow;color:red;}

</style>

</head>

<body bgcolor="#ff0066">

<table border="0" width="100%" bgcolor="#ff0066">

<tr>

<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="text" placeholder="search for products and brands">

</td>

<th><a href="login and signup.html"><font color:"white">login&signup</font></a></th>

<th><font color:"white"><button>cart</button></font></th>

</tr>

</table>

<table border="0" width="100%" bgcolor="#ff0066" cellpadding="15">

<tr>

<th><button class="button"><a href="project.html"><font size="5">popular</font></a></button></th>

<th><button class="button"><a href="mens.html"><font size="5">men's fashion</font></a></button></th>

<th><button class="button"><a href="womens.html"><font size="5">women's fashion</font></a></button></th>

<th><button class="button"><a href="electronics.html"><font size="5">electronics</font></a></button></th>

<th><button class="button"><a href="home and living.html"><font size="5">home&living</font></a></button>

</th>


```



&lt;/html&gt;

ELECTRONICS.html(page4 code)

[illegible]



[back](project.html)

earphones	trimmers	bluetooth	fitness gadgets	show more
-----------	----------	-----------	-----------------	-----------

<div>Hi!handpicked deals for you</div>
--

&lt;/html&gt;

## HOME AND LIVING.html(page5 code)

<html>

[illegible]

[back](project.html)

bedsheets	seeds	sauna belts	fitness gadgets	show more
-----------	-------	-------------	-----------------	-----------

<div>Hi!handpicked deals for you</div>
--

&lt;/html&gt;

```
.button{background-color:gray;border-radius:2px;text-align:center;padding:5px;font-size:3px;}
```

```
.button:hover{background-color:yellow;color:red;}

</style>

</head>

<body bgcolor="#ff0066">

<table border="0" width="100%" bgcolor="#ff0066">

<tr>

<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="text" placeholder="search for products and brands">

</td>

<th><a href="login and signup.html"><font color:"white">login&signup</font></a></th>

<th><font color:"white"><button>cart</button></font></th></tr></table>

<table border="0" width="100%" bgcolor="#ff0066" cellpadding="15">

<tr>

<th><button class="button"><a href="project.html"><font size="5">popular</font></a></button></th>

<th><button class="button"><a href="mens.html"><font size="5">men's fashion</font></a></button></th>

<th><button class="button"><a href="womens.html"><font size="5">women's fashion</font></a></button></th>

<th><button class="button"><a href="electronics.html"><font size="5">electronics</font></a></button></th>

<th><button class="button"><a href="home and living.html"><font size="5">home&living</font></a></button>

</th>

<th><button class="button"><a href="kids.html"><font size="5">kids</font></a></button>

</th>

</tr>

<tr>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&

<a href="project.html">back</a>

</tr>

</table>

<br>

<table border="1" width="100%" height="100" bgcolor="#6682ff" cellpadding="15">

<tr>
```

&lt;/html&gt;

## LOGIN AND SIGNUP.html(page7 code)

```
<html>

<head>

<title>login</title>

</head>

<body>

<center>

<table border="0" width="100%" bgcolor="#ff0066" height="20%">
```



```

<tr>

<th>LOGIN/SIGNUP</th>

</tr>

</table>

<br>

<br>

<font size="5" >please enter your mobile number /email to login and signup on snapdeal</font><br> <br>

<form action="success.html">

<input type="text" required/>

<br>

<br>

<input type="submit" value="submit">

</form>

&nbsp;&nbsp; <a href="project.html">back</a>

</center>

</body></html>

```

## SUCCESS.html(page8 code)

```

<html>

<body bgcolor="yellow"><br/>

<br/><br/><br/>

<br/>

<center><h1>Login successful</h1>

<br/><a href="login and signup.html">back</a>

```

**<br/>**

**</center>**

**</body></html>**





