

STORED PROCEDURES

```
mysql> CREATE TABLE Student (  
->     SID INT PRIMARY KEY,  
->     SName VARCHAR(50),  
->     Department VARCHAR(30),  
->     Marks INT  
-> );  
Query OK, 0 rows affected (0.04 sec)  
  
mysql> CREATE TABLE Student (  
->     SID INT PRIMARY KEY,  
->     SName VARCHAR(50),  
->     Department VARCHAR(30),  
->     Marks INT  
-> );  
ERROR 1050 (42S01): Table 'student' already exists  
mysql> INSERT INTO Student VALUES  
-> (101, 'Rahul', 'CSE', 85),  
-> (102, 'Priya', 'ECE', 78),  
-> (103, 'Arun', 'CSE', 92),  
-> (104, 'Sneha', 'IT', 88),  
-> (105, 'Kiran', 'ECE', 75);  
Query OK, 5 rows affected (0.01 sec)  
Records: 5  Duplicates: 0  Warnings: 0
```

```
mysql> select * from student;
```

SID	SName	Department	Marks
101	Rahul	CSE	85
102	Priya	ECE	78
103	Arun	CSE	92
104	Sneha	IT	88
105	Kiran	ECE	75

```
5 rows in set (0.00 sec)
```

```
mysql> DELIMITER //
```

```
mysql>
```

```
mysql> CREATE PROCEDURE GetStudents()
```

```
    -> BEGIN
```

```
        -> SELECT * FROM Student;
```

```
    -> END //
```

```
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
```

```
mysql> DELIMITER ;
```

```
mysql> call GetStudents();
```

SID	SName	Department	Marks
101	Rahul	CSE	85
102	Priya	ECE	78
103	Arun	CSE	92
104	Sneha	IT	88
105	Kiran	ECE	75

```
5 rows in set (0.01 sec)
```

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE ShowCSEStudents()
  -> BEGIN
  ->     SELECT *
  ->     FROM Student
  ->     WHERE Department = 'CSE';
  -> END //
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
mysql> DELIMITER ;
mysql> call showCSEStudents();
```

SID	SName	Department	Marks
101	Rahul	CSE	85
103	Arun	CSE	92

```
2 rows in set (0.01 sec)

Query OK, 0 rows affected (0.01 sec)
```

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE GetStudentByDept(IN dept VARCHAR(30))
  -> BEGIN
  ->     SELECT *
  ->     FROM Student
  ->     WHERE Department = dept;
  -> END //
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
mysql> DELIMITER ;
mysql> call GetStudentByDept('ECE');
```

SID	SName	Department	Marks
102	Priya	ECE	78
105	Kiran	ECE	75

```
2 rows in set (0.01 sec)

Query OK, 0 rows affected (0.01 sec)
```

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE get_total()
-> BEGIN
->     DECLARE data1 DECIMAL(10,2) DEFAULT 100;
->     DECLARE data2 DECIMAL(10,2) DEFAULT 200;
->     DECLARE total DECIMAL(10,2);
->
->     SET total = data1 + data2;
->
->     SELECT CONCAT('Total: ', total) AS result;
-> END //
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> CALL get_total();
+-----+
| result      |
+-----+
| Total: 300.00 |
+-----+
1 row in set (0.00 sec)
```