

KARNAM HARSHITH – 192511384

```
mysql> DELIMITER //
mysql> CREATE FUNCTION CustomerLevel(p_CREDITLIMIT INT) RETURNS VARCHAR(10)
-> DETERMINISTIC
-> BEGIN
-> DECLARE lvl VARCHAR(10);
-> IF p_CREDITLIMIT > 50000 THEN
-> SET lvl = 'PLATINUM';
-> ELSEIF (p_CREDITLIMIT <= 50000 AND p_CREDITLIMIT >= 10000) THEN
-> SET lvl = 'GOLD';
-> ELSEIF p_CREDITLIMIT < 10000 THEN
-> SET lvl = 'SILVER';
-> END IF;
-> RETURN (lvl);
-> END
-> //
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT CNAME, CustomerLevel(CREDITLIMIT) FROM CUSTOMER ORDER BY CNAME//
+-----+-----+
| CNAME   | CustomerLevel(CREDITLIMIT) |
+-----+-----+
| DINESH  | GOLD                        |
| NAGENDRA | PLATINUM                    |
| RAJA    | GOLD                        |
| RAMU    | SILVER                      |
+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> DELIMITER $$
mysql> CREATE PROCEDURE factorial(IN n INT, OUT fact INT)
-> BEGIN
-> IF n=1 THEN
-> SET fact:=1;
-> ELSE
-> CALL factorial(n-1, fact);
-> SET fact:=n*fact;
-> END IF;
-> END
-> $$
Query OK, 0 rows affected (0.01 sec)

mysql> CALL find_fact(5);
-> $$
+-----+
| @fact |
+-----+
| 120   |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.01 sec)
```