

KARNAM HARSHITH – 192551384

```
mysql> CREATE TABLE DBMS_Stud(  
-> Reg_No INT UNSIGNED NOT NULL AUTO_INCREMENT,  
-> PRIMARY KEY (Reg_No),  
-> Name VARCHAR(30) NOT NULL,  
-> Department VARCHAR(30) NOT NULL,  
-> Mark INT(30) NOT NULL  
-> );
```

Query OK, 0 rows affected, 1 warning (0.04 sec)

```
mysql> desc DBMS_Stud;
```

Field	Type	Null	Key	Default	Extra
Reg_No	int unsigned	NO	PRI	NULL	auto_increment
Name	varchar(30)	NO		NULL	
Department	varchar(30)	NO		NULL	
Mark	int	NO		NULL	

4 rows in set (0.01 sec)

```
mysql> INSERT INTO DBMS_Stud(Name, Department, Mark) VALUES  
-> ('Raj','CSE', 89),  
-> ('Rajesh','CSE', 88),  
-> ('Ramesh','ECE', 90),  
-> ('Rajan','ECE', 85);
```

Query OK, 4 rows affected (0.03 sec)

Records: 4 Duplicates: 0 Warnings: 0

```
mysql> select * from DBMS_Stud;
```

Reg_No	Name	Department	Mark
1	Raj	CSE	89
2	Rajesh	CSE	88
3	Ramesh	ECE	90
4	Rajan	ECE	85

4 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Reg_No,Name, Department, Mark) VALUES
->      (10,'Aarthi','CSE', 89),
->      (12,'Anu','CSE', 88),
->      (11,'Anbu','ECE', 90);
```

Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> select * from DBMS_Stud;
```

Reg_No	Name	Department	Mark
1	Raj	CSE	89
2	Rajesh	CSE	88
3	Ramesh	ECE	90
4	Rajan	ECE	85
10	Aarthi	CSE	89
11	Anbu	ECE	90
12	Anu	CSE	88

7 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Name, Department, Mark) VALUES
->      ('abc','CSE', 89),
->      ('xyz','CSE', 88);
```

Query OK, 2 rows affected (0.00 sec)
Records: 2 Duplicates: 0 Warnings: 0

```
mysql> select * from DBMS_Stud;
```

Reg_No	Name	Department	Mark
1	Raj	CSE	89
2	Rajesh	CSE	88
3	Ramesh	ECE	90
4	Rajan	ECE	85
10	Aarthi	CSE	89
11	Anbu	ECE	90
12	Anu	CSE	88
13	abc	CSE	89
14	xyz	CSE	88

9 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Name, Department, Mark) VALUES
->      ('AAAAA','CSE', 89),
->      ('BBBBB','ECE', 88),
->      ('CCCCC','ECE', 88);
```

Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> select * from DBMS_Stud;
```

Reg_No	Name	Department	Mark
1	Raj	CSE	89
2	Rajesh	CSE	88
3	Ramesh	ECE	90
4	Rajan	ECE	85
10	Aarthi	CSE	89
11	Anbu	ECE	90
12	Anu	CSE	88
13	abc	CSE	89
14	xyz	CSE	88
15	AAAAA	CSE	89
16	BBBBB	ECE	88
17	CCCCC	ECE	88

12 rows in set (0.00 sec)

```
mysql> ALTER TABLE DBMS_Stud AUTO_INCREMENT =50;
```

Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO DBMS_Stud(Name, Department, Mark) VALUES
->      ('DD','CSE', 89),
->      ('EE','ECE', 88),
->      ('FF','ECE', 88);
```

Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> select * from DBMS_Stud;
```

Reg_No	Name	Department	Mark
1	Raj	CSE	89
2	Rajesh	CSE	88
3	Ramesh	ECE	90
4	Rajan	ECE	85
10	Aarthi	CSE	89
11	Anbu	ECE	90
12	Anu	CSE	88
13	abc	CSE	89
14	xyz	CSE	88
15	AAAAA	CSE	89
16	BBBBB	ECE	88
17	CCCCC	ECE	88
50	DD	CSE	89
51	EE	ECE	88
52	FF	ECE	88

15 rows in set (0.00 sec)