




EXP 13



Untitled * - Umbrello UML Modeller
File Edit View Diagram Code Settings Help
New Open Save Cut Copy Paste Find
Command history
Create widget :
Create widget :
Create widget :
Command history Log
Tree View
Deployment View
Entity Relationship ...
Logical View
class diagram
Datatypes
Use Case View
cetral system
customer
employee
feedback
indian office
leader
non-voice
oncall
product
server
use case diagr...
voice
class diagram
use case diagram
Bird'...
product
voice
leader
cetral system
non-voice
oncall
customer
server
indian office
employee
feedback
use case diagram
100% Fit 100%



Untitled * - Umbrello UML Modeller
File Edit View Diagram Code Settings Help
New Open Save Cut Copy Paste Find
Command history
Move widget : customer1
Move widget : central system1
Move widget : Dealer
Command history Log
Tree View
Entity Relationship ...
Logical View
central system1
processi...
store :
storing()
update :
updating()
class diagram
class diagram_1
customer1
custome...
feedback()
name :
payment()
purchas...
Datatypes
Dealer
class diagram
use case diagram
class diagram_1
Bird'...
Dealer
- name :
- availability :
+ payment()
+ delivery()
+ dealer()
customer1
- name :
- purchase product :
+ payment()
+ feedback()
+ customer()
central system1
- store :
- update :
+ storing()
+ updating()
+ processing()
class diagram_1
100% Fit 100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
class diagram
use case diagram
class diagram_1
sequence diagram
Move widgets
Move widgets
Move widgets
Command history
Log
Tree View
central system
central system1
processi...
store :
storing()
update :
updating()
class diagram
class diagram_1
customer
customer1
custome...
feedback()
name :
payment()
purchas...
Datatypes
dealer
: customer
: dealer
: central system
purchase product
enter option
voice call
enquiry customer details
if valid customer
request payment
order product
enter product
deliver product
request payment
payment
request feedback
feedback
regards
Ready.
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
class diagram
use case diagram
class diagram_1
sequence diagram
communication diagram
Move widget : request payment
Move widget : request purchase
Move widget : regards
Command history
Log
Tree View
Central system
central system1
processi...
store :
storing()
update :
updating()
class diagram
class diagram_1
communicati...
customer
customeR
customer1
custome...
feedback()
name :
payment()
purchas...
12: request feedback
10: request payment
6: request purchase
14: regards
: customeR
: dealeR
2: enter option
13: feedback
3: voice call
1: purchase product
11: payment
7: order product
4: enquiry customer details
8: enter product
5: if valid customer
9: deliver product
: Central system
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
class diagram
use case diagram
class diagram_1
sequence diagram
communication diagram
state diagram
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
customeR
customer1
custome...
feedback()
name :
payment()
purchas...
Datatypes
dealer
dealeR
Dealer
availabili...
dealer()
delivery()
name :
payment()
sequence diag...
state diagram
login
products
voice
indian office
state diagram
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
use case diagram
class diagram_1
sequence diagram
communication diagram
state diagram
component diagram
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
BPO Manage...
central system
component di...
customer
dealer
Deployment View
Entity Relationship ...
Logical View
central system
Central system
central system1
processi...
store :
storing()
update :
updating()
class diagram
class diagram_1
BPO Management system
customer
central system
dealer
component diagram
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Move widget : delaer
Resize widget : delaer
Resize widget : customer
Command history
Log
Tree View
BPO Manage...
central system
component di...
customer
dealer
Deployment View
BPO manage...
central system
customer
delaer
deployment di...
Entity Relationship ...
Logical View
central system
Central system
central system1
processi...
store :
class diagram_1
sequence diagram
communication diagram
state diagram
component diagram
deployment diagram
Bird'...
BPO management system
customer
central system
delaer
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Resize widget : processing
Move widget : update
Resize widget : update
Command history
Log
Tree View
dealeR
dEaler
Dealer
availabili...
dealer()
delivery()
name :
payment()
deliver
name
namE
payment
processing
purchase
sequence diag...
state diagram
store
update
sequence diagram
communication diagram
state diagram
component diagram
deployment diagram
class diagram_2
Bird'...
dEaler
name
availabilty
deliver
Customer
namE
purchase
payment
central systeM
store
update
processing
class diagram_2
100%
Fit
100%


Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
Settings
Views
Component View
Deployment View
Entity Relationship Mo...
Logical View
activity diagram
class diagram
Datatypes
Use Case View
class diagram
activity diagram
Bird'...
purchase product
option to check
on call'
on chat'
Press Ctrl with left mouse click to delete a point
100%
Fit
100%


MySQL 8.0 Command Line Cli
mysql> USE bpo_management_system;
Database changed
mysql>
mysql>
mysql> -- 1. CUSTOMER TABLE
mysql> CREATE TABLE customer (
    ->   customer_id INT PRIMARY KEY AUTO_INCREMENT,
    ->   customer_name VARCHAR(100) NOT NULL,
    ->   product VARCHAR(100),
    ->   quantity INT,
    ->   details VARCHAR(255)
    ->);
Query OK, 0 rows affected (0.06 sec)
mysql>
mysql>
mysql> -- 2. DEALER / EMPLOYEE TABLE
mysql> CREATE TABLE dealer (
    ->   dealer_id INT PRIMARY KEY AUTO_INCREMENT,
    ->   employee_name VARCHAR(100) NOT NULL,
    ->   availability VARCHAR(30),
    ->   product VARCHAR(100)
    ->);
Query OK, 0 rows affected (0.02 sec)
mysql>
mysql>
mysql> -- 3. CENTRAL SYSTEM TABLE
mysql> CREATE TABLE central_system (
    ->   system_id INT PRIMARY KEY AUTO_INCREMENT,
    ->   customer_id INT,
    ->   dealer_id INT,
    ->   product VARCHAR(100),
    ->   status VARCHAR(50),
    ->   FOREIGN KEY (customer_id) REFERENCES customer(customer_id),
    ->   FOREIGN KEY (dealer_id) REFERENCES dealer(dealer_id)
    ->);
Query OK, 0 rows affected (0.04 sec)


MySQL 8.0 Command Line Cli
mysql>
mysql>
mysql> -- 4. COMMUNICATION TABLE
mysql> CREATE TABLE communication (
    ->   communication_id INT PRIMARY KEY AUTO_INCREMENT,
    ->   customer_id INT,
    ->   communication_type VARCHAR(30),
    ->   query VARCHAR(255),
    ->   FOREIGN KEY (customer_id) REFERENCES customer(customer_id)
    ->);
Query OK, 0 rows affected (0.05 sec)
mysql>
mysql>
mysql> -- 5. FEEDBACK TABLE
mysql> CREATE TABLE feedback (
    ->   feedback_id INT PRIMARY KEY AUTO_INCREMENT,
    ->   customer_id INT,
    ->   rating VARCHAR(30),
    ->   feedback_text VARCHAR(255),
    ->   FOREIGN KEY (customer_id) REFERENCES customer(customer_id)
    ->);
Query OK, 0 rows affected (0.04 sec)
mysql>
mysql>
mysql> -- INSERT CUSTOMER
mysql> INSERT INTO customer
    -> (customer_name, product, quantity, details)
    -> VALUES
    -> ('Rahul Kumar', 'Laptop', 1, 'Purchase request');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql>
mysql> -- INSERT DEALER
mysql> INSERT INTO dealer
    -> (employee_name, availability, product)
    -> VALUES


MySQL 8.0 Command Line Cli
    -> ('Arun Kumar', 'Available', 'Laptop');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql>
mysql> -- INSERT CENTRAL SYSTEM RECORD
mysql> INSERT INTO central_system
    -> (customer_id, dealer_id, product, status)
    -> VALUES
    -> (1, 1, 'Laptop', 'Processing');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql>
mysql> -- INSERT COMMUNICATION
mysql> INSERT INTO communication
    -> (customer_id, communication_type, query)
    -> VALUES
    -> (1, 'On Call', 'Product availability enquiry');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql>
mysql> -- INSERT FEEDBACK
mysql> INSERT INTO feedback
    -> (customer_id, rating, feedback_text)
    -> VALUES
    -> (1, 'Excellent', 'Good customer service');
Query OK, 1 row affected (0.01 sec)
mysql>
mysql>
mysql> -- DISPLAY TABLES
mysql> SHOW TABLES;
+--------------------------------+
| Tables_in_bpo_management_system |
+--------------------------------+
| central_system |
| communication |




```
MySQL 8.0 Command Line Cli

mysql> SHOW TABLES;
+---------------------------------+
| Tables_in_bpo_management_system |
+---------------------------------+
| central_system                  |
| communication                   |
| customer                        |
| dealer                          |
| feedback                        |
+---------------------------------+
5 rows in set (0.02 sec)

mysql>
mysql>
mysql> -- DISPLAY CUSTOMER DETAILS
mysql> SELECT * FROM customer;
+-------------+---------------+---------+----------+------------------+
| customer_id | customer_name | product | quantity | details          |
+-------------+---------------+---------+----------+------------------+
|           1 | Rahul Kumar   | Laptop  |        1 | Purchase request |
+-------------+---------------+---------+----------+------------------+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- DISPLAY DEALER DETAILS
mysql> SELECT * FROM dealer;
+-----------+---------------+--------------+---------+
| dealer_id | employee_name | availability | product |
+-----------+---------------+--------------+---------+
|         1 | Arun Kumar    | Available    | Laptop  |
+-----------+---------------+--------------+---------+
1 row in set (0.00 sec)

mysql>
mysql>
mysql> -- DISPLAY CENTRAL SYSTEM DETAILS
mysql> SELECT * FROM central_system;
+-----------+-------------+-----------+---------+------------+
```




```
MySQL 8.0 Command Line Cli


mysql> -- DISPLAY CENTRAL SYSTEM DETAILS
mysql> SELECT * FROM central_system;
+-----------+-------------+-----------+---------+------------+
| system_id | customer_id | dealer_id | product | status     |
+-----------+-------------+-----------+---------+------------+
|         1 |           1 |         1 | Laptop  | Processing |
+-----------+-------------+-----------+---------+------------+
1 row in set (0.00 sec)


mysql>
mysql>
mysql> -- DISPLAY COMMUNICATION DETAILS
mysql> SELECT * FROM communication;
+------------------+-------------+--------------------+------------------------------+
| communication_id | customer_id | communication_type | query                        |
+------------------+-------------+--------------------+------------------------------+
|                1 |           1 | On Call            | Product availability enquiry |
+------------------+-------------+--------------------+------------------------------+
1 row in set (0.00 sec)


mysql>
mysql>
mysql> -- DISPLAY FEEDBACK
mysql> SELECT * FROM feedback;
+-------------+-------------+-----------+-----------------------+
| feedback_id | customer_id | rating    | feedback_text         |
+-------------+-------------+-----------+-----------------------+
|           1 |           1 | Excellent | Good customer service |
+-------------+-------------+-----------+-----------------------+
1 row in set (0.00 sec)


mysql>
mysql>
mysql> -- COMPLETE BPO DETAILS
mysql> SELECT
    ->     c.customer_name,
    ->     c.product,
    ->     c.quantity,
    ->     d.employee_name,
```



MySQL 8.0 Command Line Cli
mysql>
mysql>
mysql> -- DISPLAY FEEDBACK
mysql> SELECT * FROM feedback;
+-------------+-------------+-----------+----------------------+
| feedback_id | customer_id | rating | feedback_text |
+-------------+-------------+-----------+----------------------+
| 1 | 1 | Excellent | Good customer service |
+-------------+-------------+-----------+----------------------+
1 row in set (0.00 sec)
mysql>
mysql>
mysql> -- COMPLETE BPO DETAILS
mysql> SELECT
    ->   c.customer_name,
    ->   c.product,
    ->   c.quantity,
    ->   d.employee_name,
    ->   d.availability,
    ->   cs.status,
    ->   f.rating,
    ->   f.feedback_text
    -> FROM customer c
    -> JOIN central_system cs
    ->   ON c.customer_id = cs.customer_id
    -> JOIN dealer d
    ->   ON cs.dealer_id = d.dealer_id
    -> LEFT JOIN feedback f
    ->   ON c.customer_id = f.customer_id;
+---------------+---------+----------+---------------+--------------+------------+-----------+----------------------+
| customer_name | product | quantity | employee_name | availability | status | rating | feedback_text |
+---------------+---------+----------+---------------+--------------+------------+-----------+----------------------+
| Rahul Kumar | Laptop | 1 | Arun Kumar | Available | Processing | Excellent | Good customer service |
+---------------+---------+----------+---------------+--------------+------------+-----------+----------------------+
1 row in set (0.00 sec)
mysql>


Home - Classroom
OOAD Lab EXPS
New agent run | Agent runs | m
BPO Management System
Ask Gemini
merry-arithmetic-33ac6f.netlify.app/#employee
BPO Management System
Customer • Dealer • Central System
Purchase
On Call / On Chat
Employee
Feedback
BPO Service Management
Manage customer purchase requests, communication, employee details and feedback.
Form 1 — Purchase Product
Customer Name
Product
Quantity
Powered by Netlify


Home - Classroom
OOAD Lab EXPS
New agent run | Agent runs |
BPO Management System
Ask Gemini
merry-arithmetic-33ac6f.netlify.app/#employee
Manage customer purchase requests, communication, employee details and feedback.
Form 1 — Purchase Product
Customer Name
Rahul Kumar
Product
laptop
Quantity
1
Submit Purchase
Form 2 — Customer Communication
Customer Name
Powered by Netlify


Home - Classroom
OOAD Lab EXPS
New agent run | Agent runs |
BPO Management System
Ask Gemini
merry-arithmetic-33ac6f.netlify.app/#employee
Form 2 — Customer Communication
Customer Name
Rahul Kumar
Option
On Call
Query
not yet delivered then what about the refund tell me
Submit Request
Form 3 — Employee Details
Employee Name
Employee ID
Powered by Netlify


Home - Classroom
OOAD Lab EXPS
New agent run | Agent runs | m
BPO Management System
Ask Gemini
merry-arithmetic-33ac6f.netlify.app/#employee
Submit Request
Form 3 — Employee Details
Employee Name
Suresh Krishna
Employee ID
352434
Availability
Busy
Save Employee
Form 4 — Customer Feedback
Powered by Netlify


Home - Classroom
OOAD Lab EXPS
New agent run | Agent runs | m
BPO Management System
Ask Gemini
merry-arithmetic-33ac6f.netlify.app/#employee
Form 4 — Customer Feedback
Customer Name
Rahul Kumar
Rating
Average
Feedback
that employee is speaking very rudely and not lifting the call when needed
Submit Feedback
Employee details stored successfully.
OOAD Experiment 13 • BPO Management System
Powered by Netlify