



EXP 6


E – TICKETING









Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Move widget : check availability
Move widget : yes
Move widget : no
Command history
Log
Tree View
class diagram
ET use case diagram
et-class diagram_1
ET activity diagram
Enter train number
enter number of seats
check availability
yes
no
acceptance of ticket
check for waiting list
cancellation
accept seat
ET activity diagram
86%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Move widgets
Move widgets
Move widget : seats are available
Command history
Log
Tree View
class diagram
ET use case diagram
et-class diagram_1
ET activity diagram
ET sequence diagram
: Passenger
: railway management system
: central computer
enter the train number
enter number of seats
check availability of seats
seats not available
do you want to accept waiting list?
accept waiting list
seats are available
request passenger details
passenger details entered
saving details
ticket confirmed
acceptance of ticket
Ready.
108%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Move widget : seats not available
Move widget : check availability of se
Move widget : saving details
Command history
Log
Tree View
class diagram
ET use case diagram
et-class diagram_1
ET activity diagram
ET sequence diagram
et collaboration
Bird'...
1: enter the train number
2: enter number of seats
6: accept waiting list
9: passenger details entered
: passenger
: railway mangement system
5: do you want to accept waiting list ?
8: request passenger details
12: acceptance of ticket
4: seats not available
7: seats are available
11: ticket confirmed
3: check availability of seats
10: saving details
: central Computer
Press Ctrl with left mouse click to delete a point
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
ET use case diagram
et-class diagram_1
ET activity diagram
ET sequence diagram
et collaboration
et state diagram
Bird'...
login
filling details
selecting flight
book ticket
search
cancel
et state diagram
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
E-ticketing
et component...
filling details
login
selecting flight
Deployment View
Entity Relationship ...
Logical View
central compu...
central Comp...
Central mana...
cancellat...
central ...
login()
passeng...
reservati...
status()
train na...
et-class diagram_1
ET activity diagram
ET sequence diagram
et collaboration
et state diagram
et component diagram
Bird'...
E-ticketing
login
filling details
selecting flight
et component diagram
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Create widget :
Create widget :
Create widget :
Command history
Log
Tree View
E-ticketing
et component...
filling details
login
selecting flight
Deployment View
E-Ticketing
et deployment...
filling details
login
selecting flight
Entity Relationship ...
Logical View
central compu...
central Comp...
Central mana...
cancellat...
central ...
ET activity diagram
ET sequence diagram
et collaboration
et state diagram
et component diagram
et deployment diagram
Bird'...
E-Ticketing
login
filling details
selecting flight
et deployment diagram
100%
Fit
100%



Untitled * - Umbrello UML Modeller
File
Edit
View
Diagram
Code
Settings
Help
New
Open
Save
Cut
Copy
Paste
Find
Command history
Move widget :
Move widget :
Move widget :
Command history
Log
Tree View
Central Mana...
class diagram
Datatypes
ET activity dia...
et collaboration
et passenger d...
ET sequence d...
et state diagram
et-class diagra...
passenger
Passenger
PassengeR
passenger1
login()
et collaboration
et state diagram
et component diagram
et deployment diagram
et passenger diagram
PassengeR
Passenger name
age
train number
Railway Reservation
train number
train name
reservation
Central Management System
status
login
central
et passenger diagram
100%
Fit
100%


File
Edit
Selection
View
Go
Run
Search
central_computer.cpp
D: > OOAD EXPS > EXP 6 > central_computer.cpp
#include "central_Computer.h"
// Constructors/Destructors
central_Computer::central_Computer()
{
}
central_Computer::~central_Computer()
{
}
Ln 5, Col 1
Spaces: 4
UTF-8
LF
C++
Sign In


File Edit Selection View Go Run ···
Search
central_computer.h
D: > OOAD EXPS > EXP 6 > central_computer.h
#ifndef CENTRAL_COMPUTER_H
#define CENTRAL_COMPUTER_H
///
/// class central_Computer
class central_Computer
{
public:
// Constructors/Destructors
///
/// Empty Constructor
central_Computer();
///
/// Empty Destructor
virtual ~central_Computer();
};
#endif // CENTRAL_COMPUTER_H
Ln 1, Col 1 Spaces: 2 UTF-8 LF C++ Sign In


File Edit Selection View Go Run ···
Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
central_computer.h
Central_management.cpp
D: > OOAD EXPS > EXP 6 > Central_management.cpp
#include "central_Computer.h"
// Constructors/Destructors
central_Computer::central_Computer()
{
}
central_Computer::~central_Computer()
{
}
#include "Central_management.h"
// Constructors/Destructors
Central_management::Central_management()
{
initAttributes();
}
Central_management::~Central_management()
{
}
Restricted Mode 0 0
Ln 1, Col 1 Spaces: 2 UTF-8 LF { } C++ Sign In


File Edit Selection View Go Run
Search
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More
central_computer.h
Central_management.cpp
Central_management.h
D: > OOAD EXPS > EXP 6 > Central_management.h
#ifndef CENTRAL_COMPUTER_H
#define CENTRAL_COMPUTER_H
///
/// class central_Computer
class central_Computer
{
public:
// Constructors/Destructors
///
/// Empty Constructor
central_Computer();
///
/// Empty Destructor
virtual ~central_Computer();
};
#endif // CENTRAL_COMPUTER_H
#ifndef CENTRAL_MANAGEMENT_H
Restricted Mode
Ln 1, Col 1 Spaces: 2 UTF-8 LF C++ Sign In


MySQL 8.0 Command Line Cli
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> CREATE DATABASE eticketing;
Query OK, 1 row affected (0.02 sec)
mysql>
mysql> USE eticketing;
Database changed
mysql> ^C
mysql> CREATE TABLE users (
-> id INT AUTO_INCREMENT PRIMARY KEY,
-> username VARCHAR(100) NOT NULL,
-> password VARCHAR(100) NOT NULL
->);
Query OK, 0 rows affected (0.05 sec)
mysql> SHOW TABLES;
+----------------------+
| Tables_in_eticketing |
+----------------------+
| users |
+----------------------+
1 row in set (0.03 sec)
mysql> CREATE TABLE trains (
-> id INT AUTO_INCREMENT PRIMARY KEY,
-> train_number VARCHAR(20) NOT NULL,
-> train_name VARCHAR(100) NOT NULL,
-> total_seats INT NOT NULL,
-> available_seats INT NOT NULL
->);
Query OK, 0 rows affected (0.03 sec)

MySQL 8.0 Command Line Cli

```
Query OK, 0 rows affected (0.03 sec)

mysql> CREATE TABLE bookings (
    ->     id INT AUTO_INCREMENT PRIMARY KEY,
    ->     user_id INT,
    ->     train_id INT,
    ->     passenger_name VARCHAR(100),
    ->     seats INT,
    ->     booking_status VARCHAR(30),
    ->     booking_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    ->
    ->     FOREIGN KEY (user_id) REFERENCES users(id),
    ->     FOREIGN KEY (train_id) REFERENCES trains(id)
    -> );
Query OK, 0 rows affected (0.07 sec)

mysql> SHOW TABLES;
+----------------------+
| Tables_in_eticketing |
+----------------------+
| bookings             |
| trains               |
| users                |
+----------------------+
3 rows in set (0.00 sec)

mysql> INSERT INTO users (username, password)
    -> VALUES
    -> ('student1', '1234'),
    -> ('student2', '1234');
Query OK, 2 rows affected (0.02 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM users;
+----+----------+----------+
```


MySQL 8.0 Command Line Cli


```
mysql> SELECT * FROM users;
+----+----------+----------+
| id | username | password |
+----+----------+----------+
|  1 | student1 | 1234     |
|  2 | student2 | 1234     |
+----+----------+----------+
2 rows in set (0.00 sec)


mysql> INSERT INTO trains
    -> (train_number, train_name, total_seats, available_seats)
    -> VALUES
    -> ('12601', 'Chennai Express', 100, 100),
    -> ('12602', 'Bangalore Express', 80, 80),
    -> ('12603', 'Delhi Express', 120, 120);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0


mysql> SELECT * FROM trains;
+----+--------------+-------------------+-------------+-----------------+
| id | train_number | train_name        | total_seats | available_seats |
+----+--------------+-------------------+-------------+-----------------+
|  1 | 12601        | Chennai Express   |         100 |             100 |
|  2 | 12602        | Bangalore Express |          80 |              80 |
|  3 | 12603        | Delhi Express     |         120 |             120 |
+----+--------------+-------------------+-------------+-----------------+
3 rows in set (0.00 sec)


mysql> SELECT * FROM trains;
+----+--------------+-------------------+-------------+-----------------+
| id | train_number | train_name        | total_seats | available_seats |
+----+--------------+-------------------+-------------+-----------------+
|  1 | 12601        | Chennai Express   |         100 |             100 |
|  2 | 12602        | Bangalore Express |          80 |              80 |
|  3 | 12603        | Delhi Express     |         120 |             120 |
```






MySQL 8.0 Command Line Cli
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM trains;
id	train_number	train_name	total_seats	available_seats
1	12601	Chennai Express	100	100
2	12602	Bangalore Express	80	80
3	12603	Delhi Express	120	120
3 rows in set (0.00 sec)
mysql> SELECT * FROM trains;
id	train_number	train_name	total_seats	available_seats
1	12601	Chennai Express	100	100
2	12602	Bangalore Express	80	80
3	12603	Delhi Express	120	120
3 rows in set (0.00 sec)
mysql> SELECT * FROM users;
id	username	password
1	student1	1234
2	student2	1234
2 rows in set (0.00 sec)
mysql>


OOAD RECORD.pdf
Write Stock Diagram Instructio
New agent run | Agent runs | g
E-Ticketing System
Ask Gemini
grand-donut-f409ac.netlify.app
E-Ticketing System
Home
Login
Book Ticket
Cancel Ticket
Welcome to E-Ticketing System
Book your train tickets quickly and easily.
Login to Continue
Services
Train Search
Search for available trains
Ticket Booking
Reserve seats for your
Ticket Cancellation
Cancel your existing ticket
Powered by Netlify


OOAD RECORD.pdf
Write Stock Diagram Instructio
New agent run | Agent runs | g
Login - E-Ticketing
Ask Gemini
grand-donut-f409ac.netlify.app/login
E-Ticketing System
Home
Login
Book Ticket
Cancel Ticket
Passenger Login
Username
admin
Password
Login
Powered by Netlify


OOAD RECORD.pdf
Write Stock Diagram Instructio
New agent run | Agent runs | g
Book Ticket - E-Ticketing
Ask Gemini
grand-donut-f409ac.netlify.app/booking.html
Book Train Ticket
Passenger Name
harsh
Train
12601 - Chennai Express
Number of Seats
2
Journey Date
12-10-2026
Book Ticket
Powered by Netlify


OOAD RECORD.pdf
Write Stock Diagram Instruction
New agent run | Agent runs | gr
Book Ticket - E-Ticketing
Ask Gemini
grand-donut-f409ac.netlify.app/booking.html
harsh
Train
12601 - Chennai Express
Number of Seats
2
Journey Date
12-10-2026
Book Ticket
Ticket Booked Successfully!
Booking ID: ET8876
Passenger: harsh
Train: 12601
Seats: 2
Journey Date: 2026-10-12
Powered by Netlify


OOAD RECORD.pdf
Write Stock Diagram Instruction
New agent run | Agent runs | gr
Cancel Ticket - E-Ticketing
Ask Gemini
grand-donut-f409ac.netlify.app/cancellation
E-Ticketing System
Home
Login
Book Ticket
Cancel Ticket
Cancel Ticket
Booking ID
12345
Cancel Ticket
Ticket 12345 cancelled successfully.
Powered by Netlify