

Team Event Spreadsheets and Reports

A practical guide for submitting screenshots, reading generated outputs, correcting OCR mistakes, and using weekly or monthly Hill Climb Racing 2 team-event reports.

For Players

How to submit screenshots cleanly and understand the images the bot posts.

For Staff

How to fix names, teams, placements, points, scores, and report periods.

For Admins

How monitored channels, output channels, access roles, and Gemini settings work.

For Reports

How blue kills, KAB, missed events, weekly tables, and monthly rollups are calculated.

Generated for DC-Bot-V2. Keep this guide with the bot documentation and update it when spreadsheet commands change.

Contents

Use this as a quick map for staff training, handover notes, and troubleshooting.

1. System Overview

What the bot extracts and which files it produces.

2. Setup Requirements

Channels, access roles, team aliases, roster aliases, and Gemini settings.

3. Screenshot Submission

How users should post images for best results.

4. Event Outputs

XLSX files, spreadsheet images, summary charts, and session summaries.

5. Weekly Reports

Blue-kill grids, enemy team columns, event counts, total kills, max kills, and KAB.

6. Monthly Reports

Longer-term score, points, attendance, and blue-kill rollups.

7. Commands

Normal, staff, correction, report, and temporary diagnostic commands.

8. Corrections

How to fix OCR mistakes safely and rebuild generated files.

9. Troubleshooting

Common problems and what to check first.

10. Best Practices

Operational habits that keep reports accurate.

1. System Overview

The team-event spreadsheet system converts Hill Climb Racing 2 team-event screenshots into structured Discord reports. A user posts one or more screenshots in a configured monitored channel. The bot groups the images into a session, sends them through Gemini Flash, parses the event data, applies staff corrections if any exist, and generates files.

Input

Team-event screenshots, including standings, podium screens, score summaries, and ranking lists.

Processing

Gemini extracts ranks, names, scores, event points, team labels, team scores, and visible metadata.

Output

The bot posts an XLSX workbook, a spreadsheet-style image, a chart image, and period reports.

Current visual behavior: event spreadsheet images show own-team rows only, hide unnecessary Team and Type columns, and use colorful metric formatting. Weekly reports use a blue-kill grid with one event/enemy column per included session.

Setup Requirements

These settings decide which screenshots are captured, who can manage them, and where final files are posted.

Enabled	The spreadsheet module and each individual spreadsheet team must be enabled before screenshots are captured.
Monitored channel	The Discord channel where users post event screenshots. Only images in this channel are captured for that team.
Output channel	The channel where final files and automatic reports are posted. If not set, output falls back to the submission channel for some flows.
Access role	Members with this role can use spreadsheet commands for the team. Server administrators always have access.
Own team aliases	Names Gemini may see for the configured team. These help classify rows as own-team rows.
Own player aliases	Known player names that should be treated as own-team players even if the screenshot row is ambiguous.
Auto process	When enabled, the bot automatically processes the session after the grouping window ends.
Grouping window	The number of minutes during which images from the same user and channel are grouped into one pending session.

Recommended Admin Defaults

Setting	Recommended Value	Reason
Session window	1 minute	Keeps separate event submissions from merging accidentally.
Output format	XLSX	Best for staff editing, archiving, and sharing.
Gemini model	gemini-2.5-flash	Fast structured extraction for screenshot batches.
Timeout	300 seconds	Allows larger screenshot groups to finish.
Retries	4	Handles temporary API failures or rate limits.
Raw data retention	31 days	Keeps audit data temporarily without storing it forever.

Access note: spreadsheet commands are not public. A member must be an administrator or have the configured access role for that spreadsheet team.

Screenshot Submission Workflow

The cleaner the input screenshots are, the fewer corrections staff need to make afterward.

1 Post in the monitored channel

Only screenshots posted in the configured monitored channel are captured. Screenshots posted elsewhere are ignored by the spreadsheet system.

2 Use one Discord user per submission

The grouping logic groups images by user and channel. If multiple users post parts of the same event, the bot may create separate sessions.

3 Post all event screenshots close together

Images sent within the grouping window are appended to the same pending session. Waiting too long can split the event into multiple sessions.

4 Include useful screens

Best results usually come from final standings, team score summaries, podium screens, and clear rank/player/score rows.

5 Wait for processing

If auto-process is enabled, the bot runs after the grouping timer ends. Otherwise, staff can run `/spreadsheets generate`.

Screenshot Quality Checklist

Good Screenshots

- Readable rank rows
- Visible player names
- Visible scores or event points
- Visible own/enemy team context
- All pages needed for the full event

Avoid

- Unrelated images in the same grouping window
- Heavy crops that hide ranks or names
- Duplicate screenshots unless needed
- Multiple users splitting one event submission
- Posting a new event before the previous session is done

Practical rule: if staff would need the image to understand the event manually, include it. If it is unrelated to the event result, leave it out.

Event Outputs

Each processed event can produce a workbook, a clean visual table, and a chart.

XLSX Workbook

Full data output with Summary, Results, and Attendance sheets. This is the best artifact for archiving and detailed review.

Spreadsheet Image

A cleaner visual table for Discord. It focuses on own-team drivers and hides unnecessary opponent rows and Team/Type columns.

Chart Image

Compares own/enemy score, own/enemy event points, and placement buckets using independent scales.

Event Spreadsheet Image Columns

Column	Meaning
Rank	The player placement in the event.
Player	The own-team driver name.
Pts	Event points normalized from the HCR2 rank table where applicable.
Score	The driver's event score.
Blues	Number of opponents ranked below that driver.
Blue %	Percentage of possible opponents beaten.
#KAB	1 when the player ranked above every opponent, otherwise 0.

Session Summary

The summary command shows the event name, session ID, parsed player counts, own/enemy score totals, top 10 counts, KAB players, and best own-team rows. It is the fastest way to review whether the bot understood the event before staff correct anything.

```
/spreadsheets summary team:<team> session_id:<id>
```


Weekly Reports

Weekly reports are built around blue kills and event attendance for a single team-event name.

The weekly report includes processed sessions from the selected week that match the same team-event name. If a player is known from the roster or previous own-team rows but misses an event, that event is scored as zero.

- One column per event
- Enemy team name in header
- Opponent count under team
- Sorted by blue kills

Rank	Driver	GER	MID	MIF	%Kill	Total	Max	#KAB
1	hype	49	46	49	100%	144	144	3
2	Cobus	47	45	49	98%	141	144	1
3	Drago	43	42	46	91%	131	144	0

How To Read It

Enemy columns	Each enemy team column represents one included event/session. The number below the enemy name is the possible blues for that event.
Player cells	Each value is how many opponents the player ranked above in that event.
%Kill	Total blues killed divided by total possible blues across the included events.
Total	The player's total blues killed across the report.
Max	The maximum possible blues for that player across attended and roster-counted events.
#KAB	The number of events where the player killed all possible blues.

Ranking behavior: weekly report ranks are based primarily on total blues killed. Ties share the same rank when their total blue-kill count matches.

Monthly Reports and Attendance

Monthly reports provide broader performance tracking across all processed sessions in a month.

Monthly Report Focus

- Total score
- Total event points
- Total blues killed
- Blue kill percentage
- KAB count
- Missed and attended event counts

Attendance Logic

- The bot learns own-team players from configured aliases and historical processed sessions.
- Known players missing from an event receive zero for that event.
- The Attendance sheet records attended and missed players.

Automatic Report Timing

Weekly	Posted automatically when a new processed session has a different event name than the previous processed session. This indicates the prior event has ended.
Monthly	Generated during maintenance after month end. Staff can force monthly generation when needed.
Duplicate guard	Automatic report posting tracks emitted period keys so the same report is not posted repeatedly unless staff forces regeneration.

Anchor dates: report commands accept an optional `anchor_date`. Any date inside the target week or month can be used.

Command Reference

These are the main slash commands used by staff and admins.

Status and Session Commands

```
/spreadsheets status team:<team>
```

Shows team setup, monitored/output channels, access role, grouping window, Gemini settings, retention, output format, and session counts.

```
/spreadsheets sessions team:<team>
```

Lists the 10 most recent spreadsheet sessions for that team.

```
/spreadsheets summary team:<team> session_id:<id>
```

Shows parsed summary text for a pending, failed, or processed session.

Generation and Files

```
/spreadsheets generate team:<team> session_id:<id>
```

Processes or refreshes a screenshot session. If no session ID is given, it uses the latest matching session.

```
/spreadsheets generate team:<team> rerun_gemini:true
```

Downloads the source images and runs Gemini extraction again.

```
/spreadsheets file team:<team> session_id:<id>
```

Returns the generated XLSX or FODS spreadsheet file.

```
/spreadsheets chart team:<team> session_id:<id>
```

Returns the generated summary chart image.

Report Commands

```
/spreadsheets weekly team:<team> anchor_date:YYYY-MM-DD
```

Builds the weekly report for the week containing the anchor date.

```
/spreadsheets monthly team:<team> anchor_date:YYYY-MM-DD
```

Builds the monthly report for the month containing the anchor date.

```
/spreadsheets regenerate-weekly team:<team>
```

Regenerates and posts the weekly report to the configured output channel.

```
/spreadsheets regenerate-monthly team:<team>
```

Regenerates and posts the monthly report to the configured output channel.

Corrections and Rebuilds

Corrections are stored on the session, reapplied to parsed data, and then outputs are rebuilt.

```
/spreadsheets correct-name team:<team> session_id:<id> row:<rank> value:<name>
```

Corrects a parsed player name.

```
/spreadsheets correct-team team:<team> session_id:<id> row:<rank>  
team_type:Own team
```

Marks a row as own team.

```
/spreadsheets correct-team team:<team> session_id:<id> row:<rank>  
team_type:Opponent value:<team label>
```

Marks a row as opponent and optionally sets the opponent label.

```
/spreadsheets correct-placement team:<team> session_id:<id> row:<rank>  
placement:<new rank>
```

Corrects the placement/rank for a row.

```
/spreadsheets correct-points team:<team> session_id:<id> row:<rank>  
field:Score value:<score>
```

Corrects either score or event points.

```
/spreadsheets correct-event-name team:<team> session_id:<id> value:<event  
name>
```

Corrects the event title used in files and reports.

```
/spreadsheets rebuild team:<team> session_id:<id>
```

Rebuilds output files from existing parsed Gemini data and stored corrections.

Correction targeting: correction commands use the visible placement/rank row where possible. If no matching rank is found, the code falls back to row order. Always check the summary after correcting.

Generic Correction Command

The generic command can correct player name, team name, placement, points, score, team type, or event name.

```
/spreadsheets correct team:<team> session_id:<id> row:<rank> field:<field>  
value:<replacement>
```

Diagnostics, Troubleshooting, and Best Practices

Use these checks when a session does not look right or a report is missing.

Temporary Diagnostic Commands

```
/spreadsheets test-gemini team:<team> session_id:<id>
```

Runs Gemini extraction for a pending, processed, or failed session and returns a preview.

```
/spreadsheets test-grouping team:<team>
```

Shows pending sessions and grouping-window state.

```
/spreadsheets preview team:<team> session_id:<id>
```

Shows parsed output without posting final files.

```
/spreadsheets force-weekly team:<team>
```

Forces weekly report posting.

```
/spreadsheets force-monthly team:<team>
```

Forces monthly report posting.

```
/spreadsheets rebuild-event team:<team> session_id:<id>
```

Temporary alias for rebuilding one event output.

Common Problems

Problem	What To Check	Likely Fix
No session appears	Wrong channel, disabled team, or no image attachments	Check <code>/spreadsheets status</code> and monitored channel config.
Images split into multiple sessions	Posted after grouping window or from different users	Use <code>test-grouping</code> , then generate the correct session manually.
Bad player/team classification	Ambiguous screenshot row or missing aliases	Use <code>correct-team</code> and update aliases for future events.
Bad event name	Gemini read title incorrectly	Use <code>correct-event-name</code> , then rebuild/report again.
No report posts	Missing output channel, no sessions, duplicate guard, or unavailable channel	Set output channel or use regenerate commands with the right anchor date.
Enemy name includes scores	OCR merged team score text into the label	The cleaner strips own team and score fragments, but staff can still correct team labels if needed.

Best Practices

For Users

- Post all screenshots together.
- Use the correct monitored channel.
- Include clear standings and score screens.
- Do not mix unrelated images into the same submission.

For Staff

- Review summaries before trusting reports.
- Correct names and team assignments early.
- Regenerate reports after important corrections.
- Keep own-player aliases current.

This guide documents the spreadsheet workflow present in DC-Bot-V2 at the time it was generated. If command names, report visuals, or correction behavior changes, regenerate this PDF from the HTML source.