

# ASSIGNMENT HTML/CSS

Harshit Kushmakar | 16896

## 1. Create the below given HTML Page using HTML5 and CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="first.css">
</head>
<body>
  <div class="navbar">
    <ul>
      <li><a href="#">Product</a></li>
      <li><a href="#">Policy Setup</a><span></span></li>
      <li><a href="#">Parameters</a><span></span></li>
      <li><a href="#">Application</a></li>
      <li><a href="#">Receipt</a></li>
      <li><a href="#">Accounting</a><span></span></li>
      <li><a href="#">Customer Service</a></li>
      <li><a href="#">Report</a><span></span></li>
    </ul>
  </div>
  <div class="container">
    <h1>Create Allocation Priority</h1>
    <form >
      <div class="top-inputs">
        <div class="Pname">
          <label>Product Name</label><br>
          <input type="text" id="Pname">
        </div>
        <div class="Pname">
          <label for="Atype">Product Name</label><br>
          <select name="Atype" id="Atype">
            <option >Select one Option</option>
            <option value="volvo">Volvo</option>
            <option value="saab">Saab</option>
            <option value="mercedes">Mercedes</option>
            <option value="audi">Audi</option>
          </select>
        </div>
      </div>
      <br>
      <div class="Pname">
        <label>Allocation priority</label><br>
        <input type="text" id="Harshit">
      </div><br><br>
      <label >Charge Inclusion</label>
      <table>
        <tr>
          <th><input type="checkbox"></th>
          <th>Charge Code</th>
        </tr>
      </table>
    </form>
  </div>
</body>
</html>
```

```

        <th>Priority</th>
    </tr>
    <tr>
        <td><input type="checkbox"></td>
        <td>InstallmentPrincipleComponent</td>
        <td><input type="text"></td>
    </tr>
    <tr>
        <td><input type="checkbox"></td>
        <td>InstallmentInterestComponent</td>
        <td><input type="text"></td>
    </tr>
    <tr>
        <td><input type="checkbox"></td>
        <td>LatePaymentPenalty</td>
        <td><input type="text"></td>
    </tr>
    <tr>
        <td><input type="checkbox"></td>
        <td>DisbursalCharge</td>
        <td><input type="text"></td>
    </tr>
    <tr>
        <td><input type="checkbox"></td>
        <td>ProcessingFee</td>
        <td><input type="text"></td>
    </tr>
</table>
</form>
<br>
<hr>
<div class="btndiv">
    <button class="btn">Save</button>
    <button class="btn">Save & Request Approval</button>
</div>
</div>
</body>
</html>

```

## CSS:

```

*{
    margin: 0%;
    padding: 0%;
    box-sizing: border-box;
    font-family: Arial, Helvetica, sans-serif;
}

.navbar{
    border-bottom: 1px solid rgb(204, 200, 200);
}

.navbar ul {

```

```

        list-style-type: none;
        margin: 0;
        padding: 0;
        overflow: hidden;
        background-color: #fbfafa;
    }

    .navbar ul li {
        float: left;
    }

.navbar ul li a {
    display: block;
    color: rgb(12, 0, 0);
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}

.container{
    margin-top: 3vh;
    margin-left: 1vh;
    margin-right: 20%;
}

.container h1{
    font-weight: 400;
    letter-spacing: -0.2vmin;
}

.top-inputs{
    margin-top: 5vh;
    display: flex;
    justify-content: space-between;
}

input, #Atype{
    padding: 7px;
}

label{
    letter-spacing: -0.1vmin;
}

table{
    width: 100%;
}

table, th, td{
    border: 1px solid #ddd;
    border-collapse: collapse;
    padding: 8px;
}

table td{
    width: max-content;
}

.btndiv{
    margin: 2vh;
    display: flex;
    justify-content: flex-end;
}

.btn{
    background-color: #066deb;
    margin-left: 5px;
    border-radius: 4px;
    color: #fbfafa;
}

```

```
padding: 9px;
}
```

SourceSourceSourceLocalFilejavaDocuCoursebootNewDocuDocuDocuHowDocuDocuX

localhost63342/WebServletPrj/src/main/webapp/WEB-INF/first1.html?\_ijt=fmd1q3elven48a0k2p88uu47ng8&\_ij\_reload=RELOAD\_ON\_SAVE

ProductPolicy SetupParametersApplicationReceiptAccountingCustomer ServiceReport

## Create Allocation Priority

Product Name

Product Name  
Select one Option

Allocation priority

Charge Inclusion

<input type="checkbox"/>	Charge Code	Priority
<input type="checkbox"/>	InstallmentPrincipleComponent	<input type="text"/>
<input type="checkbox"/>	InstallmentInterestComponent	<input type="text"/>
<input type="checkbox"/>	LatePaymentPenalty	<input type="text"/>
<input type="checkbox"/>	DisbursalCharge	<input type="text"/>
<input type="checkbox"/>	ProcessingFee	<input type="text"/>

Save

Save & Request Approval

localhost63342/WebServletPrj/src/main/webapp/WEB-INF/first1.html?\_ijt=fmd1q...

Type here to search

Task View

File Explorer

Mail

Google Chrome

Visual Studio Code

Terminal

Outlook

Excel

Edge

Word

ENG

11:15

05-03-2023

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="second.css">
</head>
<body>
  <div class="navbar">
    <ul>
      <li><a href="#">Product</a></li>
      <li><a href="#">Policy Setup</a><span></span></li>
      <li><a href="#">Parameters</a><span></span></li>
      <li><a href="#">Application</a></li>
      <li><a href="#">Receipt</a></li>
      <li><a href="#">Accounting</a><span></span></li>
      <li><a href="#">Customer Service</a></li>
      <li><a href="#">Report</a><span></span></li>
    </ul>
  </div>
  <div class="container">
```

```

        <h1>Products</h1>
        <button>New Product</button>
    </div>
    <hr>
    <div class="mid-cont">
        <div><label >Show</label><input
type="number"><label>entries</label></div>
        <div>
            <label >Search: </label> <input type="text">
        </div>
    </div>
    <table>
        <tr>
            <th>Product Code</th>
            <th>Product Name</th>
            <th>Product Description</th>
            <th>Product Type</th>
            <th>Created By</th>
            <th>Status</th>
            <th>Reviewed By</th>
            <th>Actions</th>
        </tr>
        <tr>
            <td>Data</td>
            <td>Data</td>
            <td>Data</td>
            <td>Data</td>
            <td>Data</td>
            <td>Data</td>
            <td>Data</td>
            <td>Edit | Delete</td>
        </tr>
    </table>
    <div class="bot-div">
        <p>Sowing 1 to 1 of 1 entries</p>
        <div class="btn">
            <button>Previous</button>
            <button id="btne">1</button>
            <button>Next</button>
        </div>
    </div>

</div>
</body>
</html>

```

```

*{
    margin: 0%;
    padding: 0%;
    box-sizing: border-box;
    font-family: Arial, Helvetica, sans-serif;
    margin-right: 1vh;
}

.navbar{
    border-bottom: 1px solid rgb(204, 200, 200);
}

```

```

}

.navbar ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #fbfafa;
}

.navbar ul li {
  float: left;
}

.navbar ul li a {
  display: block;
  color: rgb(12, 0, 0);
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

.container{
  margin-top: 5vh;
  margin-left: 1vh;
  display: flex;
  flex-direction: row;
  justify-content: space-between;
}

.container h1{
  font-weight: lighter;
  letter-spacing: -0.2vmin;
}

.container button{
  background-color: #066deb;
  margin-left: 5px;
  margin-bottom: 9vh;
  border-radius: 4px;
  color: #fbfafa;
  padding: 9px;
  border-color: #ddd;
}

label{
  letter-spacing: -0.1vmin;
  font-weight: 700;
}

table{
  width: 100%;
  margin-left: 1vh;
  margin-left: 1vh;
}

table,th,td{
  border: 1px solid #ddd;
  border-collapse: collapse;
  padding: 8px;

  align-content: center;
}

table td{

```

```

width: max-content;
justify-content: center;
align-content: center;
align-self: center;
}
.mid-cont{
display: flex;
justify-content: space-between;
margin-top: 4vh;
margin-bottom: 3vh;
}
input{padding: 5px;}
.bot-div{
margin-top: 2vh;
margin-left: 1vh;
display: flex;
justify-content: space-between;
}
.btn button{
border-style: none;
font-size: medium;
}
#btne{
border:2px solid black;
margin: 3px;
padding: 5px;
}

```

Source ×
Source ×
Source ×
LocalDa ×
java - H ×
Docume ×
Docume ×
Docume ×
Docume ×
Docume ×
+

File | D:/onedrive/OneDrive%20-%20nucleusonline/Documents/second.html

Product Policy Setup Parameters Application Receipt Accounting Customer Service Report

Products

New Product

Show  entries

Search:

Product Code	Product Name	Product Description	Product Type	Created By	Status	Reviewed By	Actions
Data	Data	Data	Data	Data	Data	Data	Edit   Delete

Sowing 1 to 1 of 1 entries

Previous 1 Next

Type here to search

ENG 10:31 05-03-2023

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Assignment-2 | Question-2</title>
    <link rel="stylesheet" href="third.css">
</head>
<body>
<div class="top-nav">
    <nav class="navbar">
        <a href="#">Product</a>
        <a href="#">
            <select class="select-class">
                <option>Policy Setup</option>
            </select>
        </a>
        <a href="#">
            <select >
                <option>Parameters</option>
            </select>
        </a>
        <a href="#">Application</a>
        <a href="#">Receipt</a>
        <a href="#">
            <select>
                <option>Accounting</option>
            </select>
        </a>
        <a href="#">Customer Service</a>
        <a href="#">
            <select>
                <option>Report</option>
            </select>
        </a>
    </nav>
</div>
<div class="navbar">
    <a href="CustmerInformation.html">Customer Information</a>
    <a href="LoanInformation.html">Loan Information</a>
</div>
<hr>
<br>
<form name="customerInformation">
    <div class="container">
        <div class="A">
            <div class="A1">Loan Application No.<span
                style="color : red; ">*</span> <br><input type="text"
placeholder
size="30"
name="ApplicationNo" required/></div>
            <div class="A2">Product Type<span style="color :
red; ">*</span> <br>
                <select class="sel" name="loanType" required >
                    <option>Auto Loan</option>
                    <option>Home Loan</option>
                </select>
            </div>
        </div>
        <br>
        <div class="A">
            <div class="A1">Product<span style="color :

```



```

red;">*</span> <br>
        <select class="sel" name="product">
            <option>Select One Option</option>
        </select>
    </div>
    <div class="A3">Loan Amount Requested<span
        style="color : red;">*</span> <br><input type="text"
placeholder
                                                                    size="30"
name="amount" required/></div>
    </div>
    <br>
    <div class="A">
        <div class="A1">Tenure (Months)<span style="color :
red;">*</span> <br><input type="text" placeholder size="30"
            name="tenure" required/></div>
        <div class="A2">Rate <span style="color :
red;">*</span> <br>
            <input type="text" name="rate" placeholder
                size="30" required/>
        </div>
    </div>
    <br>
    <div class="A">
        <div class="A1">Agreement Date <br><input type="text"
placeholder size="30"/></div>
        <div class="A2">Installment Due Date<span
            style="color : red;">*</span> <br>
            <input type="text" name="InstallmentDueDate"
                placeholder size="30" required/>
        </div>
    </div>
    <br>
    <hr>
    <br>
    <div class="button-div">
        <button>Move To Next Stage</button>
    </div>
</form>
</body>
</html>

```

```

*{
    margin : 0px;
    margin-left : 0.2%;
}
.top-nav{
    background-color : #F3F4F9;
    height : 70px;
    margin-bottom : 30px;
}
.navbar {
    padding-top : 2%;
    margin-bottom: 4%;
    margin-right: 2%;
}

```

```
margin-left: 2%;
color : black;
}
a{
padding-top : 300px;
margin-right : 40px;
color : black;
text-decoration : none;
font-size : 20px;
}
h2{
font-weight : light;
margin-left : 20px;
}
.container{
}
.A{
display: flex;
margin-left : 20px;
margin-right : 100px;
}
.B{
margin-top : 25px;
font-weight: bold;
font-size : 18px;
margin-left : 20px;
margin-right : 100px;
}
.A1{
margin-left: 2%;
font-weight: bold;
font-size : 18px;
}
.A2{
margin-left : 60%;
margin-right: 7%;
font-weight: bold;
font-size : 18px;
}
.A3
{
margin-left : 66%;
font-weight: bold;
font-size : 18px;
}
.sel{
border:1px solid black;
}
.tabular{
border : 1px solid black;
width : 100px;
height : 100px;
border-collapse: collapse;
}
tr{
border : 1px solid black;
border-collapse: collapse;
}
td{
border : 1px solid black;
height : 30px;
```

```
padding-right : 30px;
}
th{
border : 1px solid black;
height : 15px;
padding-right : 135px;
width : 500px;
}
.checkbox{
padding-right : 50px;
padding-left : 10px;
padding-top : 5px;
}
.button-div{
margin-left : 70%;
margin-right : 7%;
font-weight : bold;
font-size : 18px;
border-radius : 7px;
color : white;
}
button{
height : 30px;
color : white;
background-color : #5361F6;
}
select{
background-color : #F6F6FC;
font-size : 18px;
border : 0px;
}
.priority{
padding-right: 420px;
}
```

Customer InformationLoan Information

Loan Application No.\*

Product\*

Select One Option ▼

Tenure(Months)\*

Agreement Date

Product Type\*

Auto Loan ▼

Loan Amount Requested\*

Rate \*

Installment Due Date\*

Move To Next Stage