EXPENSE TRACKER

THE TEAM

HARSHIT PATIL
1262251848

RONAV BINESH
1262250966

AYUSH KARPE
1262253060

SHREYAS SAWANT
1262252347

ISHAAN SINGH
1262253891

CONTACT: 9834013742

OBJECTIVE

To track daily expenses efficiently

To calculate total spending

To categorize expenses for better budgeting

TOOLS & TECHNOLOGY

LANGUAGE	IDE/COMPILER
C	VS Code, Programwiz

FEATURES:

- Add New Expense
- View All Expenses
- Calculate Total Spendings
- Find Highest & Lowest Expense
- View Category-wise Expenses
- High Spending Alert (₹ > 5000)
- Storage Limit Protection (Max 100 records)
- Menu-Driven Interface

FLOWCHART


START
Display Menu
Take choice from user
1.Add Expense - Store in Array
2. View all expenses - loop through array
3. Total Spendings
4. Highest & Lowest Expense
5. View Category-wise Expenses
END

INITIALISING ARRAYS

```
struct Expense {
    char date[50];
    char category[20];
    char description[50];
    float amount;
};

struct Expense expenses[100];
int count = 0;
int choice;
```

DISPLAY MENU

```c
printf("Welcome to Expense Tracker!\n");

while (1) {

    printf("\n---- MENU ----\n");
    printf("1. Add Expense\n");
    printf("2. View All Expenses\n");
    printf("3. Total Spendings\n");
    printf("4. Highest & Lowest Expense\n");
    printf("5. View Category-wise Expenses\n");
    printf("6. Exit\n\n");

    printf("Enter your choice (1-6): ");
    scanf("%d", &choice);
```

```
Welcome to Expense Tracker!

---- MENU ----
1. Add Expense
2. View All Expenses
3. Total Spendings
4. Highest & Lowest Expense
5. View Category-wise Expenses
6. Exit

Enter your choice (1-6): 1
```

ADD EXPENSE

```c
/* Add Expense */
if (choice == 1) {

    if (count >= 100) {
        printf("Storage full! Cannot add more expenses.\n");
    } else {

        printf("Enter date (DD-MM-YYYY): ");
        scanf("%s", expenses[count].date);

        printf("Enter category: ");
        scanf("%s", expenses[count].category);

        printf("Enter description: ");
        scanf("%s", expenses[count].description);

        printf("Enter amount (₹): ");
        scanf("%f", &expenses[count].amount);

        if (expenses[count].amount > 5000) {
            printf("High spending alert!\n");
        }

        count++;
        printf("Expense added successfully!\n");
    }
}
```

```
Enter your choice (1-6): 1
Enter date (DD-MM-YYYY): 2-2-2026
Enter category: food
Enter description: mcdonalds
Enter amount (₹): 300
Expense added successfully!
```

VIEW EXPENSES

```c
/* View All Expenses */
else if (choice == 2) {

    if (count == 0) {
        printf("No expenses recorded yet.\n");
    } else {
        printf("\n--- All Expenses ---\n");
        for (int i = 0; i < count; i++) {
            printf("%d | %s | %s | %s | %.2f\n",
                    i + 1,
                    expenses[i].date,
                    expenses[i].category,
                    expenses[i].description,
                    expenses[i].amount);
        }
    }
}
```

```
Enter your choice (1-6): 2

--- All Expenses ---
1 | 2-2-2026 | food | mcdonalds | 300.00
2 | 3-2-2026 | travel | bus | 20.00
3 | 3-2-2026 | travel | metro | 30.00
4 | 4-2-2026 | clothes | h&m | 6000.00
```

TOTAL SPENDINGS

```c
/* Total Spendings */
else if (choice == 3) {

    float total = 0;

    for (int i = 0; i < count; i++) {
        total += expenses[i].amount;
    }

    printf("Total Spendings: %.2f\n", total);
}
```

```
Enter your choice (1-6): 3
Total Spendings: 6350.00
```

HIGHEST & LOWEST EXPENSE

```c
/* Highest & Lowest Expense */
else if (choice == 4) {

    if (count == 0) {
        printf("No expenses recorded.\n");
    } else {

        float max = expenses[0].amount;
        float min = expenses[0].amount;
        int maxIndex = 0;
        int minIndex = 0;

        for (int i = 1; i < count; i++) {

            if (expenses[i].amount > max) {
                max = expenses[i].amount;
                maxIndex = i;
            }

            if (expenses[i].amount < min) {
                min = expenses[i].amount;
                minIndex = i;
            }
        }
```

```c
        printf("\nHighest Expense:\n");
        printf("%s | %s | %s | %.2f\n",
                expenses[maxIndex].date,
                expenses[maxIndex].category,
                expenses[maxIndex].description,
                expenses[maxIndex].amount);

        printf("\nLowest Expense:\n");
        printf("%s | %s | %s | %.2f\n",
                expenses[minIndex].date,
                expenses[minIndex].category,
                expenses[minIndex].description,
                expenses[minIndex].amount);
    }
}
```

```
Enter your choice (1-6): 4

Highest Expense:
4-2-2026 | clothes | h&m | 6000.00

Lowest Expense:
3-2-2026 | travel | bus | 20.00
```

CATEGORY WISE SPENDINGS

```c
/* Category-wise Expenses */
else if (choice == 5) {

    if (count == 0) {
        printf("No expenses recorded.\n");
    } else {

        char searchCategory[20];
        float categoryTotal = 0;
        int found = 0;

        printf("Enter category: ");
        scanf("%s", searchCategory);

        printf("\nExpenses in %s category:\n", searchCategory);
```

```c
for (int i = 0; i < count; i++) {

    if (strcmp(expenses[i].category, searchCategory) == 0) {

        printf("%d | %s | %s | %s | %.2f\n",
                i + 1,
                expenses[i].date,
                expenses[i].category,
                expenses[i].description,
                expenses[i].amount);

        categoryTotal += expenses[i].amount;
        found = 1;
    }
}

if (found == 0) {
    printf("No expenses found in this category.\n");
} else {
    printf("Total for %s: %.2f\n", searchCategory, categoryTotal);
}
```

Why strcmp?
Because strings cannot be compared using == in C.

CATEGORY WISE SPENDINGS

```
Enter your choice (1-6): 5
Enter category: travel


Expenses in travel category:
2 | 3-2-2026 | travel | bus | 20.00
3 | 3-2-2026 | travel | metro | 30.00
Total for travel: 50.00
```

EXIT

```c
    /* Exit */
    else if (choice == 6) {
        printf("Thank you for using our tracker!\n");
        break;
    }

    else {
        printf("Invalid choice!\n");
    }
}

return 0;
```

```
Enter your choice (1-6): 6
Thank you for using our tracker!
```

FUTURE EXPANSIONS

- File handling for permanent storage
- Dynamic memory allocation
- Graphical User Interface
- Monthly reports

CONCLUSIO

Successfully implemented expense tracker

Applied structures & arrays

Built analytical features

Strengthened programming logic

thank you!

LINK

CODE