

Name-Harshit Selarka

Prn-23070521131

Class-Section B

Batch- B2

Extracting data using patterns

Note: In sample code, change the table name and attributes according to your code.

SQL LIKE Operator

The LIKE operator is used in a WHERE clause to search for a specified pattern in a column. There are two wildcards often used in conjunction with the LIKE operator:

- The percent sign % represents zero, one, or multiple characters
- The underscore sign _ represents one, single character

Example

Select all customers that starts with the letter "a":

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE 'a%';
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

Demo Database

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds		Maria Anders Obere Str. 57	Berlin	12209	Germany
	Futterkiste					
2	Ana Trujillo	Ana Trujillo	Avda. de la			México
	Emparedados y		Constitución			05021 Mexico
	helados		2222	D.F.		
3	Antonio	Antonio	Mataderos			México
	Moreno	Moreno	2312	D.F.		05023 Mexico
	Taquería					
4	Around the	Thomas	120 Hanover			London WA1 1DP UK
	Horn	Hardy	Sq.			
5	Berglunds	Christina	Berguvsvägen			Luleå S-958 22 Sweden
	snabbköp	Berglund	8			

The _ Wildcard

The _ wildcard represents a single character.

It can be any character or number, but each _ represents one, and only one, character.

Example

Return all customers from a city that starts with 'L' followed by one wildcard character, then 'nd' and then two wildcard characters:

```
SELECT * FROM Customers
```

```
WHERE city LIKE 'L_nd__';
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

The % Wildcard

The % wildcard represents any number of characters, even zero characters.

Example

Return all customers from a city that *contains* the letter 'L':

```
SELECT * FROM Customers
```

```
WHERE city LIKE '%L%';
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

Starts With

To return records that starts with a specific letter or phrase, add the % at the end of the letter or phrase.

Example

Return all customers that starts with 'La':

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE 'La%';
```

Tip: You can also combine any number of conditions using AND or OR operators.

Example

Return all customers that starts with 'a' or starts with 'b':

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE 'a%' OR CustomerName LIKE 'b%';
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico

Ends With

To return records that ends with a specific letter or phrase, add the % at the beginning of the letter or phrase.

Example

Return all customers that ends with 'a':

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE '%a';
```

Tip: You can also combine "starts with" and "ends with":

Example

Return all customers that starts with "b" and ends with "s":

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE 'b%s';
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

Contains

To return records that contains a specific letter or phrase, add the % both before and after the letter or phrase.

Example

Return all customers that contains the phrase 'or'

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE '%or%';
```

Combine Wildcards

Any wildcard, like % and _, can be used in combination with other wildcards.

Example

Return all customers that starts with "a" and are at least 3 characters in length: SELECT * FROM Customers

```
WHERE CustomerName LIKE 'a__%';
```

Example

Return all customers that have "r" in the second position:

```
SELECT * FROM Customers
```

```
WHERE CustomerName LIKE '_r%';
```

Without Wildcard

If no wildcard is specified, the phrase has to have an exact match to return a result.

Example

Return all customers from Spain:

```
SELECT * FROM Customers
```

```
WHERE Country LIKE 'Spain';
```