

AICTE STUDENT INNOVATION (DISASTER MGMT)

ARIES 2.0

Tri-Phibian All-Domain Autonomous Search-and-Rescue Robot

Tank Treads (Rubble)

Continuous tracks climb 45° collapsed debris

Octocopter Drone

8 integrated rotors hop over deep trenches

Amphibious Hull

IP68 pontoon floats & steers in floodwaters

Bionic SpO2 Arm

Scans survivor pulse & blood oxygen in voids

Team Leader: Harshit Sharma | Team: ALPHA-X (ID: SIH_1186)

Institute: Poornima University, Jaipur | Category: Hardware & Edge AI

Motto: 'We don't just build robots, we build hope.'



10x-20x Cost Disruption
₹50,000 vs ₹25L imported

5 km Deep Rubble LoRa
Sub-GHz concrete mesh

1000°C Fire Armor Shield
Silica Aerogel insulation

Zero Human Ingress Risk
First look in Golden Hour


OPERATIONAL RECONNAISSANCE PIPELINE (HOW IT WORKS):

01 Rubble & Flood Entry
Tank tracks traverse unstable ruins; pontoon hull floats over flooded waters.

02 Auto-Trench Air-Hop
Integrated 8-rotor octocopter lifts chassis across deep chasms and cliffs.

03 Bionic Crevice Vitals
Robotic arm penetrates 10cm holes to scan survivor pulse & SpO2 at tip.

04 Incident Command SOS
Human-in-the-Loop AI verifies survivor -> Instant SOS beacon to NDRF.



Core Mission Value: Eliminating rescuer fatalities during initial Golden-Hour reconnaissance across all 3 domains (Land, Water & Air).

 Tri-Phibian Mobility

- Land: Kevlar caterpillar tank tracks with high-torque DC planetary gearmotors.
- Water: IP68 sealed carbon boat hull + twin submersible waterjets.
- Air: 8x heavy-lift carbon-fiber outrigger rotors (lifts full 15kg chassis).


 Perception & Bionic Arm

- Bionic Arm: 4-DOF carbon manipulator (1m crevice void reach).
- Biosensor Tip: MAX30102 pulse oximeter (BPM & SpO2) + BMP280 depth.
- Vision Core: FLIR radiometric LWIR thermal core + 3D LiDAR SLAM.

 Dual-MCU & Fire Shield

- Dual-MCU: Arduino #1 (Drive) + Arduino #2 (Sensors) - Zero EMF freeze!
- Comms: 5 km Sub-GHz LoRa Mesh (868MHz) + Wi-Fi 6 + SIM800L GSM.
- Fire Armor: 10mm Silica Aerogel (blocks 1000°C) + Nitrogen cold purge.

SYSTEM ARCHITECTURE & END-TO-END DATAFLOW PIPELINE:



Zero-Lockup Guarantee: Dedicated Dual-MCU domain isolation prevents high-current motor EMF noise from disrupting mission-critical gas & vital sensors.

 CHALLENGE: Deep Rubble Signal Loss 2.4GHz Wi-Fi drops through 2m concrete.   ARIES ENGINEERING MITIGATION: 5 km Sub-GHz LoRa Mesh (868MHz) + SIM800L GSM SMS fallback.
 CHALLENGE: Cliffs & Trench Trap Rover gets trapped in sudden drop-offs.   ARIES ENGINEERING MITIGATION: Integrated 8-Rotor Octocopter automatically lifts chassis across.
 CHALLENGE: 500°C Industrial Fire Extreme heat fries sensitive microcontrollers.   ARIES ENGINEERING MITIGATION: Silica Aerogel Heat Shield (1000°C block) + Nitrogen cold purge.
 CHALLENGE: Environmental False Alarms Hot steam pipes/embers falsely flag survivor.   ARIES ENGINEERING MITIGATION: MAX30102 Heartbeat/SpO2 check + Mandatory Human-in-Loop HUD.

 **ECONOMIC VIABILITY & 10x COST ADVANTAGE:**

- Commercial target under ₹50,000 INR vs ₹25-40 Lakhs imported military robots.

 **WORKING PROOF OF CONCEPT (PoC) VALIDATION:**

- Scaled prototype validated on dual-microcontrollers with L293D shield.

Zero False-Alarm Architecture: Two-tier validation combines physiological SpO2 pulse verification with Incident Commander HUD confirmation.

♥ Social & Life-Saving

- Zero First-Responder Loss: Eliminates sniffer dog & rescuer hazards.
- Golden Hour Acceleration: Spots trapped survivors in minutes via thermal vision.
- Pre-Staged Medical Triage: Medics receive SpO2 & pulse before physical entry.

💰 Economic Democratization

- 10x-20x Cost Reduction: Under ₹50,000 INR vs ₹25-40 Lakhs imported robots.
- COTS Modular Maintenance: Standard parts, zero foreign service lock-in.
- Scalable Pan-India Outreach: Affordable for every municipal fire station.

🌱 Environmental Containment

- Real-Time Hazard Containment: MQ-135 tracks gas diffusion before civilian impact.
- Zero-Emission Electric Locomotion: Safe in combustible & low-oxygen shafts.
- Deep Underground Recon: Safe for subterranean tunnels and coal mines.





NDRF & State SDRF
Earthquake & building collapses



Fire & Emergency
Basement fires & chemical leaks



Mining Authorities
Deep coal mine & tunnel collapse



Industrial Plants
Hazardous industrial plant scouts

Humanitarian Impact: Aligned with National Disaster Management Plan (NDMP) benchmarks to save lives during critical Golden Hour extractions.

 Bill of Materials & Cost Disruption

- Basic Working Prototype (Table Model): Under ₹8,000 INR.
- ARIES 2.0 Enterprise Tri-Phibian Model: Under ₹50,000 INR.
- Imported Military Competitors: ₹25,00,000 to ₹40,00,000 INR.
- Result: 10x to 40x Unprecedented Cost Democratization!

 National Guidelines (Govt. of India)

- NDMA Guidelines on Urban Search & Rescue (USAR) Equipment Standards.
- NDRF Standard Operating Procedures (SOP) for Confined Space Hazards.
- Aligned with National Disaster Management Plan (NDMP 2019).
- Hazardous gas threshold compliance (MQ/PID Standards).

 Academic USAR Robotics Literature

- Murphy, R. R. (2014) Disaster Robotics, MIT Press / IEEE Transactions.
- Kumar & Sharma (2022) IoT USAR Ground Vehicles, IEEE Xplore / ICRA.
- IEEE IoT Journal: Sub-GHz Wireless Mesh for Deep-Rubble Disaster Telemetry.
- Journal of Field Robotics: Multi-Spectral Thermal Fusion in Fire Zones.

 Open-Source Repositories & Live Hubs

- GitHub Repo: github.com/harshitsharma120109-web/ARIES-Search-Rescue-Rover
- Live Web Mission Hub: melodic-halva-b0fa56.netlify.app
- Full Dual-MCU Firmware, Schematics & Web Serial telemetry open-sourced.
- Validated on functional scaled embedded prototype.

OFFICIAL PROJECT REPOSITORY & LIVE WEB MISSION HUB:

- GitHub: <https://github.com/harshitsharma120109-web/ARIES-Search-Rescue-Rover>
- Live Console: <https://melodic-halva-b0fa56.netlify.app/> | <https://joyful-cactus-9b247c.netlify.app/>

'WE DON'T JUST BUILD ROBOTS, WE BUILD HOPE.' — Team ALPHA-X (SIH_1186)