

Software Requirements Specification

Functional and non-functional requirements

Project	Property Insurance Placement ERP (working title)
Client	Fiducial (Anila Mary S)
Vendor	Spirezen Enterprises (Hiral Patel)
Document version	v0.2 (Draft)
Date	05 October 2026
Status	Draft for client review

*Version 0.2 is based on the IIB Code Master workbook, the Sookshma and Laghu add-on charts, and the four client workbooks received on 5 Oct 2026 (Data Sheet, RFQ, QCR, Placement Slip). Items still waiting on client answers are marked **[TBC]**. See document 07 for the analysis of the client formats.*

1. Introduction

This document lists the requirements for release 1 (R1) and flags later-release items. Each requirement has an ID so that it can be traced to design, test cases and milestones. Priority: M = Must, S = Should, C = Could.

2. Functional requirements

2.1 Users, roles and security (USR)

ID	Requirement	Pri	Rel
USR-01	Email and password login with enforced strong passwords; optional SSO later.	M	R1
USR-02	Role-based access: Admin, Manager, Account Manager, Placement Executive, Read-only.	M	R1
USR-03	Admin can create, deactivate and reset users.	M	R1
USR-04	Record-level ownership: users see their clients; managers see all.	S	R1
USR-05	Session timeout and login attempt lockout.	S	R1

2.2 Master data (MST)

ID	Requirement	Pri	Rel
MST-01	Import the IIB Code sheet (299 occupancies) from Excel with validation and an error report.	M	R1
MST-02	Import the Pincode sheet (about 20,600 rows) with de-duplication; flag invalid state/pincode pairs.	M	R1
MST-03	Occupancy master stores: TAC code (text), description, risk grade RG1-RG9, IIB rate (per mille), Fire risk type, Terrorism risk type, minimum STFI rate, minimum EQ rate by Zone IV/III/II/I.	M	R1
MST-04	Pincode master stores: pincode, state, district, AIFT earthquake zone (1-4), EQ rates for Residential, Non-Industrial, Industrial.	M	R1
MST-05	Master rows carry effective-from and effective-to dates; a new version never overwrites old data.	M	R1
MST-06	Add-on master holds 15 covers per scheme with calculation type, cap, base and rate factor (see document 05).	M	R1
MST-07	Insurer master: name, contacts, email groups, supported schemes, notes.	M	R1
MST-08	Occupancy status (Preferred / Referred / Declined) can be set per occupancy and per insurer [TBC] .	S	R1
MST-09	Searchable occupancy picker by code or description; searchable pincode lookup.	M	R1

2.3 Client and risk / Data Sheet (DS)

ID	Requirement	Pri	Rel
DS-01	Create and edit client records (name, group, contacts, GST, PAN, addresses).	M	R1
DS-02	Create a risk under a client with multiple locations.	M	R1
DS-03	Per location capture: address, pincode, occupancy code, construction, year built, floors, fire protection, storage details.	M	R1
DS-04	Per location sums insured by class: Building, Plant and Machinery, Furniture and Fixtures, Stocks, Other, with total.	M	R1
DS-05	On pincode entry auto-fill state, district and earthquake zone; on occupancy selection auto-fill risk grade and risk type.	M	R1
DS-06	Validation: mandatory fields, pincode format (6 digits), sums insured greater than zero.	M	R1
DS-07	Data Sheet exports to the client's Excel layout.	M	R1
DS-08	Import an existing Data Sheet workbook.	S	R2
DS-09	Risk status workflow: Draft, Rated, RFQ Sent, Quoted, Placed, Closed.	M	R1

2.3A Coverage sections, add-ons and clauses (SEC)

ID	Requirement	Pri	Rel
SEC-01	Support 14 coverage sections: Fire, Burglary, Fire Floater, Burglary Floater, Fire Loss of Profit, Money, Fidelity, Plate Glass, Neon Sign, All Risk, EEI, MBD, Boiler and Pressure Plant, Public Liability. Each risk selects the sections it needs.	M	R1
SEC-02	Fire section line items as in the Data Sheet: buildings (with sq ft and rate per sq ft), compound wall, false ceiling, plinth, interiors, FFF, office equipment, electrical installations, plant and machinery (genset, compressor, transformer, other), stocks (including third-party job-work stock), other items.	M	R1
SEC-03	Hypothecation and open-space stock details captured against the fire section.	M	R1
SEC-04	Other sections capture their own limits: Money (cash in safe, in transit single and annual), Fidelity (employees, per-employee, per-event, per-policy), FLOP (annual gross profit, 12-month indemnity), Public Liability (any one accident, aggregate).	M	R1
SEC-05	Annexure item lists for Plate Glass, Neon Sign, All Risk, EEI, MBD and Boiler (description, make and model, serial number, year, dimensions, sum insured).	M	R1
SEC-06	Burglary options on 100% sum insured or first-loss 25%, 50% (and 75% on the placement slip) [TBC] .	M	R1
SEC-07	Add-on catalogues per product: BSUS/BLUS (15 paid covers plus inbuilt covers), Fire additional (163), PAR (125), SFSP (185); per-risk selection with limit text.	M	R1
SEC-08	Section-level add-ons (for example Terrorism, Theft, Auditor Fee, Worldwide cover) selectable per section.	M	R1
SEC-09	Clause library by section (Fire and Burglary, FLOP, Money, Fidelity, Plate Glass, Neon, Liability, Lift) with editable wording, attached to RFQ, QCR and Placement Slip.	M	R1
SEC-10	Excess rules by product and per-location sum-insured band (BSUS, BLUS, SFSP, PAR), terrorism excess by risk class, burglary and FLOP excess.	M	R1
SEC-11	Past 3 years claim history (period, policy type, SI, premium, claim amount, remarks, insurer).	M	R1
SEC-12	Existing policy data for renewals (policy period, insurer, sum insured and premium per section).	M	R1
SEC-13	Up to three sum-insured options per risk: existing, proposed option 1, proposed option 2.	M	R1

2.4 Rating engine (RATE)

ID	Requirement	Pri	Rel
RATE-01	Recommend the product from sum insured: BSUS up to 5 Cr, BLUS above 5 Cr to 50 Cr, SFSP above 50 Cr, PAR optional above 5 Cr; allow manual override with reason. Whether the test is on total or per-location sum insured is [TBC] .	M	R1
RATE-00	IIB-based rating applies to the Fire section only. Other sections have no rate master and are priced from insurer quotes.	M	R1
RATE-02	Fire rate = IIB rate of occupancy (per mille) applied to sum insured.	M	R1
RATE-03	STFI rate = occupancy minimum STFI rate; allow loading or discount input.	M	R1
RATE-04	EQ rate = pincode EQ rate for the occupancy's Fire risk type; cross-check against occupancy minimum EQ rate for the zone.	M	R1
RATE-05	Terrorism premium from a rate input (source [TBC]), driven by Terrorism risk type.	S	R1
RATE-06	Add-on premiums per cover calculation type with scheme caps enforced.	M	R1
RATE-07	Show a premium breakdown per location and total: Fire, STFI, EQ, Terrorism, Add-ons, Taxes (GST rate configurable).	M	R1
RATE-08	Store the master version used so any past calculation can be reproduced.	M	R1
RATE-09	Manual rate override with mandatory reason and audit entry.	S	R1
RATE-10	Blocked or Referred occupancies are highlighted and need manager approval before RFQ.	S	R1 [TBC]

2.5 RFQ (RFQ)

ID	Requirement	Pri	Rel
RFQ-01	Create an RFQ from a rated risk; choose insurers and cover options.	M	R1
RFQ-02	Generate the RFQ in the client's Excel/PDF layout (premium details, schedule, risk details, claim details, add-on lists).	M	R1
RFQ-03	Send RFQ by email with attachments from the system; keep a sent log.	M	R1
RFQ-04	Track per insurer status: Sent, Acknowledged, Quoted, Declined, No response.	M	R1
RFQ-05	Reminders for insurers who have not responded by a due date.	S	R2
RFQ-06	Manager approval before sending (configurable).	S	R1

2.6 Quotes and QCR (QCR)

ID	Requirement	Pri	Rel
QCR-01	Quote entry form per insurer: rates by peril, premium, add-ons offered, deductibles, warranties, exclusions, validity.	M	R1
QCR-02	Attach the insurer's quote document.	M	R1
QCR-03	Generate side-by-side Quote Comparison Report covering premium, rates, coverage and terms.	M	R1
QCR-04	Highlight best premium and flag deviations from the RFQ.	S	R1
QCR-05	Record recommendation, reasons and approver.	M	R1
QCR-06	Export QCR to Excel and PDF in the client's layout.	M	R1
QCR-07	Compare up to 5 insurers against the existing policy for each of 3 options and 14 sections, showing premium with and without terrorism, net premium, GST and total.	M	R1
QCR-08	Capture insurer-specific warranties, conditions and excess; show a payee line (cheque in favour of).	M	R1

2.7 Placement Slip (PS)

ID	Requirement	Pri	Rel
PS-01	Generate Placement Slip from the approved quote with insured, risk, cover, premium, terms and insurer details.	M	R1
PS-02	Export to Excel and PDF in the client's layout; premium, capacity and optional with/without terrorism picked from the approved QCR.	M	R1
PS-05	Support more than one insurer on a slip (capacity or share) [TBC] .	S	R1
PS-03	Slip number sequence with financial-year prefix.	M	R1
PS-04	Lock a placed risk; changes need a new version with reason.	S	R1

2.8 Documents, audit, reports (DOC / AUD / RPT)

ID	Requirement	Pri	Rel
DOC-01	Store documents against client, risk, RFQ or quote.	S	R2
AUD-01	Audit log of create, edit, delete, status change, override, export and send events with user and time.	M	R1
RPT-01	Dashboard: risks by status, pending quotes, placements this month.	S	R1
RPT-02	MIS reports: premium by insurer, by occupancy, by period; export to Excel.	C	R2
RPT-03	Renewal reminders 90/60/30 days before expiry.	S	R2

3. Non-functional requirements

ID	Category	Requirement
NFR-01	Performance	Pages load in under 2 s; pincode and occupancy lookups under 300 ms; rating a risk with 20 locations under 3 s.

ID	Category	Requirement
NFR-02	Scalability	Support at least 50 concurrent users and 10,000 risks without redesign.
NFR-03	Availability	99.5% uptime during business hours; daily backups with 30-day retention; recovery point 24 h, recovery time 8 h.
NFR-04	Security	HTTPS everywhere, hashed passwords, role-based authorisation on every endpoint, encrypted data at rest, OWASP Top 10 checks.
NFR-05	Data protection	Personal data handled per India's DPDP Act; data hosted in India.
NFR-06	Auditability	Audit logs immutable and retained for at least 8 years [confirm retention policy] .
NFR-07	Usability	Responsive web UI for desktop and tablet; keyboard-friendly forms; English UI.
NFR-08	Compatibility	Latest two versions of Chrome, Edge, Firefox and Safari.
NFR-09	Maintainability	Automated tests for the rating engine (100% of calculation branches); API documentation; CI/CD.
NFR-10	Accuracy	Money stored as Decimal128 or integer paise, never floating point; rounding rules configurable (default 2 decimals).

4. Acceptance approach

- Rating engine accepted when client-provided worked examples match system output to the rupee.
- Master imports accepted when row counts reconcile (299 occupancies; about 20,600 pincodes after de-duplication) and the error report is clean or signed off.
- Exports accepted when generated files match the client's Excel layouts (sheet names, merged cells, formulas and wording), with agreed corrections to known inconsistencies.
- Each Must requirement has at least one test case in the UAT sheet.