Product Requirements Document — Fiducial Quote Fetcher

ID: FQF-PRD-001 · **Version:** 1.0 draft · **Date:** 26 October 2026 **Author:** Harshit Sharma · **Requested by:** Nitinthilak L
Status: Draft pending senior/client approval

1. Executive summary

Fiducial Quote Fetcher is a Windows/macOS desktop application for insurance advisors to enter customer and insured-member details once, operate approved insurer quotation workflows, compare premiums from up to eight insurers, and generate a branded PDF. The advisor completes login, OTP, or CAPTCHA interactions in a visible portal window. The app must not bypass authentication or security controls. Insurers that cannot be supported reliably or permissibly use manual entry.

2. Problem

Advisors repeat data entry across insurer portals and manually consolidate premiums into documents, which takes time and can introduce inconsistencies. The PRD's estimated current workflow time of 30–60 minutes per customer is a hypothesis to validate with the client.

3. Goals and suggested measures

ID	Goal	Target from supplied PRD	Validation
G1	Faster comparison	Median new quote to PDF under 10 minutes	UAT timing
G2	Reduce re-entry	Customer details entered once per comparison	Workflow test
G3	Consistent PDF	100% PDF generation success on regression pack	Automated regression
G4	Graceful fallback	100% of insurers can be completed via manual entry	Manual UAT
G5	Reliable automation	At least 85% fetch success for supported insurers after login	Defined test sample
G6	Maintainability	Parser-only portal change repaired in under one working day	Track actual repair time
G7	Data safety	Zero open critical security/privacy defects at release	Security sign-off
G8	Usability	Advisor satisfaction at least 4/5 after UAT	UAT survey

Targets are acceptance goals, not verified performance claims. Define sample size and measurement conditions before judging them.

4. Version 1 scope

- New Quote: customer, one or more members, sum insured, pincode, floater/individual cover.
- Per-insurer additional required fields and validation.
- Connect board with isolated insurer sessions, login state, reconnect, progress, timeout and bounded retry.
- Parallel quote fetch for supported insurers; preserve partial results and allow cancellation.

- Manual result entry with premium, plan, cover, and optional evidence screenshot.
- Results view showing status, premium, source, and cheapest valid comparable premium.
- Branded comparison PDF for one to eight insurers, with failed/manual states clearly labelled.
- Local quote history: list, search, reopen, duplicate, regenerate PDF, delete.
- Settings: branding, retention, optional saved credentials, output folder.
- First-run wizard, signed Windows/macOS installers, updater if configured and tested.
- User guide, install guide, regression evidence, and client walkthrough.

5. Out of scope for v1

- Policy purchase, payments, KYC or proposal submission.
- Bypassing CAPTCHA, OTP, MFA, rate limits, or portal security controls.
- Mobile/web application, hosted backend, multi-user cloud sync.
- Insurance lines other than health unless explicitly approved.
- Product suitability recommendations; ranking by premium is not advice.
- Excel bulk upload producing ZIP of PDFs and insurer detail pages, unless the owner explicitly moves it into v1.

6. Personas

- Advisor/POSP/agent: creates quotes and shares comparisons.
- Firm administrator/IT: installs, configures branding, manages updates.
- Maintainer: updates adapters and fixtures when portals change.
- Customer: receives a clear and accurate PDF.

7. Insurer plan — target, not guarantee

Insurer	Planned mode in v1	Key caveat
ICICI Lombard	Automated	Validate current portal workflow
HDFC ERGO	Automated if spike passes; otherwise manual	Flutter/canvas and OCR risk
Niva Bupa	Automated	Validate portal behavior
Tata AIG	Automated with advisor OTP step	Validate authorized workflow
Star Health	Automated or manual	Public quote path requires investigation
United India	Advisor-assisted where permitted; otherwise manual	CAPTCHA may block automation
Bajaj Allianz	Advisor-assisted where permitted; otherwise manual	SSO/CAPTCHA behavior
New India Assurance	Likely manual unless validated	CAPTCHA/reCAPTCHA and portal constraints

The final automation/manual split must be documented in each adapter README after compatibility testing and permission review.

8. User journeys

1. First run: install, configure approved branding/disclaimer/retention, open Connect board.

2. Quote: enter customer/member data, select insurers, validate, start workflows, complete required human interactions, review results, export PDF.
3. Manual fallback: retrieve quote through the permitted insurer workflow, enter values, attach evidence if required, verify Manual label.
4. History: search, reopen, duplicate, regenerate PDF, or delete quote and related attachments.

9. P0 functional requirements

- FR-01 Capture customer name, phone, email, and notes as approved fields.
- FR-02 Capture one or more members with relationship and age or DOB; minimize DOB storage and validate age limits.
- FR-03 Capture sum insured, validated pincode, and floater/individual type.
- FR-04 Validate insurer-specific required fields before starting.
- FR-05 Use isolated persistent session per insurer.
- FR-06 Show connection/authentication states and permit reconnect without losing the quote.
- FR-07 Run selected supported insurers concurrently with bounded concurrency, per-insurer timeout, and at most one safe retry.
- FR-08 Support cancellation and preserve partial results.
- FR-09 One insurer failure must not block other insurers.
- FR-10 Show live status, premium, plan, cover, source, and reason for non-success.
- FR-11 Manual entry for any insurer, clearly labelled, with optional screenshot.
- FR-12 Highlight cheapest valid comparable premium; never treat missing/failed premium as zero.
- FR-13 Generate branded HTML-based PDF for one to eight insurers; rupee symbol must render.
- FR-14 Show failed, timed-out, unsupported, and manual results in clearly labelled boxes.
- FR-15 PDF includes approved brand, licence/GST details, disclaimer, consent line, and date.
- FR-16 Save PDF to chosen folder and associate it with quote history.
- FR-17 First-run setup and branding configuration.
- FR-18 Search/reopen history, regenerate PDF from stored results, delete quote and attachments on demand.
- FR-19 Build and smoke-test Windows and macOS installers.
- FR-20 Deliver user/install guides and UAT evidence.

10. P1/P2 requirements

- P1: save drafts; optional OS-protected saved credentials; retention auto-delete; verified auto-update; smoke CLI; sanitized fixture capture.
- P2: settings export/import; developer inspector/copy-selector; richer plan feature comparison and analytics.
- Excel bulk upload/ZIP output is v1.1 by default unless owner approval changes the scope.

11. Non-functional requirements

- Performance target: full eight-insurer run under three minutes after login, excluding advisor interaction; PDF under five seconds. Validate under a documented test environment.
- Reliability: per-insurer isolation, one retry maximum, partial results preserved.
- Usability: advisor can complete a standard flow after a 30-minute walkthrough; plain-language errors.
- Compatibility: supplied PRD says Windows 10/11 x64 and macOS 12+ Intel/Apple Silicon; confirm compatibility with chosen Electron/runtime dependencies before committing.

- Maintainability: one adapter per insurer; pure parser functions; at least three sanitized fixtures and unit tests per adapter.
- Offline: history viewing and PDF regeneration work offline; fetching requires internet.
- Accessibility: keyboard navigation, adequate contrast, selectable PDF text.
- Security: no secrets in logs; narrow IPC; retention and data minimization tested.

12. PDF requirements

Header: logo, firm name, contacts, approved licence/GST details. Customer block: customer, member relation/age, sum insured, pincode, cover type, generated date. Comparison: insurer, plan, sum insured, annual premium, source tag. Status boxes for failed/timeout/manual/unsupported. Footer: approved disclaimer, consent, page numbers. State that premiums are indicative and subject to insurer underwriting.

13. Dependencies and assumptions

- Client has valid authorized insurer accounts and written confirmation that planned portal interaction is permitted.
- Dummy customers and test accounts are available.
- Branding and legal text are approved.
- Apple signing/notarization and Windows signing requirements are understood.
- Update artifact hosting is available if auto-update ships.
- Single-machine/local-first model is acceptable.

14. Release criteria

- All P0 requirements implemented and verified.
- Regression cases 1–4 (and case 5 for floater if applicable) pass for each automated adapter on both OSes.
- Each non-automated insurer completes end-to-end through manual entry.
- Signed installers install and launch on clean machines.
- Client UAT signed off; remaining issues closed or explicitly accepted.
- Guides delivered; development/test credentials rotated as agreed.

15. Approval

Product requester/reviewer: Nitinthilak L — Pending Client representative: To be named — Pending Technical owner: Harshit Sharma — Submitted/pending approval