Test Plan and Regression Pack

1. Test layers

- Unit: schemas, field mapping, parser, premium normalization, comparison eligibility, formatting, retention.
- Fixtures: sanitized deterministic insurer result/page fixtures.
- Integration: IPC validation, orchestrator, SQLite, SecretStore, PDF generation, cancellation/timeout.
- End-to-end: create quote, fetch/mock adapters, partial failure, manual entry, PDF, restart/history.
- Live portal: only authorized accounts and dummy data, without bypassing controls.
- Platform smoke: clean Windows and macOS installation and launch.

2. Core regression cases

ID	Scenario	Expected
TC-01	Valid customer/member quote	Saved with stable ID
TC-02	Invalid pincode	Clear validation; no run starts
TC-03	Out-of-range age	Field error
TC-04	Required insurer field missing	Fetch blocked for that insurer
TC-05	One adapter succeeds, one fails	Success preserved
TC-06	Login required	User prompted to sign in
TC-07	OTP required	Human completes OTP; no bypass
TC-08	CAPTCHA/portal block	Stop automated attempt; manual fallback
TC-09	Malformed result	Parse failure; no fabricated premium
TC-10	Missing premium	Not ranked as zero
TC-11	Manual result	Labelled Manual in UI and PDF
TC-12	All adapters fail	Honest failure summary
TC-13	Cancel during run	Safe terminal cancelled state
TC-14	Adapter timeout	Timeout shown; other results preserved
TC-15	PDF with one insurer	Correct content/layout
TC-16	PDF with eight insurers	Correct pagination/layout
TC-17	Rupee glyph	■ renders on Windows/macOS
TC-18	Branding	Approved logo/contact/disclaimer appear
TC-19	Restart app	History persists
TC-20	Retention expiry	DB and linked app-managed files handled per policy
TC-21	SecretStore unavailable	No plaintext fallback
TC-22	Invalid IPC payload	Rejected in main process
TC-23	Unexpected navigation/popup	Blocked or safely handled
TC-24	Clean Windows install	Install/launch/basic flow pass
TC-25	Clean macOS install	Install/launch/basic flow pass
TC-26	Update/migration	Data preserved or safe failure/recovery

ID	Scenario	Expected
TC-27	Unlike coverage inputs	Cheapest highlight suppressed or differences shown
TC-28	Manual screenshot attached	Linked, retained/deleted per policy

3. PRD standard cases

The supplied PRD references cases 1–4 and case 5 for floater. The client/product owner must provide exact dummy input and expected values; do not invent real insurer quote results. Store cases in a controlled test pack.

4. Adapter-specific test minimum

At least three sanitized fixtures per adapter where required by the task plan: normal success, missing/changed field, malformed/ambiguous response. Add CAPTCHA/auth/manual-required state tests where relevant.

5. Evidence template

Build/version; OS/version; test ID; dummy-data ID; expected; actual; pass/fail; sanitized screenshot/log; tester/date; defect link.

6. Release gate

All P0 tests pass; no unresolved critical/high defects without explicit acceptance; no secrets/real customer data in fixtures; PDF verified; both platform installers smoke-tested; manual fallback proven for non-automated insurers; client UAT approval recorded.