VELOOP REWARDS - KPI Catalogue

Data Analyst Internship, Task 01 | Work Package I

Authenticity notice: Every KPI below is **Proposed** or **To Be Verified**. No target, benchmark or expected value is set, and no simulated or real VELOOP statistics appear here.

1. Summary

- **54 KPIs** (brief minimum: 30) across 8 areas: User (10), Engagement (10), Reward (7), Wallet (5), Withdrawal (10), Referral (6), Support / Content (3), Data Trust (3).
- **42 Proposed, 12 To Be Verified, 0 Confirmed.** To Be Verified means the KPI depends on something not yet confirmed, such as an activation rule or a wallet balance field.
- **Every KPI is reproducible:** a formula, the exact fields and the events it needs. The spreadsheet adds a Required Events column; the Event Tracking Plan's KPI Dependency column is generated from it, so the two documents agree.

Conventions used by every KPI

- Every definition is reproducible from the named fields. No KPI has a target, benchmark or expected value; none is set here.
- Time basis: calendar days in UTC until the timezone is agreed (A012). Where a KPI can be read by period or by cohort, the formula says which.
- Amounts are always per unit. Different reward units are never added together without an agreed conversion rule (A002).
- Rates for recent periods rise as open items resolve. Show the unresolved share beside them.
- Status Proposed means the definition is recommended; To Be Verified means it depends on something not yet confirmed. None is Confirmed.
- 'Active' uses the qualifying-event list in the Referral and Engagement specification: task_completed, daily_reward_claimed, spin_completed, mission_completed, mining_claimed, withdrawal_requested.

User KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
U01	Registrations	New accounts created in the period	COUNT(user_id) where registered_at is in the period	user_id, registered_at	Users	Daily	Product, Marketing	See how many people sign up and from where	Read by registration_source and platform; compare periods of equal length	Counts accounts, not active people; inflated if user_id is not stable (A003)	Proposed
U02	Daily Active Users (DAU)	Unique users with at least one qualifying activity event on a calendar day	COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed)	user_id, event_name, event_timestamp	Feature_Events	Daily	Product, Management	Measure daily engagement	A rise means more users did qualifying activity; read next to Registrations	Depends on the agreed qualifying-event list and timezone (A012); login alone does not count	Proposed
U03	Weekly Active Users (WAU)	Unique users with at least one qualifying event in a week	COUNT(DISTINCT user_id) with a qualifying event in the week (week definition to be agreed)	user_id, event_name, event_timestamp	Feature_Events	Weekly	Product, Management	Measure weekly reach	Compare with DAU to see how often people return within the week	Week boundaries must be fixed and documented	Proposed
U04	Monthly Active Users (MAU)	Unique users with at least one qualifying event in a calendar month	COUNT(DISTINCT user_id) with a qualifying event in the month	user_id, event_name, event_timestamp	Feature_Events	Monthly	Product, Management	Measure monthly reach	Use as the base for ratios such as DAU / MAU	Same qualifying list as DAU; month length varies	Proposed
U05	Returning Users	Active users in the period whose first qualifying activity was before the period started	COUNT(DISTINCT user_id) active in the period AND first_activity_at < period start	user_id, first_activity_at, event_timestamp	Users, Feature_Events	Weekly	Product	Separate returning from new activity	Read with new active users; shows repeat behaviour, not growth	Needs stable user_id and first_activity_at	Proposed
U06	Inactive Users	Registered, non-closed users with no qualifying activity in the inactivity window	COUNT(user_id) where account_status is not closed AND last_activity_at is older than N days (N to be agreed)	user_id, account_status, last_activity_at	Users	Weekly	Product, Operations	Size the lapsed user base	Read as a share of registered users; record N because changing it changes the number	N is not set here; users who never became active count as inactive unless filtered	To Be Verified
U07	Onboarding Completion Rate	Share of users who started onboarding and completed it	COUNT(users with onboarding_completed) / COUNT(users with onboarding_started), for users registered in the period	user_id, onboarding_status, onboarding_started_at, onboarding_completed_at	Users	Weekly	Product	Find where new users drop off	Low values point to friction; use onboarding_step to locate it	Recent cohorts are incomplete; treatment of 'skipped' must be agreed	Proposed
U08	Cohort Retention (Day N)	Share of a registration cohort active again N days after registering	COUNT(cohort users active on day N) / COUNT(cohort users)	user_id, registered_at, event_timestamp	Users, Feature_Events	Weekly	Product, Management	Learn whether users come back	Compare cohorts at the same N; a fall across cohorts is a signal to investigate	N values to be agreed; needs stable user_id; recent cohorts are incomplete	Proposed
U09	Account Status Mix	Number of accounts in each account_status at a point in time	COUNT(user_id) grouped by account_status (snapshot)	user_id, account_status	Users, Account_Status_History	Weekly	Operations, Product	Track restricted and closed accounts	Watch movement between statuses over time	Real status names need mapping (A019); trend needs saved snapshots	To Be Verified
U10	Daily Visitors	Unique users with at least one login on a calendar day	COUNT(DISTINCT user_id) with user_logged_in on the date	user_id, event_name, event_timestamp	Feature_Events	Daily	Product	Show app opens separately from real activity	Compare with DAU; a gap means visits without qualifying activity	Login events may be absent for auto-login sessions (A004)	Proposed

Engagement KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
E01	Feature Usage	Unique users who used a feature in the period	COUNT(DISTINCT user_id) with the feature's start event, per feature	user_id, feature, event_name	Feature_Events	Daily	Product	Compare feature reach	Compare features over the same period; no feature is good or bad by this alone	Features with no start event need feature_opened (name to be agreed)	Proposed
E02	Feature Adoption Rate	Share of active users who used a feature	Users of the feature / active users in the same period	user_id, feature, event_name	Feature_Events	Weekly	Product, Management	See how widely a feature is taken up	Keep one denominator (active users in the period) for all features	Denominator choice changes the number	Proposed
E03	Task Starts	Task attempts begun	COUNT(task_activity_id) with task_started in the period	task_activity_id, started_at	Task_Activity	Daily	Product, Operations	Volume of earning attempts	Read by task_type and feature	Counts attempts, not users	Proposed
E04	Task Completions	Task attempts validated as completed	COUNT(task_activity_id) with task_completed in the period (by completed_at)	task_activity_id, completed_at, status	Task_Activity	Daily	Product, Operations	Count real completions	Counts validated completions only	Late validation moves completions into later periods	Proposed
E05	Task Completion Rate	Share of started attempts that ended validated	Validated attempts / started attempts, for attempts started in the period	task_activity_id, started_at, status	Task_Activity	Weekly	Product	See how often attempts succeed	Recent periods look low until attempts resolve; show the unresolved share beside it	Attempts pending validation lower recent values	Proposed
E06	Task Failure Mix	Share of failed or abandoned attempts by failure_category	COUNT(failed attempts) grouped by failure_category / COUNT(failed attempts)	task_activity_id, status, failure_category	Task_Activity	Weekly	Product, Engineering	Explain why attempts fail	Shifts between categories show where to look (provider, system, user)	Categories are a proposed classification; the 'unknown' share shows data quality	Proposed
E07	Repeat Usage Rate	Share of feature users who use it on 2 or more distinct days in a window	Users with the feature on at least 2 distinct days / users with it on at least 1 day	user_id, feature, event date	Feature_Events	Weekly	Product	See habit formation	Compare features over equal windows	Window length to be agreed	Proposed
E08	Mission Completion Rate	Share of started missions that were completed	Missions completed / missions started (per mission attempt)	user_id, mission_id, event_name	Feature_Events	Weekly	Product	See which missions get finished	Compare by mission_type	Needs a mission attempt key; missions without a start event are excluded	Proposed
E09	Streak Length	Typical current streak among users who have one	Median(streak_count) among users with streak_count >= 1 at the snapshot	user_id, streak_count, change_type	Feature_Events	Weekly	Product	See how long daily habits last	Read with the share of streak resets	Needs the latest streak per user	Proposed
E10	Task Open Rate	Share of viewed tasks that were opened	Distinct (user, task) opened / distinct (user, task) viewed	user_id, task_id, event_name	Feature_Events	Weekly	Product	Measure interest in tasks	Compare by task_type	task_viewed may be sampled; the definition of 'viewed' matters	Proposed

Reward KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
R01	Reward Transactions	Rewards with any reward event in the period	COUNT(DISTINCT reward_id) with reward_pending, reward_credited, reward_reversed or reward_corrected in the period	reward_id, event_name	Rewards	Daily	Operations, Finance	See overall reward activity	Includes pending and reversed; use Reward Credits for rewards actually given	Counts records, not amounts	Proposed
R02	Reward Credits	Rewards actually added to the wallet, count and amount per unit	COUNT(reward_id) and SUM(reward_amount) with reward_credited in the period, grouped by reward_unit	reward_id, reward_amount, reward_unit, credited_at	Rewards	Daily	Finance, Product	Measure rewards given	Never add amounts across units (A002)	Amounts depend on unit definitions	Proposed
R03	Reward Reversals	Credited rewards that were reversed	COUNT(reward_id) with reward_reversed in the period (by reversed_at)	reward_id, reversed_at, reason_category	Rewards	Weekly	Operations, Finance	Track rewards taken back	Read by reason_category	Reversals can happen long after crediting	Proposed
R04	Reward Reversal Rate	Share of credited rewards later reversed	Reversed rewards / credited rewards, for rewards credited in the period	reward_id, credited_at, reward_status	Rewards	Weekly	Operations, Finance	Judge how reliable credits are	Recent periods understate it until reversals arrive	Matures over time	Proposed
R05	Reward Activity by Feature	Credits split by source_feature	COUNT and SUM of credited rewards grouped by source_feature and reward_unit	source_feature, reward_amount, reward_unit	Rewards	Weekly	Product, Finance	See which features pay out	Compare shares across features	Different reward designs and units limit comparison	Proposed
R06	Pending Rewards	Rewards waiting at a point in time	COUNT(reward_id) where reward_status = pending at the snapshot, with median age	reward_id, reward_status, created_at	Rewards	Daily snapshot	Operations	Spot backlogs	Growing age signals a stuck validation	Needs the pending state to exist (A020)	To Be Verified
R07	Net Reward Amount	Amount earned after reversals and corrections, per unit	SUM(credited) - SUM(reversed) + SUM(new_amount - old_amount of corrections), per unit	reward_amount, reward_unit, old_amount, new_amount	Rewards	Weekly	Finance	Know the true amount earned	Use for totals instead of gross credits	Needs corrections recorded as old and new amounts	Proposed

Wallet KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
W01	Wallet Transactions	Completed ledger entries in the period	COUNT(transaction_id) with status = completed and completed_at in the period, by transaction_type	transaction_id, transaction_type, status, completed_at	Wallet_Transactions	Daily	Finance, Engineering	See ledger activity	Read by transaction_type	Counts entries not value; an exchange makes two entries	Proposed
W02	Credit Volume	Total amount credited to wallets	SUM(amount) where direction = credit and status = completed, per unit	amount, unit, direction, status	Wallet_Transactions	Daily	Finance	See value flowing in	Per unit only	Includes reversal credits unless excluded; label which	Proposed
W03	Redemption Activity	Redemption entries, count and amount per unit	COUNT and SUM(amount) where transaction_type = redemption and status = completed	transaction_type, amount, unit	Wallet_Transactions	Weekly	Finance, Product	Track use of value inside VELOOP	Per unit only	A redemption record is not confirmed to exist	To Be Verified
W04	Wallet Reversals	Reversal entries, count and share of completed entries	COUNT(transaction_id) where transaction_type = reversal; share = reversals / completed entries	transaction_type, related_transaction_id	Wallet_Transactions	Weekly	Finance, Operations	Spot corrections to the ledger	Read by reason_category	Late reversals move between periods	Proposed
W05	Exchange Activity	Exchanges completed, per unit pair	COUNT(exchange_group_id) with a completed exchange, grouped by from_unit and to_unit	exchange_group_id, from_unit, to_unit, from_amount, to_amount	Wallet_Transactions	Weekly	Product, Finance	See how exchange is used	Per unit pair	Exchange may not exist yet (A002)	To Be Verified

Withdrawal KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
D01	Withdrawal Requests	Withdrawal requests made in the period	COUNT(withdrawal_id) where requested_at is in the period	withdrawal_id, requested_at	Withdrawals	Daily	Product, Operations	See demand for withdrawal	Read by method; compare equal periods	Counts requests, not unique users	Proposed
D02	Completed Withdrawals	Withdrawals that reached completed in the period	COUNT(withdrawal_id) where status = completed and final_at is in the period	withdrawal_id, status, final_at	Withdrawals	Daily	Operations, Finance	See payout output	Period is by completion date	Later reversals are not netted unless stated	Proposed
D03	Pending Withdrawals	Requests not in a terminal status at the measurement time	COUNT(withdrawal_id) where status is requested or processing	withdrawal_id, status	Withdrawals	Daily snapshot	Operations	See workload and backlog	Read with Pending Queue Age	A point-in-time number; needs snapshots to trend	Proposed
D04	Rejected Withdrawals	Requests that ended rejected in the period	COUNT(withdrawal_id) where status = rejected and final_at is in the period	withdrawal_id, status, final_at, reason_category	Withdrawals	Daily	Operations, Product	See friction and issues	Read by reason_category	Quality depends on reason_category being filled	Proposed
D05	Reversed Withdrawals	Completed withdrawals later reversed	COUNT(withdrawal_id) where status = reversed and reversed_at is in the period	withdrawal_id, status, reversed_at, reason_category	Withdrawals	Weekly	Operations, Finance	Judge payout reliability	Read by reason_category	Reversals can come long after completion	Proposed
D06	Processing Time	Time from request to a terminal status	Median and 90th percentile of (final_at - requested_at) for terminal withdrawals	requested_at, final_at, status	Withdrawals	Weekly	Operations, Product	Measure speed of service	Read together with Pending Queue Age	Excludes pending requests, so it can look better than reality	Proposed
D07	Withdrawal Completion Rate	Share of requests from a period that ended completed	Completed / requests for requests made in the period, plus a resolved-only version excluding pending	withdrawal_id, requested_at, status	Withdrawals	Weekly	Product, Operations	Judge reliability of getting paid	Always show the pending share beside it	Recent periods look low until requests resolve	Proposed
D08	Pending Queue Age	How long pending requests have waited	Median and maximum of (now - requested_at) for pending requests	withdrawal_id, requested_at, status	Withdrawals	Daily	Operations	Spot stuck requests	A growing maximum signals stuck requests	Needs a defined 'now' and one timezone	Proposed
D09	Withdrawal Volume	Amount requested and completed, per unit	SUM(requested_amount) and SUM(completed_amount) grouped by requested_unit and period	requested_amount, completed_amount, requested_unit	Withdrawals	Daily	Finance, Management	See size of payouts	Per unit only	Different units are never added without a conversion rule (A002)	Proposed
D10	Withdrawal Method Distribution	Share of requests and completions by method	COUNT(withdrawal_id) grouped by method / total COUNT	method, withdrawal_id, status	Withdrawals	Weekly	Product, Operations	See which methods users choose	Compare requests with completions per method	Depends on the real list of methods (A006)	Proposed

Referral KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
F01	Referrals Created	Referrals created in the period	COUNT(referral_id) by created_at	referral_id, created_at	Referrals	Daily	Product, Marketing	See referral programme use	Read by source_channel	Counts relationships, not unique referrers	Proposed
F02	Referral Registrations	Referred users who registered	COUNT(referral_id) where registered_at is in the period	referral_id, registered_at	Referrals	Daily	Product, Marketing	See sign-ups driven by referrals	Registration is not conversion	Depends on referral code capture at sign-up	Proposed
F03	Referral Activations	Referred users who became activated	COUNT(referral_id) where activated_at is in the period	referral_id, activated_at	Referrals	Daily	Product	See quality of referred users	Depends on the agreed activation rule	Activation definition not yet agreed (A010)	To Be Verified
F04	Referral Conversions	Referrals that met the success condition	COUNT(referral_id) where converted_at is in the period	referral_id, converted_at	Referrals	Daily	Product, Finance	See true referral success	Label whether period is by conversion date or by cohort	Success condition not yet confirmed	Proposed
F05	Referral Activation Rate	Share of registered referrals that activated	Activated / registered, for referrals registered in the period	referral_id, registered_at, activated_at	Referrals	Weekly	Product	Judge referral quality	Recent periods look low until referrals mature	Depends on the activation definition (A010)	To Be Verified
F06	Referral Conversion Rate	Share of created referrals that converted	Converted / created, for referrals created in the period	referral_id, created_at, converted_at	Referrals	Weekly	Product, Management	See end-to-end referral success	Show open referrals beside it	Matures over time	Proposed

Support / Content KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
S01	Support Requests	Support requests created in the period	COUNT(ticket_id) by created_at	ticket_id, created_at	Support_Tickets	Daily	Support, Product	See support demand	Read per 1,000 active users to compare periods	A support system may not exist yet (A015)	To Be Verified
S02	Issue Category Mix	Share of support requests by issue_category	COUNT(ticket_id) grouped by issue_category / total COUNT	ticket_id, issue_category	Support_Tickets	Weekly	Support, Product	Learn what users struggle with	Shifts show emerging problems	Categories to be agreed; avoid free text	To Be Verified
S03	Help-Center Engagement	Share of active users who opened the Help Center	Distinct users with feature_opened where feature_name = help_center / active users	user_id, feature_name, event_name	Feature_Events	Weekly	Support, Product	See how much users seek help	Read with Support Requests	Help Center events need instrumenting (feature_opened to be agreed)	To Be Verified

Data Trust KPIs

ID	KPI Name	Definition	Formula	Required Fields	Source	Frequency	Stakeholder	Business Purpose	Interpretation	Limitation	Status
T01	Wallet Reconciliation Exceptions	User-and-unit pairs where the ledger total differs from the reported balance	COUNT(user_id, unit) where SUM(completed credits) - SUM(completed debits) differs from the latest balance_after	user_id, unit, amount, direction, status, balance_after	Wallet_Transactions	Daily	Finance, Engineering	Trust in balances	Read as exceptions to investigate, not as performance	Needs balance_after (A005)	To Be Verified
T02	Provider Callback Reliability	Share of provider-validated attempts with a callback inside the agreed wait	Attempts with a callback / attempts that need provider validation	task_activity_id, provider_reference_id, callback_received_at	Task_Activity, Feature_Events	Weekly	Engineering, Product	Measure the external dependency	A low value means provider data is incomplete, not that users did not act	Wait time to be agreed; providers differ	To Be Verified
T03	Event Delivery Delay	Typical delay between an event happening and being received	Median and 90th percentile of (received_timestamp - event_timestamp)	event_timestamp, received_timestamp	Feature_Events	Daily	Engineering	Know how fresh dashboards are	Rising delay means late-arriving data in recent periods	Needs received_timestamp from the pipeline	Proposed

The test of these KPIs against the supplied dataset is in Deliverable 12 (J3).