VELOOP REWARDS - Analytics Dashboard Blueprint

Data Analyst Internship, Task 01 | Work Package M

Authenticity notice: This is a dashboard **specification**, not a production dashboard. Wireframes show layout only; shapes are placeholders and no data or results appear. No simulated or real VELOOP statistics are included.

1. Summary

- **7 dashboards and 56 visuals.** Every visual specifies the 10 fields the brief requires: metric, calculation, source, visualization, filters, dimensions, date range, refresh frequency, business question and decision supported.
- **Metric, calculation and source come from the KPI Catalogue** (Work Package I), so a number on a dashboard can always be traced to one definition. All 54 KPIs appear on at least one dashboard (checked by formula in the spreadsheet).
- **Each visual names a decision it supports.** If no decision can be named, the visual should not be built.

2. Dashboards


#	Dashboard	Audience	Purpose	Global filters	Visuals
1	Executive Overview	Management, Product, Operations	One-screen picture across users, engagement, rewards, wallet, withdrawals and referrals, with a data-trust strip so readers know how far to rely on the numbers	Date range, platform, country_code	8
2	User Analytics	Product, Marketing	Understand who joins, from where, on which platform, and whether they stay	Date range, platform, registration_source, country_code, campaign_id	11
3	Engagement	Product, Operations	See which features and tasks people use, whether they finish them and whether they come back	Date range, feature, task_type, platform	10
4	Rewards	Finance, Operations, Product	Show what rewards are given, from which features, in what state, and how often they are undone	Date range, source_feature, reward_unit, reward_status	6
5	Wallet	Finance, Engineering, Operations	Show ledger activity and whether wallet records agree with each other	Date range, transaction_type, unit, source_feature	7
6	Withdrawals	Operations, Finance	Show how withdrawal requests move through the lifecycle, how long they take and where they stall	Date range, method, status, requested_unit, reason_category	8
7	Referrals	Product, Marketing	Show whether referrals become real, active users, keeping registration separate from conversion	Date range, source_channel, platform, registration_source	6

3. Standards applied to every dashboard

Standard	Rule
Data trust	Every dashboard shows 'data as of', the count of quarantined records, and the unresolved-key rate from the quality framework (Work Package L).
No targets	No dashboard shows a target, benchmark or goal line. Comparison is with the previous period only.
Units	Amounts are shown per unit. A visual never adds different units together (rule DQ035).
Open items	Rates that mature over time show the unresolved or pending share beside them. Incomplete periods are shaded.
Labels	Proposed and To Be Verified KPIs are marked in tooltips until they are confirmed.
Personal data	No visual shows names, contact details or precise location. Geography is country level.
Simulated data	Any dashboard fed by simulated data carries the banner 'SIMULATED DATA - CREATED FOR ANALYTICAL TESTING' and never mixes with production data.
Refresh	Daily batch refresh. Real-time is not proposed; it can be added when a decision needs it.
Access	Executive and aggregated views for Product, Operations and Content; row-level data only for Engineering and Data Analyst roles (Work Package P).

Dashboard 1: Executive Overview

Audience: Management, Product, Operations. **Purpose:** One-screen picture across users, engagement, rewards, wallet, withdrawals and referrals, with a data-trust strip so readers know how far to rely on the numbers. **Sections:** user activity, engagement, reward activity, wallet activity, withdrawal activity, referral activity.




Dashboard 1: Executive Overview - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
1.1 Active users	Daily Active Users (DAU); Weekly Active Users (WAU); Monthly Active Users (MAU)	Daily Active Users (DAU): COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed) | Weekly Active Users (WAU): COUNT(DISTINCT user_id) with a qualifying event in the week (week definition to be agreed) | Monthly Active Users (MAU): COUNT(DISTINCT user_id) with a qualifying event in the month	Feature_Events	KPI tiles with trend line	Date range, platform, country_code	platform, country_code	Last 30 days, selectable; previous period shown for comparison	Daily	How many people are actively using VELOOP?	Whether a change in activity is large enough to open the User and Engagement dashboards
1.2 New registrations	Registrations	Registrations: COUNT(user_id) where registered_at is in the period	Users	Stacked line chart	Date range, platform, country_code	registration_source	Last 30 days, selectable; previous period shown for comparison	Daily	Is sign-up volume changing, and from which source?	Where to look first when sign-ups move
1.3 Task attempts and completions	Task Starts; Task Completions; Task Completion Rate	Task Starts: COUNT(task_activity_id) with task_started in the period | Task Completions: COUNT(task_activity_id) with task_completed in the period (by completed_at) | Task Completion Rate: Validated attempts / started attempts, for attempts started in the period	Task_Activity	Bars (starts, completions) with rate line	Date range, platform, country_code	task_type	Last 30 days, selectable; previous period shown for comparison	Daily	Are attempts turning into validated completions?	Whether to look into validation or task design
1.4 Rewards credited by unit	Reward Credits; Reward Reversals	Amounts are never added across units	Rewards	Clustered bars, one panel per unit	Date range, platform, country_code	reward_unit, source_feature	Last 30 days, selectable; previous period shown for comparison	Daily	How much has been credited and reversed, per unit?	Whether reward volume needs a closer review
1.5 Wallet integrity	Wallet Reversals; Wallet Reconciliation Exceptions	Wallet Reversals: COUNT(transaction_id) where transaction_type = reversal; share = reversals / completed entries | Wallet Reconciliation Exceptions: COUNT(user_id, unit) where SUM(completed credits) - SUM(completed debits) differs from the latest balance_after	Wallet_Transactions	KPI tiles with status colour	Date range, platform, country_code	transaction_type	Current snapshot	Daily	Do wallet records agree and how often are entries reversed?	Whether to escalate to Engineering before publishing wallet figures
1.6 Withdrawal progress	Withdrawal Requests; Completed Withdrawals; Pending Withdrawals; Rejected Withdrawals	Withdrawal Requests: COUNT(withdrawal_id) where requested_at is in the period | Completed Withdrawals: COUNT(withdrawal_id) where status = completed and final_at is in the period | Pending Withdrawals: COUNT(withdrawal_id) where status is requested or processing | Rejected Withdrawals: COUNT(withdrawal_id) where status = rejected and final_at is in the period	Withdrawals	Stacked bars by status with tiles	Date range, platform, country_code	method, status	Last 30 days, selectable; previous period shown for comparison	Daily	How are withdrawal requests progressing?	Review capacity and whether to escalate stuck requests
1.7 Referral funnel	Referrals Created; Referral Registrations; Referral Activations; Referral Conversions	Referrals Created: COUNT(referral_id) by created_at | Referral Registrations: COUNT(referral_id) where registered_at is in the period | Referral Activations: COUNT(referral_id) where activated_at is in the period | Referral Conversions: COUNT(referral_id) where converted_at is in the period	Referrals	Funnel	Date range, platform, country_code	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	Do referrals become registered, active, converted users?	Whether the referral rules or activation definition need review
1.8 Data trust strip	Event Delivery Delay; Provider Callback Reliability	Also shows quarantined record count and unresolved-key rate from the quality framework	Feature_Events, Task_Activity	Status tiles plus 'data as of' banner	Date range, platform, country_code	table, rule_id	Current snapshot	Daily	Can today's numbers be trusted?	Whether figures need a caveat

Dashboard 2: User Analytics

Audience: Product, Marketing. **Purpose:** Understand who joins, from where, on which platform, and whether they stay. **Sections:** registrations, active users, returning users, acquisition source, device, geographic distribution, user lifecycle.




Dashboard 2: User Analytics - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
2.1 Registrations over time	Registrations	Registrations: COUNT(user_id) where registered_at is in the period	Users	Line chart	Date range, platform, registration_source, country_code, campaign_id	registration_source, platform	Last 30 days, selectable; previous period shown for comparison	Daily	How is sign-up volume changing?	Timing of acquisition activity
2.2 Acquisition source	Registrations	Registrations: COUNT(user_id) where registered_at is in the period	Users	Horizontal bar (share)	Date range, platform, registration_source, country_code, campaign_id	registration_source, campaign_id	Last 30 days, selectable; previous period shown for comparison	Daily	Which channels bring users?	Where acquisition effort is reviewed
2.3 Active users trend	Daily Active Users (DAU); Weekly Active Users (WAU); Monthly Active Users (MAU)	Daily Active Users (DAU): COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed) | Weekly Active Users (WAU): COUNT(DISTINCT user_id) with a qualifying event in the week (week definition to be agreed) | Monthly Active Users (MAU): COUNT(DISTINCT user_id) with a qualifying event in the month	Feature_Events	Line chart	Date range, platform, registration_source, country_code, campaign_id	platform	Last 30 days, selectable; previous period shown for comparison	Daily	Is the active base growing, flat or falling?	Whether to investigate engagement
2.4 Returning vs active	Returning Users; Daily Active Users (DAU)	Returning share = Returning Users / active users in the same period	Feature_Events, Users	Stacked bar	Date range, platform, registration_source, country_code, campaign_id	platform	Last 30 days, selectable; previous period shown for comparison	Daily	How much activity comes from returning users?	Whether to focus on retention or new users
2.5 Platform split	Registrations; Daily Active Users (DAU)	Registrations: COUNT(user_id) where registered_at is in the period | Daily Active Users (DAU): COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed)	Feature_Events, Users	Grouped bar	Date range, platform, registration_source, country_code, campaign_id	platform	Last 30 days, selectable; previous period shown for comparison	Daily	Do platforms differ in sign-ups and activity?	Whether a platform needs attention
2.6 Geographic distribution	Registrations; Daily Active Users (DAU)	Country level only; no precise location	Feature_Events, Users	Ranked bar by country	Date range, platform, registration_source, country_code, campaign_id	country_code	Last 30 days, selectable; previous period shown for comparison	Daily	Where are users located, at country level?	Language, support and content planning
2.7 User lifecycle	Account Status Mix	COUNT(user_id) grouped by lifecycle_stage and account_status (snapshot)	Account_Status_History, Users	Donut plus table	Date range, platform, registration_source, country_code, campaign_id	lifecycle_stage, account_status	Current snapshot	Daily refresh (weekly measure)	How many users sit in each stage and status?	Where to focus lifecycle work
2.8 Onboarding funnel	Onboarding Completion Rate	Onboarding Completion Rate: COUNT(users with onboarding_completed) / COUNT(users with onboarding_started), for users registered in the period	Users	Funnel	Date range, platform, registration_source, country_code, campaign_id	onboarding_step	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Where do new users stop in onboarding?	Which onboarding step to examine
2.9 Cohort retention	Cohort Retention (Day N)	Cohort Retention (Day N): COUNT(cohort users active on day N) / COUNT(cohort users)	Feature_Events, Users	Heatmap (cohort by day N)	Date range, platform, registration_source, country_code, campaign_id	registration cohort week, registration_source	Registration cohorts by week; N values to be agreed	Daily refresh (weekly measure)	Do users come back after registering?	Whether recent cohorts behave differently
2.10 Inactive users	Inactive Users	Inactive Users: COUNT(user_id) where account_status is not closed AND last_activity_at is older than N days (N to be agreed)	Users	KPI tile with trend	Date range, platform, registration_source, country_code, campaign_id	platform	Current snapshot	Daily refresh (weekly measure)	How large is the lapsed base?	Whether a re-engagement effort is warranted
2.11 Visits vs real activity	Daily Visitors; Daily Active Users (DAU)	Daily Visitors: COUNT(DISTINCT user_id) with user_logged_in on the date | Daily Active Users (DAU): COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed)	Feature_Events	Dual line chart	Date range, platform, registration_source, country_code, campaign_id	platform	Last 30 days, selectable; previous period shown for comparison	Daily	Do app visits turn into qualifying activity?	Whether visits without activity need product attention

Dashboard 3: Engagement

Audience: Product, Operations. **Purpose:** See which features and tasks people use, whether they finish them and whether they come back. **Sections:** feature usage, task activity, completion, repeat usage, activity trends, support and help.




Dashboard 3: Engagement - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
3.1 Feature usage	Feature Usage	Feature Usage: COUNT(DISTINCT user_id) with the feature's start event, per feature	Feature_Events	Bar chart	Date range, feature, task_type, platform	feature	Last 30 days, selectable; previous period shown for comparison	Daily	Which features reach the most users?	Which features to examine
3.2 Feature adoption	Feature Adoption Rate	Feature Adoption Rate: Users of the feature / active users in the same period	Feature_Events	Bar chart with trend	Date range, feature, task_type, platform	feature, platform	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	What share of active users use each feature?	Where awareness or access may be weak
3.3 Task attempts and completions	Task Starts; Task Completions	Task Starts: COUNT(task_activity_id) with task_started in the period | Task Completions: COUNT(task_activity_id) with task_completed in the period (by completed_at)	Task_Activity	Line chart	Date range, feature, task_type, platform	task_type	Last 30 days, selectable; previous period shown for comparison	Daily	How much earning activity is happening?	Task catalogue review
3.4 Task completion rate	Task Completion Rate	Unresolved share shown beside the rate	Task_Activity	Line chart plus table	Date range, feature, task_type, platform	task_type, feature	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	How often do attempts end validated?	Which task types to investigate
3.5 Why tasks fail	Task Failure Mix	Task Failure Mix: COUNT(failed attempts) grouped by failure_category / COUNT(failed attempts)	Task_Activity	Stacked bar (share)	Date range, feature, task_type, platform	failure_category, feature	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Why do attempts fail?	Whether to look at providers, the system or user flow
3.6 Repeat usage	Repeat Usage Rate	Repeat Usage Rate: Users with the feature on at least 2 distinct days / users with it on at least 1 day	Feature_Events	Bar chart	Date range, feature, task_type, platform	feature	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Do users come back to a feature?	Which features build habit
3.7 Task funnel	Task Open Rate; Task Starts	Funnel: distinct (user, task) viewed > opened > started	Feature_Events , Task_Activity	Funnel (viewed, opened, started)	Date range, feature, task_type, platform	task_type	Last 30 days, selectable; previous period shown for comparison	Daily	Where do users lose interest in tasks?	Task presentation and ordering
3.8 Missions and streaks	Mission Completion Rate; Streak Length	Mission Completion Rate: Missions completed / missions started (per mission attempt) | Streak Length: Median(streak_count) among users with streak_count >= 1 at the snapshot	Feature_Events	Two small charts	Date range, feature, task_type, platform	mission_type	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Are missions finished and how long do streaks last?	Mission and streak design review
3.9 Activity trends	Daily Active Users (DAU)	Daily Active Users (DAU): COUNT(DISTINCT user_id) with a qualifying event on the date (UTC; timezone to be agreed)	Feature_Events	Line chart with 7-day average	Date range, feature, task_type, platform	feature, platform	Last 30 days, selectable; previous period shown for comparison	Daily	How does daily activity move over time?	Timing of product changes against activity
3.10 Support and help	Support Requests; Issue Category Mix; Help-Center Engagement	Support Requests: COUNT(ticket_id) by created_at | Issue Category Mix: COUNT(ticket_id) grouped by issue_category / total COUNT | Help-Center Engagement: Distinct users with feature_opened where feature_name = help_center / active users	Feature_Events , Support_Tickets	Bar chart plus table	Date range, feature, task_type, platform	issue_category	Last 30 days, selectable; previous period shown for comparison	Daily	What do users ask for help with?	Help content and product fixes

Dashboard 4: Rewards

Audience: Finance, Operations, Product. **Purpose:** Show what rewards are given, from which features, in what state, and how often they are undone. **Sections:** reward activity, reward source, reward status, reward trends, reversal activity.




Dashboard 4: Rewards - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
4.1 Reward activity	Reward Transactions	Reward Transactions: COUNT(DISTINCT reward_id) with reward_pending, reward_credited, reward_reversed or reward_corrected in the period	Rewards	Line chart	Date range, source_feature, reward_unit, reward_status	source_feature	Last 30 days, selectable; previous period shown for comparison	Daily	How many reward records are created?	Whether reward activity is changing
4.2 Reward source	Reward Activity by Feature	Reward Activity by Feature: COUNT and SUM of credited rewards grouped by source_feature and reward_unit	Rewards	Stacked bar	Date range, source_feature, reward_unit, reward_status	source_feature, reward_unit	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Which features give out rewards?	Which features account for rewards
4.3 Reward status	Pending Rewards; Reward Credits; Reward Reversals	Pending Rewards: COUNT(reward_id) where reward_status = pending at the snapshot, with median age | Reward Credits: COUNT(reward_id) and SUM(reward_amount) with reward_credited in the period, grouped by reward_unit | Reward Reversals: COUNT(reward_id) with reward_reversed in the period (by reversed_at)	Rewards	Stacked bar by status plus pending age	Date range, source_feature, reward_unit, reward_status	reward_status, reward_unit	Current snapshot	Daily	What state are rewards in?	Whether pending rewards are building up
4.4 Reward trends	Reward Credits	Reward Credits: COUNT(reward_id) and SUM(reward_amount) with reward_credited in the period, grouped by reward_unit	Rewards	Line chart per unit	Date range, source_feature, reward_unit, reward_status	reward_unit	Last 30 days, selectable; previous period shown for comparison	Daily	How do credited rewards move over time?	Reward volume review
4.5 Reversal activity	Reward Reversals; Reward Reversal Rate	Reward Reversals: COUNT(reward_id) with reward_reversed in the period (by reversed_at) | Reward Reversal Rate: Reversed rewards / credited rewards, for rewards credited in the period	Rewards	Line chart plus reason bars	Date range, source_feature, reward_unit, reward_status	reason_category	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	How often are credited rewards undone, and why?	Whether to investigate reversal causes
4.6 Net rewards	Net Reward Amount	Net Reward Amount: SUM(credited) - SUM(reversed) + SUM(new_amount - old_amount of corrections), per unit	Rewards	Line chart per unit	Date range, source_feature, reward_unit, reward_status	reward_unit	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	What is earned after reversals and corrections?	Which totals to use in reporting

Dashboard 5: Wallet

Audience: Finance, Engineering, Operations. **Purpose:** Show ledger activity and whether wallet records agree with each other. **Sections:** transactions, credits, redemptions, reversals, activity trends, reconciliation.




Dashboard 5: Wallet - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
5.1 Wallet transactions	Wallet Transactions	Wallet Transactions: COUNT(transaction_id) with status = completed and completed_at in the period, by transaction_type	Wallet_Transactions	Stacked bar	Date range, transaction_type, unit, source_feature	transaction_type	Last 30 days, selectable; previous period shown for comparison	Daily	What kinds of ledger entries occur?	Ledger activity review
5.2 Credit volume	Credit Volume	Credit Volume: SUM(amount) where direction = credit and status = completed, per unit	Wallet_Transactions	Line chart per unit	Date range, transaction_type, unit, source_feature	unit, source_feature	Last 30 days, selectable; previous period shown for comparison	Daily	How much value is credited?	Volume review
5.3 Redemptions	Redemption Activity	Redemption Activity: COUNT and SUM(amount) where transaction_type = redemption and status = completed	Wallet_Transactions	Line chart per unit	Date range, transaction_type, unit, source_feature	unit	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	How is value used inside VELOOP?	Whether redemption options need attention
5.4 Wallet reversals	Wallet Reversals	Wallet Reversals: COUNT(transaction_id) where transaction_type = reversal; share = reversals / completed entries	Wallet_Transactions	Line chart plus share	Date range, transaction_type, unit, source_feature	reason_category	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	How often are ledger entries reversed?	Whether to investigate reversals
5.5 Activity trends	Wallet Transactions	Wallet Transactions: COUNT(transaction_id) with status = completed and completed_at in the period, by transaction_type	Wallet_Transactions	Line chart with 7-day average	Date range, transaction_type, unit, source_feature	transaction_type	Last 30 days, selectable; previous period shown for comparison	Daily	How does ledger activity move over time?	Timing of changes against ledger activity
5.6 Exchange activity	Exchange Activity	Exchange Activity: COUNT(exchange_group_id) with a completed exchange, grouped by from_unit and to_unit	Wallet_Transactions	Table by unit pair	Date range, transaction_type, unit, source_feature	from_unit, to_unit	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Which exchanges are used?	Whether the exchange feature matters
5.7 Reconciliation	Wallet Reconciliation Exceptions	Wallet Reconciliation Exceptions: COUNT(user_id, unit) where SUM(completed credits) - SUM(completed debits) differs from the latest balance_after	Wallet_Transactions	Table of exceptions with status colour	Date range, transaction_type, unit, source_feature	rule_id, unit	Current snapshot	Daily	Do wallet balances agree with the ledger?	Whether to hold reports and escalate

Dashboard 6: Withdrawals

Audience: Operations, Finance. **Purpose:** Show how withdrawal requests move through the lifecycle, how long they take and where they stall. **Sections:** requests, status, processing duration, payout methods, trends.




Dashboard 6: Withdrawals - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
6.1 Withdrawal requests	Withdrawal Requests	Withdrawal Requests: COUNT(withdrawal_id) where requested_at is in the period	Withdrawals	Line chart	Date range, method, status, requested_unit, reason_category	method	Last 30 days, selectable; previous period shown for comparison	Daily	How many withdrawals are requested?	Operations workload planning
6.2 Withdrawal status	Completed Withdrawals; Pending Withdrawals; Rejected Withdrawals; Reversed Withdrawals	Completed Withdrawals: COUNT(withdrawal_id) where status = completed and final_at is in the period | Pending Withdrawals: COUNT(withdrawal_id) where status is requested or processing | Rejected Withdrawals: COUNT(withdrawal_id) where status = rejected and final_at is in the period | Reversed Withdrawals: COUNT(withdrawal_id) where status = reversed and reversed_at is in the period	Withdrawals	Stacked bar by status	Date range, method, status, requested_unit, reason_category	status, method	Last 30 days, selectable; previous period shown for comparison	Daily	Where do requests end up?	Whether review is keeping pace
6.3 Processing duration	Processing Time	Shown with pending queue age	Withdrawals	Median and 90th percentile lines	Date range, method, status, requested_unit, reason_category	method	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	How long do requests take?	Whether processing needs attention
6.4 Pending queue	Pending Withdrawals; Pending Queue Age	Pending Withdrawals: COUNT(withdrawal_id) where status is requested or processing | Pending Queue Age: Median and maximum of (now - requested_at) for pending requests	Withdrawals	KPI tiles plus age histogram	Date range, method, status, requested_unit, reason_category	method	Current snapshot	Daily	How many requests are waiting and for how long?	Whether to escalate stuck requests
6.5 Payout methods	Withdrawal Method Distribution	Withdrawal Method Distribution: COUNT(withdrawal_id) grouped by method / total COUNT	Withdrawals	Bar chart	Date range, method, status, requested_unit, reason_category	method	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Which methods do users choose?	Whether method availability needs attention
6.6 Completion rate	Withdrawal Completion Rate	Pending share always shown beside the rate	Withdrawals	Line chart with pending share	Date range, method, status, requested_unit, reason_category	method	Last 30 days, selectable; previous period shown for comparison	Daily refresh (weekly measure)	Do requests reach completion?	Whether to look at rejections and delays
6.7 Withdrawal volume	Withdrawal Volume	Amounts per unit only	Withdrawals	Line chart per unit	Date range, method, status, requested_unit, reason_category	requested_unit	Last 30 days, selectable; previous period shown for comparison	Daily	How much is requested and paid?	Volume review
6.8 Rejection reasons	Rejected Withdrawals	Rejected Withdrawals: COUNT(withdrawal_id) where status = rejected and final_at is in the period	Withdrawals	Horizontal bar	Date range, method, status, requested_unit, reason_category	reason_category, method	Last 30 days, selectable; previous period shown for comparison	Daily	Why are requests rejected?	Which rejection causes to address

Dashboard 7: Referrals

Audience: Product, Marketing. **Purpose:** Show whether referrals become real, active users, keeping registration separate from conversion. **Sections:** referral creation, registrations, activations, conversion.



Dashboard 7: Referrals - visual specifications

ID / Visual	Metric	Calculation	Source	Visualization	Filters	Dimensions	Date range	Refresh	Business question	Decision supported
7.1 Referral creation	Referrals Created	Referrals Created: COUNT(referral_id) by created_at	Referrals	Line chart	Date range, source_channel, platform, registration_source	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	How many referrals are created?	Whether the programme is being used
7.2 Referral registrations	Referral Registrations	Registration is shown as its own step, not as success	Referrals	Line chart	Date range, source_channel, platform, registration_source	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	How many invited people register?	Whether invitations lead to sign-ups
7.3 Referral activations	Referral Activations; Referral Activation Rate	Referral Activations: COUNT(referral_id) where activated_at is in the period | Referral Activation Rate: Activated / registered, for referrals registered in the period	Referrals	Line chart	Date range, source_channel, platform, registration_source	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	How many registered referrals become active?	Whether the activation step needs review
7.4 Referral conversions	Referral Conversions; Referral Conversion Rate	Open referrals shown beside the rate	Referrals	Line chart	Date range, source_channel, platform, registration_source	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	How many referrals are successful?	Whether the programme delivers
7.5 Referral funnel	Referrals Created; Referral Registrations; Referral Activations; Referral Conversions	Referrals Created: COUNT(referral_id) by created_at | Referral Registrations: COUNT(referral_id) where registered_at is in the period | Referral Activations: COUNT(referral_id) where activated_at is in the period | Referral Conversions: COUNT(referral_id) where converted_at is in the period	Referrals	Funnel	Date range, source_channel, platform, registration_source	source_channel	Last 30 days, selectable; previous period shown for comparison	Daily	Where do referrals drop?	Which step to examine
7.6 Referral cohorts	Referral Conversion Rate	Referral Conversion Rate: Converted / created, for referrals created in the period	Referrals	Table by creation week	Date range, source_channel, platform, registration_source	created week, source_channel	Referral creation cohorts by week	Daily refresh (weekly measure)	Do older referrals mature into conversions?	Whether recent rates will rise as referrals mature

4. Open questions

- Which BI tool will be used? This blueprint is tool-neutral and works in a spreadsheet-based or open-source tool at first.
- Which KPIs marked To Be Verified should be hidden until their definitions are confirmed?
- Is country-level geography available at registration (A045)?
- At what time of day should the daily refresh run, and in which timezone (A012)?
- Who may see row-level data? (Work Package P)

Next: Work Package N - Developer Analytics Handoff, a critical deliverable.