

Lab 2: Agile Backlog Creation & Sprint Simulation in Jira

Name: Nakka Gopya

SRN: PES1UG24AM107

Section: B

Problem Statement #13: Patient Health Record Consent Management System

Jira Space: Patient Consent System (key PCS), company-managed Scrum

Backlog Summary

Epic	Story	Priority	Pts	Sprint
Epic 1: Time-Bound Consent Control	1.1 Grant Time-Bound Access (PCS-5)	High	5	1
	1.2 Custom Expiry Duration (PCS-6)	Low	3	2
	1.3 Auto-Revoke on Expiry (PCS-7)	High	8	1
	1.4 Revoke Access Anytime (PCS-8)	High	3	1
Epic 2: Access Requests & Notifications	2.1 Submit Access Request with Reason (PCS-9)	Medium	5	1
	2.2 Reject Request Without Reason (PCS-10)	Medium	2	2
	2.3 Expiry Reminder Notification (PCS-11)	Medium	5	2
Epic 3: Audit Trail & Transparency	3.1 View Audit Trail (PCS-12)	High	5	2
	3.2 Filter Audit Trail by Date (PCS-13)	Medium	3	2
	3.3 Append-Only Audit Logging (PCS-14)	High	8	1
Epic 4: Security & Identity Assurance	4.1 User Authentication (PCS-15)	High	5	1
	4.2 Encrypt Records at Rest and in Transit (PCS-16)	High	8	2
	4.3 Session Timeout (PCS-17)	Medium	3	3
	4.4 Password Reset (PCS-18)	Medium	5	3
	4.5 Role-Based Access (PCS-19)	High	5	3
	4.6 Security Alerts (PCS-20)	High	8	3

Sprint plan: Sprint 1 = 34 pts, Sprint 2 = 26 pts, Sprint 3 = 21 pts (1-week sprints, simulated). All Epics reached 100% complete. Epic totals: Epic 1 = 19, Epic 2 = 12, Epic 3 = 16, Epic 4 = 34 points.

1. Jira Backlog with Epics and User Stories

Backlog view (all 12 stories linked to their Epics, with priorities)

The screenshot shows the Jira Backlog view for the 'Patient Consent System' space. The 'PCS board' is selected, and the 'Backlog' tab is active. The backlog contains 12 stories, each linked to an epic. The stories are listed in a table with columns for story ID, story title, epic name, status, and priority.

Story ID	Story Title	Epic Name	Status	Priority
PCS-7	Story 1.3: Auto-Revoke on Expiry	Epic 1: Time-Bound Consent Control	To Do	High
PCS-8	Story 1.4: Revoke Access Anytime	Epic 1: Time-Bound Consent Control	To Do	High
PCS-9	Story 2.1: Submit Access Request with Reason	Epic 2: Access Request Management	To Do	High
PCS-10	Story 2.2: Reject Request Without Reason	Epic 2: Access Request Management	To Do	High
PCS-11	Story 2.3: Expiry Reminder Notification	Epic 2: Access Request Management	To Do	High
PCS-12	Story 3.1: View Audit Trail	Epic 3: Audit Trail Management	To Do	High
PCS-13	Story 3.2: Filter Audit Trail by Date	Epic 3: Audit Trail Management	To Do	High
PCS-14	Story 3.3: Append-Only Audit Logging	Epic 3: Audit Trail Management	To Do	High
PCS-15	Story 4.1: User Authentication	Epic 4: User Authentication	To Do	High
PCS-16	Story 4.2: Encrypt Records at Rest and in Transit	Epic 4: User Authentication	To Do	High

Epic 1: Time-Bound Consent Control (PCS-1)

The screenshot shows the Jira Epic view for 'Epic 1: Time-Bound Consent Control'. The epic is described as 'Enables patients to grant, customize, auto-expire and revoke time-bound access to their health records for verified clinic doctors.' The epic is linked to 4 child work items (stories) which are listed in a table.

Description: Enables patients to grant, customize, auto-expire and revoke time-bound access to their health records for verified clinic doctors.

Attachments:

Child work items:

Work	Pri...	Stor...	As...	Status
PCS-8 Story 1.4: Revoke Access Anytime	H.	3	U	Done
PCS-5 Story 1.1: Grant Time-Bound Access	H.	5	U	Done
PCS-7 Story 1.3: Auto-Revoke on Expiry	H.	8	U	Done
PCS-6 Story 1.2: Custom Expiry Duration	L.	3	U	Done

Epic 2: Access Requests & Notifications (PCS-2)

The screenshot displays the Jira interface for Epic 2: Access Requests & Notifications (PCS-2). The main content area shows the epic's description, attachments, and child work items. The right sidebar contains details such as assignee, reporter, and labels.

Epic 2: Access Requests & Notifications

Description
Lets clinic doctors request access with a reason and notifies patients before consent expires.

Attachments

Child work items 100% Done

Work	Pri...	Stor...	As...	Status
PCS-9 Story 2.1: Submit Access Request with Reason	M	5	U	Done
PCS-10 Story 2.2: Reject Request Without Reason	M	2	U	Done
PCS-11 Story 2.3: Expiry Reminder Notification	M	5	U	Done

Linked work items

Details

- Assignee: Unassigned
- Assign to me
- Reporter: Gopya Nakka
- Labels: Add labels
- Due date: Add due date
- Start date: Add date
- Priority

Epic 3: Audit Trail & Transparency (PCS-3)

The screenshot displays the Jira interface for Epic 3: Audit Trail & Transparency (PCS-3). The main content area shows the epic's description, attachments, and child work items. The right sidebar contains details such as assignee, reporter, and labels.

Epic 3: Audit Trail & Transparency

Description
Gives patients and administrators a complete, tamper-evident history of all consent events.

Attachments

Child work items 100% Done

Work	Pri...	Stor...	As...	Status
PCS-14 Story 3.3: Append-Only Audit Logging	H	8	U	Done
PCS-12 Story 3.1: View Audit Trail	H	5	U	Done
PCS-13 Story 3.2: Filter Audit Trail by Date	M	3	U	Done

Details

- Assignee: Unassigned
- Assign to me
- Reporter: Gopya Nakka
- Labels: Add labels
- Due date: Add due date
- Start date: Add date

Epic 4: Security & Identity Assurance (PCS-4)

For you

Recent

Starred

Apps

Plans

Spaces

Starred

(Example) Billing Sy...

Recent

Patient Con...

Recent

PCS board

My Software Team

More spaces

Recommended

Create a roadmap

Filters

Dashboards

Spaces / Patient Consent Syst... / PCS-4

Epic 4: Security & Identity Assurance

Description

Protects patient data through secure authentication and encryption at rest and in transit.

Attachments

Child work items

100% Done

Work	Pri...	Stor...	As...	Status
☒ PCS-15 Story 4.1: User Authentication	H.	5	U	Done
☒ PCS-16 Story 4.2: Encrypt Records at Rest and in Transit	H.	8	U	Done

Linked work items

Add linked work item

See plans

1

To Do

Improve Epic

Details

Assignee

Unassigned

Assign to me

Reporter

GNY Gopya Nakka

Labels

Add labels

Due date

Add due date

Start date

Add date

2. Story Point Assignments

Story points (Fibonacci scale) assigned before starting the sprints

The screenshot shows a Jira board titled "PCS board" with a backlog of 16 stories. The stories are grouped into four epics: Epic 1 (Time-Bound Access), Epic 2 (Access Request), Epic 3 (Audit Trail), and Epic 4 (Security & Alerts). Each story has a checkbox, a key (e.g., PCS-5), a description, an epic link, a status (To Do), and a story point value (5, 3, 8, or 2). The stories are sorted by their story points in descending order.

Key	Description	Epic	Status	Story Points
PCS-5	Story 1.1: Grant Time-Bound Access	Epic 1: Time-Bound Access	To Do	5
PCS-6	Story 1.2: Custom Expiry Duration	Epic 1: Time-Bound Access	To Do	3
PCS-7	Story 1.3: Auto-Revoke on Expiry	Epic 1: Time-Bound Access	To Do	8
PCS-8	Story 1.4: Revoke Access Anytime	Epic 1: Time-Bound Access	To Do	3
PCS-9	Story 2.1: Submit Access Request with Reason	Epic 2: Access Request	To Do	5
PCS-10	Story 2.2: Reject Request Without Reason	Epic 2: Access Request	To Do	2
PCS-11	Story 2.3: Expiry Reminder Notification	Epic 2: Access Request	To Do	5
PCS-12	Story 3.1: View Audit Trail	Epic 3: Audit Trail	To Do	5
PCS-13	Story 3.2: Filter Audit Trail by Date	Epic 3: Audit Trail	To Do	3
PCS-14	Story 3.3: Append-Only Audit Logging	Epic 3: Audit Trail	To Do	8
PCS-15	Story 4.1: User Authentication	Epic 4: Security & Alerts	To Do	5
PCS-16	Story 4.2: Encrypt Records at Rest and in Transit	Epic 4: Security & Alerts	To Do	8


Sprint 3 planning: four additional Epic 4 stories (21 points)

The screenshot shows the "PCS board" with the "Backlog" tab selected. A sidebar on the left displays the "Epic" details for "Identity Assurance" (PCS-4), showing 6 work items, 2 completed, and an estimate of 34 points. The main area shows "PCS Sprint 3" with 4 work items. The sprint summary shows 21 points, 0 completed, and 0 uncompleted. The four additional Epic 4 stories are listed below the sprint summary.

Key	Description	Epic	Status	Story Points
PCS-17	Story 4.3: Session Timeout	Epic 4: Security & Alerts	To Do	3
PCS-18	Story 4.4: Password Reset	Epic 4: Security & Alerts	To Do	5
PCS-19	Story 4.5: Role-Based Access Control	Epic 4: Security & Alerts	To Do	5
PCS-20	Story 4.6: Security Alerts	Epic 4: Security & Alerts	To Do	8

3. Sprint Board (Active Sprint View)


PCS Sprint 3 mid-sprint: stories across In Progress and Done



Stories PCS-17 and PCS-18 are In Progress; PCS-19 and PCS-20 are Done.

4. Burndown Chart

PCS Sprint 3 burndown (Story Points)



Guideline starts at 21 points. Remaining work drops in steps as stories are completed; the sprint's activity falls within minutes, so the red line looks near-vertical against the one-week axis.

PCS Sprint 3 burndown data table

For you

Recent

Starred

Apps

Plans

Spaces

Starred

(Example) Billing Sy...

Recent

Patient Con... + ...

Recent

PCS board

My Software Team

More spaces

Recommended

Create a roadmap Try

Filters

Dashboards

Spaces / Patient Consent System / PCS board / Reports

Burndown Chart

How to read this chart

Date	Issue	Event Type	Event Detail	Inc.	Dec.	Remaining
03/Oct/26 12:01 PM	PCS-17	Sprint start		3		
	PCS-18			5		
	PCS-19			5		
	PCS-20			8		
	Total					21
03/Oct/26 12:02 PM	PCS-19	Burndown	Issue completed		5	16
03/Oct/26 12:05 PM	PCS-20	Burndown	Issue completed		8	8
03/Oct/26 12:07 PM	PCS-17	Burndown	Issue completed		3	5
03/Oct/26 12:10 PM	PCS-18	Burndown	Issue completed		5	0
03/Oct/26 12:11 PM	PCS-17	Burndown	Issue reopened	3		3
	PCS-18	Burndown	Issue reopened	5		8
03/Oct/26 12:19 PM	PCS-17	Burndown	Issue completed		3	5
03/Oct/26 12:20 PM	PCS-18	Burndown	Issue completed		5	0

Show hidden icons

Sprint start 21 points; PCS-19 done (16 left); PCS-20 done (8 left); PCS-17 done (5 left); PCS-18 done (0 left); PCS-17 and PCS-18 reopened (8 left); both completed again, ending at 0 remaining.

5. Reflection Questions

1. Did your estimations reflect the actual effort?

Largely yes. Complex items such as Auto-Revoke on Expiry, Append-Only Audit Logging and Encrypting Records were given 8 points because of timing logic, tamper-evidence and cryptography uncertainty, while simple items such as Reject Request Without Reason got 2. Since the sprints were simulated, true effort could not be measured, but the relative sizing held up during planning.

2. Was your backlog well-prioritized?

Yes. Core features (granting and revoking consent, auto-expiry, audit logging and authentication) were rated High and scheduled first because the other features depend on them. Custom expiry and date filtering were Low/Medium since they enhance the core flow rather than enable it.

3. How did your simulated sprint align with your plan?

Sprints 1 and 2 were run and completed as planned (34 and 26 points), but their burndown charts showed zero values in Jira. To obtain a valid chart I ran Sprint 3 with four additional security stories (21 points), entering story points before starting. In Sprint 3 all stories were completed. Two stories (PCS-17 and PCS-18) were moved back to In Progress partway through so the board could be captured, then finished again, so the plan was met with a small amount of rework.

4. What insights did the burndown chart give about your team's capacity?

Sprint 3 burned down 21 points, with work finishing in steps (5, 8, 3 and 5 points) rather than steadily. The reopen event raised the remaining total from 0 to 8, showing how reopened work affects the forecast. Because progress was simulated within minutes, it is much faster than a real one-week sprint, so these figures are not a reliable estimate of real team velocity.