

# **PROJECT REPORT ON**

## **“Café Order Management System”**

*In partial fulfillment of VI<sup>th</sup>Semester*

*Of*

B.Sc. in Computer Application

**Submitted By**

**NAME:** Harsh Kumar

**Reg.No:** 206201900364

**NAME:** Ratan Raj

**Reg.No:** 206201900388

**NAME:** Siddharth Ranjan

**Reg.No:** 206201900378

**NAME:** Sumit Kumar

**Reg.No:** 206201900401



**DEPARTMENT OF COMPUTER APPLICATIONS**

**PATNA SCIENCE COLLEGE**

**PATNA UNIVERSITY, PATNA**

**2019-2022**

**DEPARTMENT OF COMPUTER APPLICATIONS  
PATNA SCIENCE COLLEGE  
PATNA UNIVERSITY, PATNA**



**BONAFIDE CERTIFICATE**

This isto certify that the project report entitled "**CaféOrder Management System**" is a bonafide record of theproject work done by **SUMIT KUMAR, SIDDHARTH RANJAN,RATAN RAJand HARSH KUMAR** in the partialfulfillment of therequirements for the **VI<sup>th</sup>** Semester B.SC.INCOMPUTER APPLICATION Degree at Department of Computer Application,Patna Science College, Patna.

**Internal Examiner Head of the Department**

Department of Computer Applications  
PSC

Department of Computer Applications

## DECLARATION

I hereby declare that the project entitled “Café Order Management System” is submitted in the partial fulfillment of the requirements for the VI<sup>th</sup> Semester Bachelor of Computer Applications and it is a report of the original work done by us in the Department of Computer Applications, Patna Science College, Patna.

Place: Patna

Date: \_\_\_\_\_

Name: Harsh Kumar

Reg No: 206201900364

Name: Ratan Raj

Reg No: 206201900388

Name: Siddharth Ranjan

Reg No: 206201900378

Name: Sumit Kumar

Reg No: 206201900401

## ACKNOWLEDGEMENT

We are glad to present our project report entitled “CAFÉ ORDER MANAGEMENT SYSTEM” which is made as a part of oursixth semester BCA course. First, we owe gratitude to God for showering abundant blessings on us to successfully complete this project.

With immense pleasure and satisfaction, we would like to thank our project guide Mr. Shubham Raj, Professor, Department of Computer Applications, Patna Science College, Patna Universityforhis timely support and guidance throughout the journey of the Project.

Date: \_\_\_\_\_

Name: Harsh Kumar

Reg No: 206201900364

Name: Ratan Raj

Reg No: 206201900388

Name:SiddharthRanjan

Reg No: 206201900378

Name:SumitKumar

Reg No: 206201900401

## ABSTRACT

CAFÉ ORDER MANAGEMENT SYSTEM is a website designed primarily for ordering snacks and drinks online. This system will allow users to place order without going to cash desk (counter). The system also allows to quickly and easily manage an online menu which customers can Browse and use to place orders with just few clicks. Restaurant employees then can use the system to accept or reject placed orders these orders through an easy interface for efficient processing. User can track order by the number provided by system.

# TABLE OF CONTENT

## Documentation Enclosures

i.	Bonafide certificate .....	i
ii.	Guide'sBiodata .....	ii
iii.	Declaration .....	iii
iv.	Acknowledgement .....	iv
v.	Abstract .....	v

## Synopsis

1.	Title of the project .....	2
2.	Introduction .....	3-4
3.	Objective of the project .....	5-6
4.	Module Analysis .....	7
5.	Category of the project .....	8
6.	Tools platform language used .....	9-10
7.	Hardware and software requirements .....	11-12
8.	Software Engineering paradigm used .....	13
9.	Data dictionary .....	14-15
10.	System Design .....	16-24
	10.1 Use Case Diagram	
	10.2 Use Case Description	
	10.3 Data Flow Diagram	
	10.4 Flow Chart	
	10.5 Program Structure	
	10.6 E-R Diagram	
11.	Limitation of the project .....	25
12.	Future scope and enhancement .....	26

## Project Description

1. Project Introduction .....	2-3
2. Objective of the project .....	4-5
3. Software engineering paradigm used .....	6
4. System Analysis and Design .....	7-12
a. Identification of the need	
b. Feasibility study	
c. Process logic	
d. Data flow diagram	
e. Flowcharts	
f. Program structure	
5. Database implementation .....	13-17
a. Data Dictionary	
b. ER Diagram	
6. Project look (Snapshots) .....	18-29
7. Project coding .....	30-138
a. Code listing	
b. Timeline chart	
8. Testing .....	139
9. Conclusion .....	140
10. Limitation of the project .....	141
11. Future scope and enhancement .....	142

## Bibliography

# SYNOPSIS

## 1.TITLE OF THE PROJECT

# **CAFÉ ORDER MANAGEMENT SYSTEM**

This is a concept project that has been developed to fulfill the requirements of Order-Menu management system of most Cafés. It accomplishes the process of Café order management system such as availing menu to customer, placing order, updating customer on email, etc. for customers, and taking order, managing menu, generating bill etc. for the manager.

Live Demo: <http://cafesunrise.byethost9.com/>

Download : <https://bit.ly/3uxfp1/>



## 2. INTRODUCTION

This is a concept project developed for managing café. And the functions and operations of café are related to following things such as taking order, managing order requests, generating bill etc.

Most of the manually operated cafés encounter problems are as follows: -

- *Requires tedious work of noting down order details.*
- *Inconvenient to give update on order to customers.*
- *Making report is inefficient.*
- *Creates confusion in identifying right customer.*
- *Lack of integrity of data.*

This project will increase the efficiency of any manually operated café by substantial extent. Means, any café after applying this project, will move onto computerized system and easily override all the problems which are discussed above. After the use of this project following changes can be seen: -

- *Taking order gets automated.*
- *The customer will be updated for every progress in his order.*
- *Making report is just few clicks away.*

- *Customer can be identified by the order id he gets on ordering.*

### 3. OBJECTIVE OF THE PROJECT

The main objective of this project is to reduce the drawback of manager in the existing system by converting the manual system into computerized system and to increase efficiency.

#### **Drawback In Existing System: -**

- *Less processing speeds*
- *Slow retrieval of information*
- *Lack of accuracy and consistency*
- *Confusion over right customer-order matching*  
*And so on.*

This software provides advance structure café which is as follows: -

- Improved operating speed – after running this project, the average processing speed of taking orders have raised.
- Less Confusion – In non-computerized system, the right customer to order combination is to be remembered by someone, which sometime creates confusion. In this project, every customer will be given a unique order id by which his order can be matched correctly.
- Reduce cost – Since all the records are maintained digitally in computer. So, a lot of cost will be saved.
- More clarity – In manual system, it can be annoying for the manager to keep updating impatient customers

about their order status. By using this project, the customer will get updated over email, moreover, he can check the status on the site itself.

- Increased volume – Using digital database will increase the storage capacity maintaining integrity of data in comparison with a notebook.
- Secure access – Using this project, the access of taking and delivering orders is restricted to the assigned admin. Further, he can grant and revoke access to other staffs.
- Increased business – This project help produce financial report for and interval of time. Using which, the manager can act on improvement.

Thus, this project will enhance the present working module and gives a lot of advantages.

## 4. MODULE ANALYSIS

- **Order Module:** Customers can view and add food items to the cart. Further, they can place the order.
- **Display Module:** It shows the full list of accepted and rejected orders.
- **Login Module:** Administrators can login to the site to gain access and operate the orders received and for many more activities.
- **Order Management Module:** Logged in admins and managers can carry out order related tasks, such as, accepting/rejecting order, marking it '*prepared*' and '*delivered*'.
- **Menu Management Module:** Admins may modify the menu by exercising menu related options given to them. It includes adding new item and removing item.
- **Admin Management Module:** Logged in admins can manage and control the access given to other admins. They can also assign new admins.
- **Report Module:** It facilitates the admin to make summarized report of the business done in certain interval of time.
- **Feedback Redressal Module:** Admin can view the feedback submitted by the users.
- **Site Settings Module:** This module gives right to the admins to modify appearance and content present on the site.

## 5. CATEGORY OF THE PROJECT

This project comes under the category of “Web Development.” Because this project provides web-based solution through which the orders are taken. This website contains all the itineraries from which the customer decides to order.

## 6.TOOLS, PLATFORM, LANGUAGES USED

**Web Development Stack** : WAMP

**Operating System** : MS Windows 11

**Application** : WampServer x64 3.2.6

### **External Packages :**

MS VC++ Redistributable (2008,10,12,13,15-22 x64 & x86)

PHPMailer v5.2: [github.com/PHPMailer/PHPMailer](https://github.com/PHPMailer/PHPMailer)

**Web Server** : Apache 2.4.51

**Database** : MySQL 8.0.27

**Browser** : MS Edge 105.0.x.x

**DB Interface** : PhpMyAdmin 5.1.1

**SMTP Provider** : smtp.gmail.com

**Hosting** : byethost.com

**Domain** : byethost.com

<b>Front End</b>	: HTML, CSS
<b>Backed</b>	: PHP 7.4.26
<b>Script</b>	: JavaScript
<b>Mockup</b>	: Balsamiq Wireframe 4.5.5
<b>Design</b>	: MS PowerPoint 2021
<b>Graphic design</b>	: MS Paint, MS Photos
<b>Text Editor</b>	: Sublime Text 3, MS Notepad
<b>Documentation</b>	: MS Word 2021

## 7.HARDWARE AND SOFTWARE REQUIREMENTS

### **For Server (Web Host):**

#### **Minimum Hardware Requirement:**

Processor : 1 gigahertz (GHz) or faster processor  
RAM : 2 GB or more  
Disk : 32 GB or more  
Display : 1024x768 or larger  
Internet : Stable 4G LTE internet connection  
Input : Standard Keyboard+Mouse/ Touch Pad

#### **Minimum Software Requirement:**

OS : Windows 10 x64 or Windows 11  
Server : (WampServer installed Configured & Running)  
Packages : MS VC++ Redistributable (2008,10,12, 13,15-22 x64 & x86)  
PHPMailer v5.2 : [github.com/PHPMailer/PHPMailer](https://github.com/PHPMailer/PHPMailer)  
Web Browser : Any JavaScript enabled Web Browser

#### **If Server is on Internet:**

Hosting : Any available shared hosting with php and MySQL

### **For Admins(Managers):**

Any PC/ Laptop/ Tablet with wide enough screen, active stable 4G LTE internet connection and JavaScript enabled Web Browser and Standard Printer

### **For Users(Customers):**


Any Mobile/Tablet/Laptop with active stable 4G LTE internet connection and JavaScript enabled Web Browser with operational email account.

### **For Display Board:**

A large size smart TV with active stable 4G LTE internet connection and JavaScript enabled Web Browser.

## 8. SOFTWARE ENGINEERING PARADIGM USED

### Waterfall Model



## 9. DATA DICTIONARY

The data dictionary of the project is as follows:

Table name: ***admin***

Column	Type	Null	Default	Comments
a_id (Primary)	int(11)			
a_name	varchar(35)			
a_addr	varchar(100)			
a_email	varchar(35)			
a_pass	varchar(15)			

Table name: ***contact***

Column	Type	Null	Default	Comments
csmgid (Primary)	int(11)	No		
cname	varchar(30)	No		
oid	int(11)	Yes	Null	
ctime	datetime	No	CURRENT_TIMESTAMP	
cmsg	text	No		
status	varchar(20)	No	unread	
cemail	varchar(25)	No		

Table Name: ***menu***

Column	Type	Null	Default	Comments
pid (Primary)	int(11)	No		
pname	varchar(25)	No		
pdesc	varchar(50)	No		
price	int(11)	No		
pcarg	varchar(20)	No		
xppic	blob	No		

**Table Name:*orders***

<b>Column</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Comments</b>
oid (Primary)	int(11)	No		
cname	varchar(40)	No		
cemail	varchar(30)	No		
odesc	varchar(500)	No		
total	int(11)	No		
otime	datetime	No		
ostatus	varchar(20)	No	Pending	
oresptime	datetime	No		
oreadytime	datetime	No		
odeltime	datetime	No		

**Table Name:*settings***

<b>Column</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Comments</b>
dispname	varchar(50)	No		
displogo	blob	No		
welcometext	text	No		
abouttext	text	No		
menutext	text	No		

## 10.SYSTEM DESIGN

- 10.1 USE CASE DIAGRAM
- 10.2 USE CASE DESCRIPTION
- 10.3 DATA FLOW DIAGRAM
- 10.4 FLOW CHART
- 10.5 PROGRAM STRUCTURE
- 10.6 E-R DIAGRAM

### 10.1 USE CASE DIAGRAM





Fig. 1: Use Case Diagram



## 10.2 USE CASE DESCRIPTION

- User can view cafe details.
- User can view menu and add items into cart.
- User can Login using Name and Email id.
- User can place order.
- Admin can Accept or Reject orders.
- Admin can manage Menu, Accounts, site details
- User can give Feedback.
- Admin can manage and reply to feedbacks.


## 10.3 Data Flow Diagram

### 0 Level DFD





1 Level DFD


## 10.4 Flow Chart





## 10.5 PROGRAM STRUCTURE



## 10.6 E-R DIAGRAM







## 11. LIMITATION OF THE PROJECT

**Limitations of this project are:**

- It requires a stable internet connection from both admin and the customer.
- To operate on this project, administrator needs to be given a short training.
- It requires a device with uninterrupted power supply.
- In case of technical glitch, it can become ineffectual.
- Customers without operational email account cannot place order.

## 12. Future Scope and Enhancement

### **Future Scopes:**

- It can be sold to the cafes still operating in conventional way of maintaining register and remembering right customer to order combination. It can act as aid to the growing businesses by taking care of tedious work of noting down the order history, generating bill, updating customers about their order status.
- This project can be worn different themes (modify its appearance) according to the customer's wish. It makes this project more scalable to a greater number of buyers.

### **Enhancement:**

- It can perform better with regular updates to the code. The regular updates can help rectify the bugs found over time.
- Use of JavaScript and DHTML may help make this project more dynamic, interactive and reliable.

# PROJECT DESCRIPTION

## 1.PROJECT INTRODUCTION

This is a concept project developed for managing café. And the functions and operations of café are related to following things such as taking order, managing order requests, generating bill etc.

Most of the manually operated cafés encounter problems are as follows: -

- *Requires tedious work of noting down order details.*
- *Inconvenient to give update on order to customers.*
- *Making report is inefficient.*
- *Creates confusion in identifying right customer.*
- *Lack of integrity of data.*

This project will increase the efficiency of any manually operated café by substantial extent. Means, any café after applying this project, will move onto computerized system and easily override all the problems which are discussed above. After the use of this project following changes can be seen: -

- *Taking order gets automated.*
- *The customer will be updated for every progress in his order.*
- *Making report is just few clicks away.*

- *Customer can be identified by the order id he gets on ordering.*

## 2. OBJECTIVE OF THE PROJECT

The main objective of this project is to reduce the drawback of manager in the existing system by converting the manual system into computerized system and to increase efficiency.

### **Drawback In Existing System: -**

- *Less processing speeds*
- *Slow retrieval of information*
- *Lack of accuracy and consistency*
- *Confusion over right customer-order matching*  
*And so on.*

This software provides advance structure café which is as follows: -

- Improved operating speed – after running this project, the average processing speed of taking orders have raised.
- Less Confusion – In non-computerized system, the right customer to order combination is to be remembered by someone, which sometime creates confusion. In this project, every customer will be given a unique order id by which his order can be matched correctly.
- Reduce cost – Since all the records are maintained digitally in computer. So, a lot of cost will be saved.
- More clarity – In manual system, it can be annoying for the manager to keep updating impatient customers


about their order status. By using this project, the customer will get updated over email, moreover, he can check the status on the site itself.

- Increased volume – Using digital database will increase the storage capacity maintaining integrity of data in comparison with a notebook.
- Secure access – Using this project, the access of taking and delivering orders is restricted to the assigned admin. Further, he can grant and revoke access to other staffs.
- Increased business – This project help produce financial report for and interval of time. Using which, the manager can act on improvement.

Thus, this project will enhance the present working module and gives a lot of advantages.

### 3.SOFTWARE ENGINEERING PARADIGM USED

#### **WATERFALL MODEL**



## 4.SOFTWARE ANALYSIS AND DESIGN

**a. Identification of the need:** This is a concept project developed for managing café. And the functions and operations of café are related to following things such as taking order, managing order requests, generating bill etc.

Most of the manually operated cafés encounter problems are as follows: -

- *Requires tedious work of noting down order details.*
- *Inconvenient to give update on order to customers.*
- *Making report is inefficient.*
- *Creates confusion in identifying right customer.*
- *Lack of integrity of data.*

**b. Feasibility Study:** To do a feasibility study, we must consider the following:

### **1. Technical Feasibility**

The availability of hardware & Software necessary for the creation of the system, as well- as the compatibility and maturity of the technology planned to be used, and the availability of the requisite technical staff to create the system, are all factors to consider.

### **2. Operational Feasibility**

Problems that may develop during operations are the focus of operation feasibility. There are two parts to this

problem to consider:

- What are the chances that the solution provided will not be used or will not work?
- What is the inclination of the management and end users towards the solution?

### 3. Economic Feasibility

The concept of economic feasibility is determining whether the potential benefit of fixing difficulties is worthwhile. Because member needs & alternative solutions have not been specified at this point, it is difficult to estimate the cost at this level.


### c. Process Logic:

- **Order Module:** Customers can view and add food items to the cart. Further, they can place the order.
- **Display Module:** It shows the full list of accepted and rejected orders.
- **Login Module:** Administrators can login to the site to gain access and operate the orders received and for many more activities.
- **Order Management Module:** Logged in admins and managers can carry out order related tasks, such as, accepting/rejecting order, marking it '*prepared*' and '*delivered*'.
- **Menu Management Module:** Admins may modify the menu by exercising menu related options given to them. It includes adding new item and removing item.



- **Admin Management Module:** Logged in admins can manage and control the access given to other admins. They can also assign new admins.
- **Report Module:** It facilitates the admin to make summarized report of the business done in certain interval of time.
- **Feedback Redressal Module:** Admin can view the feedback submitted by the users.
- **Site Settings Module:** This module gives right to the admins to modify appearance and content present on the site.

#### d. Data Flow Diagram:


0 Level DFD





# 1 Level DFD



## e. Flow Chart:



## f. Program Structure:



## 5.DATABASE IMPLEMENTATION

### 5.1 Data Dictionary:

The data dictionary of the project is as follows:

Table name: ***admin***

Column	Type	Null	Default	Comments
a_id (Primary)	int(11)			
a_name	varchar(35)			
a_addr	varchar(100)			
a_email	varchar(35)			
a_pass	varchar(15)			

Table name:***contact***

Column	Type	Null	Default	Comments
csmgid (Primary)	int(11)	No		
cname	varchar(30)	No		
oid	int(11)	Yes	Null	
ctime	datetime	No	CURRENT_TIMESTAMP	
cmsg	text	No		
status	varchar(20)	No	unread	
cemail	varchar(25)	No		

Table Name: ***menu***

Column	Type	Null	Default	Comments
pid (Primary)	int(11)	No		
pname	varchar(25)	No		
pdesc	varchar(50)	No		
price	int(11)	No		
pcarg	varchar(20)	No		
xppic	blob	No		


**Table Name:*orders***


<b>Column</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Comments</b>
oid (Primary)	int(11)	No		
cname	varchar(40)	No		
cemail	varchar(30)	No		
odesc	varchar(500)	No		
total	int(11)	No		
otime	datetime	No		
ostatus	varchar(20)	No	Pending	
oresptime	datetime	No		
oreadytime	datetime	No		
odeltime	datetime	No		


**Table Name:*settings***

<b>Column</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Comments</b>
dispname	varchar(50)	No		
displogo	blob	No		
welcometext	text	No		
abouttext	text	No		
menutext	text	No		

## 5.2 E-R Diagram:







## 6. Project Look




FIGURE 1 : HOME PAGE




FIGURE 2: ABOUT PAGE




FIGURE 3: POLICIES




FIGURE 4: DEVELOPERS

**Café Sunrise**  
Your daily happiness

Home | About | Menu | Cart | Track-Order

**Menu**

**SIGNATURES**

Picture	Name	Description	Price	Add
	Veggies Soup	Hot and Sour Soup mad with lots of veggies.	80	<a href="#">Add</a>
	Red Sauce Pasta	Pasta is mixed with veggies in tomato sauce.	120	<a href="#">Add</a>
	White Sauce Pasta	Pasta mixed with veggies in a milk base gravy.	150	<a href="#">Add</a>
	Tomato Soup	Tomato soup is a soup with tomatoes as the primary	80	<a href="#">Add</a>
	Veg Noodles	Veg Noodles are stir-fried noodles made with veggi	80	<a href="#">Add</a>

**SNACKS**

Picture	Name	Description	Price	Add

FIGURE 5: MENU PAGE 1

**COFFEE**

Picture	Name	Description	Price	Add
	Latte	Shot of espresso in steamed milk,topped with foam.	65	<a href="#">Add</a>
	Americano	Shot of espresso and filtered hot water.	60	<a href="#">Add</a>
	Frappe	A drink served with ice or frozen to a slushy cons	80	<a href="#">Add</a>
	Plain Coffee	Classic Nescafe	20	<a href="#">Add</a>
	Cappuccino	Shot of espresso topped with layer of foamed milk.	60	<a href="#">Add</a>

**CHAI**

Picture	Name	Description	Price	Add
	Masala Tea	Indian spiced tea made with whole spices.	15	<a href="#">Add</a>
	Ginger Tea	Spiced tea made with milk, ginger and cardamom.	20	<a href="#">Add</a>
	Mint Tea	Refreshing Indian style mint tea with milk.	25	<a href="#">Add</a>
	Herbal Tea	Herbs, ginger, cardamom and lemon grass.	30	<a href="#">Add</a>
	Iced Tea	Iced tea is a form of cold tea.	50	<a href="#">Add</a>

FIGURE 6: MENU PAGE 2




FIGURE 7: CART PAGE




FIGURE 8: TRACK ORDER

The screenshot shows a web browser window titled "Café Sunrise | Contact" with the URL "localhost/contact.php". The page features a wooden background with fresh herbs (parsley and rosemary) on the right. At the top is the Café Sunrise logo with the tagline "Your daily happiness". Below the logo is a navigation bar with links: Home, About, Menu, Cart, and Track-Order. A section titled "Contact" contains a message asking users to provide feedback via a contact form. The form includes fields for "Your Full Name" (Harsh kumar), "Your E-mail ID" (harshk707074@gmail.com), and "Your Order ID" (107). There is also a text area for "Write Your Message Below:" containing the text "your burger is too yummy.". A "Send Message" button is at the bottom of the form.

FIGURE 9: FEEDBACK FORM

The screenshot shows a web browser window titled "Café Sunrise | Admin Login" with the URL "localhost/login.php?msg=Logout%20Successful". The page has a similar wooden background and herb decoration as Figure 9. It features the Café Sunrise logo and navigation links. A "Admin Login" section contains fields for "Enter Email ID" (hellocafesunrise@gmail.com) and "Enter Password" (.....). A "Login" button is below these fields. A link "Forgot your password, don't worry! To retrieve your password [click here](#) →" is provided. At the bottom, there are links for "Admin", "Policies", and "Developer".

FIGURE 10: ADMIN LOGIN




FIGURE 11: RETRIEVE PASSWORD






FIGURE 12: DASHBOARD



**FIGURE 13: CHANGE PASSWORD**



**FIGURE 14: DISPLAY SETTINGS**

## Café Order Management System

The screenshot shows a web browser window titled "Café Sunrise | Messages" with the URL <https://cafesunrise.byethost9.com/messages.php>. The page has a header with the "Café Sunrise" logo and navigation links: Home, About, Menu, Cart, and Track-Order. A decorative background image of fresh herbs (rosemary and parsley) is visible on the right side. The main content area is divided into two sections: "Unread Messages" and "Read Messages".

**Unread Messages:**

#	From	Full Message Text	Mark as Read	Reply
19	Sumit Raj sumitkumar2957@gmail.com 2022-12-08 11:14:54	I love the taste of your pasta and soup.	<a href="#">Mark as read →</a>	<a href="#">Reply →</a>

**Read Messages:**

#	From	Full Message Text	Mark as unread	Reply
20	Harsh kumar harshk70707@gmail.com 2022-12-08 11:16:13	your coffee is too good , i am loving it.....	<a href="#">Mark as unread →</a>	<a href="#">Reply →</a>

FIGURE 15: FEEDBACK REDRESSAL

The screenshot shows a web browser window titled "Café Sunrise | Display Board" with the URL <https://cafesunrise.byethost9.com/display.php>. The page features the "Café Sunrise" logo at the top center. Below the logo is a section titled "Order Status Display Board". This section includes two tables: "Accepted Orders" and "Ready Orders".

**Accepted Orders:**

Order id : 5
--------------

**Ready Orders:**

Order id : 7
--------------

A message at the bottom left says "Waiting for cafesunrise.byethost9.com...". The right side of the page has a decorative background image of fresh herbs (rosemary and parsley).

FIGURE 16: DISPLAY BOARD

## Café Order Management System

**Reports**

Today Yesterday This Week Last Week This Month Last Month This Year All time  All time  Apply

#	Particulars (All Time)	Value
1	Orders Placed	5
2	Orders Delivered	2
3	Customer Served	2
4	Total Collection	920
5	Estimated Profit	92
6	Estimated Tax	4.6
7	Net Profit	87.4

[Reset Report →](#) [back to dashboard →](#) [Print Report →](#)

FIGURE 17: REPORT PAGE

**Cafe Sunrise**  
Your daily happiness

Home | About | Menu | Cart | Track-Order

**Admins**

**Add Admin**

Admin Name :	<input type="text"/>
Admin Email :	<input type="text"/> hellocafesunrise@gmail.com
Admin Address :	<input type="text"/>
Admin Password :	<input type="password"/> .....
Confirm Password :	<input type="password"/>
<input type="button" value="Add Admin"/>	

#	Name	Email	Address	Edit	X
1	Cafe Admin 1	hellocafesunrise@gmail.com	Patna-6	<a href="#">Edit</a>	<a href="#">X</a>

To go back to dashboard [click here →](#)

FIGURE 18: ADD / VIEW ADMIN(S)




FIGURE 19: EDIT ADMIN

#	Picture	Name	Description	Category	Price	Edit	X
33		Veggies Soup	Hot and Sour Soup mad with lots of veggies.	SIGNATURES	80	<a href="#">Edit</a>	<a href="#">X</a>
34		Red Sauce Pasta	Pasta is mixed with veggies in tomato sauce.	SIGNATURES	120	<a href="#">Edit</a>	<a href="#">X</a>

FIGURE 20: VIEW / ADD MENU ITEMS

## Café Order Management System

The screenshot shows a web browser window titled "Edit Menu" with the URL <https://cafesunrise.byethost9.com/editmenu.php?pid=33>. The page has a header with links to Home, About, Menu, Cart, and Track-Order. Below the header is a logo for "Cafe Sunrise". The main content area contains a form for editing a menu item. The form fields are:

Product ID:	33
Product Name :	Veggies Soup
Product Description :	Hot and Sour Soup mad with lots of veggies.
Product Category :	SIGNATURES
Product Price :	80
Product Picture :	<input type="button" value="Choose File"/> No file chosen 
<input type="button" value="Update Menu"/>	

FIGURE 21: EDIT MENU ITEM

The screenshot shows a web browser window titled "Orders" with the URL <https://cafesunrise.byethost9.com/orders.php>. The page has a header with links to Messages and Orders. The main content area is divided into three sections:

- New Orders:** A table showing an order for Siddharth ranjan with items Veggies Soup, Chocolate Pastry, and Plain Coffee. Actions: Accept → and Reject →.
- Accepted Orders:** A table showing an order for Santosh Singh with items Veggies Soup, Veg Noodles, Plain Coffee, and Mint Tea. Actions: Mark as ready →.
- Ready Orders:** A table showing an order for Sumit Raj with items Plain Coffee, Masala Tea, Mint Tea, Red Sauce Pasta, White Sauce Pasta, Veg Pakoda, and Americano. Actions: Mark as delivered → and generate bill →.

FIGURE 22: ORDER MANAGEMENT

The screenshot shows a web browser window for 'Café Sunrise' with the URL <https://cafesunrise.byethost9.com/generatebill.php?oid=7&cemail=sumitkumar2957@gmail.com>. The page displays an order invoice for item ID 7, placed on 2022-12-08 at 10:50:56 by Sumit Raj (sumitkumar2957@gmail.com). The summary table shows the following items and their costs:

Summary	Total
Plain Coffee : 1 X 20 = 20	
Masala Tea : 1 X 15 = 15	
Mint Tea : 1 X 25 = 25	
Red Sauce Pasta : 1 X 120 = 120	
White Sauce Pasta : 1 X 150 = 150	
Veg Pakoda : 1 X 30 = 30	
Americano : 1 X 60 = 60	
<b>420</b>	

The message 'Message has been sent' is displayed above the table. Below the table, a note says 'The above details has been sent on your email also.' At the bottom, there are three buttons: 'Back to orders →', 'Back To dashboard →', and 'Print/Save PDF →'. The footer contains links for 'Admin', 'Policies', and 'Developer'.

FIGURE 23: ORDER INVOICE

## 7. Project Coding

### a. Code Listing:

#### about.php

```

<?php include "cHeader.php";
    $sql = "Select * from settings";
    $res = mysqli_query($con, $sql);

    if($res){
        $row = mysqli_fetch_assoc($res);
        $abtxt = $row['abouttext'];
        $weletxt = $row['welcometext'];
    }
    else{
        die("Error fetching site about text : ".mysqli_error($con));
    }

?>
<p id="metadata">Cafe Sunrise | About</p>
<fieldset id="full">
    <legend id="welcome"> Welcome </legend>
    <p>
        <?php echo "$weletxt"; ?>
    </p>
</fieldset>
<fieldset id="full">
    <legend id="about"> About </legend>
    <p>
        <?php echo "$abtxt";?>
    </p>

```

```
</fieldset>
<?php include "cFooter.php"; ?>
```

## acceptOrder.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";
include "mailsend.php";

$oid=$_GET['oid'];
$cemail=$_GET['cemail'];

if($oid==""||$cemail==""){
$msg="Invalid accept order operation";
header("location:orders.php?msg=$msg");
}

$oid=stripcslashes($oid);
$oid = mysqli_real_escape_string($con, $oid);
```

```

$sql = "update orders set ostatus='accepted', oresptime=sysdate() where
oid = $oid";
$res = mysqli_query($con, $sql);
if($res) {
    $msg=" order id $oid accepted.";
sendemail($cemail,"Order accepted","Hello There,<br><br>Your".$msg);
header("location:orders.php?msg=$msg");
}
else{
die("Error accepting order: ".mysqli_error($con));
}

$con->close();
?>

```

## addAdmin.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";
$a_name=$_POST['a_name'];
$a_email=$_POST['a_email'];

```

```

$a_addr=$_POST['a_addr'];
$a_pass=$_POST['a_pass'];
$c_pass=$_POST['c_pass'];
$a_name=stripcslashes($a_name);
$a_email=stripcslashes($a_email);
$a_addr=stripcslashes($a_addr);
$a_pass=stripcslashes($a_pass);
$c_pass=stripcslashes($c_pass);

$a_name=mysqli_real_escape_string($con, $a_name);
$a_email=mysqli_real_escape_string($con, $a_email);
$a_addr=mysqli_real_escape_string($con, $a_addr);
$a_pass=mysqli_real_escape_string($con, $a_pass);
$c_pass=mysqli_real_escape_string($con, $c_pass);

if ($a_name=="" || $a_email==""||$a_addr=="" || 
$c_pass==""||$c_pass==""){
    $msg = "Invalid add admin operation";
    header("location:admins.php?msg=$msg");
    Exit;
}

if($a_pass != $c_pass){
    $msg = "Passwords for new admin don't mach!";
    header("location:admins.php?msg=$msg");
    Exit;
}

$sql="select * from admin where a_email='".$a_email."'";
$res = mysqli_query($con, $sql);

```

```
if($res){
    $count = mysqli_num_rows($res);
    if($count!=0){
        $msg = "Entered email already used";
        header("location:admins.php?msg=$msg");
    }
}
else{
    $sql="insert into admin (a_name,a_email,a_addr,a_pass) values
('$_a_name','$_a_email','$_a_addr', '$_a_pass');";
    $res = mysqli_query($con, $sql);
    if($res){
        $msg="New admin added successfully";
        header("location:admins.php?msg=$msg");
    }
}
else{
die("Error adding new admin: ".mysqli_error($con));
}
}
else{
die("Error validating existing admin email: ".mysqli_error($con));
}

$con->close();
?>
```

## addMenu.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";

$pname=$_POST['pname'];
$pdesc=$_POST['pdesc'];
$pcatg=$_POST['pcatg'];
$price=$_POST['price'];
$ppic=file_get_contents($_FILES['ppic'][["tmp_name"]]);

$pname=stripcslashes($pname);
$pdesc=stripcslashes($pdesc);
$pcatg=stripcslashes($pcatg);
$price=stripcslashes($price);

$pname=mysqli_real_escape_string($con, $pname);
$pdesc=mysqli_real_escape_string($con, $pdesc);
$pcatg=mysqli_real_escape_string($con, $pcatg);
```

```
$price=mysqli_real_escape_string($con, $price);
$ppic=mysqli_real_escape_string($con, $ppic);

if($pname==""||$pdesc==""||$pcatg==""||$price==""||$ppic==""){
    $msg="Invalid add menu item operation";
    header("location:mMenu.php?msg=$msg");
Exit;
}

$sql="insert into menu (pname,pdesc,pcatg,price,ppic)
values('$pname','$pdesc','$pcatg','$price','$ppic');";
$res = mysqli_query($con, $sql);

if($res){
    $msg="New Product in menu added successfully!";
    header("location:mMenu.php?msg=$msg");
Exit;
}

else{
die("Error adding into menu: ".mysqli_error($con));
}

$con->close();
?>
```

## addToCart.php

```
<?php  
  
session_start();  
  
$cart=isset($_SESSION['cart'])?$_SESSION['cart']:array();  
  
$pname=$_GET['pname'];  
$price=$_GET['price'];  
  
if($pname==""||$price==""){  
header("location: menu.php?msg=Invalid Add to cart operation");  
Exit;  
}  
  
$qty=isset($cart[$pname])?$cart[$pname]['qty']+1:1;  
  
$tot=$price*$qty;  
  
$cart[$pname]=array("pname"=>$pname, "price"=>$price, "qty"=>$qty,  
"tot"=>$tot);  
  
$_SESSION['cart']=$cart;  
  
header("location: menu.php?msg= $qty X $pname added to cart.");  
  
?>
```

## admins.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php include "cHeader.php"; ?>
<p id="metadata">Cafe Sunrise | Admins</p>
<fieldset class="full">
<legend> Admins </legend>
<?php $msg = "";
if(strpos($_SERVER['REQUEST_URI'],'msg'))
$msg = $_GET['msg'];
?>
<div id="popup" >
<?php echo $msg; ?>
</div>
<br>
<form action="addAdmin.php" method="post">
<fieldset>
<legend>Add Admin</legend><br>
<label>Admin Name :</label>
<input type="text" name="a_name" required><br><br>
<label>Admin Email :</label>
<input type="email" name="a_email" required><br><br>
```

```

<label>Admin Address :</label>
<input type="text" name="a_addr" required><br><br>
<label>Admin Password :</label>
<input type="Password" name="a_pass" required><br><br>
<label>Confirm Password :</label>
<input type="Password" name="c_pass" required><br><br>
<input type="submit" name="submit" value="Add Admin">
</fieldset>
</form>
<br>
<?php

$sql = "select * from admin;";
$res = mysqli_query($con, $sql);

if($res){
    echo "<br><table><tr><th> # </th><th> Name </th><th> Email
</th><th> Address </th><th> Edit </th><th> X </th></tr>";
foreach($res as $row){
    $a_id=$row['a_id'];
    $a_name=$row['a_name'];
    $a_email=$row['a_email'];
    $a_addr=$row['a_addr'];

    echo "<tr>
<td> $a_id</td>
<td> $a_name</td>
<td> $a_email</td>
<td> $a_addr</td>
<td><a href='editAdmin.php?a_id=$a_id'> Edit </a></td>

```

```

<td><a href='removeAdmin.php?a_id=$a_id'> X </a></td>
<tr>;
}
echo "</table><br>";
}

else{
die("Error fetching logo: ".mysqli_error($con));
}

?>
<hr>
<br>

To go back to dashboard <a href = "/dashboard.php"> click here
&#8594;</a><br><br>
</fieldset>

<?php include "cFooter.php"; ?>

```

## authenticate.php

```

<?php
    include "dbcon.php";
    session_start();

    $a_email=$_POST['a_email'];
    $a_pass=$_POST['a_pass'];

    $a_email = stripslashes($a_email);
    $a_pass = stripslashes($a_pass);
    $a_email = mysqli_real_escape_string($con, $a_email);

```

```

$a_pass = mysqli_real_escape_string($con, $a_pass);

if($a_email=="" || $a_pass==""){
    $msg="Invalid login operation";
    header("location:login.php?msg=$msg");
    Exit;
}

$sql = "Select * from admin where a_email='".$a_email' and
a_pass='".$a_pass."'";
$res = mysqli_query($con, $sql);
$count = mysqli_num_rows($res);
if($res){
if($count == 1){
    $_SESSION['a_email']=$a_email;
    header("location:dashboard.php");
}
else{
    $msg="Invalid email or password";
    header("location:login.php?msg=$msg");
}
else{
die("Error fetching admin details: ".mysqli_error($con));
}
$con->close();
?>

```

## cart.php

```
<?php include "cHeader.php"; ?>
```

```

<p id="metadata">Cafe Sunrise | Cart</p>
<fieldset id="full">
<?php $msg = "";
if(strpos($_SERVER['REQUEST_URI'],'msg'))
    $msg = $_GET['msg'];
?>
<div id="popup" >
<?php echo "$msg"; ?>
</div>
<legend > In Your Cart </legend>
<table>
<tr>
<th> Name </th>
<th> Price </th>
<th> Qty </th>
<th> Total</th>
<th colspan="3" > Manage </th>
</tr>
<?php
    $sum=0;
    if(!isset($_SESSION['cart']))
        echo "<tr><td colspan='5'>br>No items in
cart...<br><br></td></tr>";
    else
        foreach($_SESSION['cart'] as $rec){
            echo "<tr><td>".$rec['pname']."
</td><td>".$rec['price']."' </td><td>".$rec['qty']."' </td><td>".$rec['tot']."' 
</td>
<td><a href='/increaseItem.php?pname='".$rec['pname']."'> + </a></td>
<td><a href='/decreaseItem.php?pname='".$rec['pname']."'> - </a><td><a
href='/removeItem.php?pname='".$rec['pname']."'> x </a></td></tr>";
        }
    }
?>

```

```

$sum+=$rec['tot'];
}
echo "<tr><td colspan='3'> Grand Total </td><td > $sum
</td></tr>";
?>
</table>
</fieldset>
<fieldset>
<legend>Your Details</legend>
<form method="POST" action="placeOrder.php">
<label> Your Full Name :</label>
<input type="text" name="cname" placeholder="John Smith"
required><br><br>
<label> Your E-mail ID :</label>
<input type="email" name="cemail" placeholder="your@email.tld"
required><br><br>
<input type="hidden" id='total' name="total" value="<?php echo $sum; ?>">
<input type="submit" id='submit' name="submit" value="Place Order">
<script type="text/javascript">
    if(document.getElementById('total').value==0)
document.getElementById('submit').disabled=true;
</script>
</form>
</fieldset>
<?php include "cFooter.php"; ?>

```

## **cFooter.php**

```

</main>
<footer>
<hr>
<nav>

```

```

<li><a href="login.php"> Admin </a><span class="navdivider"> |</span></li>
<li><a href="policies.php"> Policies </a><span class="navdivider"> |</span></li>
<li><a href="developers.php"> Developer </a></li>
</nav>
</footer>
</div>
<script src="assets/scripts/functions.js"></script>
</body>
</html>
<?php $con->close(); ?>

```

## changePass.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
else
{$a_email=$_SESSION['a_email'];
?>

```

```
<?php include "cHeader.php"; ?>
```

```
<p id="metadata">Cafe Sunrise | change Password</p>
```

```

<fieldset id="full">
<legend>Change Password</legend>
<div id="popup">
<?php
    $msg="";
    if(strpos($_SERVER['REQUEST_URI'],'msg'))
        $msg = $_GET['msg'];
    echo $msg;
?>
</div><br><br>
<form action="changePassword.php" method="post">
<label>Enter Email ID :</label>
<input type="email" name="a_email" placeholder="your@email.tld"
required><br><br>
<label>Your Current Password :</label>
<input type="Password" name="a_pass" placeholder="*****"
required><br><br>
<label>Enter New Password :</label>
<input type="Password" name="n_pass" placeholder="*****"
required><br><br>
<label>Confirm new Password :</label>
<input type="Password" name="nc_pass" placeholder="*****"
required><br><br>
<input type="submit" name="submit" value="Change Password">
</form>
<hr>
<br>
    To go back to dashboard <a href = "dashboard.php"> click here
    &#8594;</a><br><br>
</fieldset>

```

```
<?php include "cFooter.php"; ?>
```

## changePassword.php

```
<?php
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}

include "dbcon.php";
include "mailsend.php";

$a_email=$_POST['a_email'];
$a_pass=$_POST['a_pass'];
$n_pass=$_POST['n_pass'];
$nc_pass=$_POST['nc_pass'];

$a_email = stripcllashes($a_email);
$a_pass = stripcllashes($a_pass);
$$n_pass = stripcllashes($n_pass);
$nc_pass = stripcllashes($nc_pass);

$a_email = mysqli_real_escape_string($con, $a_email);
$a_pass = mysqli_real_escape_string($con, $a_pass);
$n_pass = mysqli_real_escape_string($con, $n_pass);
```

```
$nc_pass = mysqli_real_escape_string($con, $nc_pass);

if($a_email=="" || $a_pass=="" || $n_pass=="" || $nc_pass==""){
    $msg="Invalid change password operation";
    header("location:changePass.php?msg=$msg");
}

Exit;

}

if($n_pass != $nc_pass){
    $msg="new passwords doesn't match";
    header("location:changePass.php?msg=$msg");
}

Exit;

}

if($a_email != $_SESSION['a_email']){
    $msg="Logged in admin can change <b>only his own</b> password";
    header("location:changePass.php?msg=$msg");
}

Exit;

}

$sql = "Select * from admin where a_email='".$a_email' and
a_pass='".$a_pass."'";
$res = mysqli_query($con, $sql);
$row = mysqli_fetch_array($res, MYSQLI_ASSOC);
$count = mysqli_num_rows($res);

if($res){
if($count == 1){
    $sql="update admin set a_pass='".$nc_pass' where
a_email='".$a_email."'";
    $res = mysqli_query($con, $sql);
    if($res){
```

```

$emailmsg="Hello There,<br><br>Your password for Cafe Sunrise
admin area was changed successfully.";

sendemail($a_email,"You password was changed",$emailmsg);

unset($_SESSION['a_email']);

$msg="Password changed successfull! Please Log in again";
header("location:login.php?msg=$msg");

}

else

die("Error updating admin password".mysqli_error($con));

}

else{

$msg="Invalid email or current password";
header("location:changePass.php?msg=$msg");

}

else{

die("Error fetching password details: ".mysqli_error($con));

}

$con->close();

?>

```

## cHeader.php

```

<?php include "dbcon.php";

session_start();

$sql = "Select * from settings";
$res = mysqli_query($con, $sql);

```

```
if($res){  
    $row = mysqli_fetch_assoc($res);  
    $logo = $row['displogo'];  
}  
else{  
    die("Error fetching logo: ".mysqli_error($con));  
}  
?>  
<!DOCTYPE html>  
<html>  
<head>  
<meta charset="utf-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<link rel="stylesheet" type="text/css" href="assets/styles/style.css">  
  
<link rel="apple-touch-icon" sizes="57x57" href="assets/images/icons/apple-icon-57x57.png">  
<link rel="apple-touch-icon" sizes="60x60" href="assets/images/icons/apple-icon-60x60.png">  
<link rel="apple-touch-icon" sizes="72x72" href="assets/images/icons/apple-icon-72x72.png">  
<link rel="apple-touch-icon" sizes="76x76" href="assets/images/icons/apple-icon-76x76.png">  
<link rel="apple-touch-icon" sizes="114x114" href="assets/images/icons/apple-icon-114x114.png">  
<link rel="apple-touch-icon" sizes="120x120" href="assets/images/icons/apple-icon-120x120.png">  
<link rel="apple-touch-icon" sizes="144x144" href="assets/images/icons/apple-icon-144x144.png">  
<link rel="apple-touch-icon" sizes="152x152" href="assets/images/icons/apple-icon-152x152.png">
```

```
<link rel="apple-touch-icon" sizes="180x180"
      href="assets/images/icons/apple-icon-180x180.png">
<link rel="icon" type="image/png" sizes="192x192"
      href="assets/images/icons/android-icon-192x192.png">
<link rel="icon" type="image/png" sizes="32x32"
      href="assets/images/icons/favicon-32x32.png">
<link rel="icon" type="image/png" sizes="96x96"
      href="assets/images/icons/favicon-96x96.png">
<link rel="icon" type="image/png" sizes="16x16"
      href="assets/images/icons/favicon-16x16.png">
<link rel="manifest" href="assets/images/icons/manifest.json">
<meta name="msapplication-TileColor" content="#ffffff">
<meta name="msapplication-TileImage" content="assets/images/icons/ms-
icon-144x144.png">
<meta name="theme-color" content="#ffffff">

<title> Cafe Sunrise </title>
</head>
<body>
<div id="container">
<header>
<a href="/">

</a>
<hr>
<nav>
<li><a href="/"> Home </a><span class="navdivider"> | </span></li>
<li><a href="about.php"> About </a><span class="navdivider"> | </span></li>
<li><a href="menu.php"> Menu </a><span class="navdivider"> | </span></li>
<li><a href="cart.php"> Cart </a><span class="navdivider"> | </span></li>
```

---

```
<li><a href="trackOrder.php"> Track-Order </a></li>
</nav>
<hr>
</header>
<main>
```

---

## contact.php

---

```
<?php include "cHeader.php";?>
<?php include "mailsend.php";?>
<p id="metadata">Cafe Sunrise | Contact</p>
<fieldset id="full">
<legend id="welcome"> Contact </legend>
<p>
```

Feel free to contact us using the contact form given below  
for any type of query, suggestion or grievances. We highly appreciate  
customers' feedback:

---

```
</p>
```

---

```
<?php
```

---

```
    $msg = "";
    if(isset($_POST['submit'])){
        $cname=$_POST['cname'];
        $cemail=$_POST['cemail'];
        $oid=$_POST['oid'];
        $cmsg=$_POST['cmsg'];
```

---

```
    $cname=stripcslashes($cname);
    $cemail=stripcslashes($cemail);
    $oid=stripcslashes($oid);
```

---

```

$cmsg=stripcslashes($cmsg);

$cname=mysqli_real_escape_string($con,$cname);
$cemail=mysqli_real_escape_string($con,$cemail);
$oid=mysqli_real_escape_string($con,$oid);
$cmsg=mysqli_real_escape_string($con,$cmsg);

$sql="insert into contact (cname,cemail,oid,cmsg)
values('$cname','$cemail',$oid,'$cmsg')";
if($oid == NULL)
{
    $sql="insert into contact (cname,cemail,cmsg)
values('$cname','$cemail','$cmsg')";

$res = mysqli_query($con, $sql);

if($res){
    $msg = "Message Sent Successfully! We'll get back to
you if applicable, please check your Email regularly for updates";
sendEmail($cemail, "We just received your
message!", $msg."<br><br><fieldset><legend>Your
message</legend><br><br>".$cmsg."<br><br></fieldset>");
sendEmail("hello@cafeSunrise@gmail.com", "$cname sent you a
message", $cmsg."<br><br>To write a reply to this message <a
href='mailto:$cemail'> click here &#8594; <br>");
}
else{
die("Error sending message: ".mysqli_error($con));
}
?>
<div id="popup">
<?php

```

```

echo "$msg";
?>
</div>
<fieldset>
<legend>Contact Form</legend>
<form method="POST" action="">
<label> Your Full Name :</label>
<input type="text" name="cname" placeholder="John Smith"
required><br><br>
<label> Your E-mail ID :</label>
<input type="email" name="cemail" placeholder="your@email.tld"
required><br><br>
<label> Your Order ID :</label>
<input type="number" name="oid" placeholder="107" ><br><br>
<label> Write Your Message Below :</label><br><br>
<textarea name="cmsg" rows="10" cols="35" placeholder="I would like to
know more about..." required></textarea><br><br>
<input type="submit" name="submit" value="Send Message">
</form>
</fieldset>
</fieldset>
<?php include "cFooter.php"; ?>

```

## dashboard.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){

```

```
header("location:login.php?msg=login to continue");
Exit;
}
else
    $a_email=$_SESSION['a_email'];
?>

<?php include "cHeader.php"; ?>

<?php

$sql="select a_name from admin where a_email='".$a_email."'";
$res = mysqli_query($con, $sql);

if($res){
    $row = mysqli_fetch_assoc($res);
    $a_name = $row['a_name'];
}

else{
die("Error fetching admin name: ".mysqli_error($con));
}

?>

<p id="metadata">Cafe Sunrise | Dashboard</p>
<fieldset class="full">
<legend> Welcome </legend>
<p>
<?php echo "Hello $a_name<br><br> Welcome back to Cafe Sunrise Admin
Area" ?>
```

```
</p>
</fieldset>
<div id="minidiv">
<fieldset class="half">
<legend> Manage Orders </legend>
<p>
    View new orders, accept or reject them, mark order as
    ready, generate bill for orders and mark order as delivered
</p>
<a href="orders.php"> Go here &#8594;</a>
</fieldset>
<fieldset class="half">
<legend> Manage Menu </legend>
<p>
    Add new items in menu or update details of an existing
    item or remove an item from menu, you can do all that here
</p>
<a href="mMenu.php"> Go here &#8594;</a>
</fieldset>
</div>
<div id="minidiv">
<fieldset class="half">
<legend> Manage Admins </legend>
<p>
    Add new admins, remove an admin or update details of an
    existing admin for admin area access of Cafe Sunrise
</p>
<a href="admins.php"> Go here &#8594;</a>
</fieldset>
<fieldset class="half">
```

---

<legend> View Reports </legend>

---

<p>

---

View detailed reports of sales, orders, collection,  
estimated income over a time interval like day, week, month etc

---

</p>

---

<a href="reports.php"> Go here &#8594;</a>

---

</fieldset>

---

</div>

---

<div id="minidiv">

---

<fieldset class="half">

---

<legend> Display Board </legend>

---

<p>

---

Display status of accepted and ready orders on separate  
display for convenience of customers waiting for their orders

---

</p>

---

<a href="display.php"> Go here &#8594;</a>

---

</fieldset>

---

<fieldset class="half">

---

<legend> Messages </legend>

---

<p>

---

View and reply messages sent via contact form regarding  
feedback, suggestions and query by the customers.

---

</p>

---

<a href="messages.php"> view &#8594;</a>

---

</fieldset>

---

</div>

---

<div id="minidiv">

---

<fieldset class="half">

---

<legend> settings </legend>

---

<p>

---

Change the contents of the website by changing logo,  
welcome text, about text and menu for a fresh look and feel

---

```

</p>
<a href="settings.php"> Go here &#8594;</a>
</fieldset>
<fieldset class="half">
<legend> Account </legend>
<p>
    you can manage your account here
</p>
<a href="changePass.php"> Change Password &#8594;</a><br>
<a href="logout.php"> Logout &#8594;</a>
</fieldset>
</div>

<?php include "cFooter.php"; ?>

```

---

## **dbcon.php**

```

<?php

$con=mysqli_connect('localhost','root','','cafesunrise');
if(!$con)
die("database not connected".mysqli_connect_error());
else
//echo "database connected";
//$/con->close();

?>

```

## decreaseItem.php

```

<?php
session_start();
$pname = $_GET['pname'];

if($pname=="" || !isset($_SESSION['cart'][$pname])){
header("location: cart.php?msg=Invalid decrease item operation");
exit;
}

if($_SESSION['cart'][$pname]['qty']==1){
header("location: removeItem.php?pname=$pname");
exit;
}
else
$_SESSION['cart'][$pname]['qty']--;

$_SESSION['cart'][$pname]['tot']=$_SESSION['cart'][$pname]['qty']*$_
SESSION['cart'][$pname]['price'];
header("location: cart.php?msg= $pname decreased");
?>

```

## delOrder.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){


```

```
header("location:login.php?msg=login to continue");
Exit;
}

?>
<?php
    include "dbcon.php";
    include "mailsend.php";

$oid=$_GET['oid'];
$cemail=$_GET['cemail'];

$oid=stripcslashes($oid);
$cemail=stripcslashes($cemail);

$oid=mysqli_real_escape_string($con,$oid);
$cemail=mysqli_real_escape_string($con,$cemail);

if($oid==""||$cemail==""){
    $msg=" invalid order delivery operation.";
    header("location:orders.php?msg=$msg");
}
Exit;

$sql = "update orders set ostatus='delivered', odftime=sysdate() where
oid = $oid";
$res = mysqli_query($con, $sql);

if($res){
    $msg=" order id $oid delivered.";
    sendamail($cemail,"Order delivered","Hello There,<br><br>Your".$msg);
```

```

    header("location:orders.php?msg=$msg");
}
else{
die("Error delivering order: ".mysqli_error($con));
}

$con->close();
?>

```

## developers.php

```

<?php include "cheader.php";?>
<p id="metadata">Cafe Sunrise | Developers</p>
<fieldset id="full">
<legend id="welcome"> Developers </legend>
<p>
<h5>Ratan Raj</h5>
<p>

```

Hello, I am front end developer. I have lead this project and I welcome you to this tasty journey.

```
</p>
<h5>Sumit Kumar</h5>
<p>
```

Hello, I am full stack developer and have pretty much done the same on this project. Also I am the guy behind the idea of this project 😊

Peace out 🤘

```
</p>
```

<h5>Harsh Kumar</h5>

---

<p>

Hi! I am UI designer. I like playing cricket and cooking. 🍚 I hope that you like what I have curated for you peeps. ❤️ ❤️

</p>

<h5>Siddharth Ranjan</h5>

<p>

Hola! I am software and web developer. I ❤️ binging web series and movies. I like talking to computer and that's what make me like coding the most. Meanwhile I have created multiple applications. You can check out my website too. Its <a href="https://siddharth-ranjan.github.io/website/">LIVEEEE</a>

</p>

</p>

</fieldset>

<?php include "cfooter.php"; ?>

---

## display.php

---

<?php include "cHeader.php";?>

---

<p id="metadata">Cafe Sunrise | Display Board</p>

<table>

<tr>

<th colspan="2"><br> Order Status Display Board <br><br></th>

</tr>

<tr>

<td><br>

<fieldset class="full">

<legend> Accepted Orders </legend>

---

```
<?php
    $sql= "Select oid from orders where
ostatus='accepted'";
    $res = mysqli_query($con, $sql);

    if($res){
        foreach($res as $row)
            echo "<br><strong><i>Order id :
".$row['oid']."'</i></strong><br><br>";
    }
    else{
        die("Error fetching accepted order: ".mysqli_error($con));
    }
?>
</fieldset><br><br>
</td>
<td><br>
<fieldset class="full">
<legend> Ready Orders </legend>
<?php
    $sql= "Select oid from orders where
ostatus='ready'";
    $res = mysqli_query($con, $sql);

    if($res){
        foreach($res as $row)
            echo "<br><strong><i>Order id :
".$row['oid']."'</i></strong><br><br>";
    }
    else{
```

```
die("Error fetching ready order: ".mysqli_error($con));
}
?>
</fieldset><br><br>
</td>
</tr>
</table>

<hr>

<?php include "cFooter.php"; ?>

<script type="text/javascript">
setTimeout(function () {
location.reload();
}, 5000);
document.getElementsByTagName('nav')[0].hidden=true;
document.getElementsByTagName('hr')[0].hidden=true;
document.getElementsByTagName('footer')[0].hidden=true;
</script>
```

## editAd.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
```

Exit;

}

?>

<?php

include "dbcon.php";

\$a\_id = \$\_GET['a\_id'];

\$a\_email=\$\_GET['a\_email'];

\$a\_addr=\$\_GET['a\_addr'];

\$a\_id=stripcslashes(\$a\_id);

\$a\_id=mysqli\_real\_escape\_string(\$con,\$a\_id);

\$a\_email=stripcslashes(\$a\_email);

\$a\_email=mysqli\_real\_escape\_string(\$con,\$a\_email);

\$a\_addr=stripcslashes(\$a\_addr);

\$a\_addr=mysqli\_real\_escape\_string(\$con,\$a\_addr);

if(\$a\_id==""||\$a\_email==""||\$a\_addr=="") {

\$msg = "Invalid edit admin operation";

header("location:admins.php?msg=\$msg");

Exit;

}

\$sql="select \* from admin where a\_email='\$a\_email';";

\$res = mysqli\_query(\$con, \$sql);

if(\$res){

```
$count = mysqli_num_rows($res);
if($count!=0){
    $a_idcheck=mysqli_fetch_assoc($res)['a_id'];
if($a_id != $a_idcheck){
    $msg = "Entered email already used";
    header("location:admins.php?msg=$msg");
Exit;
}
else{
    $sql = "update admin set a_email='$a_email', a_addr='$a_addr'
where a_id=$a_id;";
    $res = mysqli_query($con, $sql);

    if($res){
        $msg="selected admin details updated successfully";
        header("location:admins.php?msg=$msg");
    }
    else{
        die("Error updating admin details: ".mysqli_error($con));
    }
}
else{
    $sql = "update admin set a_email='$a_email', a_addr='$a_addr'
where a_id=$a_id;";
    $res = mysqli_query($con, $sql);

    if($res){
        $msg="selected admin details updated successfully";
    }
}
```

```

    header("location:admins.php?msg=$msg");
}
Exit;
}
else{
die("Error updating admin details: ".mysqli_error($con));
}
}
else{
die("Error fetching admin details for update: ".mysqli_error($con));
}
$con->close();
?>

```

## editAdmin.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
}
Exit;
}

<?php
include "dbcon.php";
$a_id = "";

```

```

if(strpos($_SERVER['REQUEST_URI'],'a_id'))
$a_id = $_GET['a_id'];

if($a_id==""){
$msg="Invalid ID For Edit Admin Operation";
header("location:admins.php?msg=$msg");
Exit;
}

?>

<?php
$sql="select * from admin where a_id=$a_id";
$res = mysqli_query($con, $sql);
if($res){
$row = mysqli_fetch_assoc($res);
$a_name = $row['a_name'];
$a_email = $row['a_email'];
$a_addr = $row['a_addr'];
if($a_name==""){
$msg="Invalid Edit Admin Operation";
header("location:admins.php?msg=$msg");
Exit;
}
}

else{
die("Error fetching admin details for update: ".mysqli_error($con));
}

?>

<?php include "cHeader.php"; ?>

```

```
<p id="metadata">Cafe Sunrise | Edit Admin</p>
<fieldset class="full">

<legend> Edit Admin </legend>

<form action="editAd.php" method="get">
<fieldset>
<legend>Edit Admin</legend><br>
<label>Admin ID :</label>
<input type="number" name="a_id" value="<?php echo $a_id; ?>" required
disabled>
<input type="number" name="a_id" value="<?php echo $a_id; ?>"
hidden><br><br>
<label>Admin Name :</label>
<input type="text" name="a_name" value="<?php echo $a_name; ?>" required
disabled><br><br>
<label>Admin Email :</label>
<input type="email" name="a_email" value="<?php echo $a_email; ?>" required
><br><br>
<label>Admin Address :</label>
<input type="text" name="a_addr" value="<?php echo $a_addr; ?>" required><br><br>
<input type="reset" name="reset"
value="Reset">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<input type="submit" name="submit" value="Update Admin">
</fieldset>
</form>
<br>
<hr>
```

---

```
<br>
To cancel update and go back to dashboard <a href =
"/dashboard.php"> click here &#8594;</a><br><br>
</fieldset>

<?php include "cFooter.php"; ?>
```

## editMenu.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>

<?php
include "dbcon.php";
$pid = "";
if(strpos($_SERVER['REQUEST_URI'],'pid'))
$pid = $_GET['pid'];

$pid=stripcslashes($pid);
$pid=mysqli_real_escape_string($con,$pid);

if($pid==""){
$msg="Invalid ID For Edit Menu Item";
```

```

header("location:mMenu.php?msg=$msg");
Exit;
}

?>

<?php
$sql="select * from menu where pid=$pid";
$res = mysqli_query($con, $sql);
if($res){
    $row = mysqli_fetch_assoc($res);
    $pname=$row['pname'];
    $pdesc=$row['pdesc'];
    $pcatg=$row['pcatg'];
    $price=$row['price'];
    $ppic=$row['ppic'];

    if($pname== ""){
        $msg="Invalid Edit Menu Operation";
        header("location:mMenu.php?msg=$msg");
    }
}
else{
die("Error fetching menu item details for update: ".mysqli_error($con));
}
?>

<?php include "cHeader.php"; ?>

<p id="metadata">Cafe Sunrise | Edit Menu</p>

```

```
<fieldset class="full">  
  
<legend> Edit Menu </legend>  
  
<form action="editMenuItem.php" method="post" enctype="multipart/form-data">  
<fieldset>  
<legend>Edit Menu</legend><br>  
<table>  
<tr>  
<td><label>Product ID: </label></td>  
<td><br><input type="number" value='<?php echo "$pid"; ?>' disabled required>  
<input type="number" name="pid" value='<?php echo "$pid"; ?>' hidden required><br><br></td>  
</tr>  
<tr>  
<td><label>Product Name :</label></td>  
<td><br><input type="text" name="pname" value='<?php echo "$pname"; ?>' required><br><br></td>  
</tr>  
<tr>  
<td><label>Product Description :</label></td>  
<td><br>&nbsp;&nbsp;<textarea name="pdesc" rows="8" cols="20" required><?php echo "$pdesc"; ?></textarea>&nbsp;&nbsp;<br><br></td>  
</tr>  
<tr>  
<td><label>Product Category :</label></td>  
<td><br><input type="text" name="pcatg" value='<?php echo "$pcatg"; ?>' required><br><br></td>
```

```

</tr>
<tr>
<td><label>Product Price :</label></td>
<td><br><input type="number" name="price" value='<?php echo "$price"; ?>' required><br><br></td>
</tr>
<tr>
<td><label>Product Picture :</label><br>&ampnbsp&ampnbsp&ampnbsp&ampnbsp&ampnbsp
<input type="file" accept="image/*" name="ppic" onchange="loadFile(event)" required></td>
<td><br><br><br></td>
</tr>
<tr>
<td colspan="2"><br><input type="submit" name="submit" value="Update Menu"><br><br></td>
</tr>
</table>
</fieldset>
</form>
<br>
<hr>
<br>

To cancel update and go back to dashboard <a href =
"/dashboard.php"> click here &#8594;</a><br><br>
</fieldset>
<script type="text/javascript">
    var loadFile = function(event) {
        var image = document.getElementById('menuthumb');
        image.src = URL.createObjectURL(event.target.files[0]);
    }
</script>

```

```
    };
</script>
<?php include "cFooter.php"; ?>
```

## editMenuItem.php

```
<?php
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
include "dbcon.php";

$pid=$_POST['pid'];

$ppic=file_get_contents($_FILES['ppic'][ "tmp_name"]);
$pname=$_POST['pname'];
$pdesc=$_POST['pdesc'];
$price=$_POST['price'];
$pcatg=$_POST['pcatg'];

$pname=stripcslashes($pname);
$pdesc=stripcslashes($pdesc);
$price=stripcslashes($price);
$pcatg=stripcslashes($pcatg);

$ppic=mysqli_real_escape_string($con, $ppic);
```

```

$pname=mysqli_real_escape_string($con, $pname);
$pdesc=mysqli_real_escape_string($con, $pdesc);
$price=mysqli_real_escape_string($con, $price);
$pcatg=mysqli_real_escape_string($con, $pcatg);

if($pname==""||$pdesc==""||$pcatg==""||$price==""||$ppic==""){
    $msg="Invalid menu item update operation";
    header("location:mMenu.php?msg=$msg");
    Exit;
}

$sql="update menu set
pname='$pname',pdesc='$pdesc',pcatg='$pcatg',price='$price', ppic='$ppic'
where pid=$pid;";
$res = mysqli_query($con, $sql);

if($res){
    $msg="Menu Item updated successfully!";
    header("location:mMenu.php?msg=$msg");
}
else{
    die("Error updating Menu Item: ".mysqli_error($con));
}
$con->close();
?>

```

## forgotPassEnd.php

<?php

```

include "dbcon.php";
include "mailsend.php";

$a_email=$_POST['a_email'];

$a_email = stripslashes($a_email);
$a_email = mysqli_real_escape_string($con, $a_email);

if($a_email==""){
    $msg="Invalid password retrieve operation";
    header("location:retrievePassword.php?msg=$msg");
}

$sql = "Select * from admin where a_email='".$a_email."'";
$res = mysqli_query($con, $sql);
$row = mysqli_fetch_assoc($res);
$count = mysqli_num_rows($res);
if($res){
if($count == 1){
sendemail($a_email,"Retrieve Your Password","Your password for <b>Cafe
Sunrise</b> admin login is <br><br>". $row['a_pass']."<br><br><hr>");
$msg="We have just sent your password, please check your email
inbox";
header("location:retrievePassword.php?msg=$msg");
}
else{
    $msg="No account found with given email";
    header("location:retrievePassword.php?msg=$msg");
}
}
}

```

```
else{
die("Error fetching admin details: ".mysqli_error($con));
}
$con->close();
?>
```

## generateBill.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";
include "mailsend.php";

$oid=$_GET['oid'];
$cemail=$_GET['cemail'];

$oid=stripcslashes($oid);
$cemail=stripcslashes($cemail);

$oid=mysqli_real_escape_string($con,$oid);
$cemail=mysqli_real_escape_string($con,$cemail);

if($oid==""||$cemail==""){
?>
```

```
$msg="Invalid generate bill operation.";  
header("location:orders.php?msg=$msg");  
Exit;  
}  
  
$sql = "update orders set ostatus='delivered', odftime=sysdate() where  
oid = $oid";  
$res = mysqli_query($con, $sql);  
  
if($res){  
    $msg=" order id $oid delivered.";  
}  
else{  
die("Error marking order as delivered: ".mysqli_error($con));  
}  
  
$con->close();  
?  
<?php include "cHeader.php"; ?>  
<p id="metadata">Cafe Sunrise | Invoice</p>  
<fieldset id="full">  
<legend>Order Invoice</legend>  
<table>  
<tr>  
<th>Id</th>  
<th>Date</th>  
<th>Name</th>  
<th>Email</th>  
<th>Summary</th>  
<th>Total</th>
```

```

</tr>
<?php
    $sql = "Select cname,cemail,otime,odesc,total from orders
where oid='$oid';";
    $res = mysqli_query($con, $sql);
    $row = mysqli_fetch_assoc($res);
    if($res){
        $cemail=$row['cemail'];
        $cname=$row['cname'];
        $otime=$row['otime'];
        $odesc=$row['odesc'];
        $total=$row['total'];
        sendamail($cemail,"Order delivered","Hello
$cname,<br><br>Your".$msg."<br><br>Order
description:<br><br>".$odesc."<br><br>Total:<br><br>".$total);
    }
    else{
        die("Error generating invoice: ".mysqli_error($con));
    }
?>
<td><?php echo "$oid"; ?></td>
<td><?php echo "$otime"; ?></td>
<td><?php echo "$cname"; ?></td>
<td><?php echo "$cemail"; ?></td>
<td><?php echo "$odesc"; ?></td>
<td><?php echo "$total"; ?></td>
<tr>

</tr>

```

```
</table>
<br>The above details has been sent on your email also.<br><br>
<table>
<tr>
<td><a href="orders.php"> Back to orders &#8594;</a></td>
<td><a href="dashboard.php"> Back To dashboard &#8594;</a></td>
<td><a href="#"! onclick="print()"> Print/Save PDF &#8594;</a></td>
</tr>
</table>
</fieldset>

<?php include "cFooter.php"; ?>
```

## increaseItem.php

```
<?php  
session_start();  
$pname = $_GET['pname'];  
  
if($pname=="" || !isset($_SESSION['cart'][$pname])){  
header("location: cart.php?msg=Invalid increase item operation");  
exit;  
}  
  
$_SESSION['cart'][$pname]['qty']++;  
  
$_SESSION['cart'][$pname]['tot']=$_SESSION['cart'][$pname]['qty']*$  
$_SESSION['cart'][$pname]['price'];
```

---

```
header("location: cart.php?msg= $pname increased");
```

---

?>

## index.php

---

```
<?php include "cHeader.php";
```

---

```
    $sql = "Select * from settings";
```

---

```
    $res = mysqli_query($con, $sql);
```

---



---

```
    if($res){
```

---

```
        $row = mysqli_fetch_assoc($res);
```

---

```
        $name = $row['dispname'];
```

---

```
        $weletxt = $row['welcometext'];
```

---

```
        $abtxt = $row['abouttext'];
```

---

```
        $menutxt = $row['menutext'];
```

---

```
    }
```

---



---

```
else{
```

---

```
    die("Error fetching site settings : ".mysqli_error($con));
```

---

```
}
```

---

?>

---

```
<p id="metadata">Cafe Sunrise | Your Daily Happiness</p>
```

---

```
<fieldset class="full">
```

---

```
    <legend> Welcome </legend>
```

---

```
    <p>
```

---

```
        <?php echo substr($weletxt,0, 450)."..." ?>
```

---

```
    </p>
```

---

```
    <a href="about.php#welcome"> Read More &#8594;</a>
```

---

```
    </fieldset>
```

---

```
    <div id="minidiv">
```

```
<fieldset class="half">
<legend> About </legend>
<p>
<?php echo substr($abtxt,0, 400)."..." ?>
</p>
<a href="about.php#about"> Know More &#8594;</a>
</fieldset>
<fieldset class="half">
<legend> Menu </legend>
<p>
<?php echo substr($menutxt,0, 400)."..." ?>
</p>
<a href="/menu.php"> Explore &#8594;</a>
</fieldset>
</div>

<?php include "cFooter.php"; ?>
```

## login.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(isset($_SESSION['a_email']))
    header("location:dashboard.php");
?>

<?php include "cHeader.php"; ?>
```

```

<p id="metadata">Cafe Sunrise | Admin Login</p>
<fieldset id="full">
<legend>Admin Login</legend>
<div id="popup">
<?php
    $msg="";
    if(strpos($_SERVER['REQUEST_URI'],'msg'))
        $msg = $_GET['msg'];
    echo $msg;
    ?>
</div><br><br>
<form action="authenticate.php" method="post">
<label>Enter Email ID :</label>
<input type="email" name="a_email" placeholder="your@email.tld"
required><br><br>
<label>Enter Password :</label>
<input type="Password" name="a_pass" placeholder="*****"
required><br><br>
<input type="submit" name="submit" value="Login">
</form>
<hr>
<br>
    Forgot your password, don't worry! To retrieve your password
<a href = "/retrievePassword.php"> click here &#8594;</a><br><br>
</fieldset>

<?php include "cFooter.php"; ?>

```

## logout.php

```
<?php
session_start();
if(isset($_SESSION['a_email'])){
    unset($_SESSION['a_email']);
header("location:login.php?msg=Logout Successfull");
}
else
header("location:login.php?msg=Kindly login first");
?>
```

## mailsend.php

```
<?php
require 'PHPMailer/PHPMailerAutoload.php';
//require 'credentials.php';

define('EMAIL', 'hellocafesunrise@gmail.com');
define('PASSWORD', 'govzmutaywcckuo');

function sendamail($toemail, $subj, $msg){
    $mail = new PHPMailer;
    // $mail->SMTPDebug = 3;                                // Enable verbose debug
    output
```

---

```

$mail->isSMTP();                                // Set mailer to use SMTP


---


$mail->Host = 'smtp.gmail.com';                  // Specify main and
backup SMTP servers


---


$mail->SMTPAuth = true;                          // Enable SMTP
authentication


---


$mail->Username = EMAIL;                         // SMTP username


---


$mail->Password = PASSWORD;                     // SMTP password


---


$mail->SMTPSecure = 'tls';                      // Enable TLS encryption,
`ssl` also accepted


---


$mail->Port = 587;                              // TCP port to connect to


---




---


$mail->setFrom(EMAIL, 'Cafe Sunrise');


---


// $mail->addAddress($toemail,$toname);          // Add a recipient


---


$mail->addAddress($toemail);                    // Name is optional


---


$mail->addReplyTo(EMAIL, 'Cafe Sunrise');


---


// $mail->addCC('cc@example.com');


---


// $mail->addBCC('bcc@example.com');


---




---


// $mail->addAttachment('/var/tmp/file.tar.gz');   // Add
attachments


---


// $mail->addAttachment('/tmp/image.jpg', 'new.jpg'); // Optional
name


---


$mail->isHTML(true);                           // Set email format to
HTML


---




---


$mail->Subject = $subj;


---


$mail->Body = $msg;


---


$mail->AltBody = $msg;


---




---


if(!$mail->send()) {

```

```

echo 'Message could not be sent.';

die('PHPMailer Error: ' . $mail->ErrorInfo);

} else {

echo 'Message has been sent';

}

}

//sendemail('sumitkumar2957@gmail.com','testing','testing');

?>

```

## markMsgRead.php

```

<?php

error_reporting(E_ERROR | E_WARNING | E_PARSE);

session_start();

if(!isset($_SESSION['a_email'])){

header("location:login.php?msg=login to continue");

Exit;

}

?>

<?php

include "dbcon.php";

$cmsgid=$_GET['cmgid'];

$cmgid=stripcslashes($cmgid);

$cmgid=mysqli_real_escape_string($con,$cmgid);

```

```

if($cmgid==""){
    $msg="Invalid mark as read operation";
    header("location:messages.php?msg=$msg");
}

Exit;

}

$sql="update contact set status='read' where cmgid=$cmgid";
$res = mysqli_query($con, $sql);

if($res){
    $msg="selected message marked as read";
    header("location:messages.php?msg=$msg");
}
else{
die("Error marking message as read: ".mysqli_error($con));
}

$con->close;
?>

```

## markUnread.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
}

Exit;

}

```

```
?>
<?php
    include "dbcon.php";

$cmsgid=$_GET['cmsgid'];

$cmsgid=stripcslashes($cmsgid);
$cmsgid=mysqli_real_escape_string($con,$cmsgid);

if($cmsgid==""){
    $msg="Invalid mark as unread operation";
    header("location:messages.php?msg=$msg");
    Exit;
}

$sql="update contact set status='unread' where cmsgid=$cmsgid";
$res = mysqli_query($con, $sql);

if($res){
    $msg="selected message maked as unread";
    header("location:messages.php?msg=$msg");
}
else{
    die("Error marking message as read: ".mysqli_error($con));
}

$con->close;
?>
```

## menu.php

```

<?php include "cHeader.php";?>

<p id="metadata">Cafe Sunrise | Menu</p>
<fieldset class="full">
<legend> Menu </legend>
<?php $msg ="";;
if(strpos($_SERVER['REQUEST_URI'],'msg'))
    $msg = $_GET['msg'];
?>
<div id="popup" >
<?php echo $msg; ?>
<br>
<a href="/cart.php"> Go to cart &#8594;</a>
</div>
<?php
    $sql = "Select distinct pcatg from menu;";
    $res = mysqli_query($con, $sql);

    if($res){
        foreach($res as $row)
        foreach($row as $catg)
        {
            echo "<h3>$catg
~~~~~</h3><table><tr><th>Picture</th><th>Name</th><th>
Description</th><th>Price</th><th>Add</th></tr>";
            $sql = "Select * from menu where pcatg = '$catg'";
            $res = mysqli_query($con, $sql);
        }
    }
}

```

```

if($res){
foreach($res as $row){
    $pname=$row['pname'];
    $pdesc=$row['pdesc'];
    $price=$row['price'];
    $ppic=$row['ppic'];
    $qty = 1;
    echo "<tr><td><img class= 'menuthumb' alt='Menu item Thumbnail'
src='data:image/jpg;base64,".base64_encode($ppic)."'></td><td>$pname</td><td>$pdesc</td><td>$price</td><td><a href='/addToCart.php?pname=$pname&price=$price'> Add </a></td></tr> ";
}
}
else{
die("Error fetching menu: ".mysqli_error($con));
}
echo "</table>";
}
}
else{
die("Error fetching category: ".mysqli_error($con));
}
?>
</fieldset>

<?php include "cFooter.php"; ?>

```

## message.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>

<?php include "cHeader.php"; ?>

<p id="metadata">Cafe Sunrise | Messages</p>
<div id="popup" >
<?php $msg = "";
if(strpos($_SERVER['REQUEST_URI'],'msg'))
    $msg = $_GET['msg'];
echo "$msg"; ?>
</div><br><br>
<fieldset class="full">
<legend> Unread Messages </legend>
<br>
<table>
<tr>
<th>#</th>
<th>From</th>
<th>Full Message Text </th>
<th>Mark as Read</th>
<th>Reply</th>
</tr>
```

```

<?php

$sql= "Select * from contact where status='unread';";
$res = mysqli_query($con, $sql);

if($res){
foreach($res as $row){

    $cmsgid=$row['cmsgid'];
    $cname=$row['cname'];
    $cemail=$row['cemail'];
    $oid=$row['oid'];
    $cmsg=$row['cmsg'];
    $ctime=$row['ctime'];

    echo "<tr>

<td>$cmsgid</td>
<td><br>$cname<br><br>$cemail<br><br>$ctime<br><br></td>
<td><br>$cmsg<br><br></td>
<td><a href='markMsgRead.php?cmsgid=$cmsgid'>Mark as read
&#8594;</a></td>
<td><a href='mailto:$cemail'>Reply &#8594;</a></td>
</tr>";

}

}

else{
die("Error fetching new messages: ".mysqli_error($con));
}

?>

</table>
<br><br>

```

```

</fieldset>
<fieldset class="full">
<legend> Read Messages </legend>
<br>
<table>
<tr>
<th>#</th>
<th>From</th>
<th>Full Message Text </th>
<th>Mark as unread</th>
<th>Reply</th>
</tr>
<?php

```

---

```

$sql= "Select * from contact where status='read';";
$res = mysqli_query($con, $sql);

```

---

```

if($res){
foreach($res as $row){
    $cmsgid=$row['cmgid'];
    $cname=$row['cname'];
    $cemail=$row['cemail'];
    $oid=$row['oid'];
    $cmsg=$row['cmsg'];
    $ctime=$row['ctime'];
    echo "<tr>
<td>$cmgid</td>
<td><br>$cname<br><br>$cemail<br><br>$ctime<br><br></td>
<td><br>$cmsg<br><br></td>

```

```

<td><a href='markUnRead.php?cmsgid=$cmgid'>Mark as unread
&#8594;</a></td>
<td><a href='mailto:$cemail'>Reply &#8594;</a></td>
</tr>;
}
}
else{
die("Error fetching read messages: ".mysqli_error($con));
}
?>
</table>
<br><br>
</fieldset>

<?php include "cFooter.php"; ?>

```

## mMenu.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php include "cHeader.php"; ?>

```

```
<p id="metadata">Cafe Sunrise | Manage Menu</p>
<fieldset class="full">
<legend> Manage Menu </legend>
<?php $msg ="";;
    if(strpos($_SERVER['REQUEST_URI'],'msg'))
        $msg = $_GET['msg'];
?>
<div id="popup" >
<?php echo $msg; ?>
</div>
<br>
<form action="addMenu.php" method="post" enctype="multipart/form-data">
<fieldset>
<legend>Add Menu</legend><br>
<table>
<tr>
<td><label>Product Name :</label></td>
<td><br><input type="text" name="pname" required><br><br></td>
</tr>
<tr>
<td><label>Product Description :</label></td>
<td><br>&nbsp;&nbsp;<textarea name="pdesc" rows="8" cols="20"
required></textarea>&nbsp;&nbsp;<br><br></td>
</tr>
<tr>
<td><label>Product Category :</label></td>
<td><br><input type="text" name="pcatg" required><br><br></td>
</tr>
<tr>
```

```

<td><label>Product Price :</label></td>
<td><br><input type="number" name="price" required><br><br></td>
</tr>
<tr>
<td><label>Product Picture :</label><br>&nbsp;&nbsp;&nbsp;&nbsp;
<input type="file" accept="image/*" name="ppic" onchange="loadFile(event)" required><br><br></td>
<td><br><img src="" id="menuthumb" class="menuthumb"><br><br></td>
</tr>
<td colspan="2"><br><input type="submit" name="submit" value="Add To
Menu"><br><br></td>
</tr>
</table>

```

```
</fieldset>
```

```
</form>
```

```
<br>
```

```
<?php
```

```

$sql = "select * from menu;";
$res = mysqli_query($con, $sql);

if($res){
    echo "<br><table><tr><th> # </th><th> Picture </th><th>
Name </th><th> Description </th><th> Category </th><th> Price </th><th> Edit
</th><th> X </th></tr>";
foreach($res as $row){
    $pid=$row['pid'];
    $pname=$row['pname'];
}
}

```

```

$pdesc=$row['pdesc'];
$pcatg=$row['pcatg'];
$price=$row['price'];
$ppic=$row['ppic'];

echo "<tr>
<td> $pid</td>
<td><img class= 'menuthumb' alt='Menu item Thumbnail'
src='data:image/jpg;base64,".base64_encode($ppic)."'></td>
<td> $pname</td>
<td> $pdesc</td>
<td> $pcatg</td>
<td> $price </td>
<td><a href='editMenu.php?pid=$pid'> Edit </a></td>
<td><a href='removeMenu.php?pid=$pid'> X </a></td>
<tr>";
}

echo "</table><br>";
}

else{
die("Error fetching menu items: ".mysqli_error($con));
}

?>

<hr>
<br>

To go back to dashboard <a href = "/dashboard.php"> click here
&#8594;</a><br><br>
</fieldset>
<script type="text/javascript">
    var loadFile = function(event) {

```

```

var image = document.getElementById('menuthumb');
image.src = URL.createObjectURL(event.target.files[0]);
};

</script>

<?php include "cFooter.php"; ?>

```

## orderPlaced.php

```

<?php include "cHeader.php"; ?>
<p id="metadata">Cafe Sunrise | Order Summary</p>
<fieldset id="full">
<?php $msg = "";
if(strpos($_SERVER['REQUEST_URI'],'msg'))
    $msg = $_GET['msg'];
$oid=$_GET['oid'];
?>
<legend>Order Summary</legend>
<br><?php echo "Hello There! $msg<br><br>" ?>
<table>
<tr>
<th>Id</th>
<th>Date</th>
<th>Name</th>
<th>Email</th>
<th>Summary</th>
<th>Total</th>
</tr>

```

```

<?php
    $sql = "Select cname,cemail,otime,odesc,total from orders
where oid='$oid';";
    $res = mysqli_query($con, $sql);
    $row = mysqli_fetch_assoc($res);
    if($res){
        $cemail=$row['cemail'];
        $cname=$row['cname'];
        $otime=$row['otime'];
        $odesc=$row['odesc'];
        $total=$row['total'];
    }
    else{
        die("Error fetching order id: ".mysqli_error($con));
    }
?>
<td><?php echo "$oid"; ?></td>
<td><?php echo "$otime"; ?></td>
<td><?php echo "$cname"; ?></td>
<td><?php echo "$cemail"; ?></td>
<td><?php echo "$odesc"; ?></td>
<td><?php echo "$total"; ?></td>
<tr>

</tr>
</table>
<br>The above details has been sent to you email also.<br><br>
<table>
<tr>

```

```

<td><a href="/trackOrder.php?oid=<?php echo $oid; ?>"> Track Order
&#8594;</a></td>
<td><a href="/"> Back To Home &#8594;</a></td>
<td><a href="#" onclick="print()"> Print/Save PDF &#8594;</a></td>
</tr>
</table>
</fieldset>

<?php include "cFooter.php"; ?>

```

## orders.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>

<?php include "cHeader.php"; ?>

<p id="metadata">Cafe Sunrise | Orders</p>
<div id="popup" >
<?php
$msg = "";
if(strpos($_SERVER['REQUEST_URI'],'msg'))
$msg = $_GET['msg'];

```

```

echo $msg;
?>
</div><br>
<fieldset class="full">
<legend> New Orders </legend>
<br>
<table>
<tr>
<th>#</th>
<th>For</th>
<th>Description</th>
<th>Accept</th>
<th>Reject</th>
</tr>
<?php

```

---

```

$sql="select * from orders where ostatus='pending';";
$res = mysqli_query($con, $sql);

```

---

```

if($res){
foreach($res as $row){
    $oid = $row['oid'];
    $cname= $row['cname'];
    $odesc = $row['odesc'];
    $cemail = $row['cemail'];

```

---

```

echo
"<tr><td>$oid</td><td>$cname</td><td>$odesc</td><td><a
href='acceptOrder.php?oid=$oid&cemail=$cemail'>Accept
&#8594;</a></td><td><a"

```

```
href='rejectOrder.php?oid=$oid&cemail=$cemail'>Reject
};

}

else{
die("Error fetching new orders: ".mysqli_error($con));
}

?>

</table>
<br><br>
</fieldset>
<fieldset class="full">
<legend> Accepted Orders </legend>
<br>
<table>
<tr>
<th>#</th>
<th>For</th>
<th>Description</th>
<th>Mark as ready</th>
</tr>
<?php

$sql="select * from orders where ostatus='accepted';";
$res = mysqli_query($con, $sql);

if($res){
foreach($res as $row){
$oid = $row['oid'];

```

```
$cname= $row['cname'];
$odesc = $row['odesc'];
$cemail = $row['cemail'];

echo
"<tr><td>$oid</td><td>$cname</td><td>$odesc</td><td><a
href='readyOrder.php?oid=$oid&cemail=$cemail'>Mark as ready
&#8594;</a></td><tr>";
}

}

else{
die("Error fetching accepted orders: ".mysqli_error($con));
}

?>

</table>
<br><br>
</fieldset>
<fieldset class="full">
<legend> Ready Orders </legend>
<br>
<table>
<tr>
<th>#</th>
<th>For</th>
<th>Description</th>
<th>Total</th>
<th>Mark as delivered</th>
<th>Generate bill</th>
</tr>
```

```

<?php

$sql="select * from orders where ostatus='ready';";
$res = mysqli_query($con, $sql);

if($res){
foreach($res as $row){

    $oid = $row['oid'];
    $cname= $row['cname'];
    $odesc = $row['odesc'];
    $total = $row['total'];
    $cemail = $row['cemail'];

echo
"<tr><td>$oid</td><td>$cname</td><td>$odesc</td><td>$total</td><td><a
href='delOrder.php?oid=$oid&cemail=$cemail'>Mark as delivered
&#8594;</a></td><td><a
href='generateBill.php?oid=$oid&cemail=$cemail'>generate bill
&#8594;</a></td></tr>";

}

}

else{
die("Error fetching ready orders: ".mysqli_error($con));
}

?>

</table>
<br><br>
</fieldset>
<br><hr><br>

```

---

To go back to dashboard <a href = "/dashboard.php"> click here  
&#8594;</a><br><br>

---

<?php include "cFooter.php"; ?>

---

## placeOrder.php

```
<?php
    include "dbcon.php";
    include "mailsend.php";

session_start();

$cname=$_POST['cname'];
$cemail=$_POST['cemail'];
$total=$_POST['total'];
$odesc="";
if(isset($_SESSION['cart'])){
    foreach($_SESSION['cart'] as $rec){
        $odesc .= $rec['pname'].": ".$rec['qty']." X ".$rec['price']."' = "
        . $rec['tot']. "<br>";
    }
}
else{
header("location: cart.php?msg= No items in cart");
Exit;
}
//echo "$cname<br>$cemail<br>$odesc<br>$total";
```

---

```

$cname=stripcslashes($cname);
$cemail=stripcslashes($cemail);
$total=stripcslashes($total);

$cname=mysqli_real_escape_string($con,$cname);
$cemail=mysqli_real_escape_string($con,$cemail);
$total=mysqli_real_escape_string($con,$total);

if($cname==""||$cemail==""||$total==""){
header("location: cart.php?msg= Invalid order place operation");
Exit;
}

$sql = "insert into orders (cname,cemail,odesc,total,otime)
values('$cname','$cemail','$odesc',$total,sysdate());";
$res = mysqli_query($con, $sql);

if($res){
unset($_SESSION['cart']);
}
else{
die("Error placing order: ".mysqli_error($con));
}

$sql = "Select max(oid) as oid from orders where cemail='$cemail';";
$res = mysqli_query($con, $sql);
$row = mysqli_fetch_assoc($res);
if($res){
$oid=$row['oid'];
$emailmsg="Dear $cname<br><br> We have received your order. <br><br>
Your order id is $oid<br><br>";
}

```

```

$emailmsg .= "Order summary: <br><br>$odesc<br><br> total :
$total<br><br>You Can track Your order ";
$emailmsg .= "<a href='/trackOrder.php?oid=$oid'> here &#8594;</a>";
sendemail($cemail, "Order palced successfully",$emailmsg);
header("location: orderPlaced.php?msg= Your ordedpalced successfully! See
summary below:&oid=$oid");
$con->close();
}
else{
die("Error fetching order id: ".mysqli_error($con));
}
$con->close();
?>

```

## policies.php

```

<?php include "cHeader.php";?>
<p id="metadata">Cafe Sunrise | Policies</p>
<fieldset id="full">
<legend id="welcome"> Policies </legend>
<p>
<h5>Cancellation Policy</h5>
<p>
        Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed
do eiusmod
tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
quis nostrud exercitation ullamcolaboris nisi ut aliquip ex ea commodo
consequat. Duis aute irure dolor in reprehenderit in voluptate velitesse
cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non

```

---

proident, sunt in culpa qui officiadeseruntmollitanim id estlaborum.

---

</p>

---

##### <h5>Refund Policy</h5>

---

<p>

---

Lorem ipsum dolor sit amet, consecteturadipisicingelit, sed  
do eiusmod

---

temporincididunt labore et dolore magna aliqua. Ut enim ad minim veniam,  
quisnostrud exercitation ullamcolaboris nisi utaliquip ex eaccommo  
consequat. Duis auteirure dolor in reprehenderit in voluptatevelitesse  
cillum dolore eufugiatnullapariatur. Excepteursintoccaecatcupidatat non  
proident, sunt in culpa qui officiadeseruntmollitanim id estlaborum.

---

</p>

---

##### <h5>Privacy Policy</h5>

---

<p>

---

Lorem ipsum dolor sit amet, consecteturadipisicingelit, sed  
do eiusmod

---

temporincididunt labore et dolore magna aliqua. Ut enim ad minim veniam,  
quisnostrud exercitation ullamcolaboris nisi utaliquip ex eaccommo  
consequat. Duis auteirure dolor in reprehenderit in voluptatevelitesse  
cillum dolore eufugiatnullapariatur. Excepteursintoccaecatcupidatat non  
proident, sunt in culpa qui officiadeseruntmollitanim id estlaborum.

---

</p>

---

##### <h5>Disclaimer</h5>

---

<p>

---

Lorem ipsum dolor sit amet, consecteturadipisicingelit, sed  
do eiusmod

---

temporincididunt labore et dolore magna aliqua. Ut enim ad minim veniam,  
quisnostrud exercitation ullamcolaboris nisi utaliquip ex eaccommo  
consequat. Duis auteirure dolor in reprehenderit in voluptatevelitesse  
cillum dolore eufugiatnullapariatur. Excepteursintoccaecatcupidatat non

---

---

proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

---

</p>

---

</p>

---

</fieldset>

---

<?php include "cFooter.php"; ?>

---

## readyOrder.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";
include "mailsend.php";

$oid=$_GET['oid'];
$cemail=$_GET['cemail'];

$oid=stripcslashes($oid);
$cemail=stripcslashes($cemail);

$oid=mysqli_real_escape_string($con,$oid);
$cemail=mysqli_real_escape_string($con,$cemail);

```

```

if($oid=="")||($cemail=="")){
    $msg=" invalid order ready operation.";
    header("location:orders.php?msg=$msg");
}

Exit;

}

$sql = "update orders set ostatus='ready', oreadytime=sysdate() where
oid = $oid";
$res = mysqli_query($con, $sql);

if($res){
    $msg=" order id $oid marked as ready.";
    sendemail($cemail,"Order is ready","Hello There,<br><br>Your".$msg);
    header("location:orders.php?msg=$msg");
}
else{
die("Error marking order as ready: ".mysqli_error($con));
}

$con->close();
?>

```

## rejectOrder.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
}

```

```

Exit;
}

?>

<?php
    include "dbcon.php";
    include "mailsend.php";

$oid=$_GET['oid'];
$cemail=$_GET['cemail'];

$oid=stripcslashes($oid);
$cemail=stripcslashes($cemail);

$oid=mysqli_real_escape_string($con,$oid);
$cemail=mysqli_real_escape_string($con,$cemail);

if($oid==""||$cemail==""){
    $msg=" invalid order reject operation.";
    header("location:orders.php?msg=$msg");
}

Exit;
}

$sql = "update orders set ostatus='rejected', oresptime=sysdate() where
oid = $oid";
$res = mysqli_query($con, $sql);

if($res){
    $msg=" order id $oid rejected.";
    sendamail($cemail,"Order rejected","Hello There,<br><br>Your".$msg);
    header("location:orders.php?msg=$msg");
}

```

```
    }  
else{  
die("Error rejecting order: ".mysqli_error($con));  
}  
  
$con->close();  
?>
```

## removeAdmin.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
include "dbcon.php";
$a_id=$_GET['a_id'];

$a_id=stripcslashes($a_id);

$a_id=mysqli_real_escape_string($con,$a_id);

if($a_id==""){
$msg=" invalid remove admin operation.";
header("location:admins.php?msg=$msg");
Exit;
}

$sql="select * from admin where a_id=$a_id";
$res = mysqli_query($con, $sql);

if($res){
$a_email=mysqli_fetch_assoc($res)['a_email'];
```

```
if($a_email == $_SESSION['a_email']){
    $msg="Hey, You cannot remove yourself!";
    header("location:admins.php?msg=$msg");
}

Exit;

}

else{
die("Error fetching admin email: ".mysqli_error($con));
}

}

$sql="delete from admin where a_id=$a_id";
$res = mysqli_query($con, $sql);

if($res){
    $msg="select admin removed successfully!";
    header("location:admins.php?msg=$msg");
}

else{
die("Error removing admin: ".mysqli_error($con));
}

$con->close();

?>
```

## removeItem.php

```
<?php
session_start();
$pname = $_GET['pname'];

if($pname=="" || !isset($_SESSION['cart'][$pname])){
header("location: cart.php?msg=Invalid remove item operation");
exit;
}

unset($_SESSION['cart'][$pname]);
if($_SESSION['cart']==NULL)
unset($_SESSION['cart']);
header("location: cart.php?msg= $pname removed");
?>
```

## removeMenu.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php
```

```
include "dbcon.php";
$pid=$_GET['pid'];

$pid=stripcslashes($pid);
$pid=mysqli_real_escape_string($con,$pid);

if($pid==""){
    $msg="Invalid ID For Edit Menu Item";
    header("location:mMenu.php?msg=$msg");
}

Exit;

}

$sql="delete from menu where pid='$pid'";
$res = mysqli_query($con, $sql);

if($res){
    $msg="selected menu item removed successfully!";
    header("location:mMenu.php?msg=$msg");
}
else{
die("Error removing menu item: ".mysqli_error($con));
}

$con->close();

?>
```

## reports.php

```
<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php include "cHeader.php"; ?>

<p id="metadata">Cafe Sunrise | Reports</p>
<fieldset class="full">
<legend>Reports</legend>
<form method="get" action="">
<input type="radio" name="interval" value="Today" >
<label>Today</label>
<input type="radio" name="interval" value="Yesterday" >
<label>Yesterday</label>
<input type="radio" name="interval" value="This Week" >
<label>This Week</label>
<input type="radio" name="interval" value="Last Week" >
<label>Last Week</label>
<input type="radio" name="interval" value="This Month" >
<label>This Month</label>
<input type="radio" name="interval" value="Last Month" >
<label>Last Month</label>
<input type="radio" name="interval" value="This Year" >
```

```

<label>This Year</label>
<input type="radio" name="interval" value="All Time" >
<label>All time </label>&nbsp;&nbsp;&nbsp;
<input type="submit" name="submit" value=" Apply ">
</form><br>
<?php

```

```

$op="n/a";
$od="n/a";
$tc="n/a";
$ep="n/a";
$et="n/a";
$np="n/a";
$cs="n/a";
$condition = 1;
$interval = "All Time";

if(isset($_GET['submit'])){
    $interval = $_GET['interval'];

    if ($interval == "Today")
        $condition = "date(otime) = date(sysdate())";
    elseif ($interval == "Yesterday")
        $condition = "year(otime)=year(sysdate()) and
month(otime)=month(sysdate()) and day(otime)=day(sysdate())-1";
    elseif ($interval == "This Week")
        $condition = "year(otime)=year(sysdate()) and
week(otime)=week(sysdate())";
    elseif ($interval == "Last Week")

```

```

$condition = "year(otime)=year(sysdate()) and
week(otime)=week(sysdate())-1";
elseif ($interval == "This Month")
$condition = "year(otime)=year(sysdate()) and
month(otime)=month(sysdate())";
elseif ($interval == "Last Month")
$condition = "year(otime)=year(sysdate()) and
month(otime)=month(sysdate())-1";
elseif ($interval == "This Year")
$condition = "year(otime)=year(sysdate())";
elseif ($interval == "All Time")
$condition = "1";
}

}

```

```

$sql = "select count(oid) as op from orders where
$condition;";
$res = mysqli_query($con, $sql);
if($res){
    $op = mysqli_fetch_assoc($res)['op'];
}
else{
die("Error fetching total placed orders: ".mysqli_error($con));
}

```

```

$sql = "select count(oid) as od from orders where
ostatus='delivered' and $condition;";
$res = mysqli_query($con, $sql);
if($res){
    $od = mysqli_fetch_assoc($res)['od'];
}

```

```

    }

else{
die("Error fetching total delivered orders: ".mysqli_error($con));
}

$sql = "select sum(total) as tc from orders where
ostatus='delivered' and $condition;";
$res = mysqli_query($con, $sql);
if($res){
$tc = mysqli_fetch_assoc($res)['tc'];
if(!$tc)
$tc=0;
$ep = $tc/10;
$et = $ep/20;
$np = $ep - $et;
}
else{
die("Error fetching financial details: ".mysqli_error($con));
}

$sql = "select count(distinct cemail) as cs from orders where
ostatus='delivered' and $condition;";
$res = mysqli_query($con, $sql);
if($res){
$cs = mysqli_fetch_assoc($res)['cs'];
}
else{
die("Error fetching total customer served: ".mysqli_error($con));
}

```

```
?>
<table>
<tr>
<th> # </th>
<th><br> Particulars <?php echo "($interval)"; ?><br><br></th>
<th> Value </th>
</tr>
<tr>
<td> 1 </td>
<td><br> Orders Placed <br><br></td>
<td><?php echo "$op"; ?></td>
</tr>
<tr>
<td> 2 </td>
<td><br> Orders Delivered <br><br></td>
<td><?php echo "$od"; ?></td>
</tr>
<tr>
<td> 3 </td>
<td><br> Customer Served <br><br></td>
<td><?php echo "$cs"; ?></td>
</tr>
<tr>
<td> 4 </td>
<td><br> Total Collection <br><br></td>
<td><?php echo "$tc"; ?></td>
</tr>
<tr>
<td> 5 </td>
<td><br> Estimated Profit <br><br></td>
```

```
<td><?php echo "$ep"; ?></td>
</tr>
<tr>
<td> 6 </td>
<td><br> Estimated Tax <br><br></td>
<td><?php echo "$et"; ?></td>
</tr>
<tr>
<td> 7 </td>
<td><br> Net Profit <br><br></td>
<td><?php echo "$np"; ?></td>
</tr>
</table><br>
<br>
<table>
<tr>
<th><a href="#" onclick="validate()"> Reset Report &#8594;</a></th>
<th><a href="dashboard.php"> back to dashboard &#8594;</a></th>
<th><a href="#" onclick="print()"> Print Report &#8594;</a></th>
</tr>
</table><br>
</fieldset>
<script type="text/javascript">
    function validate(){
        var hrs = new Date().getHours();
        if(hrs>=5 &&hrs<=20 ){
            alert("Sorry! Report can be reset from 10:00PM to 05:00AM only.");
            return false;
        }
    }
else{
```

```
if(confirm("All data in orders table will be erased, this step cannot be  
undone. Are you sure you want to delete all data ?")){  
window.location.assign("resetReport.php");  
}  
else  
return false;  
}  
}  
</script>  
  
<?php include "cFooter.php"; ?>
```

## resetReport.php

```
<?php  
error_reporting(E_ERROR | E_WARNING | E_PARSE);  
session_start();  
if(!isset($_SESSION['a_email'])){  
header("location:login.php?msg=login to continue");  
Exit;  
}  
?  
  
<?php  
include "dbcon.php";  
  
$sql = "truncate table orders;";  
$res = mysqli_query($con, $sql);
```

```

if($res){
    echo ("<script>alert('Report reset completed successfully!');</script>");
    echo ("<script>window.location.assign('reports.php');</script>");
}
else{
die("Error while report reset: ".mysqli_error($con));
}

$con->close();
?>

```

## retrievePassword.php

```

?php include "cHeader.php"; ?>

<p id="metadata">Cafe Sunrise | Retrieve Password</p>
<fieldset id="full">
<legend>Retrieve Password</legend>
<div id="popup">
<?php
    $msg="";
    if(strpos($_SERVER['REQUEST_URI'],'msg'))
        $msg = $_GET['msg'];
    echo $msg;
?>
</div><br><br>
<form action="forgotPassEnd.php" method="post">
<label>Enter Email ID :</label>

```

---

```
<input type="email" name="a_email" placeholder="your@email.tld"
required><br><br>
```

---

```
<input type="submit" name="submit" value="Retrieve Password">
</form>
<hr>
<br>
```

To go back to login page <a href = "/login.php"> click here  
 &#8594;</a><br><br>

```
</fieldset>
```

---

```
<?php include "cFooter.php"; ?>+
```

---

## saveSettings.php

```
<?php
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
```

```
include "dbcon.php";
```

---

```
$displogo=file_get_contents($_FILES['displogo'][ "tmp_name"]);
$dispname=$_POST['dispname'];
$welcometext=$_POST['welcometext'];
$abouttext=$_POST['abouttext'];
$menutext=$_POST['menutext'];
```

---

```

$dispname=stripcslashes($dispname);
$welcometext=stripcslashes($welcometext);
$abouttext=stripcslashes($abouttext);
$menutext=stripcslashes($menutext);

$displogo=mysqli_real_escape_string($con, $displogo);
$dispname=mysqli_real_escape_string($con, $dispname);
$welcometext=mysqli_real_escape_string($con, $welcometext);
$abouttext=mysqli_real_escape_string($con, $abouttext);
$menutext=mysqli_real_escape_string($con, $menutext);

if($displogo==""||$dispname==""||$welcometext==""||$abouttext==""||$menutext==""){
    $msg="Invalid Display settings update Operation.";
    header("location:settings.php?msg=$msg");
    Exit;
}

$sql="update settings set
dispname='$dispname',welcometext='$welcometext',abouttext='$abouttext',
'menutext`='$menutext', displogo='$displogo';";
$res = mysqli_query($con, $sql);

if($res){
    $msg="Display settings updated successfully!";
    header("location:settings.php?msg=$msg");
}
else{
    die("Error updating settings: ".mysqli_error($con));
}

```

```

    }
$con->close();
?>

```

## settings.php

```

<?php
error_reporting(E_ERROR | E_WARNING | E_PARSE);
session_start();
if(!isset($_SESSION['a_email'])){
header("location:login.php?msg=login to continue");
Exit;
}
?>
<?php include "cHeader.php";?>
<p id="metadata">Cafe Sunrise | Settings</p>
<fieldset>
<legend>
    Display Settings
</legend>
<div id="popup">
<?php
    $msg="";
    if(strpos($_SERVER['REQUEST_URI'],'msg'))
        $msg = $_GET['msg'];
    echo $msg;
?>
</div><br><br>
<?php

```

```

$dispnme=$row['dispname'];
$welcometext=$row['welcometext'];
$abouttext=$row['abouttext'];
$menutext=$row['menutext'];

?>

<form method="POST" action="saveSettings.php" enctype="multipart/form-data">
<table>
<tr>
<td><label>&nbsp;&nbsp;Logo : </label>
<input type="file" accept="image/*" name="displogo"
onchange="loadFile(event)" required></td>
<td></td>
</tr>
<tr>
<td><label>Display Name :</label></td>
<td><br><input type="text" name="dispname" placeholder="Cafe Sunrise :
Your Daily Happiness" value="<?php echo $dispnme; ?>"
required><br><br></td>
</tr>
<tr>
<td><label>Welcome Text :</label></td>
<td><br><textarea name="welcometext" rows="10" cols="35"
placeholder="Cafe Sunrise Welcome text" required><?php echo
$welcometext; ?></textarea><br><br></td>
</tr>
<tr>
<td><label>About Text :</label></td>

```

```

<td><br><textarea name="abouttext" rows="10" cols="35" placeholder="Cafe
Sunrise About text" required><?php echo $abouttext;
?></textarea><br><br></td>
</tr>
<tr>
<td><label>Menu Text :</label></td>
<td><br><textarea name="menutext" rows="10" cols="35" placeholder="Cafe
Sunrise Menu text" required><?php echo $menutext;
?></textarea><br><br></td>
</tr>
<tr>
<td colspan="2"><br><input type="reset" name="reset" value="reset all">
<input type="submit" name="submit" value="save changes">
<br><br></td>
</tr>
</table>
</form>
<br><hr><br>

To cancel change and go back to dashboard <a href =
"/dashboard.php"> click here &#8594;</a><br><br>
<script type="text/javascript">
    var loadFile = function(event) {
        var image = document.getElementById('logo');
        image.src = URL.createObjectURL(event.target.files[0]);
    };
</script>
</fieldset>
<?php include "cFooter.php"; ?>
```

## trackOrder.php

```

<?php include "cHeader.php"; ?>
<p id="metadata">Cafe Sunrise | Order Status</p>
<fieldset id="full">
<legend>Order Status</legend>
<div id="popup">
<?php
    $msg="";
    $otime = $ostatus = $oresptime = $oreadytime =
    $odeltime = "";
    ?>
</div>
<form action="" method="get">
<?php
    $oid="";
    if(strpos($_SERVER['REQUEST_URI'],'oid'))
        $oid= $_GET['oid'];
    ?>
<label>Enter Order ID :</label>
<input type="number" name="oid" value="<?php echo $oid ?>" placeholder="107
required"><br><br>
<label>Enter Email ID :</label>
<input type="email" name="cemail" placeholder="your@email.tld"
required"><br><br>
<input type="submit" name="submit" value="track Order">
</form>
<hr>
<table>
<tr>

```

```

<th>ID</th>
<th>Placed</th>
<th>Status</th>
<th>Accepted</th>
<th>Ready</th>
<th>Delivered</th>
</tr>
<?php
    if(isset($_GET['submit'])){
        $oid = $_GET['oid'];
        $cemail = $_GET['cemail'];

        $cemail=stripcslashes($cemail);
        $cemail=mysqli_real_escape_string($con,$cemail);

        $oid=stripcslashes($oid);
        $oid=mysqli_real_escape_string($con,$oid);

        $sql = "Select * from orders where oid='$oid' and
cemail='$cemail';";
        $res = mysqli_query($con, $sql);
        $count = mysqli_num_rows($res);
        $row = mysqli_fetch_assoc($res);
        if($res){

            if($count == 1){

                $otime = $row['otime'];
                $ostatus = $row['ostatus'];
                $oresptime = $row['oresptime'];
                $oreadytime = $row['oreadytime'];
                $odeltime = $row['odeltime'];
            }
        }
    }
}

```

```

    // $msg = "A order found with given order id and
email";
}

else
    $msg = "No order found with given order id and
email ";
}

else{
die("Error fetching order details: ".mysqli_error($con));
}

?>
<tr>
<?php
if($otime != ""){
if($ostatus == "Pending")
    $oresptime = $oreadytime = $odeltime = "n/a";
elseif ($oreadytime == "0000-00-00 00:00:00")
    $oreadytime = $odeltime = "n/a";
elseif($odeltime == "0000-00-00 00:00:00")
    $odeltime = "n/a";

echo "<td>
". $oid."</td><td>". $otime."</td><td>". $ostatus."</td><td>". $oresptime."</td><
td>". $oreadytime."</td><td>". $odeltime."</td>";
}

else
echo "<tr><td colspan='6'>".$msg."</td></tr>";

```

---

?>

---

</tr>

---

</table>

---

<br>

---

Give us a word, how was your experience. Could it have been better, To give feedback, suggestion or grievance<a href = "/contact.php"> click here &#8594;</a><br><br>

---

</fieldset>

---

---

<?php include "cFooter.php"; ?>

---

## functions.js

```
document.title = document.getElementById('metadata').innerHTML;  
function hidepopup() {  
    setTimeout(() => {  
        const popup = document.getElementById('popup');  
        popup.style.display= 'none';  
    }, 4000);  
}  
hidepopup();
```

## style.css

```
body{  
    width: 80%;  
    max-width: 1320px;  
    border-left: 2px solid lightblue;  
    border-right: 2px solid lightblue;  
    background: lightgray;  
    margin: auto;  
    font-size: 16px;  
    line-height: 1.5;  
    word-spacing: 2px;  
    font-family: cursive;  
    background-image: url("/assets/images/bg.jpg");  
    background-size: cover;  
    background-attachment: fixed;  
}  
}
```

```
#container{  
background:rgba(255, 255, 255, 0.6);  
padding: 0px 20px;  
min-height: 100vh;  
}  
  
header{  
text-align: center;  
}  
  
header img{  
width: 40%;  
margin: auto;  
}  
  
hr{  
border: 0.1px inset lightblue;  
}  
  
  
nav{  
min-width: fit-content;  
overflow-x: auto;  
word-spacing: 15px;  
text-align: center;  
}  
  
nav li{  
list-style: none;  
display: inline;  
}  
  
nav li a, nav li a:visited{  
text-decoration: none;  
color: brown;  
font-weight: bold;  
}  
  
nav li a:hover, nav li a:active{
```

```
color: lightblue;
text-decoration: none;
}
.navdivider{
color: orange;
}
#metadata{
display: none;
}
fieldset{
border: 2px solid lightblue;
}
legend{
font-size: larger;
font-weight: bold;
}
#minidiv{
display: grid;
grid-template-columns: 50% 50%;
}
.half{
text-align: initial;
}
}
table{
width: 100%;
min-width: fit-content;
border-collapse: collapse;
}
table, th, td {
border: 1px solid;
text-align: center;
```

```
}

.menuthumb{
    height: 50px;
}

#popup{
    display: inline;
    width: fit-content;
    float: right;
}

a, a:visited{
    text-decoration: none;
    color: blue;
}

a:hover, a:active{
    text-decoration: underline;
}

form{
    width: fit-content;
    margin: auto;
    text-align: center;
    padding: 5px;
}

textarea{
    resize: none;
}

form img{
    height: 125px;
    width: auto;
}

footer{
    background: whitesmoke;
```

```
}
```

```
@media (max-width: 768px){
```

```
body{
```

```
    width: 100%;
```

```
    border-left: 2px solid lightblue;
```

```
    border-right: 2px solid lightblue;
```

```
    background: lightgray;
```

```
    margin: auto;
```

```
    font-size: 16px;
```

```
    line-height: 1.5;
```

```
    word-spacing: 2px;
```

```
    font-family: sans-serif;
```

```
    background-image: url("/assets/images/bg.jpg");
```

```
    background-size: cover;
```

```
    background-attachment: fixed;
```

```
    background-position: right top;
```

```
}
```

```
#container{
```

```
    padding: 0px 10px;
```

```
}
```

```
#minidiv{
```

```
    display: block;
```

```
}
```

```
}
```

## b. Timeline Chart:

Work Tasks	September 2022	October 2022	November 2022
1. Initial Investigation	Start		
2. User's Interview	End of Sep 1		
3. Investigation Report	Start of Sep 2		
4. Requirement	End of Sep 2		
5. Requirement Documentation	Start of Sep 3		
6. Feasibility Study	End of Sep 3		
7. Define Desired Output/Input	Start of Sep 4		
8. Hardware Specification	End of Sep 4		
9. Software Specification	Start of Sep 5		
10. Cost and Beneficial Analysis	End of Sep 5		
11. System Planning and Analysis	Start of Sep 6	Start of Oct 1	
12. Flowchart		End of Oct 1	
13. ER Diagram		Start of Oct 2	
14. DFD		End of Oct 2	
15. Review		Start of Oct 3	
16. Interface Design		End of Oct 3	
17. Program coding		Start of Oct 4	
18. Testing		End of Oct 4	
19. Debugging		Start of Oct 5	
20. System Implementation		End of Oct 5	
21. Documentation		Start of Oct 6	

## 8. TESTING

This project is dedicated to solving the internal restrictions off the databases as per security reasons. The key concept of primary key, foreign key, null values are frequently used in this project. Data integrity is highly available in this project.

There are some testing processes which are as follows: -

1. **Unit testing** – Individual functions or procedures are tested to ensure that they are operating correctly. Each component is tested individually.
2. **Module testing** – a module is a collection of dependent components such as an object class, procedures and functions. A module encapsulates related components so that it can be tested without other system modules.
3. **Sub-systems testing** – Sub-system testing involves testing a collection of modules which have been integrated into sub-system. Note that sub-system may be independently designed and implemented. The most common problem which are in large system is the interfacing of the sub-systems. The subsystem test process should therefore concentrate on the detection of interface errors by rigorous testing.
4. **System testing** – The sub-systems are connected to make the whole system. The testing process is concerned with finding such errors which do result from interactions / interfacing among sub-system.

## 9.CONCLUSION

The goal of the initiative is to fulfill the requirements of Order-Menu management system of Cafés. It accomplishes the process of Café order management system such as availing menu to customer, placing order, updating customer on email, etc. for customers, and taking order, managing menu, generating bill etc. for the manager.

## 10. LIMITATION OF THE PROJECT

**Limitations of this project are:**

- It requires a stable internet connection from both admin and the customer.
- To operate on this project, administrator needs to be given a short training.
- It requires a device with uninterrupted power supply.
- In case of technicalglitch, it can become ineffectual.
- Customers without operational email account cannot place order.

## 11. FUTURE SCOPE AND ENHANCEMENT

### **Future Scopes:**

- It can be sold to the cafes still operating in conventional way of maintaining register and remembering right customer to order combination. It can act as aid to the growing businesses by taking care of tedious work of noting down the order history, generating bill, updating customers about their order status.
  
- This project can be worn different themes (modify its appearance) according to the customer's wish. It makes this project more scalable to a greater number of buyers.

## BIBLIOGRAPHY

- <https://javatpoint.com>
- <https://tutorialspoint.com>
- <https://w3schools.com>
- <https://stackoverflow.com/>
- <https://geeksforgeeks.com>
- <https://developer.mozilla.org/>
- Etc.