EUROGRIP X UNSTOP COLLABORATION | CASE STUDIES 1 TO 4 | RESEARCH DELIVERABLE

# Eurogrip: Four Cases, Solved

**Brand perception across three rider segments, an EV-ready two-wheeler tyre, tractor-tyre share at home, and a mechanic advocacy programme for the domestic two-wheeler market**

**Team IdeaForge**
Harsh Kawatra, Delhi Technological University (Team Leader)

Eurogrip x Unstop Collaboration, Case Studies 1 to 4 (deck submitted for Case Study 4)

# Contents


Contents

0. Document control

1. Four briefs, 58 requirements: where each is answered, and for Case 4 on which slide panel

2. The four answers on one page: pay mechanics for advice in tools and status, prove distance through the gig fleet, build the EV tyre on existing lines, and win the hardest-working tractors first

3. Eurogrip today: TVS Srichakra earned ₹3,643 crore in FY26, sells in 85 countries and reaches riders through 600 distributors

4. India buys about 12.35 crore two-wheeler tyres a year, around 61% of them as replacements, and a handful of brands sell most of them

5. A replacement tyre is chosen at a puncture or a worn tread, and the mechanic is usually the person in the room

6. India has about 7.8 lakh outlets where a two-wheeler tyre gets recommended, and 75% of them never stock one

7. Awareness is not Eurogrip's gap: 4 of 5 advocacy branches fail downstream of it, and the mechanic's jobs explain why

8. 15 influencer programmes in lubricants, batteries, parts and building materials show how India pays mechanics, and 1 of them credits advice without a purchase

9. A cash-per-tyre scheme would spend about 91% of its money on tyres that sell anyway and fails three of the brief's five criteria

10. The programme: 3 tiers let every shop join free, earn tools and status for each logged recommendation, and re-qualify every six months

11. ₹22.0 crore a year, 1.6% of business-unit revenue, equips 1.16 lakh shops and pays back at 4.4 extra tyres per shop a year

12. Two states, then eight, then all of India: three gates in 24 months decide whether more money is spent

13. Four layers of measurement and one experiment show whether recommendations moved, at a known cost per audit

14. 10 ways the programme could fail, each paired with one control

15. What we have not tested yet, and the 60 interviews that would test it first

16. Four slides carry the Case 4 answer: what each panel shows and where its numbers come from

17. Three riders, three jobs: commuters buy reliability, gig riders buy uptime, premium riders buy proof from peers

18. One brand, one proof currency: distance travelled is the claim all three segments can check

19. ₹63.75 crore across Digital, Retail and On-ground puts 62% of the money where the tyre is chosen

20. Nine campaign ideas, three per segment, each with a cost line and a measure

21. An electric scooter asks five things of a tyre that a petrol scooter does not, and rolling resistance decides about 20% of its range

22. The EV-ready tyre: a silica-rich cap on a cool base, a variable-pitch tread and a load index one to two steps higher, on existing lines

23. One tyre for six markets: compliance runs through BIS, UNECE R75 and FMVSS 119, and the car-tyre labels do not apply

24. The EV-ready variant costs about 8.0% more to make than its petrol-scooter twin and adds 4.2% range

25. India's tractor-tyre market is worth about ₹9,276 crore a year, and 6 brands hold most of it

26. A tractor tyre is chosen by the dealer first: recommendation ranks sixth of six purchase factors, and the order changes by state

27. Win the hardest-working tractors first: they replace rear tyres every 3 years against 8, and talk to many farmers

28. A dealer-led plan for ₹4.46 crore a year, 1.75% of domestic OHT revenue

29. Four answers, one company: the mechanic programme is the shared channel for three of them

30. Forty questions the judges are likely to ask, and our answers

31. Method, limits and what we would validate next

Appendix A: Bibliography

Appendix B: Model tables

T1. Case 4: four ways to count the mechanic and puncture-shop universe (lakh outlets)

T2. Case 4: the three segments (base universe)

T3. Case 4: cost per member per year (₹)

T4. Case 4: annual budget by line (₹ crore) and members

T5. Case 4: contribution per tyre and break-even

T6. Case 4: what moves break-even most (base case, one assumption at a time)

T7. Case 4: rollout by quarter (base)

T8. Case 4: mystery-rider audit design

T9. Case 4: the obvious cash-per-tyre scheme (base)

T10. Case 4: benchmark programmes as scored

T11. Case 4: tiers

T12. Case 4: risks and controls

T13. Case 1: budget by segment and channel (₹ crore, base)

T14. Case 1: what the budget buys (base)

T15. Case 1: budget by scenario (₹ crore)

T16. Case 2: compound cost (₹ per kg)

T17. Case 2: cost delta and range gain

T18. Case 3: rear-tyre sets replaced a year by segment (base)

T19. Case 3: budget lines (₹ crore, base)

T20. Case 3: cost per hour, payback and share points

Appendix C: Research datasets

Appendix D: Assumptions register

Appendix E: Glossary

Appendix F: Data conflicts and rulings

## Contents


- 0. Document control
- 1. Four briefs, 58 requirements: where each is answered, and for Case 4 on which slide panel
- 2. The four answers on one page: pay mechanics for advice in tools and status, prove distance through the gig fleet, build the EV tyre on existing lines, and win the hardest-working tractors first
- 3. Eurogrip today: TVS Srichakra earned ₹3,643 crore in FY26, sells in 85 countries and reaches riders through 600 distributors
- 4. India buys about 12.35 crore two-wheeler tyres a year, around 61% of them as replacements, and a handful of brands sell most of them
- 5. A replacement tyre is chosen at a puncture or a worn tread, and the mechanic is usually the person in the room
- 6. India has about 7.8 lakh outlets where a two-wheeler tyre gets recommended, and 75% of them never stock one
- 7. Awareness is not Eurogrip's gap: 4 of 5 advocacy branches fail downstream of it, and the mechanic's jobs explain why
- 8. 15 influencer programmes in lubricants, batteries, parts and building materials show how India pays mechanics, and 1 of them credits advice without a purchase
- 9. A cash-per-tyre scheme would spend about 91% of its money on tyres that sell anyway and fails three of the brief's five criteria
- 10. The programme: 3 tiers let every shop join free, earn tools and status for each logged recommendation, and re-qualify every six months
- 11. ₹22.0 crore a year, 1.6% of business-unit revenue, equips 1.16 lakh shops and pays back at 4.4 extra tyres per shop a year
- 12. Two states, then eight, then all of India: three gates in 24 months decide whether more money is spent
- 13. Four layers of measurement and one experiment show whether recommendations moved, at a known cost per audit
- 14. 10 ways the programme could fail, each paired with one control
- 15. What we have not tested yet, and the 60 interviews that would test it first
- 16. Four slides carry the Case 4 answer: what each panel shows and where its numbers come from
- 17. Three riders, three jobs: commuters buy reliability, gig riders buy uptime, premium riders buy proof from peers
- 18. One brand, one proof currency: distance travelled is the claim all three segments can check
- 19. ₹63.75 crore across Digital, Retail and On-ground puts 62% of the money where the tyre is chosen
- 20. Nine campaign ideas, three per segment, each with a cost line and a measure
- 21. An electric scooter asks five things of a tyre that a petrol scooter does not, and rolling resistance decides about 20% of its range
- 22. The EV-ready tyre: a silica-rich cap on a cool base, a variable-pitch tread and a load index one to two steps higher, on existing lines
- 23. One tyre for six markets: compliance runs through BIS, UNECE R75 and FMVSS 119, and the car-tyre labels do not apply
- 24. The EV-ready variant costs about 8.0% more to make than its petrol-scooter twin and adds 4.2% range
- 25. India's tractor-tyre market is worth about ₹9,276 crore a year, and 6 brands hold most of it
- 26. A tractor tyre is chosen by the dealer first: recommendation ranks sixth of six purchase factors, and the order changes by state
- 27. Win the hardest-working tractors first: they replace rear tyres every 3 years against 8, and talk to many farmers
- 28. A dealer-led plan for ₹4.46 crore a year, 1.75% of domestic OHT revenue
- 29. Four answers, one company: the mechanic programme is the shared channel for three of them
- 30. Forty questions the judges are likely to ask, and our answers
- 31. Method, limits and what we would validate next
- Appendix A: Bibliography
- Appendix B: Model tables
- Appendix C: Research datasets
- Appendix D: Assumptions register
- Appendix E: Glossary
- Appendix F: Data conflicts and rulings


## 0. Document control

**Answer.** This document is the research base for all four Eurogrip x Unstop case studies, with Case Study 4 (mechanic and puncture-shop advocacy) carried to a full deck-ready solution and Cases 1 to 3 solved to the same evidentiary standard. It exists so that every number on the Case 4 Figma deck, and every recommendation made for Cases 1 to 3, traces to a cited raw fact `[RA##]` through `[RH##]`, a source `[S###]`, a sentence of the brief `[C1-B##]` to `[C4-B##]`, a stated

assumption [A##], or a model output [M ...]. The build ran eight research lanes (R-A through R-H), one modelling pass and six writers (A to F); this section is the reader's map to all of it before the argument begins in section 1.

### 0.1 Purpose and reader

Three readers are expected. The Unstop and Eurogrip judging panel will read the Case 4 deck and this document's Case 4 chapters (sections 5 to 16) to check that the programme design, the budget and the measurement plan actually answer the brief's five evaluation criteria [C4-B26] to [C4-B30], not a generic loyalty-app pitch. Team IdeaForge (Harsh Kawatra, Delhi Technological University) will use this document as the single place to check a number before it goes on a slide; if a headline figure changes, every slide and every appendix that carries it is updated from this document, never the other way round, per the golden rule on propagating cost figures (PLAN.md section 5, rule on cost/BOM figures). Any reader checking Cases 1 to 3, which are solved here in full but not built into a deck under this round, will find the same density: an obvious answer stated fairly, a recommendation with reasons, a moneyshot with bear, base and bull values, and a kill criterion, for each case, in section 2.

### 0.2 Tag legend

| Tag | Meaning | Lives in |
|---|---|---|
| [RA##] to [RH##] | A raw fact row from one of the eight research lanes (R-A Eurogrip and TVS Srichakra, R-B tyre industry, R-C mechanic universe, R-D programmes and costs, R-E Case 1 segments and media, R-F Case 2 EV tyres, R-G Case 3 tractor tyres, R-H methods and citations) | research/raw/R-*.md |
| [S###] | An external source cited by a raw fact, numbered by the lane's reserved block | research/raw/sources.md |
| [C1-B##], [C2-B##], [C3-B##], [C4-B##] | A sentence of one of the four case briefs, by its assigned ID | case/01-brief.md |
| [A##], [A1-##], [A2-##], [A3-##] | A team assumption with a bear, base and bull value (A for Case 4, A1 for Case 1, A2 for Case 2, A3 for Case 3) | model/inputs/assumptions.csv |
| [M c4.key], [M c1.key], [M c2.key], [M c3.key] | A model output field, read from the locked run | model/model_outputs.json, model/model_tables.md |
| [T#] | A numbered table inside model_tables.md | model/model_tables.md |

A number without one of these tags is a drafting error. Any paragraph that rests on an assumption says the word "assumption" once, in that paragraph, so a reader never has to infer whether a figure was measured or designed.

### 0.3 Source hierarchy

Per the golden rule on source precedence (PLAN.md section 0.3, rule 7), sources rank in seven tiers, highest first. The seventh tier (research paper or standards body) is added to the plan's six named tiers because two lanes, R-H (methods) and the Case 2 chapters built from R-F, draw on peer-reviewed journal articles and international standards bodies that sit above a press release in reliability but below a government statistic in jurisdiction over an Indian fact; it is placed at tier 4, between credit-rating rationales and industry-body material, because a cited, dated journal article or a standards body's own publication record is a stronger primary-adjacent source than an industry press release, even though it carries no authority over an India-specific market fact.

| Tier | Kind | Example in this document |
|---|---|---|
| 1 | Company filing (annual report, stock-exchange filing, investor presentation) | TVS Srichakra NSE/BSE filings [RA02], [RA48], [RA100] |
| 2 | Government or regulator statistics | MoSPI ASUSE [RC02], SIAM wholesale data [RB15], CBIC GST notification [RA60] |
| 3 | Credit-rating rationale | CRISIL rationales 2018 to 2024 [RA08], [RA95] to [RA97], [RB55] to [RB58] |
| 4 | Peer-reviewed research paper or standards body | Keller 1993 [RH01], Kahneman and Tversky 1979 [RH11], AIAG-VDA FMEA Handbook [RH35] |
| 5 | Industry body or company press release | ATMA statements [RB36] to [RB38], TVS Srichakra press releases [RA37] |
| 6 | Reputable press | Business Standard, Autocar Professional, Outlook Business (used throughout R-A, R-B) |
| 7 | Vendor blog or aggregator | Screener.in [RA12], Autobei [RB01] to [RB05], almonds.ai, Scribd |

Where a lower tier disagrees with a higher tier, the higher tier wins and the disagreement is logged in research/raw/conflicts.md (Appendix F). Figures resting only on tier 7 carry the label "aggregator-reported" or "vendor-reported" wherever they appear in this document, including on the deck.

### 0.4 Verification status by lane

No separate formal verification pass (R2 in the step sequence) was run in this build. EG\DECISIONS.md records this under its "R2 skip" entry: each of the eight lanes already re-opened its own primary sources directly during its own build, rather than citing a search-result snippet and leaving correction to a second pass, so a dedicated verification wave would have re-checked work the lane itself had already re-checked. The honest consequence is that "verification status" in this document means each lane's own self-reported status column, not an independent second reviewer's judgement. The table below counts every row of every lane's own Facts table by its stated status.

| Lane | VERIFIED | CORRECTED | SNIPPET | UNVERIFIABLE | Rows counted |
|---|---|---|---|---|---|
| R-A, Eurogrip and TVS Srichakra | 55 | 16 | 13 | 0 | 84 |
| R-B, tyre industry | 46 | 8 | 3 | 4 | 61 |
| R-C, mechanic universe and rider journey | 53 | 6 | 6 | 2 | 67 |

| Lane | VERIFIED | CORRECTED | SNIPPET | UNVERIFIABLE | Rows counted |
|---|---|---|---|---|---|
| R-D, programmes and costs | 69 | 5 | 9 | 4 | 87 |
| R-E, Case 1 segments and media | 71 | 14 | 5 | 9 | 99 |
| R-F, Case 2 EV tyres | 45 | 13 | 11 | 0 | 69 |
| R-G, Case 3 tractor tyres | 53 | 4 | 8 | 1 | 66 |
| R-H, methods and citations | 17 | 1 | 17 | 6 | 41 |
| **Total** | **409** | **67** | **72** | **26** | **574** |

*Columns expanded: VERIFIED = status column reads exactly "VERIFIED" (page opened and figure matched); CORRECTED = a figure was opened and differed from an earlier search-only lead, with the corrected figure shown in the row; SNIPPET = seen only in a search-result snippet, the page itself not independently opened, never used as the sole support for a deck number; UNVERIFIABLE = searched for and found only on a source too weak or too internally inconsistent to carry a figure, used only with an explicit caveat or excluded. Source: row counts taken directly from each of* `research/raw/R-A-eurogrip-company.md` *through* `research/raw/R-H-methods.md`.

R-H carries the lowest VERIFIED-plus-CORRECTED share of any lane (18 of 41 rows, about 44%, against a deck-wide average closer to 83%) by design, not by shortfall: it sources decades-old or paywalled academic originals (Keller 1993, Kahneman and Tversky 1979, Akao's 1990 QFD text, Altshuller's TRIZ principles) through confirmed bibliographic citation, publisher catalogue pages and cross-checked secondary summaries, rather than through full-text re-derivation of a 1979 Econometrica paper or a 1990 Productivity Press book that direct web fetch cannot reach. Every framework cited from R-H in sections 2, 7, 10, 11, 13 and 14 is attributed to its correctly dated original, with any unresolved bibliographic detail (an exact page range, a first-use year) stated as a gap rather than guessed.

### 0.5 Model version and hash

Every modelled number in this document (`[M ...]` tags) comes from `model/eurogrip_model.py`, run with hash `b1125880f5` at `2026-10-17T23:47:20` under model version "eurogrip-model v1". That run wrote `model/model_outputs.json` and `model/model_tables.md`, and every writer across this six-part document reads the same locked run; no writer recomputes a model figure independently. Where a raw lane file's own arithmetic would imply a slightly different number from the model's (for example, a lane's quick average of four prices against the model's weighted assumption), the model's number is the one used on any slide or in any headline sentence, and the raw file's arithmetic is shown as the derivation behind the assumption that feeds the model, not as a competing citation.

### 0.6 Honesty conventions

Four kinds of claim appear in this document and each is tagged so a reader can tell them apart at a glance.

| Kind of claim | Tag pattern | What it means | What it does not mean |
|---|---|---|---|
| **Case fact** | `[C1-B##]` to `[C4-B##]` | A sentence the brief itself states | Not independently verified by this team; quoted or paraphrased, never silently edited |
| **Outside evidence** | `[RA##]` to `[RH##]`, `[S###]` | A fact a research lane found and dated, with a source and a status (section 0.4) | Not a model output; a raw fact can be wrong even at VERIFIED status if the source itself is weak (tier 7), which is why the tier is always named |
| **Assumption** | `[A##]`, `[A1-##]`, `[A2-##]`, `[A3-##]` | A bear, base and bull value the team set because no source gives the figure, recorded in the assumptions register with its basis | Not a measured fact; every paragraph using one says "assumption" once |
| **Model output** | `[M ...]`, `[T#]` | A number the locked model run computed from the assumptions and raw facts above it | Not a new, independent fact; it is only as reliable as the assumptions and facts that feed it, which is why the tornado table (`model_tables.md` T6) exists |

The single most important honesty rule in this build concerns Case 4's mechanic brand-track study `[C4-B06]`, `[C4-B11]`. The brief describes this study only in qualitative terms (awareness "lukewarm", stocking "lags well behind competing brands"), and this document never attaches an invented percentage to it; every statement drawn from it in sections 7, 9 and 10 stays at the brief's own level of precision.

### 0.7 Brief edit marks and the Case 4 struck-insight ruling

The four brief PDFs carry blue (emphasised or late-added) and struck-through (deleted) text that plain text extraction loses; `case/01-brief.md` reproduces both marks against each sentence ID (`PLAN.md` section 1.3). The single ruling that matters most for Case 4's argument concerns a struck insight: the brief's mechanic brand-track findings originally stated, as insight 2, that "functional support, tools and equipment to change tyres, has overtaken cash and pricing incentives as the top-ranked way mechanics want to be supported by a brand" `[C4-B12]`, and this sentence is struck through in the PDF. It is never presented in this document as an Eurogrip finding. At the same time, the judging criterion for insight-grounding still asks whether the solution "builds on the actual mechanic preference shift, toward tools/equipment and brand visibility, away from pure cash" `[C4-B27]`. The ruling applied throughout sections 7, 9 and 10, per `PLAN.md` section 0.3 rule 5: the brand-visibility half of that shift is attributed to the brief's own (unstruck) insight on rising preference for branded merchandise, display boards and uniforms `[C4-B13]`; the tools-and-equipment half is supported only with external evidence from adjacent-category programmes (section 8, R-D) and is explicitly framed as a hypothesis the pilot tests, via a randomised reward-currency arm (tool credits against a cash equivalent of the same value), rather than as a finding Eurogrip already has. No sentence in this document reads "Eurogrip's study shows tools overtook cash."

### 0.8 Skill calibration note

The argument behind all four cases, and the Case 4 recommendation in particular, was engineered using the `case-competition-deck` skill in generate mode before any research lane began writing prose (`PLAN.md` section 0.4, touchpoints T1 and T2). `research/ARGUMENT.md` records the skill's calibration note in full; quoted fairly here: "the skill's corpus is three GCCH M&A decks. These four cases are marketing (Cases 1, 4), product engineering (Case 2) and go-to-market strategy (Case 3). The structural and rhetorical patterns transfer (contrarian recommendation, action titles, moneyshot, foreshadowing, symmetric treatment, defensive depth, three-scenario thinking); the M&A-specific frameworks (DCF, premium decomposition, EPS accretion) do not apply and are replaced case by case." This document follows that distinction throughout: the rhetorical architecture (an obvious answer rejected with three reasons, a governing thought, one moneyshot per case, a seed planted before the recommendation is named, symmetric treatment of parallel segments) is used with full confidence in every case chapter, while the named

frameworks for each case (section 1.5 below, and the per-case framework tables in section 2) are chosen for fit to that case's own type, not inherited unchanged from an M&A playbook.

### 0.9 AI-use disclosure

This document was researched and written with AI assistance across research lanes, modelling and drafting, with every number traced to a cited source or a stated assumption. Eight research-lane agents gathered facts through web search and direct page fetches; one modelling agent wrote and ran the Python model that produced every `[M ...]` figure; six writing agents (A to F, this document's authorship) drafted the prose from the fact base and the model's locked output, not from general knowledge of the tyre industry. Team IdeaForge (Harsh Kawatra) set the research plan, ruled on every logged conflict (`research/raw/conflicts.md`), and reviewed the fact base and the model before this document was assembled. No primary research, interviews, surveys or letters of intent, was conducted for any of the four cases; section 15 states this plainly for Case 4 and proposes a named Customer Validation Plan instead of presenting invented primary research as if it had been run.

### 0.10 Document map

| Part | Sections | Writer | What it covers |
|---|---|---|---|
| **Opening and cross-case** | 0 to 2 | A | Document control, the four briefs' requirements and judging maps, the four answers on one page |
| **Eurogrip and the market** | 3 to 5 | A | Eurogrip and TVS Srichakra today, the Indian two-wheeler tyre market, the replacement-tyre rider journey |
| **Mechanic universe and insight** | 6 to 9 | B | The mechanic and puncture-shop universe, why Eurogrip loses at stocking and recommendation, adjacent-category programme teardowns, the rejected cash-per-tyre scheme |
| **The programme in full** | 10 to 16 | B, C | The tier ladder and loop, budget and moneyshot, rollout and gates, measurement, risks, the validation plan, the slide-to-section map |
| **Case 1** | 17 to 20 | D | Segments and jobs, positioning, budget and channel matrix, campaign ideas |
| **Case 2** | 21 to 24 | E | EV versus ICE tyre demands, the EV-ready concept, compliance, cost and manufacturability |
| **Case 3** | 25 to 29 | F | Tractor-tyre market, buying centre, segment strategy, budget and rollout, cross-case synthesis |
| **Closing** | 30 to 31 | F | Judge question bank, method and limits |
| **Appendices** | A to F | generated | Bibliography, model tables, datasets, assumptions register, glossary, conflicts and rulings |

### What this section establishes, and what it does not

- It establishes the tag system, the seven-tier source hierarchy, and the fact that every number in this document is traceable to one of four kinds of claim (case fact, outside evidence, assumption, model output).
- It establishes, honestly, that verification in this build means each lane's own re-opening of its sources, not an independent second pass, and that R-H's lower VERIFIED-plus-CORRECTED share is a function of what kind of sources methods citations are, not a weaker lane.
- It establishes the ruling on the struck Case 4 insight, which governs how sections 7, 9 and 10 write about mechanic preferences for tools versus cash.
- It does not yet state any finding about Eurogrip, the market, or the programme design; those begin in section 1.
- It does not resolve every data gap found across the eight lanes; those are named plainly where they occur, starting with the "where the evidence is thinnest" table in section 1.

## 1. Four briefs, 58 requirements: where each is answered, and for Case 4 on which slide panel

**Answer.** Across the four Eurogrip briefs there are 58 distinct requirements once the challenge statement, the research asks, the constraints, the Round 2 coverage list and the evaluation criteria of each case are counted separately: 18 for Case 4 (`PLAN.md` §1.2, reproduced below), 13 for Case 1, 14 for Case 2 and 13 for Case 3. Every one of the 58 maps to a research section in this document, and for Case 4, the only case built into a Figma deck this round, to a named slide panel. The thinnest evidence in the whole build sits in three places: no dealer or distributor margin percentage for two-wheeler tyres `[RB67]`, no official count of India's mechanic and puncture-shop universe (triangulated four ways instead, `[T1]`), and no published study attaching a number to how often a mechanic's recommendation actually decides a replacement-tyre purchase `[RB67]`.

### 1.1 Case 4 requirements traceability matrix (the deck case)

This table is `PLAN.md` §1.2 reproduced exactly, with its "Deck panel" column kept as the plan fixed it; the Round 2 brief itself asks for these requirements to show up in a deck of up to 15 slides covering programme structure, incentive design, scale and rollout, and budget allocation `[C4-B25]`.

| Req | Brief wording (abridged) | ID | Research section | Deck panel |
|---|---|---|---|---|
| **R1** | Mechanics are the most frequented touchpoint; mechanic most often recommends the tyre at replacement | C4-B03/04 | §6, §7 | S1 mind map (THE MECHANIC node); S2 P1 |
| **R2** | Advocacy today is informal: unstructured, inconsistent, hard to place on the same plans as peers | C4-B05 | §7, §9 | S2 P2 (insight 4), P4 (tiers make it structured) |
| **R3** | Brand awareness lukewarm; recommendations not in Eurogrip's favour | C4-B06/07 | §7 | S2 P2 insight 1 |
| **R4** | Build a scalable, cost-effective advocacy ecosystem across India | C4-B09 | §10, §12 | Headline; P4; P6 |
| **R5** | Genuine, lasting recommendation, without high-cost one-off incentives that are hard to sustain or track | C4-B10 | §9, §10, §13 | P3 (obvious play rejected); P4 loop; P8 |

| Req | Brief wording (abridged) | ID | Research section | Deck panel |
|---|---|---|---|---|
| R6 | Insight: awareness average, stocking lags competitors, opportunity is awareness to stocking to recommendation | C4-B11 | §7 | P2 insight 1; P4 Tier 3 asks for stocking |
| R7 | (Struck) tools overtook cash as top-ranked support | C4-B12 [STRUCK] | §1.3 ruling | Never cited as a finding |
| R8 | Insight: preference for brand-visibility items (merchandise, display boards, uniforms) rising quickly; association and status | C4-B13 | §7, §10 | P2 insight 3; P4 Gets column |
| R9 | Insight: meaningful advocacy from mechanics who do not stock Eurogrip; influence is not the same as stocking | C4-B14 | §7, §10 | P2 insight 2; P4 loop (code works without stock); cover seed |
| R10 | Research: scale of the mechanic and puncture-shop universe (numbers, geography, fragmentation) | C4-B16 | §6 | P1; Appendix A1 |
| R11 | Research: cost benchmarks for tools and equipment and branded merchandise at scale | C4-B17 | §8, §11 | P7 budget; Appendix A2 |
| R12 | Research: how adjacent categories (auto parts, lubricants, batteries) or competitors structure programmes | C4-B18 | §8 | Appendix A3 heat grid; cover crests |
| R13 | Budget 1.5% to 2% of relevant BU revenue | C4-B19 | §11 | P7 title; Appendix A2 |
| R14 | Scalable nationally, not boutique | C4-B20 | §12 | P6 gantt (national by Q5 to Q8) |
| R15 | Sustain advocacy over time, not one sign-up incentive | C4-B21 | §10, §13 | P4 loop ("tiers renew every six months"); P2 insight 4 |
| R16 | Some mechanism to track or estimate effectiveness, even if imperfect | C4-B22 | §13 | P8 scorecard; P5 moneyshot (break-even) |
| R17 | Round 2 content: programme structure, incentive design, scale and rollout plan, budget allocation | C4-B25 | §10 to §12 | P4, P4, P6, P7 |
| R18 | Judging: incentive realism, insight-grounding, scalability, sustainability, measurability | C4-B26 to C4-B30 | §1.4 | S2 ribbon is the five criteria |

*Columns expanded: ID = the brief sentence tag assigned in `case/01-brief.md`; Deck panel = the panel on the single core slide (S2) or cover/appendix slide this requirement surfaces on. Source: `PLAN.md` §1.2, carried verbatim per the writer brief.*

### 1.2 Case 1 requirements traceability matrix

Case 1's brief does not number requirements as explicitly as Case 4's does, so this table builds the same five-column format from the brief's own challenge statement, segment insights, constraints, Round 2 coverage list and evaluation criteria `[C1-B07]` to `[C1-B22]`. "Slide in a 15-slide version" places each requirement on the slide it would occupy if Case 1 were built into a deck, following the same 15-slide ceiling the brief sets for Round 2 `[C1-B17]`.

| Req | Brief wording (abridged) | ID | Research section | Slide in a 15-slide version |
|---|---|---|---|---|
| R1 | Build and strengthen Brand Eurogrip distinctly across Commuter, Gig and Premium, staying coherent as one brand | C1-B07 | §17, §18 | Slide 2, challenge framing |
| R2 | Commuter: strong player, seen as suitable for all road types, known for the widest tyre range | C1-B08 | §17 | Slide 3 |
| R3 | Premium: most room to grow; weighs peer recommendation and performance heavily | C1-B09/B10 | §17 | Slide 4 |
| R4 | Gig: left intentionally open; research the rider profile independently | C1-B11 | §17 | Slide 5 |
| R5 | Budget: 1.5% to 2% of operating revenue | C1-B12 | §19 | Slide 9, budget |
| R6 | Channel mix must span Digital, Retail and On-ground; no single-channel strategies | C1-B13 | §19 | Slides 9 to 10 |
| R7 | Brand coherence: one architecture, not heterogenous approaches | C1-B14 | §18 | Slide 6 |
| R8 | Round 2 content: personas, positioning per segment, channel-wise activation plan, budget allocation, sample campaign ideas | C1-B17 | §17 to §20 | Slides 3 to 11 |
| R9 | Evaluation: segment specificity, three segments addressed distinctly | C1-B18 | §17 | Slides 3 to 5 |
| R10 | Evaluation: insight-grounding in provided and researched insights | C1-B19 | §17 | Slides 3 to 5 |
| R11 | Evaluation: channel realism within the budget guidance | C1-B20 | §19 | Slide 9 |
| R12 | Evaluation: differentiation beyond generic social media plus billboards | C1-B21 | §18 | Slide 6 |
| R13 | Evaluation: feasibility of execution within a realistic timeframe and structure | C1-B22 | §20 | Slide 11 |

*Source: `case/01-brief.md` §P.1, sentences C1-B07 to C1-B22.*

### 1.3 Case 2 requirements traceability matrix

Case 2 is the only case with a brief edit mark that removes scope: thermal management is struck from the technical areas and must not be presented as a required pillar `[C2-B15]` [STRUCK], per the ruling in `PLAN.md` §1.3.

| Req | Brief wording (abridged) | ID | Research section | Slide in a 15-slide version |
|---|---|---|---|---|
| R1 | Design a next-generation tyre concept addressing compound, tread and load rating, manufacturable and commercially viable at scale | C2-B10 | §21, §22 | Slide 2, challenge framing |
| R2 | Tyre construct: balance low rolling resistance against grip and durability under instant-torque acceleration | C2-B11 [BLUE] | §22 | Slide 3 |
| R3 | Tread pattern: reduced road noise, even wear under regenerative-braking load cycles | C2-B12 | §22 | Slide 3 |
| R4 | Optimized performance on vital needs: grip, high-speed stability, damage resistance, durability | C2-B13 [BLUE] | §22 | Slide 3 |
| R5 | Load rating: accommodate higher kerb weight from battery packs without compromising handling | C2-B14 | §22 | Slide 3 |
| R6 | Global viability: internationally accepted compliance and testing standards, not India-only | C2-B16 | §23 | Slide 5 |
| R7 | Cost realism: a realistic commercial band for the mass-market EV segment | C2-B17 | §24 | Slide 6 |
| R8 | Manufacturability: largely existing tyre-plant processes, no wholly new line | C2-B18 | §24 | Slide 6 |
| R9 | Round 2 content: engineering concept, compound and tread rationale, compliance approach, cost and manufacturability feasibility | C2-B21 | §21 to §24 | Slides 2 to 6 |
| R10 | Evaluation: technical soundness grounded in material science and tyre-design principles | C2-B22 | §22 | Slide 3 |
| R11 | Evaluation: genuine EV-specific understanding of torque, regen braking, NVH, load differences from ICE | C2-B23 | §21 | Slide 2 |
| R12 | Evaluation: innovation, a clear point of differentiation, not a minor tweak | C2-B24 | §22 | Slide 3 |
| R13 | Evaluation: manufacturability and cost realism at the target cost on largely existing processes | C2-B25 | §24 | Slide 6 |
| R14 | Evaluation: clarity of communication, especially in the Round 1 video | C2-B26 | n/a | Round 1 video, not a Round 2 slide |

*Source:* `case/01-brief.md` *§P.2, sentences C2-B10 to C2-B26.*

### 1.4 Case 3 requirements traceability matrix

| Req | Brief wording (abridged) | ID | Research section | Slide in a 15-slide version |
|---|---|---|---|---|
| R1 | Accelerate domestic OHT tractor market share: segments, channel strategy, value proposition | C3-B06 | §25 to §27 | Slide 2, challenge framing |
| R2 | Research: competitive landscape, key players, market shares, positioning; define Brand TVS Eurogrip's current standing | C3-B07 [BLUE] | §25 | Slide 3 |
| R3 | Research: farmer and fleet-operator buying behaviour, who influences the decision | C3-B08 [BLUE] | §26 | Slide 4 |
| R4 | Research: regional variation by cropping pattern, terrain, farm size | C3-B09 | §26 | Slide 4 |
| R5 | Budget: 1.5% to 2% of the relevant business-unit revenue | C3-B10 | §28 | Slide 7, budget |
| R6 | Distribution model: dealer-led, not direct-to-consumer or heavy-digital | C3-B11 | §26, §27 | Slide 5 |
| R7 | At least two distinct customer segments | C3-B12 | §27 | Slide 5 |
| R8 | Round 2 content: segment strategy, channel and dealer approach, value proposition, budget allocation | C3-B15 | §25 to §28 | Slides 2 to 7 |
| R9 | Evaluation: segment specificity, not one generic farmer persona | C3-B16 | §27 | Slide 5 |
| R10 | Evaluation: channel realism for how the category actually buys and sells | C3-B17 | §26 | Slide 4 |
| R11 | Evaluation: insight-grounding in what drives OHT purchase decisions | C3-B18 | §26 | Slide 4 |
| R12 | Evaluation: differentiation from how competitors currently operate | C3-B19 | §27 | Slide 5 |
| R13 | Evaluation: feasibility within the given budget and distribution constraints | C3-B20 | §28 | Slide 7 |

*Source:* `case/01-brief.md` *§P.3, sentences C3-B06 to C3-B20.*

### 1.5 Requirement counts by case

| Case | Requirements counted | Share of the 58 |
|---|---|---|
| Case 1 | 13 | 22.4% |
| Case 2 | 14 | 24.1% |
| Case 3 | 13 | 22.4% |
| Case 4 | 18 | 31.0% |
| Total | 58 | 100.0% |

*Source: tables 1.1 to 1.4, row counts.*

### 1.6 Judging criteria map, Case 4: where each criterion is won

This table is `PLAN.md` §1.4 reproduced exactly; it is the basis for the five tags on the Case 4 core slide's ribbon (`S2`), each tag standing for one of the brief's five evaluation criteria `[C4-B26]` to `[C4-B30]`.

| Criterion (C4-B26 to C4-B30) | What the judges look for | Where we win it | Evidence the judge sees |
|---|---|---|---|
| **Incentive realism** | Would mechanics and puncture-shop owners actually engage | Tier ladder priced per member per year from real tool prices; Tier 1 is free and costs the mechanic nothing; rewards are things a shop uses daily (repair kit consumables) | S2 P4 table; Appendix A2 cost per member; §11 tool price table |
| **Insight-grounding** | Builds on the preference shift toward tools and equipment and brand visibility, away from pure cash | Every design element traces to a brief insight (S2 P2 maps four insights to four design responses) and the obvious cash play is explicitly rejected (P3) | S2 P2, P3 |
| **Scalability** | Works nationally within budget | Universe sized four ways; members affordable inside 1.5% to 2% of BU revenue; distributor-led enrolment; national by Q5 to Q8 | S2 P1, P6, P7; Appendix A1, A2 |
| **Sustainability** | Advocacy persists after the first incentive | Rewards recur (consumables refill, tool upgrades); status re-qualified every six months; visibility compounds (shop board, listing); training creates identity | S2 P4 loop, P2 insight 4 |
| **Measurability** | Tracking feasible, even if imperfect | Code logged by the retailer in Eurogrip's existing retailer app; mystery-rider audits; matched-district pilot; brand-track re-run; explicit gates G1 to G3 | S2 P8, P5 moneyshot, P6 gates; Appendix A4 |

*Source:* `PLAN.md` *§1.4.*

### 1.7 Judging criteria map, Case 1

Case 1's own evaluation criteria section asks five questions `[C1-B18]` to `[C1-B22]`; the recommendation in section 2 of this document (one brand, one proof currency, three entry points, built on the gig fleet's tracked distance) is built to answer each one plainly rather than generically.

| Criterion (C1-B18 to C1-B22) | What the judges look for | Where we win it | Evidence |
|---|---|---|---|
| **Segment specificity** | Commuter, Gig and Premium addressed distinctly, not one generic approach | Three separate entry points (fleet distance, retail counter proof, peer advocacy) feeding one shared proof currency, never a single undifferentiated message | §17, segment profiles; §18, positioning per segment |
| **Insight-grounding** | Grounded in provided and researched brand insights | Commuter insight (widest range, `[C1-B08]`) and Premium insight (peer recommendation, `[C1-B10]`) both used directly; the Gig insight is built from research since the brief leaves it open `[C1-B11]` | §17 |
| **Channel realism** | Digital, Retail and On-ground mix realistic inside the budget guidance | Channel split priced per segment from CPM, retail branding and on-ground event benchmarks, inside 1.5% to 2% of FY26 operating revenue `[M c1.budget_cr]` | §19, channel matrix `[T13]` |
| **Differentiation** | A distinctive idea, not generic social media plus billboards | The masterbrand architecture around one proof currency (distance) is the distinctive idea, not a channel list | §18 |
| **Feasibility** | Could Eurogrip actually execute this within a realistic timeframe and structure | Channel allocations build directly on partnerships (fleet operators, retail network, riding communities) Eurogrip's own distribution already touches | §20 |

*Source:* `case/01-brief.md` *§P.1, sentences C1-B18 to C1-B22;* `research/ARGUMENT.md`.

### 1.8 Judging criteria map, Case 2

| Criterion (C2-B22 to C2-B26) | What the judges look for | Where we win it | Evidence |
|---|---|---|---|
| **Technical soundness** | Grounded in material science and tyre-design principles | Compound and tread choices built from rolling-resistance and tan delta physics, not asserted claims | §21, §22 |
| **EV-specific understanding** | Genuine grasp of torque, regen braking, NVH and load differences from ICE | A named EV-vs-ICE demand table drives every engineering choice in §22 | §21 |
| **Innovation** | A clear point of differentiation, not a minor tweak | Four simultaneous moves (construct, tread, load, vital-performance target) specified as one EV-ready standard, addressing the brief's own warning against "a minor tweak" `[C2-B24]` | §22, writer's note in `case/01-brief.md` §P.2 |
| **Manufacturability and cost realism** | Could this be produced at the target cost, on largely existing processes | Cost build-up lands at essentially the brief's own 8% cost-delta ceiling `[A2-03]`, `[M c2.delta_pct]`, stated honestly rather than claimed as comfortably inside it | §24 |
| **Clarity of communication** | The technical thesis communicated clearly in the Round 1 video | Round 1 deliverable, not scored inside this document's Case 2 chapters | n/a, Round 1 |

*Source:* `case/01-brief.md` *§P.2, sentences C2-B22 to C2-B26.*

### 1.9 Judging criteria map, Case 3

| Criterion (C3-B16 to C3-B20) | What the judges look for | Where we win it | Evidence |
|---|---|---|---|
| **Segment specificity** | Distinct customer segments, not one generic farmer persona | Commercial and haulage operators, smallholder owner-operators and custom hiring centres treated as three separate segments with separate value propositions | §27 |

| Criterion (C3-B16 to C3-B20) | What the judges look for | Where we win it | Evidence |
|---|---|---|---|
| **Channel realism** | Dealer-channel strategy realistic for how the category buys and sells | Every budget line routes through dealers and village mechanics, never direct-to-consumer, honouring the brief's own distribution constraint `[C3-B11]` | §26, §28 |
| **Insight-grounding** | Genuine insight into what drives OHT purchase decisions | Total-cost-of-ownership framing for commercial operators, harvest-timed credit for smallholders, both built from the buying-centre map | §26 |
| **Differentiation** | A clear point of difference from how competitors currently operate | Sequencing the hardest-working segment first and using its tyre-life evidence to carry the smallholder message is the differentiated move, not a generic dealer-meet programme | §27 |
| **Feasibility** | Executable within the given budget and distribution constraints | Budget lines sum inside 1.5% to 2% of domestic OHT revenue `[M c3.budget_cr]`, with a used-versus-envelope check | §28 |

*Source:* `case/01-brief.md` *§P.3, sentences C3-B16 to C3-B20.*

### 1.10 Where the evidence is thinnest

Honesty about gaps is a golden rule of this build ( `PLAN.md` §0.3 rule 4), so this table names the places across all four cases where a lane searched, found nothing at primary-source strength, and recorded the gap plainly rather than inventing a number.

| Gap | What was searched for | What was found instead | Where it is used |
|---|---|---|---|
| **Dealer or distributor margin on two-wheeler replacement tyres** | A percentage margin figure by any source tier | Nothing found; R-B logged the gap directly and the model carries channel margin as assumption `[A29]` (bear 22%, base 18%, bull 15%) rather than a sourced figure | §4, channel structure; §11, moneyshot derivation |
| **Official count of India's mechanic and puncture-shop universe** | A single national census-style figure, by NIC code or otherwise | No such figure exists; the model triangulates four independent methods (enterprise survey, two-wheeler parc, rival-programme floor, Eurogrip's own partner count) and takes the lower-estimate mean floored at the largest confirmed programme count `[T1]` | §6 |
| **A study attaching a percentage to mechanic influence on replacement-tyre choice** | A survey or study measuring how often a mechanic's recommendation decides the purchase | Nothing found at any source tier; R-B's own Gaps section states this explicitly, and the brief's own claim `[C4-B03]` / `[C4-B04]` is used without an invented percentage attached | §5, §7 |
| **Standalone cost breakdown (raw material, employee cost) for TVS Srichakra** | Notes-to-accounts detail inside the annual report | Not located as a readable filing; R-A's own Gaps section records three distinct queries tried and recommends an industry-level proxy instead | §3 |
| **Advertisement and sales-promotion spend specific to TVS Srichakra** | A disclosed rupee figure or percentage of revenue | Not disclosed anywhere opened; CEAT and Apollo both disclose about 2.1% of revenue `[RB49]`, `[RB50]`, used as the cross-check instead | §4, A&P benchmark table |
| **A validated two-wheeler tyre replacement interval, in km or years, from a company or study** | A primary figure, not a car-tyre proxy | Only an insurer's three-year rule of thumb was found `[RB22]`, explicitly labelled as a directional, non-tyre-maker proxy | §4, §5 |
| **A dated, brand-level market-share table for two-wheeler replacement tyres** | Percentages by named brand (MRF, Eurogrip, CEAT, Apollo and others) | Two single-source percentages surfaced (MRF about 35%, CEAT about 26%) and both were ruled unverifiable and excluded `[RB11]`, `[RB12]`; only the qualitative named-leader list is used `[RB10]` | §4, brand shares |
| **Current live status and mechanic usability of the Bandhan retailer app** | A 2025 or 2026 Play Store listing or company statement | Not confirmed; the most recent primary description is from the 2019 to 2020 launch window `[RA32]`, `[RA70]`, `[RA71]`; the deck and document name the app but do not claim a current mechanic user count (M1 ruling, `DECISIONS.md`) | §3, §10 |
| **A peer-reviewed validity study for mystery-shopping as an unprompted brand-recommendation test** | A study validating the exact audit method the Case 4 pilot proposes | Only general service-quality mystery-shopping literature was found `[RH20]` to `[RH22]`, plus one unreplicated master's-thesis accuracy figure `[RH21]`; the document states the audit design is methodologically analogous, not identical, to published studies | §13 |

*Source:* `research/raw/R-A-eurogrip-company.md`, `research/raw/R-B-tyre-industry.md`, `research/raw/R-H-methods.md` *Gaps sections;* `model/model_outputs.json`.

### What this section establishes, and what it does not

- It establishes a traceability matrix for every requirement of every case, 58 in total, each pointing to a research section, a brief ID, and, for Case 4, a named slide panel.
- It establishes a judging criteria map for all four cases (not only Case 4), showing where the team's recommendation wins each evaluation criterion the brief itself names.
- It establishes, honestly, the eight places across the build where the strongest evidence found still falls short of a clean sourced number, and what was used in its place.
- It does not yet state the four recommendations themselves in full; those are argued case by case in section 2.
- It does not resolve the Case 2 cost-delta finding beyond flagging it; the honest "essentially at the ceiling" reading is carried through in §1.8 and argued fully in §24.

## 2. The four answers on one page: pay mechanics for advice in tools and status, prove distance through the gig fleet, build the EV tyre on existing lines, and win the hardest-working tractors first

**Answer.** Each of the four cases rejects the first idea a judge would reach for and replaces it with a sharper one: Case 4 rejects a scan-and-earn cash app for a tools-and-status loop that pays for advice rather than stock, breaking even at 4.4 extra tyres per member a year in the base case `[M c4.be]`; Case 1 rejects three separate segment campaigns for one brand built on a single provable currency, distance, carried first by the gig fleet; Case 2 rejects a premium dedicated EV tyre for an EV-ready variant of the mass-market platform that lands its cost delta at essentially the brief's own 8% ceiling, 8.0% in the base case against a target of 8.0% `[M c2.delta_pct]`; Case 3 rejects a dealer-and-discount push for sequencing the hardest-working tractors first and letting their tyre life sell the brand to smallholders through the dealer. All four share one discipline: every number is bear, base and bull, never a single point estimate, and every recommendation names the evidence that would make the team change its mind.

### 2.1 Case 4: the obvious answer, and three reasons it falls short

**Obvious answer.** A scan-and-earn loyalty app for mechanics: each Eurogrip tyre sold or fitted earns points or cash through a QR coupon in the pack with instant bank payout, the model the lubricant industry already runs (Castrol's Fast Scan platform enrolled 1.5 lakh mechanics and retailers by 2019, lead L6), plus a one-time sign-up kit.

| # | Reason it falls short | Why, with evidence |
|---|---|---|
| 1 | Pays stockers, but advice comes from everyone | Points per tyre sold reward only shops that stock Eurogrip, while the brief states a meaningful share of advocacy already comes from mechanics who do not stock it `[C4-B14]` |
| 2 | Too few tyre sales per shop for points to add up | A lubricant is changed several times a year per bike; a tyre lasts years. Points that accrue a few times a year are either too small to change behaviour or so large they become the "high-cost, one-off incentive" the brief rules out `[C4-B10]` |
| 3 | Rivals can match cash within a week | A QR scan records a sale at a stocking shop, not a recommendation at a non-stocking one, which is what the measurability criterion asks for `[C4-B22]`; cash is the easiest lever for a rival to copy, and copying stops the advocacy as soon as the payout stops |

*Source:* `research/ARGUMENT.md`, *"Case 4: obvious answer and three reasons";* `C4-B10`, `C4-B14`, `C4-B22`.

The model quantifies reason 3 directly. A cash-per-tyre scheme sized to match the base-case Case 4 envelope would reward about 52.1 lakh tyres a year at a cost of about ₹41.70 crore `[M c4.cash_scheme.cost_cr]`, `[T9]`, of which about 91% `[M c4.cash_scheme.deadweight_pct]` would be spent on tyres that would have sold through that mechanic anyway, assuming the scheme lifts volume by only `[A36]` 10% in the base case over a base stocking share of `[A35]` 50%. Section 9 derives this deadweight share in full; it is introduced here only to make reason 3 a number, not an assertion.

### 2.2 Case 4: the recommendation, and three reasons

**Governing thought.** "Pay for the advice, not the stock, and pay in tools and status rather than cash." Every mechanic and puncture shop can join for free. Members get the tools of their trade, visible Eurogrip association and training, all of which they use every day; in return they recommend Eurogrip using a personal code. The rider can buy the tyre at any Eurogrip retailer; the retailer logs the code when the tyre is sold, in the retailer app Eurogrip already runs (named Bandhan, per the ruling in `DECISIONS.md`'s "M1 rulings.json" entry); the code earns the mechanic tool credits and keeps or lifts their tier. Tiers are re-qualified every six months.

| # | Reason | Evidence |
|---|---|---|
| 1 | Credits the advice where it happens | Includes shops that never stock a tyre `[C4-B14]`, and pulls stocking along at Tier 3, where the brief says the gap is `[C4-B11]` |
| 2 | Pays in what a shop uses and wants to be seen with | Repair kits, gauges, inflators, boards and uniforms `[C4-B13]`, `[C4-B27]`; consumables run out every quarter, a recurring, low-cost reason to stay active |
| 3 | Measurable with what Eurogrip already owns | The retailer app logs each code against a tyre serial; mystery-rider audits measure unprompted recommendation; a matched-district pilot measures the lift |

*Source:* `research/ARGUMENT.md`, *"Case 4: recommendation and three reasons."*

### 2.3 Case 4: moneyshot, bear, base, bull

"A member shop needs 4.4 extra Eurogrip tyres a year, one every 11.7 weeks, for the whole programme to pay for itself." This is the base case; it claims no uplift beyond the bar itself.

| Scenario | Break-even extra tyres per member a year | One tyre every (weeks) | Annual programme spend (₹ crore) | Members at steady state (lakh) |
|---|---|---|---|---|
| **Bear** | 11.7 | 4.5 | 10.29 | 0.27 |
| **Base** | 4.4 | 11.7 | 21.99 | 1.16 |
| **Bull** | 2.2 | 23.3 | 29.20 | 2.43 |

*Source:* `[M c4.be]`, `[M c4.weeks]`, `[M c4.spend_cr]`, `[M c4.members_lakh]`, `[T5]`, `[T4]`.

The kill threshold the team set in advance `[A26]` is 12 extra tyres per member a year; the base case clears it by a wide margin (4.4 against 12), which the model's own `c4_be_below_kill_base` check confirms as true (`DECISIONS.md`, "M1 model run"). The programme needs no redesign on this basis.

## 2.4 Case 4: kill criteria

| If the evidence shows | Then | Basis |
|---|---|---|
| **Most two-wheeler tyres are bought without any mechanic involvement at all (a credible study, not found in this build)** | Keep the programme but move weight from segments S-B and S-C to retailer staff; the core thesis still holds | `PLAN.md` §2.2.13 |
| **No retailer app or point-of-sale logging capability exists** | Add the one-time build cost `[A22]` and push the pilot start to Q2 | `PLAN.md` §2.2.13 |
| **Base-case break-even rises above 12 tyres per member a year** `[A26]` | Cut Tier 3 hardware to lease-only and re-run; if still above threshold, narrow the programme to segments S-A and S-B only | `PLAN.md` §2.2.13 |
| **Pilot gate G1 fails on activity (below** `[A23]` **60%) but passes on advocacy** | Fix onboarding, do not stop the pilot | `PLAN.md` §2.2.13 |
| **Pilot gate G1 fails on advocacy** | Stop at the two pilot states and do not scale | `PLAN.md` §2.2.13 |

*Source:* `PLAN.md` *§2.2.13;* `research/ARGUMENT.md`*, "Case 4: kill criteria."*

**120-word version.** Mechanics are the most frequented touchpoint at tyre replacement `[C4-B03]`, but Eurogrip's advocacy there is informal, and the obvious fix, cash per tyre sold, pays only shops that stock Eurogrip and wastes about 91% of its spend on sales that would have happened anyway. The recommendation pays every mechanic and puncture shop in tools, visibility and status for each logged recommendation, whether or not they stock the tyre, re-qualifying every six months so the programme renews itself. A member shop needs 4.4 extra tyres a year, one every 11.7 weeks, for the ₹21.99 crore base-case programme to pay for itself, inside 1.63% of relevant business-unit revenue, well under the 2% ceiling.

## 2.5 Case 1: the obvious answer, and three reasons it falls short

**Obvious answer.** Three separate campaigns, commuter mass digital and TV, gig-worker discounts, premium influencers and motorsport, layered on top of the existing sports sponsorship.

| # | Reason it falls short |
|---|---|
| 1 | Three campaigns fragment one budget and break the brand-coherence constraint the brief sets `[C1-B14]` |
| 2 | Discounts to gig riders buy share at the moment of purchase, not lasting preference, and do nothing for the brand once the discount ends |
| 3 | Premium influencer content without a product-performance proof point reads as paid promotion, not credible peer advocacy, for exactly the segment the brief says weighs peer recommendation most heavily `[C1-B09]` |

*Source:* `research/ARGUMENT.md`*, "Case 1: obvious answer and three reasons."*

## 2.6 Case 1: the recommendation, and three reasons

**Governing thought.** One brand, one proof currency, three entry points. The proof currency is distance: the gig fleet, riders doing the most kilometres a day, is enrolled through fleet operators and platforms with tracked tyre life; that real-world distance evidence is what commuters see at the retail counter and the mechanic's shop (built on the Case 4 programme); premium riders get the same technology story through peer advocacy in riding communities and track or test events. A masterbrand architecture keeps Eurogrip as the only brand, with segment proof points underneath it.

| # | Reason |
|---|---|
| 1 | One proof currency, checkable by all three segments, replaces three disconnected messages with one coherent claim, honouring the brand-coherence constraint `[C1-B14]` |
| 2 | The gig fleet's tracked distance is the hardest, most credible evidence Eurogrip can produce, and it directly answers the brief's own open research task on the gig-worker profile `[C1-B11]` |
| 3 | Premium riders get technology and peer proof rather than a paid-influencer feel, matching the brief's own description of what this segment weighs most `[C1-B09]`, `[C1-B10]` |

*Source:* `research/ARGUMENT.md`*, "Case 1: recommendation and three reasons."*

## 2.7 Case 1: moneyshot, bear, base, bull

The share of the budget spent where the tyre is chosen, retail plus on-ground, is 61.75% in the base case `[M c1.chosen_share_pct]`. What that budget buys, base case: 72,040 outlets branded, 3.19 lakh gig riders enrolled through fleet partners, and 5,080 lakh unique reach `[M c1.reach]`.

| Scenario | Total budget (₹ crore) |
|---|---|
| **Bear** | 54.65 |
| **Base** | 63.75 |
| **Bull** | 73.16 |

*Source:* `[M c1.budget_cr]`, `[T15]`.

## 2.8 Case 1: kill criteria

If R-E finds gig-rider tyre decisions are made entirely by the fleet operator with no rider input at all, the distance-proof narrative shifts from a rider-facing claim to a fleet-procurement claim; the three-segment structure and the shared proof currency still hold, only the audience for the Gig-segment message changes.

**120-word version.** Eurogrip already has strong brand awareness `[C1-B05]`, but that awareness means different things to three riders: commuters want reliability, gig riders want uptime, premium riders want proof from peers. Running three separate campaigns fragments the budget and breaks the brief's own coherence

rule. The recommendation keeps one brand and uses one checkable currency, distance travelled, carried first by the gig fleet's tracked tyre life, then shown to commuters at the retail counter and mechanic's shop, then carried to premium riders through peer advocacy and track events. At the base case, 61.75% of the ₹63.75 crore budget lands where the tyre is actually chosen.

### 2.9 Case 2: the obvious answer, and three reasons it falls short

**Obvious answer.** A premium, dedicated EV tyre range with an expensive new compound and a new construction, sold at a premium.

| # | Reason it falls short |
|---|---|
| 1 | The brief requires a mass-market cost band, not a premium or niche positioning `[C2-B17]` |
| 2 | The brief requires manufacturability on largely existing tyre-plant processes, not a wholly new line `[C2-B18]` |
| 3 | Most EV two-wheeler volume in India is scooters on small rims, a price-sensitive segment where a premium-positioned tyre range would not sell at the volume the brief implies |

*Source:* `research/ARGUMENT.md`, *"Case 2: obvious answer and three reasons."*

### 2.10 Case 2: the recommendation, and three reasons

**Governing thought.** An EV-ready variant of the mass-market platform, not a new premium tyre, built from four engineering moves on existing equipment: a dual-layer cap-and-base tread with a silica-rich cap compound; a variable-pitch tread pattern for noise and even wear under regenerative braking; a one- to two-step higher load index through cord and bead reinforcement; and optimized performance on the brief's own named vital needs, grip, high-speed stability, damage resistance, durability `[C2-B13]`.

| # | Reason |
|---|---|
| 1 | Resolves the tension between the innovation criterion, which warns against "a minor tweak" `[C2-B24]`, and the cost and process constraints `[C2-B17]`, `[C2-B18]`, by specifying one EV-ready standard rather than a dedicated premium line |
| 2 | Globally compliant without redesign: BIS, UNECE Regulation 75, FMVSS 119 all apply to the same construction |
| 3 | Manufacturable with an extra mixing pass for the silica compound, not a new line, honouring the brief's manufacturability constraint directly |

*Source:* `research/ARGUMENT.md`, *"Case 2: recommendation and three reasons."*

### 2.11 Case 2: moneyshot, bear, base, bull, and an honest near-ceiling finding

"Plus x% range for rupees y more per tyre (z% of tyre cost), on existing lines."

| Scenario | Cost delta per tyre (₹) | Cost delta (%) | Range gain (%) | Range gain (km per charge) |
|---|---|---|---|---|
| **Bear** | 97 | 10.2 | 2.3 | 2.8 |
| **Base** | 68 | 8.0 | 4.2 | 6.3 |
| **Bull** | 46 | 6.1 | 6.7 | 13.0 |

*Source:* `[M c2.delta_pct_sc]`, `[M c2.range_gain_pct]`, `[M c2.km_gain]`, `[T17]`.

The honest finding here, recorded in `DECISIONS.md`'s "M1 model run" entry, is that the base-case cost delta lands at 8.0028% against the model's own 8.0% ceiling assumption `[A2-03]`, a difference of 0.003 percentage points: essentially at the brief's own cost ceiling `[C2-B17]`, not comfortably under it. This is not the clear miss that would trigger the kill criterion below; it sits well inside the noise of the underlying engineering-estimate assumptions, since Eurogrip's actual compound recipe is proprietary and the recipe fractions used here are reasoned, not sourced (`research/ARGUMENT.md`, "Case 2: kill criteria"). The honest reading, stated once here and carried through §24, is that this result motivates a closer look at sensitivity rather than a pivot.

### 2.12 Case 2: kill criteria

If the cost delta exceeds the bear-case ceiling of 10% `[A2-03]`, the concept drops the reinforced load-index step for the standard trim and offers it only as an upgrade SKU, then re-runs the model and re-checks against the target.

**120-word version.** Electric two-wheelers put different demands on a tyre than petrol ones, instant torque, regenerative braking, near-silent NVH, and heavier battery load, while rolling resistance now also decides range `[C2-B03]` to `[C2-B08]`. A dedicated premium EV tyre answers the engineering brief but fails the cost and process constraints. The recommendation is an EV-ready variant of the existing mass-market platform: a silica-rich dual-layer tread, a variable-pitch pattern, a higher load index, built on existing lines with one extra mixing pass. In the base case it costs about ₹68 more per tyre, a cost delta of 8.0%, essentially the brief's own 8% ceiling, for a range gain of about 4.2%, roughly 6.3 km per charge.

### 2.13 Case 3: the obvious answer, and three reasons it falls short

**Obvious answer.** More dealers, deeper discounts, farmer meets and wall paintings.

| # | Reason it falls short |
|---|---|
| 1 | Dealer loyalty in the tractor tyre category is regional and entrenched `[C3-B04]`, so simply adding dealers does not displace an incumbent's existing relationships |
| 2 | Discounts start a price war with bigger rivals who can sustain a lower price for longer |
| 3 | Awareness spend does not move a relationship-driven, low-brand-salience purchase `[C3-B06]`; the category buys on trust and total cost of ownership, not recall |

*Source:* `research/ARGUMENT.md`, *"Case 3: obvious answer and three reasons."*

## 2.14 Case 3: the recommendation, and three reasons

**Governing thought.** Win the hardest-working tractors first, and let their tyre life sell the brand to smallholders through the dealer. Three segments: commercial and haulage operators and custom hiring centres, whose tractors run the most hours and buy on total cost of ownership while talking to many other farmers; smallholder owner-operators, who buy on price, credit and dealer trust at harvest-linked cash-flow moments; and the dealer and village mechanic as the channel and influencer.

| # | Reason |
|---|---|
| 1 | Commercial operators run the most hours (2,000 to 4,000 hours of tyre life assumed, `[A3-11]`) and talk to the most other farmers, making them the fastest path to credible, word-of-mouth evidence |
| 2 | A dealer-administered tyre-life assurance for high-use segments and harvest-timed credit for smallholders both work inside the brief's dealer-led distribution constraint `[C3-B11]`, rather than against it |
| 3 | Sequencing commercial first, smallholder second, turns a low-brand-salience category's biggest weakness, no one trusts an unproven brand on faith, into a strength: the hardest users prove the tyre before the easiest buyers are asked to trust it |

*Source:* `research/ARGUMENT.md`, *"Case 3: recommendation and three reasons."*

## 2.15 Case 3: moneyshot, bear, base, bull

The rear-pair cost per working hour for a commercial operator, base case, is ₹11.27 `[M c3.tco_per_hour]`. The share points the GTM budget must win to pay for itself, base case, is 0.21 percentage points `[M c3.share_points_sc]`.

| Scenario | Rear-pair cost per hour (₹) | Share points to pay back |
|---|---|---|
| **Bear** | 17.4 | 0.26 |
| **Base** | 11.3 | 0.21 |
| **Bull** | 8.2 | 0.17 |

*Source:* `[M c3.tco_per_hour]`, `[M c3.share_points_sc]`, `[T20]`.

## 2.16 Case 3: kill criteria

If R-G finds commercial and haulage tractors are a negligible share of the parc in the priority states, the sequencing changes to lead with the larger smallholder segments, but the total-cost-of-ownership-first value proposition stays, applied to whichever segment runs the most hours locally.

**120-word version.** India's tractor tyre market is large, fragmented and relationship-driven `[C3-B04]`, and the obvious plays, more dealers and deeper discounts, start a price war Eurogrip need not win. The recommendation sequences commercial and haulage operators and custom hiring centres first, since their tractors run the most hours and their owners talk to the most other farmers, offering them a dealer-administered tyre-life assurance priced on actual duty cycle. Their proven cost-per-hour evidence then carries, through the dealer, to smallholder owner-operators, who are reached with harvest-timed credit rather than cold awareness spend. The base case rear-pair cost per hour is ₹11.27, and the GTM budget pays itself back by winning just 0.21 share points.

## 2.17 Headline numbers across the four cases

| Case | Headline 1 | Headline 2 | Headline 3 | Headline 4 |
|---|---|---|---|---|
| 1 | Budget ₹63.75 crore (base) | 61.75% lands where the tyre is chosen | 72,040 outlets branded | 3.19 lakh gig riders enrolled |
| 2 | Cost delta +₹68/tyre (base, 8.0%) | Range gain +4.2% (about 6.3 km) | Essentially at the brief's own 8% ceiling | Manufacturable on existing lines, one extra mixing pass |
| 3 | Budget ₹4.46 crore (base) | TCO ₹11.27/hour, commercial, base | Pays back at 0.21 share points | 3 segments, dealer-led |
| 4 | Budget ₹21.99 crore (base, 1.63% of BU revenue) | Break-even 4.4 tyres/member/year | 1.16 lakh members at steady state | Cash scheme would waste 91% of spend |

*Source:* `[M c1]`, `[M c2]`, `[M c3]`, `[M c4]` *sections of* `model/model_outputs.json`; `[T4]`, `[T5]`, `[T15]`, `[T17]`, `[T20]`.

## What this section establishes, and what it does not

- It establishes, for all four cases, the obvious answer stated fairly, three reasons it falls short, the recommendation and three reasons it holds, a bear/base/bull moneyshot, a kill criterion, a 120-word summary and a headline numbers row.
- It establishes honestly that Case 2's base-case cost delta lands essentially at the brief's own ceiling rather than comfortably under it, and explains why this is a reasoned finding, not a model error.
- It establishes that Case 4's base-case break-even of 4.4 tyres clears the pre-set kill threshold of 12 with room to spare, so the recommendation needs no redesign on this basis.
- It does not yet build out the full programme mechanics, segment profiles or budgets behind each recommendation; those follow case by case starting in section 3.
- It does not revisit the Case 2 sensitivity discussion in depth; that is reserved for section 24.

## 3. Eurogrip today: TVS Srichakra earned ₹3,643 crore in FY26, sells in 85 countries and reaches riders through 600 distributors

**Answer.** TVS Srichakra Ltd, the company behind the Eurogrip brand, reported consolidated revenue of about ₹3,643 crore for FY26 [RA12], up roughly 12% on FY25's ₹3,254 crore, with consolidated PAT of about ₹71 crore [RA14]. The company exports to more than 85 countries across six continents through over 100 export distributors [RA28], and reaches India's domestic replacement market through about 600 distributors covering 640 districts and more than 50,000 retailers [RA45]. The brand itself has shed its old "TVS Tyres" and "TVS Eurogrip" names in its own current marketing and calls itself simply Eurogrip [RA27], even though the company and the stock remain TVS Srichakra Ltd.

### 3.1 Identity

| Field | Value | Source |
|---|---|---|
| **Legal name** | TVS Srichakra Limited | [RA01] |
| **CIN** | L25111TN1982PLC009414 | [RA01], [RA100] |
| **Listings** | NSE: TVSSRICHAK; BSE: 509243; ISIN INE421C01016 | [RA01] |
| **Registered office** | TVS Building, 7-B, West Veli Street, Madurai 625001 | [RA100] |
| **Manufacturing plants** | Vellaripatti (Melur Taluk, Madurai, Tamil Nadu); Rudrapur (Uttarakhand) | [RA02], [RA03] |
| **Combined output** | About 2.8 million tyres a month (aggregator estimate, not a company disclosure) | [RA03] |
| **Promoter** | TVS Mobility Private Limited, promoter since 2021 after a share transfer from T V Sundram Iyengar and Sons and Sundaram Industries | [RA73] |
| **Group context** | Described in a July 2026 exchange filing as one of the verticals of the USD 5 billion TVS Mobility group | [RA05] |
| **Subsidiaries** | TVS Srichakra Investments Ltd; TVS Sensing Solutions Private Limited (wholly owned since 4 Jun 2018, formerly ZF Electronics TVS India); Fiber Optic Sensing Solutions Pvt Ltd; Super Grip Corporation, USA (wholly owned, established 2023 to 2024) | [RA06], [RA74] |
| **Employees** | Unreconciled range, roughly 1,700 to 2,800, depending on the aggregator source; the company's own current headcount disclosure was not located | [RA07], [RA77] |
| **Current credit rating action** | CRISIL withdrew the CRISIL A1+ rating on the ₹300 crore commercial paper programme on 22 Apr 2024, at the company's request, with no CP outstanding; no 2025 or 2026 rationale was found | [RA08] |
| **Statutory auditor** | Not found in any source opened in this lane, logged as a gap, not a deck-critical omission | n/a, gap |

*Source:* `research/raw/R-A-eurogrip-company.md`*, rows as cited.*

### 3.2 FY21 to FY26 consolidated financials

| Fiscal year | Revenue (₹ crore) | Operating profit (₹ crore) | OPM% | PAT (₹ crore) |
|---|---|---|---|---|
| **FY21** | 1,939 | 230 | 12% | 74 |
| **FY22** | 2,543 | 170 | 7% | 43 |
| **FY23** | 2,985 | 234 | 8% | 78 |
| **FY24** | 2,926 | 301 | 10% | 108 |
| **FY25** | 3,254 | 230 | 7% | 21 |
| **FY26** | 3,643 | 285 | 8% | 71 |

*Columns expanded: Operating profit is the Screener.in aggregator's EBITDA-equivalent operating-profit line, not a company-labelled EBITDA figure. OPM% is operating profit as a share of revenue, as reported by the aggregator. Source:* [RA12], [RA13], [RA14]*, cross-confirmed against a second aggregator in* [RA92].

Two quarters since FY26 close add texture: Q1 FY27 (quarter to Jun 2026) consolidated total income was about ₹1,081.82 crore, up 31.7% year on year, with PAT of about ₹34.02 crore, up 165.2% [RA82]. A second aggregator's narrower revenue definition for the same quarter gives ₹1,067.61 crore [RA19], a gap of about ₹14 crore against the total-income figure, consistent with a revenue-versus-total-income definitional difference rather than a correction. This document uses the total-income figure as the headline since it is the one both the Angel One source and TVS Srichakra's own quarterly filing language describe consistently.

### 3.3 The revenue split, and how it feeds the budget-base assumption

The single most load-bearing derivation in this document is the OEM-versus-replacement-versus-export split, because the budget bases for Cases 3 and 4 are both built from a slice of it. Two primary-adjacent splits were found, nine years apart:

| Year | OEM | Replacement (aftermarket) | Exports | Source |
|---|---|---|---|---|
| **About 2015** | 57% | 30% | 13% | [RA22], Outlook Business, dated and now stale |
| **FY23** | 46 to 48% | About 37% | 13 to 14% (balance from contract manufacturing) | [RA95], CRISIL's 25 Apr 2023 rating rationale, directly fetched |

*Source:* `research/raw/R-A-eurogrip-company.md`*, rows RA22, RA24, RA95.*

The FY23 CRISIL split is used as the model's anchor for assumption [A01] rather than the 2015 Outlook Business split, since it is both more recent and a tier-3 source (credit-rating rationale) against the 2015 figure's tier-6 standing (reputable press feature). No source gives a further breakdown of the replacement share between two-wheeler and three-wheeler, or between domestic and export replacement revenue, so the Case 4 budget base [A01] (relevant BU revenue:

domestic two- and three-wheeler replacement revenue, FY26) is derived with arithmetic shown once here: FY26 consolidated revenue of ₹3,643 crore [RA12], applied to a replacement share anchored near the FY23 CRISIL figure of about 37% [RA95], gives a replacement-revenue base in the ₹1,240 crore to ₹1,460 crore range once domestic-versus-export and two/three-wheeler-versus-OHT adjustments are applied; this matches the model's own A01 band of ₹1,240 crore (bear) to ₹1,460 crore (bull), with ₹1,350 crore as the base case [M A01]. This is an assumption with a stated basis, not a sourced figure, and every paragraph in this document that uses it says so once, here.

### 3.4 Brand history and naming

| Period | Name used | Basis |
|---|---|---|
| **Up to 2019** | TVS Tyres (domestic); EuroGrip (export, off-road, forklift, agricultural tyres to over 80 countries, as of about 2015) | [RA22] |
| **August 2019** | Brand TVS Eurogrip launched | [RA26] |
| **2020 to 2026, current website** | Eurogrip (the "TVS" prefix dropped in the brand's own current marketing; the logo file itself is named eurogriptyres-logo-apr25.png) | [RA27] |
| **Export markets, 2020 rationale** | TVS Eurogrip brand, exports mainly to Europe, North America, Africa and the Middle East | [RA69] |

*Source:* research/raw/R-A-eurogrip-company.md, *rows RA22, RA26, RA27, RA69.*

The naming shift matters for every deck and document reference in this build: the company and listed entity are always "TVS Srichakra Limited," while the brand, in its own current public-facing voice, is "Eurogrip," not "TVS Eurogrip." This document follows the company's own current usage and writes "Eurogrip" for the brand throughout, reserving "TVS Srichakra" for the corporate entity, ratings and filings.

### 3.5 Sponsorship and advertising, 2019 to 2026

| Item | Detail | Source |
|---|---|---|
| **Chennai Super Kings principal sponsorship** | 2022 to 2024 seasons (three IPL seasons), announced 25 Nov 2021; front-of-jersey placement plus nationwide fan-engagement initiatives; no deal value confirmed on the directly-opened announcement | [RA37], [RA101] |
| **Deal-value reports** | Two conflicting figures surfaced in press, ₹23 crore and ₹100 crore; neither confirmed by TVS Srichakra or CSK; this document uses neither figure | [RA38], conflict C-RA3 |
| **2022 CMO framing** | The CSK partnership helps the company "engage with trade, mechanics, media and many other touch-points in our category" (snippet-level only, source page returned HTTP 403 on direct fetch) | [RA39] |
| **2024 CSK-season campaign** | Grip-focused advertising, described by the company as building "EUROGRIP as a strong global consumer brand" | [RA40] |
| **New-product mix shift** | New products (premium and electric two-wheeler segments) reached 35% of FY24 revenue, up from 22% in FY21 | [RA80] |

*Source:* research/raw/R-A-eurogrip-company.md, *rows as cited.*

No source in this lane confirms planning lead L5's claim of "over 30,000 partners" tied to mechanic outlets or the CSK campaign specifically; the Gaps section of R-A records this explicitly, and this document uses the sourced 50,000-retailer figure [RA45] instead wherever a retailer count is needed.

### 3.6 Distribution, apps, and the Bandhan ruling

| Channel | Detail | Source |
|---|---|---|
| **Domestic distribution** | About 600 distributors across 640 districts, serving more than 50,000 tyre retailers | [RA45] |
| **Export distribution** | Over 100 export distributors, 85 countries, 6 continents | [RA28] |
| **Exclusive retail format** | 14th "signature store" opened in Ludhiana (31 Mar 2026), a 15th in Bahraich, Uttar Pradesh; other cities include Chennai, Mysuru, Patna, Ahmedabad, Hyderabad and Delhi | [RA49] |
| **Online locator** | A "Tyre Shop Locator" link on the homepage | [RA31] |
| **Retailer app** | Bandhan, launched 2019 for retailer loyalty and reward points; expanded May 2020 with a "Click-to-Order" e-ordering feature so retailers can order from distributors without waiting for a salesman visit | [RA32], [RA33], [RA70], [RA71] |
| **Warranty app** | Click to Connect, launched 2021, for speedy after-sales claim settlement, aiming for settlement within 24 hours, multi-lingual, Android and iOS | [RA34] |

*Source:* research/raw/R-A-eurogrip-company.md, *rows as cited.*

This document follows the M1 ruling recorded in DECISIONS.md: app_name = "Bandhan app" ([M c4.app_name]), because R-A confirmed Bandhan as a real, named TVS Eurogrip retailer app, launched 2019, with e-ordering added in 2020, and found no discontinuation evidence even though no 2025 or 2026 live-status confirmation exists. The programme design in §10 therefore names the app plainly ("logged in the Bandhan app") rather than genericising it, while stating explicitly, here and in the Gaps table in §1.10, that the app's current mechanic usability (as opposed to retailer usability) is not confirmed and that this is why the Case 4 recommendation in §10 routes the logging step through the retailer, not directly through the mechanic.

### 3.7 Product breadth

| Line | Detail | Source |
|---|---|---|
| **Two-wheeler** | Scooter, motorcycle, moped; over 40 new products introduced in the three years to FY24 | [RA42], [RA80] |

| Line | Detail | Source |
|---|---|---|
| **EV-specific** | A Low Rolling Resistance tyre for the EV segment; an e-Durapro series launched 4 Mar 2021 for e-rickshaws (commercial EV segment); the company states it supplies EV tyres to "all major electric two-wheeler brands in India," a company claim not independently itemised | `[RA44]`, `[RA51]`, `[RA85]` |
| **Three-wheeler, ULT, agricultural, industrial, OTR** | Listed on the company website as distinct product lines, the last three linking to an off-highway sub-site | `[RA30]` |
| **OEM clients** | Aprilia, Bajaj, Hero, Honda, Piaggio, Suzuki, TVS Motor, Yamaha, plus about 18 OEM approvals in total | `[RA29]`, `[RA85]` |
| **R&D** | Two centres, Milan (Italy) and Madurai, employing over 90 engineers, handling about 250 projects a year, holding more than 40 patents; the Milan centre alone has developed about 120 products since opening | `[RA84]` |
| **Capacity expansion** | ₹220 crore board-approved capex (27 May 2026), split roughly evenly between a 5% two-wheeler capacity increment (targeted H1 FY28-29) and a roughly 25% off-highway capacity expansion (targeted H1 FY27-28) | `[RA48]` |

*Source:* `research/raw/R-A-eurogrip-company.md`, *rows as cited.*

### 3.8 Management statements (verbatim, dated)

| Speaker, role | Quote | Date |
|---|---|---|
| **P Madhavan, EVP Sales and Marketing** | "Digitalisation has been at the core of our sales strategy" | 7 May 2020 |
| **P Madhavan, EVP Sales and Marketing** | "The 'Click-to-Order' feature that we are now launching is an industry first" | 7 May 2020 |
| **P Madhavan, EVP-Sales and Marketing** | "Click to Connect is testimony to our commitment to customer service of the highest order" | 13 Feb 2021 |
| **P Madhavan, EVP, Sales and Marketing** | "To address the increasing demand in the post pandemic era" | 5 Mar 2021 |
| **V Sivaramakrishnan, CTO** | the Milan R&D centre is "integral to Eurogrip's global R&D efforts" | undated, 2024 article |
| **P Madhavan, EVP** | "shifting our focus from traditional commuter tyres to high-performance and off-road models to address evolving market needs" | undated, 2024 article |

*Source:* `research/raw/R-A-eurogrip-company.md`, *Quotes table, rows Q-RA1 to Q-RA6.*

### 3.9 Eurogrip's standing in 2W and OHT

CRISIL's 2020 rationale describes TVS Srichakra as a leading domestic manufacturer of two- and three-wheeler bias tyres and the largest supplier to all established domestic automobile OEMs in that category `[RA10]`, with intensifying competition in the replacement market offset by internal cost optimisation `[RA11]`. The company's own 2015-era positioning statement was a leader in the two- and three-wheeler domestic OEM market and the third-ranked player in the aftermarket segment `[RA24]`; no more recent company-stated rank was found, so this document does not claim a current aftermarket rank for Eurogrip beyond the qualitative "diversified, OEM-led, replacement-floor" pattern CRISIL's four rationales (2018, 2020, 2022, 2023) consistently describe `[RB59]`.

On OHT specifically, the standing is export-led rather than domestic-led: the brownfield Madurai expansion targeting a roughly 25% off-highway capacity increase is the larger of the two capex lines in the May 2026 board approval `[RA48]`, and the earlier brownfield OHT expansion reported "in its final stages" in an annual-report summary points the same direction `[RA46]`. No source in this lane gives a domestic OHT or tractor-tyre market-share percentage for TVS Srichakra or the Eurogrip brand; section 25 picks this question up directly for Case 3, and finds the same gap.

### 3.10 Summary table: identity to standing, one row each

| Dimension | FY26 snapshot |
|---|---|
| **Revenue** | ₹3,643 crore, consolidated, up about 12% YoY |
| **PAT** | ₹71 crore, consolidated |
| **Plants** | 2 (Madurai, Rudrapur) |
| **Distributors, domestic** | About 600, across 640 districts |
| **Retailers, domestic** | More than 50,000 |
| **Export reach** | 85 countries, 6 continents, 100+ distributors |
| **Signature stores** | At least 15 (as of the most recent filing found) |
| **R&D** | 2 centres, 90+ engineers, 40+ patents |
| **EV products** | Low Rolling Resistance tyre line; e-Durapro (e-rickshaw) |

*Source: table 3.1 to 3.9, consolidated.*

### 3.11 Four rating-agency snapshots, read in sequence

CRISIL's four rating rationales on TVS Srichakra, opened directly across R-A and R-B rather than taken from a snippet, read as a single continuous narrative once placed in order, and that narrative is more informative than any one rationale alone:

| Rationale date | Standalone or consolidated figures given | What it says about the business |
|---|---|---|
| 19 Dec 2018 | Diversified revenue mix across OEM, aftermarket and export sub-segments | "Healthy market position in the domestic two- and three-wheeler tyres segment," supported by diversification, established brands and distribution [RB58] |
| 29 Apr 2020 | FY19 standalone revenue ₹2,431 crore (FY18: ₹2,152 crore); FY19 PAT ₹103 crore (FY18: ₹117 crore); nine-month FY20 revenue ₹1,635 crore, down 9% YoY | Revenue decline driven by lower OEM offtake, partially offset by steady replacement-market volumes; operating margin held near 11% through cost optimisation, down from 15.5 to 15.9% in FY16 and FY17 [RA66], [RA67], [RA68], [RB57] |
| 26 Apr 2022 | FY22 full-year revenue ₹2,529 to 2,549 crore (two aggregator variants), PAT ₹43 crore | Increased share of business with existing two-wheeler OEMs, partly through an increased focus on exports [RB56] |
| 25 Apr 2023 | Nine-month FY23 operating income up 23% YoY to ₹2,302 crore; FY23 OEM about 46 to 48%, aftermarket about 37%, exports 13 to 14% | Healthy demand from two- and three-wheeler OEMs, with steady aftermarket and export demand; this is the rationale whose revenue split anchors assumption [A01] (§3.3) [RA95], [RA96], [RB55] |

*Source: `research/raw/R-A-eurogrip-company.md` and `research/raw/R-B-tyre-industry.md`, rows as cited; the two lanes independently opened the same four documents and their figures cross-confirm.*

Read together, the four rationales show a company whose growth is OEM-led in strong years and whose replacement-market volumes act as a floor in weak years, a pattern CRISIL states qualitatively in all four documents without ever giving a single numeric OEM-versus-replacement split [RB59]. No 2025 or 2026 rationale was found; the most recent primary-tier action is the 22 Apr 2024 CRISIL rationale that withdrew the CRISIL A1+ rating on request, with no CP outstanding [RA08], [RA97], and R-A's Gaps section records explicitly that a fresh annual rationale may simply not exist once a company has no outstanding rated paper to re-assess.

### 3.12 Reconciling the quarterly revenue figures

Three separate quarters surfaced conflicting figures in this lane, each logged and resolved rather than silently picked:

| Quarter | Figure A | Figure B | Resolution |
|---|---|---|---|
| FY26 full year | ₹3,643.35 crore (Business Standard, sales) | ₹3,658.32 crore (FilingReader, total income) | Both used, labelled by definition; Screener's ₹3,643 crore sales figure is the document's headline since it is the one with a continuous FY21-to-FY26 series [RA16] |
| FY25 full year | ₹3,260 crore revenue, PAT ₹20.61 crore (Fyers) | EBITDA ₹228.09 crore, PBT ₹48.61 crore, PAT ₹36.96 crore on a ₹2,754 crore base (Arihant directors' report, likely standalone) | The consolidated figure (Fyers, cross-confirmed by Screener's ₹3,254 crore in [RA12]) is used as the document's headline; the Arihant figures are flagged as likely standalone and not blended in [RA17] |
| Q1 FY27 | ₹1,081.82 crore total income, up 31.7% YoY (Angel One) | ₹1,067.61 crore revenue, up 30.29% YoY (Univest) | Both confirmed as real, independently reported figures for the same quarter under different definitions; this document uses the total-income figure as its headline, consistent with §3.2 [RA18], [RA19], [RA82] |

*Source: `research/raw/R-A-eurogrip-company.md`, rows RA16 to RA19, RA82; also logged in `research/raw/conflicts.md` as C-RA4 for the FY23/FY22 CRISIL-versus-Screener gap, resolved the same way (§3.2's note).*

None of these conflicts changes the direction of the FY21-to-FY26 growth story; they are definitional gaps (revenue versus total income, standalone versus consolidated) rather than contradictory facts about the company's performance, and this document states each resolution once here rather than re-litigating it on every page a revenue figure appears.

### 3.13 What the OHT expansion signals

Section 3.9 already states that Eurogrip's off-highway standing looks export-led rather than domestic-led; three separate facts, read together, support that reading rather than asserting it from a single source. First, the roughly 25% off-highway capacity expansion approved in May 2026 is the larger of the two lines in a ₹220 crore capex package that gives two-wheeler capacity only a 5% increment [RA48], showing where the company itself is choosing to put incremental capital right now. Second, an earlier brownfield OHT expansion at the same Madurai site was independently reported "in its final stages" in an annual-report summary, with no precise date pinned down [RA46], suggesting this is a multi-year capacity push, not a single one-off project. Third, no source anywhere in this lane states a domestic OHT or tractor-tyre market-share percentage for TVS Srichakra, even as an aggregator-level claim; this silence across every source tier, not just the absence of a company disclosure, is itself informative, and section 25 picks the question up directly for Case 3 and reaches the same gap independently.

### 3.14 Reading the employee-count conflict as a lesson in source tiering

The employee-count discrepancy logged as C-RA2 (§3.1) is worth one further paragraph because it illustrates the source-tiering discipline this whole document follows, not because the headcount figure itself matters to any case recommendation. A WebSearch snippet of the Reveliolabs page reported 1,743 employees in 2025; when R-A opened the same page directly and read its own annual chart, the chart showed approximately 2,690 for 2025, and the page's own narrative text and FAQ disagreed with its own chart on two further years, 2,723 versus 2,799 for 2023 and 2,791 versus 2,690 for 2025 [RA07], [RA77]. A single tier-7 aggregator page, in other words, disagreed with itself three separate times on the same metric. The ruling (logged as C-RA2) is to present employee count as an unreconciled range, roughly 1,700 to 2,800, rather than pick whichever number appeared first or looked most precise. The same discipline governs every other figure in this document that rests on a tier-6 or tier-7 source: when a lower-tier source is internally inconsistent, the inconsistency itself is reported, not resolved by guesswork.

### 3.15 Patents, R&D and the EV product line as a forward indicator

Two R&D facts from this lane point toward Eurogrip treating EV-specific tyre engineering as a live priority rather than a slogan, which matters because Case 2's recommendation in section 22 assumes the company can execute an EV-ready variant on largely existing lines. The company has filed 30 patents, of which 16 are published and 1 granted, as of the annual-report-summary date [RA47], and separately states a plan to cut rolling resistance by 10% over six to twelve months for its EV tyre line from the article's publication date [RA80], a stated engineering target rather than an achieved result. The two R&D centres, Milan and Madurai, between them handle about 250 projects a year [RA84], a throughput broadly consistent with a company that has launched over 40 new products across three years [RA42], [RA80]. None of this independently verifies that an EV-ready variant can be manufactured within the brief's 8% cost-delta ceiling; it does establish that Eurogrip has an active, resourced EV-tyre R&D programme, so section 22's EV-ready concept is proposed as a plausible next step from where the company already is, not as a leap from a standing start.

### 3.16 What a judge asking "is this still TVS Tyres" should be told

A judge or reader who last encountered this company as "TVS Tyres" is likely to ask, directly or indirectly, whether anything substantive changed beyond the name. The honest answer, built from the facts above rather than from brand copy, is that three things changed together and three things did not. What changed: the public-facing brand name moved from TVS Tyres to TVS Eurogrip in August 2019 `[RA26]` and then, in the company's own current marketing, to simply Eurogrip `[RA27]`; the product range widened into EV-specific lines that did not exist under the old name, the Low Rolling Resistance EV tyre and the e-Durapro e-rickshaw series `[RA44]`, `[RA51]`; and the retail footprint added a tier of exclusive signature stores, at least 15 as of the most recent filing found, that the TVS Tyres era did not run `[RA49]`. What did not change: the listed entity is still TVS Srichakra Limited, the same CIN and the same two manufacturing plants `[RA01]`, `[RA02]`, `[RA03]`; the underlying OEM-led, replacement-floor revenue pattern CRISIL has described across four rationales since 2018 is the same pattern `[RB59]`; and the company's qualitative standing, a leading domestic OEM player with a smaller, contested replacement-market position, is the same standing the 2015-era Outlook Business profile already described `[RA24]`, even though no more recent company-stated rank was found to confirm or update it. This framing, stated once here, is the version of "who is Eurogrip today" this document uses consistently in sections 17 to 29 wherever a case chapter needs to establish the company's starting position before arguing a recommendation.

### What this section establishes, and what it does not

- It establishes TVS Srichakra and the Eurogrip brand's identity, FY21 to FY26 financials, revenue split and its derivation into the Case 4 budget-base assumption, brand history, distribution footprint, apps, product breadth, management statements and a plain statement of 2W and OHT standing.
- It establishes a sequential reading of CRISIL's four rating rationales (2018, 2020, 2022, 2023) as a single narrative of OEM-led growth years and a replacement-market floor in weak years, and resolves three separate quarterly revenue conflicts by definition rather than by picking a winner.
- It establishes the Bandhan-app ruling and why the Case 4 programme in §10 routes logging through the retailer rather than claiming a current mechanic-facing app capability.
- It establishes honestly that the company discloses no current (2025 to 2026) numeric OEM-versus-replacement split, no standalone cost breakdown, and no company-stated domestic OHT market share, each flagged as a gap rather than filled with an invented figure.
- It does not yet place these facts against the wider market; that begins in section 4.
- It does not state a mechanic-specific finding about Eurogrip; that is reserved for sections 5 and 7, which carry the seed sentence and the full MECE analysis respectively.
- It does not treat any single aggregator figure as beyond question; where two tier-appropriate sources disagreed (quarterly revenue, employee count, CSK deal value), both figures are shown with a stated resolution rather than one being silently dropped.

## 4. India buys about 12.35 crore two-wheeler tyres a year, around 61% of them as replacements, and a handful of brands sell most of them

**Answer.** India's two-wheeler tyre market was about 123.5 million units (12.35 crore) in FY25, valued at roughly USD 2.85 billion, and growing at a projected 13.9% CAGR to FY30 `[RB01]` to `[RB04]`, all figures aggregator-reported and flagged as such throughout this section. Against FY25 two-wheeler production of 23.9 million units `[RB05]`, and assuming (the team's own arithmetic, stated once as an assumption, not a sourced figure) two tyres fitted per new vehicle, OE-fitted tyres account for about 47.8 million units, leaving roughly 75.7 million units, about 61%, as replacement demand. Five or more named brands, MRF, CEAT, Eurogrip, Apollo and Maxxis among them, compete for that replacement volume `[RB10]`, but no primary source in this build gives a dated, brand-level market-share percentage for any of them `[RB11]`, `[RB12]`, a gap stated plainly rather than filled with an invented number. The GST rate on two-wheeler tyres fell from 28% to 18% on 22 September 2025 `[RA60]`, `[RB30]`, a real, confirmed change this document uses throughout.

### 4.1 Market size

| Metric | Value | Status |
|---|---|---|
| **FY25 volume** | About 123.5 million units (12.35 crore) | Aggregator-reported `[RB04]` |
| **FY25 value** | About USD 2.85 billion | Aggregator-reported `[RB02]` |
| **FY30 projected value** | About USD 5.5 billion | Aggregator-reported `[RB02]` |
| **FY25 to FY30 CAGR** | 13.9% | Aggregator-reported `[RB03]` |
| **Share of total Indian automotive tyre units, FY25** | About 20%, roughly double the FY21 share | Aggregator-reported `[RB01]` |
| **ATMA-attributed two- and three-wheeler volume, FY23** | About 115 million units, via a Statista chart citing ATMA | Snippet-level, not independently opened `[RB08]` |

*Source: `research/raw/R-B-tyre-industry.md`, rows RB01 to RB08; all labelled aggregator-reported per the honesty convention in §0.6, since the host source (Autobei) is a tier-7 aggregator, not a regulator or company filing.*

No openly indexed ATMA category-level production and sales table for two-wheeler tyres by year was found; R-B's own Gaps section records three distinct search queries tried and recommends treating the two available figures (RB04's FY25 figure and RB08's FY23 ATMA-attributed figure) side by side, at their different attribution strengths, rather than blending them into a single series.

### 4.2 Replacement share, derived

| Step | Figure | Basis |
|---|---|---|
| **FY25 two-wheeler tyre market** | 123.5 million units | `[RB04]` |
| **FY25 two-wheeler production** | 23.9 million units | `[RB05]` |
| **Assumed OE tyres per vehicle** | 2 (team arithmetic, stated as an assumption, not sourced) | n/a |
| **Implied OE tyre demand** | 47.8 million units | 2 × 23.9 million |

| Step | Figure | Basis |
|---|---|---|
| **Implied replacement demand** | 75.7 million units | 123.5 million minus 47.8 million |
| **Implied replacement share** | About 61% | 75.7 divided by 123.5 |

*Source:* `[RB04]`, `[RB05]`, *arithmetic shown once, flagged as the team's own derivation since no source states a replacement-share percentage directly.*

This derived 61% figure is directional only: it assumes every two-wheeler sold in FY25 is fitted with exactly two new tyres at the factory and ignores any lag between the production year and the year a vehicle's OE tyres are actually fitted. It is used in this document only to size the order of magnitude of replacement demand, never as a precise, sourced percentage.

### 4.3 Brand shares, stated honestly

| Brand | OE presence | Replacement-share statement found | Positioning |
|---|---|---|---|
| **MRF** | Yes, named major OE brand | No dated primary figure; one unverified single-source claim of about 35% | Value for money, described as a market leader |
| **CEAT** | Yes, named major brand | No dated primary two-wheeler-specific figure found | Value for money; heavy ad spend, about ₹325 crore FY26 |
| **Eurogrip (TVS Srichakra)** | Yes, increasing OEM share per CRISIL's 2022 rationale | No numeric OEM-versus-replacement split in any of four CRISIL rationales reviewed (2018, 2020, 2022, 2023) | Diversified OEM, aftermarket and export mix |
| **Apollo Tyres** | Limited, 2016 entrant with the Acti range | 2016 company aspiration of about 85% replacement-market coverage; not a measured current share | Challenger entrant, large ad spend including a BCCI jersey deal |
| **JK Tyre** | Not confirmed as a major named 2W OE brand | No two-wheeler-specific figure found | Broad multi-category maker; sells 2W and PV range on Amazon.in since Aug 2020 |
| **Maxxis** | Yes, named major brand | No share figure found | Named alongside MRF, TVS and CEAT as a major 2W brand |
| **Michelin, Pirelli, Bridgestone** | Limited or niche in India 2W | No share figures found | Premium or performance positioning |

*Source:* `research/data/tyre_brands.csv`.

Two single-source brand-share percentages did surface in the search (MRF about 35%, from an academic-upload aggregator; CEAT about 26%, from an unattributable search synthesis). Both were ruled unverifiable in `research/raw/conflicts.md` as C-RB2, because neither sums with any stated figure for the remaining brands in a checkable way, and neither is used anywhere in this document or in the deck.

### 4.4 SIAM sales and the two-wheeler parc

| Metric | Value | Period |
|---|---|---|
| **Two-wheeler domestic wholesales** | 2,17,05,974 units, up 10.7% from 1,96,07,332 | FY26 |
| **Motorcycle wholesales** | 1,30,64,789 units, up 6.6% | FY26 |
| **Scooter wholesales** | 81,17,945 units, up 18.5% | FY26 |
| **Two-wheeler domestic sales** | 19,23,483 units, up 22.6% YoY | Jul 2026 |
| **Registered two-wheelers, India** | Over 21 crore (210 million), per VAHAN, including 5,44,643 electric | On or about 4 Aug 2022, Lok Sabha reply |
| **Registered two-wheelers, older baseline** | About 8.24 crore (82.40 million) | 31 Mar 2009, MoSPI |

*Columns expanded: motorcycle and scooter wholesale sub-totals do not sum exactly to the reported two-wheeler total in either year, a gap of about 5 lakh units the source article does not explain, most likely the moped sub-segment. Source:* `[RB15]`, `[RB16]`, `[RB18]`, `[RB19]`, `[RB20]`.

No current (post-2022) single-figure MoRTH or VAHAN total for registered two-wheelers was found in this lane; the 21-crore 2022 parliamentary figure `[RB19]` is used as a conservative floor, explicitly dated, rather than updated to a 2025 or 2026 estimate.

### 4.5 Replacement interval

No Indian company- or study-sourced two-wheeler tyre replacement interval, in kilometres or years, was located by any lane in this build. The closest available proxy is an insurer's guidance that Indian riders see more punctures once a tyre passes about three years old, with rubber hardening treated as starting after three years regardless of actual use `[RB22]`. A car-tyre study (not two-wheeler, cited only to show the shape of the gap) found Indian owners expect original tyres to last about 50,000 km but replace them, on average, near 26,000 km `[RB23]`. This document uses the three-year insurer guideline as a directional proxy only, labelled explicitly as an insurer's rule of thumb, not a tyre-maker or study figure, wherever a replacement trigger is discussed in section 5.

### 4.6 Channel structure and the margin gap

| Channel | Role | Source |
|---|---|---|
| **Multi-brand tyre dealers** | General replacement-tyre retail | `[RB29]` |
| **Brand-exclusive retail formats** | Run by MRF, CEAT, Apollo, Eurogrip (signature stores) | `[RB29]`, `[RA49]` |
| **Mechanic and puncture-shop counters** | A frequent replacement-moment touchpoint, per the brief | `[RB29]`, `[C4-B03]` |
| **E-commerce** | Smaller, unquantified; JK Tyre listed its 2W and PV range on Amazon.in from 1 Aug 2020 | `[RB29]`, `[RB65]` |

*Source:* `research/raw/R-B-tyre-industry.md`, *rows RB29, RB65.*

No source quantifies the percentage of replacement volume moving through any one of these channels, and no two-wheeler-specific dealer or distributor margin percentage on MRP was found despite three distinct search queries, logged in R-B's own Gaps section. The model therefore treats channel margin as an assumption `[A29]` (bear 22%, base 18%, bull 15%, on the ex-GST price) rather than a sourced figure; every paragraph in sections 9 and 11 that uses this assumption says so once.

### 4.7 The GST change, confirmed

| Category | Rate before | Rate after | Effective date |
|---|---|---|---|
| **Mainstream tyres, incl. two-wheeler (HSN 40114020)** | 28% | 18% | 22 Sep 2025 |
| **Tractor tyres and tubes** | 18% | 5% | 22 Sep 2025 |
| **Retreaded or used tyres (HSN 4012)** | 18% | 18% (unchanged) | 22 Sep 2025 |

*Source:* `[RA60]`, `[RB30]`, `[RB31]`, `[RB32]`, `[RB33]`, *CBIC Notification No. 09/2025-Central Tax (Rate), dated 17 Sep 2025, opened directly by R-B.*

This is the real, confirmed September 2025 CBIC rate change the plan anticipated as planning lead L14; both the direction (a cut) and the magnitude (ten percentage points, 28% to 18%, on two-wheeler tyres) are confirmed from the notification itself, not from a secondary summary alone. Model assumption `[A28]` (GST on two-wheeler tyres, 18%) uses this confirmed post-change rate throughout. One unresolved, low-stakes conflict remains on non-motorised bicycle tyres (logged as C-RB1), which this document does not cite since bicycle tyres sit outside the two-wheeler motor-tyre scope of all four cases.

### 4.8 Rubber prices

| Grade | Period | Price | Source |
|---|---|---|---|
| **Kottayam EBC 2X** | 2023 annual average | About Rs 145/kg | `[RB41]` |
| **Kottayam EBC 2X** | 2024 annual average | About Rs 131/kg | `[RB41]` |
| **Kottayam EBC 2X** | Mar 2025 | About Rs 180/kg | `[RB42]` |
| **Kottayam RSS4** | Apr to Dec FY24-25 average | About Rs 202.04/kg, versus Rs 151.88/kg in the same period FY23-24 (up about 33.03%) | `[RB43]` |
| **Kottayam RSS4** | Aug 2024 | About Rs 239/kg (described as a 13-year high) | `[RB44]` |

*Source:* `research/raw/R-B-tyre-industry.md`, *rows RB41 to RB44; the two grades are presented separately, not blended, since no single continuous FY21-to-FY26 series at one grade was located, per R-B's own correction note* `[RB45]`.

About 40% of the Indian tyre industry's natural rubber requirement is met through imports `[RB36]`; domestic production of about 8.5 lakh tonnes against consumption of about 14.2 lakh tonnes in 2023-24, with ATMA expecting demand to reach 20 lakh tonnes by 2030 `[RB37]`, leaves the industry structurally exposed to the price swings in the table above. Project INROAD, backed by about ₹1,100 crore from four major tyre manufacturers, targets 2 lakh hectares of new plantation, expected to start yielding from 2027 `[RB38]`, `[RB07]`.

### 4.9 Advertisement and promotion benchmarks against the 1.5% to 2% rule

| Company | Spend | Revenue base | Ratio |
|---|---|---|---|
| **CEAT** | ₹325 crore ad spend, FY26, up from ₹283.7 crore FY25 | ₹15,678 crore consolidated revenue, FY26 | About 2.1% |
| **Apollo Tyres** | ₹655 crore consolidated A&P, FY25, up from ₹631 crore FY24; ₹380 crore on a standalone basis | Standalone sales | About 2.1% of standalone sales (company-stated) |

*Source:* `[RB49]`, `[RB50]`. *CEAT's ratio is a lane calculation, 325 divided by 15,678, not a figure stated verbatim by CEAT itself; Apollo's 2.1% figure is stated directly by the company.*

Both companies' disclosed advertisement and sales-promotion spend independently works out to about 2.1% of their respective revenue bases, in their most recent reported year, sitting exactly at the top of the brief's 1.5% to 2% budget rule for Cases 1, 3 and 4 `[RB54]`. This is the strongest available cross-check that the brief's budget envelope is calibrated to real industry practice, not an arbitrary number. R-H's own cross-lane synthesis places this India-specific figure against two further comparators: Indian FMCG companies' advertising-to-revenue ratios of 5% to 7% in 2023 (down from 7% to 12% in earlier years, with HUL at 8.1% and Marico at 8.6%) `[RH39]`, and Gartner's global 2025 CMO Spend Survey average of about 7.7% of company revenue `[RH37]`. The brief's 1.5% to 2% rule, read against all three, is consistent with funding one sub-programme inside a larger marketing budget, not the whole budget, and no source found suggests the rule is unreasonably low for a single initiative of this kind `[RH40]`.

No advertisement or sales-promotion spend specific to MRF, JK Tyre or TVS Srichakra was found in either R-A or R-B; the CEAT and Apollo figures above are used as the only available benchmark band, and TVS Srichakra's own A&P line is carried in the model only as an assumption benchmarked to this band, never as a company-disclosed figure.

### 4.10 Porter's Five Forces: two-wheeler replacement tyres

| Force | Reading | Evidence |
|---|---|---|
| **Supplier power** | High. Natural rubber is the dominant cost input, about 40% import-dependent and subject to sharp price swings | `[RB36]`, `[RB41]` to `[RB45]`, `[RB66]` |
| **Buyer power** | Moderate to high. Multi-brand dealers and distributors can switch between MRF, CEAT, Apollo, Eurogrip and others for a given size with no technical lock-in; the brief itself describes mechanic advocacy as informal and inconsistent, itself evidence of low switching friction at the recommendation point | `[C4-B05]`, `[RB67]` |

| Force | Reading | Evidence |
|---|---|---|
| **Threat of substitutes** | Low. Retreading is rare in the two-wheeler segment; the nearest substitute dynamic is tube-to-tubeless migration and EV-linked tyre-spec change, not a cross-category substitute product | `[RB25]`, `[RB26]`, `[RB68]` |
| **Threat of new entrants** | Moderate, and not currently reinforced by trade policy. No 2W-specific anti-dumping duty restricts Chinese tyre imports, and a related truck and bus tyre duty was removed rather than extended in 2022 to 2023; no import-volume data confirms actual entrant activity at scale | `[RB46]`, `[RB47]`, `[RB69]` |
| **Rivalry** | High. At least seven named brands compete, with at least one rival (Apollo) stating an explicit high replacement-share ambition on entry and two rivals (CEAT, Apollo) disclosing double-digit ad-spend growth, indicating active, spend-led rivalry rather than a stable oligopoly | `[RB10]`, `[RB13]`, `[RB49]`, `[RB50]`, `[RB70]` |

*Source:* `research/raw/R-B-tyre-industry.md`, *synthesis rows RB66 to RB70.*

One further finding from this analysis matters directly for Case 4's design: no rival tyre maker (MRF, CEAT, Apollo, Bridgestone, Michelin) runs a named, mechanic-specific advocacy or loyalty programme; every rival tyre-sector programme found in this lane is dealer-, distributor- or fleet-facing `[RB64]`. In tyres specifically, the mechanic layer is a genuine white space relative to the dealer-loyalty programmes rivals already run; the nearest mechanic-facing comparisons sit in adjacent categories, which section 8 teardowns in full.

### 4.11 India two-wheeler tyre market, one table

| Dimension | Value |
|---|---|
| **FY25 volume** | 12.35 crore units |
| **FY25 value** | About USD 2.85 billion |
| **Implied replacement share** | About 61% (team derivation) |
| **GST, post-Sep 2025** | 18% |
| **Named competing brands** | At least 7 (MRF, Eurogrip, CEAT, Apollo, JK, Maxxis, plus premium entrants) |
| **Mechanic-specific rival programme** | None found |
| **A&P benchmark (CEAT, Apollo)** | About 2.1% of revenue |

*Source: tables 4.1 to 4.10, consolidated.*

### 4.12 Tube-type, tubeless and the EV-linked shift

No India-specific tubeless-versus-tube-type adoption percentage or trend line for two-wheelers was located by any lane in this build. The closest available measure comes from a tyre-tube market report rather than a tyre market report: two-wheelers held about 54% of the separate tyre-tube market in 2026, and standard inner tubes held about 72% of that tube market `[RB25]`, both measures of residual tube demand rather than of tubeless adoption directly. This matters for Case 4 because tube-type and tubeless tyres call for different puncture-shop skills and consumables, a distinction the Tier 2 fitment course (§10) addresses directly.

The EV-linked dimension of this shift is better evidenced. High-speed electric two-wheeler retail penetration rose from about 0.2% of two-wheeler sales (about 27,000 units) in FY20 to about 5.8% (about 1.15 million units) in FY25 `[RB26]`; a separately measured figure puts electric two-wheelers, not restricted to "high-speed," at 10.6% of total two-wheeler retail sales in June 2026, a figure this document does not blend with the FY20-to-FY25 series since the two measures define "electric two-wheeler" differently. EV two-wheelers are noted as increasingly using tubeless tyre configurations as standard `[RB26]`, which is one reason the Tier 2 and Tier 3 training content in §10 explicitly names EV tyre handling as a skill module, not an afterthought.

### 4.13 Import competition and the entrant question

Planning lead L10's concern about import competition resolves to an honest "not currently quantified, not currently restricted" finding. No current (2025 to 2026) anti-dumping duty on Chinese two-wheeler tyres was located; the only confirmed China-origin tyre duties cover truck and bus radial tyres above 16-inch rim diameter (2017) and non-radial bias truck and bus tyres (2012), both outside two-wheeler scope `[RB46]`. The direction of travel, if anything, points toward fewer restrictions rather than more: a 2022 sunset review recommended extending the truck and bus radial duty for three more years, but the finance ministry decided in December 2022 not to extend it `[RB47]`. No source quantifies actual import volume or brand-level import activity in the two-wheeler segment at this entrant barrier, so the Five Forces reading in §4.10 states the entrant threat as "not reinforced by current trade policy," not as a sized, quantified threat; this document does not convert the absence of a quantified threat into a claim that import competition is large, only that it is not currently blocked by a 2W-specific tariff wall.

### 4.14 The two logged market conflicts, and why neither changes a headline number

`research/raw/conflicts.md` carries two rulings from this lane that are worth restating here because both bear directly on numbers a judge might ask about:

| Conflict ID | What was in dispute | Ruling | Why it does not change a headline number |
|---|---|---|---|
| **C-RB1** | Whether non-motorised bicycle tyres were already at 5% GST before September 2025 or were cut from 28% to 18% in the September 2025 change; ClearTax's own page gives both answers | Bicycle tyres sit outside this case's two-wheeler motor-tyre scope; only the confirmed 28%-to-18% motor-tyre change `[RB31]` is cited anywhere in this document | No two-wheeler motor-tyre figure in this document rests on the bicycle-tyre rate either way |
| **C-RB2** | Two uncorroborated single-source brand-share percentages (MRF about 35%, CEAT about 26%) that do not sum with any stated figure for the remaining brands | Neither percentage is used anywhere in this document or the deck; only the qualitative brand list `[RB10]` and Apollo's stated 2016 entry ambition `[RB13]` are cited, each labelled by source strength | The document never presents a brand-share chart, so excluding these figures costs no analysis, only a chart type the evidence cannot support honestly |

*Source:* `research/raw/conflicts.md`, *entries C-RB1 and C-RB2;* `research/raw/R-B-tyre-industry.md`, *Conflicts section.*

This is the same discipline §1.10 states for the whole document: a search that returns an unverifiable number is reported as a gap, with the number named and excluded, rather than silently used because it is the only number available.

### 4.15 Why this market rewards a channel play over a pure awareness play

Putting §4.1 through §4.14 together, three structural facts argue against treating awareness as the lever for any of the four cases, Case 4 most directly. First, Eurogrip already has strong brand awareness by the brief's own account [C1-B05], so the binding constraint is conversion, not recall, a pattern consistent with the FY26 revenue growth sitting alongside a stocking and recommendation gap the brief states qualitatively [C4-B11]. Second, the category's own spend benchmark, CEAT and Apollo both at about 2.1% of revenue [RB49], [RB50], sits far below the 5% to 12% that FMCG companies spend on advertising [RH39] and the 7.7% global cross-industry marketing average [RH37], which means the category as a whole competes more on channel structure, distribution depth and trade relationships than on mass awareness spend; Apollo's own large cricket-sponsorship outlay is the exception that proves the rule, since it is explicitly a challenger's attempt to buy visibility against established channel relationships, not evidence that channel relationships themselves can be displaced by advertising alone. Third, no rival in this category runs a mechanic-specific programme [RB64], which means the white space this document identifies is a channel-structure gap, not an awareness gap; a brand that is already known but under-recommended needs a reason for the recommending layer to act differently, not a louder reminder that the brand exists. This reasoning, stated once here, underlies why Case 4's recommendation in section 10 is a structural change to how mechanics are rewarded, not a campaign.

### 4.16 Reading the rubber-price trend against the budget envelope

One further connection is worth stating plainly: the rubber-price swings in §4.8 are a cost-side pressure on TVS Srichakra's margins (and every rival's margins equally, since about 40% of the industry's natural rubber is imported [RB36] and no single maker controls the world price), while the Case 4 and Case 1 budget envelopes in sections 2 and 11 are sized as a percentage of revenue, not of margin. A period of rising rubber cost, such as the move from about Rs 131/kg to about Rs 180/kg on the Kottayam EBC 2X series between 2024 and March 2025 [RB41], [RB42], squeezes contribution margin [A30] without necessarily changing the revenue base the budget envelope is calculated against. This is one reason the Case 4 moneyshot in §11 reports break-even in tyres, not in rupees of margin alone, and why the tornado table [T6] shows contribution margin [A30] as the single largest driver of where break-even lands: a margin-side cost shock from rubber prices would move the programme's break-even bar directly, even if the revenue-based budget envelope itself stayed unchanged.

### 4.17 What a judge asking "why not just undercut on price" should be told

A natural question for any case touching a fragmented, multi-brand replacement market is whether Eurogrip should simply compete harder on price. The market facts assembled in this section argue against that instinct for two reasons that hold across all three cases this document builds for the domestic replacement channel. First, the GST cut from 28% to 18% [RA60], [RB30] already lowered the effective shelf price across every brand equally in September 2025, so any further price move is a move against rivals facing the identical cost relief, not a move that creates room a rival cannot match; a price cut funded from margin, in a category where natural rubber, the dominant cost input, is about 40% import-dependent and subject to the price swings in §4.8, is also a move that directly erodes the contribution margin [A30] the Case 4 moneyshot's break-even calculation depends on. Second, the one rival that did choose an aggressive spend-and-price posture on entry, Apollo in 2016, stated an ambition to cover close to 85% of the replacement market [RB13], a target with no evidence in this build of having been achieved at anything close to that scale nine years later; this is not proof that an aggressive entry strategy cannot work, but it is the closest real-world test case available, and it did not produce a dominant, visible share outcome strong enough to surface in any source this lane opened. Taken together, these two facts are the reasoning behind why Cases 1, 3 and 4 all build their recommendation around a structural or channel advantage (a shared proof currency, a dealer-sequencing choice, a stock-independent advocacy design) rather than around price.

### What this section establishes, and what it does not

- It establishes the size, growth and brand structure of India's two-wheeler tyre market, with every aggregator-sourced figure labelled as such and every unverifiable brand-share percentage excluded rather than cited.
- It establishes the confirmed September 2025 GST change, the rubber-price trend across two grades, and the CEAT and Apollo A&P benchmarks that cross-check the brief's own 1.5% to 2% budget rule.
- It establishes a Porter's Five Forces reading for the category, closing on the finding that no rival runs a mechanic-specific programme, a genuine white space that section 8 explores through adjacent-category comparisons.
- It does not resolve the replacement-share figure to a sourced percentage; the 61% figure here is the team's own derivation, flagged plainly, not a citation.
- It does not yet describe the rider's own journey to a replacement-tyre decision; that is section 5, which also carries the seed sentence for the Case 4 design.

## 5. A replacement tyre is chosen at a puncture or a worn tread, and the mechanic is usually the person in the room

**Answer.** The brief itself frames the replacement moment plainly: mechanics and puncture shops are among the most frequented touchpoints in a two-wheeler rider's ownership journey [C4-B03], and the mechanic most often becomes the person recommending which tyre to buy at the moment of replacement [C4-B04]. No study found in this build attaches a percentage to how often that recommendation actually decides the purchase, a gap R-B records directly [RB67]; this section therefore treats mechanic influence as association, not proof, everywhere it appears. The seed for the whole Case 4 design sits here, before section 10 names it: a meaningful share of brand advocacy already comes from mechanics who do not even stock Eurogrip tyres [C4-B14], which is the reason the recommended programme pays for the recommendation itself, not for the stock.

### 5.1 The rider journey map

| Stage | Touchpoint | Who influences | Evidence |
|---|---|---|---|
| **Normal use** | The tyre wears gradually; the rider notices reduced grip, vibration or an odd sound | Rider's own observation | [C4-B03], general |
| **Trigger event** | A puncture, a visibly worn tread, or an insurer/dealer prompt after about three years of age | Mechanic or puncture-shop operator inspects and names the problem | [RB22] (insurer three-year guidance, explicitly a proxy, not a tyre-maker figure) |
| **Diagnosis** | The mechanic states whether the tyre is repairable or must be replaced, and names a brand or size | Mechanic, described by the brief as "the person recommending which tyre to buy" | [C4-B04] |

| Stage | Touchpoint | Who influences | Evidence |
|---|---|---|---|
| **Decision** | The rider accepts the recommendation, asks for a cheaper or pricier alternative, or defers | Rider, with the mechanic's recommendation as the dominant input described in the brief | `[C4-B04]`, `[C4-B05]` |
| **Purchase** | The rider buys at the mechanic's shop if it stocks the tyre, or at a nearby retailer the mechanic points to if it does not | Mechanic (direct sale) or mechanic plus nearby retailer (referral) | `[C4-B14]` |
| **Fitment** | The mechanic fits the tyre, regardless of whether the tyre was bought from them | Mechanic | `[C4-B03]` |

*Columns expanded: "Who influences" names the dominant actor at each stage per the brief's own description; this document does not add a percentage figure to any cell, since none is sourced. Source:* `case/01-brief.md` *§P.4, sentences C4-B03 to C4-B05, C4-B14;* `research/raw/R-B-tyre-industry.md`*, row RB22.*

### 5.2 Triggers that start the replacement journey

| Trigger | Description | Basis |
|---|---|---|
| **Puncture** | The most immediate, unplanned trigger; a punctured tyre that cannot be safely repaired forces an on-the-spot decision at whichever shop is nearest | `[C4-B02]`, the case title itself names "puncture shops" as a primary venue |
| **Worn tread** | A gradual trigger, usually noticed and named by a mechanic during routine service rather than by the rider unprompted | `[C4-B03]`, `[C4-B04]` |
| **Age-based caution** | An insurer's rule of thumb treats a tyre over about three years old as prone to more punctures from rubber hardening, regardless of distance covered | `[RB22]`, explicitly an insurer proxy, not a company or study figure |
| **Planned service visit** | A scheduled service where the mechanic inspects tread depth and recommends replacement ahead of a failure | General service-visit logic; no India-specific interval study was found (§4.5) |

*Source: as cited; this document does not state a replacement interval in km or years as a sourced fact, per the gap recorded in §4.5.*

### 5.3 Evidence on mechanic influence: association, not proof

Three distinct categories of evidence inform this section, each held to the honesty standard the brief itself sets by describing its own mechanic brand-track findings only qualitatively `[C4-B06]`, `[C4-B07]`:

| Category | What it shows | What it does not show |
|---|---|---|
| **The brief's own framing** | Mechanics and puncture shops are among the most frequented touchpoints, and the mechanic most often becomes the recommender at replacement `[C4-B03]`, `[C4-B04]` | A measured percentage of purchases decided by that recommendation; the brief states this qualitatively, and this document never attaches an invented number to it |
| **The brief's own brand-track study** | Awareness among mechanics is average to lukewarm; Eurogrip's tyre stocking lags well behind competing brands; the opportunity is converting awareness into stocking and recommendation `[C4-B11]` | A quantified gap size; the brief itself gives no percentage, and this document follows that precision level throughout, per the honesty convention in §0.6 |
| **R-B's market-structure synthesis** | Low switching friction at the recommendation point is consistent with an informal, unstructured advocacy channel, itself evidence the brief's own description of advocacy as "unstructured, inconsistent" `[C4-B05]` is market-structurally plausible | A causal study proving the mechanic's word, specifically, moves the sale; no such study was found by any lane in this build `[RB67]` |

*Source:* `case/01-brief.md`*, rows as cited;* `research/raw/R-B-tyre-industry.md`*, row RB67.*

Every sentence in this document that uses mechanic-influence evidence from this table is written as association, not proof, per the style contract in `PLAN.md` §0.5: a claim that mechanics are frequently present at the replacement decision is well supported; a claim that a specific share of purchases is caused by their recommendation is not, and this document does not make the second claim.

### 5.4 The seed sentence

Per the foreshadowing rule set in `research/ARGUMENT.md` ("Case 4: seed and where it appears") and `PLAN.md` §2.2.11, the sentence that plants the Case 4 recommendation's governing idea, before section 10 ever names the programme, is stated here in full: **a meaningful share of brand advocacy already comes from mechanics who do not even stock Eurogrip tyres, showing that influence and stocking are not the same thing, and that advocacy can be built independent of inventory commitment** `[C4-B14]`. This sentence does the same work on the cover of the Case 4 deck, where it appears as the sub-caption beneath the mind map's THE MECHANIC node, and again in section 7's insight 2 and section 10's description of why the programme's loop (§10.2) is built to credit a logged code regardless of whether the logging mechanic stocks the tyre. The symmetry rule in `PLAN.md` §2.2.11 requires the same sentence to do this seeding work in exactly these places and nowhere else, so that a reader who reaches section 10 recognises the design as an answer to something already raised, not a new claim appearing unexplained.

### 5.5 Why the journey favours a stock-independent design

| Observation from the journey map | Consequence for programme design |
|---|---|
| **The mechanic diagnoses and recommends before any purchase happens, often at a shop separate from where the tyre is bought** | A design that only rewards the shop that sells the tyre misses every mechanic who diagnosed the need but referred the rider elsewhere |
| **Puncture shops are structurally more likely to see a tyre at the end of its life than to stock a wide range of new tyres themselves** | A design that requires stocking to earn a reward excludes a segment the brief explicitly says already advocates `[C4-B14]` |
| **The replacement decision is informal and inconsistent across mechanics today** `[C4-B05]` | A design needs a simple, low-friction way (a personal code) for an informal recommendation to become a trackable one, without asking the mechanic to change how they already work |

*Source: table 5.1, synthesis.*

### 5.6 Two touchpoints, not one: the service mechanic and the puncture shop

The brief's own case title names both "mechanics" and "puncture shops" as a single advocacy audience `[C4-B02]`, but the journey map in §5.1 implies two somewhat different venues that section 6 later formalises as segments S-B and S-C. A general service mechanic typically sees a bike on a planned visit, inspects multiple components including the tyre, and recommends replacement as one line item among several; a puncture shop typically sees a bike on an unplanned, urgent visit, triggered by a single failure, and the tyre decision is the entire interaction, not one line among several. This distinction matters for programme design because the two venues differ in how much time and trust surrounds the recommendation: a puncture-shop recommendation is made under time pressure, often with the rider standing by the roadside, while a service-mechanic recommendation is made inside a longer visit where other issues are also being discussed. Section 10's reward catalogue and section 7's jobs-to-be-done analysis both carry this distinction forward rather than treating "mechanic" as a single undifferentiated role.

### 5.7 Why "informal and inconsistent" is itself a measurable market condition

The brief's description of today's advocacy as "unstructured, inconsistent, and hard to place on the same plans as their peers" `[C4-B05]` is not only a qualitative complaint; it is consistent with a market-structural reading this document can support with evidence from outside the brief itself. R-B's Five Forces synthesis on buyer power notes that replacement-channel buyers, including the mechanics and shops that steer a rider's purchase, can switch between brands for a given size or pattern with no technical lock-in `[RB67]`. Low switching friction and informal, inconsistent advocacy are two descriptions of the same underlying condition: no brand has built a structure that gives a mechanic a durable reason to recommend it over an equally available rival, so recommendations today likely track whatever stock, margin or habit is locally convenient rather than any sustained brand preference. This reading is offered as a plausible market-structural explanation for the brief's own qualitative finding, not as an independent proof of it, and it is the reason the recommended programme in section 10 is built around creating exactly the durable, structured reason for recommendation that today's informal channel lacks.

### 5.8 What this section does and does not claim, stated plainly

Because mechanic-influence evidence is thin across every lane in this build, it is worth stating in one place exactly what level of claim this document is willing to make, so no later section drifts into overclaiming:

| This document does claim | This document does not claim |
|---|---|
| **Mechanics and puncture shops are frequently present at the replacement decision, per the brief's own framing** `[C4-B03]`, `[C4-B04]` | A specific percentage of replacement purchases are decided by a mechanic's recommendation |
| **A meaningful share of advocacy already comes from non-stocking mechanics, per the brief's own insight** `[C4-B14]` | A measured size for that share |
| **Low switching friction in the replacement channel is consistent with informal, inconsistent advocacy** `[RB67]` | That low switching friction causes inconsistent advocacy, as opposed to merely being consistent with it |
| **An insurer's three-year age guideline is a directional proxy for one replacement trigger** `[RB22]` | That three years is Eurogrip's own stated tyre life or a verified Indian replacement interval |

*Source: synthesis of §5.1 to §5.7.*

### 5.9 Why the journey map, not a persona, is the right unit of analysis here

This section deliberately builds a journey map rather than a rider persona, because the brief's own framing of Case 4 is about a touchpoint, the mechanic and puncture shop, not about a rider segment. Case 1 builds personas for exactly this reason (§17), since its brief asks how three different rider segments should be addressed distinctly; Case 4's brief instead asks how to build an advocacy ecosystem around one touchpoint that every rider segment passes through at replacement, regardless of whether that rider is a commuter, a gig worker or a premium owner. The journey map in §5.1 is therefore written to be segment-agnostic on the rider side (it does not ask whether the rider is a commuter or a gig worker) while being specific on the touchpoint side (it distinguishes the service mechanic from the puncture shop, per §5.6). This is also why the seed sentence in §5.4 is planted here, in the rider-journey section, rather than in a persona section: the insight it carries, that influence and stocking are not the same thing, is a property of the touchpoint, not of any one rider segment, and it needs to be true for the commuter, the gig rider and the premium rider alike for the Case 4 programme to scale nationally as the brief requires `[C4-B20]`.

### 5.10 Carrying the journey map forward

Three later sections depend directly on the journey map built here, and this closing note states the dependency plainly so a reader can trace it. Section 6 takes the touchpoints named in §5.1 and §5.6 and sizes how many outlets occupy each one, using the same S-A, S-B, S-C segmentation this section's distinction between service mechanic and puncture shop anticipates. Section 7 takes the "why informal and inconsistent" reasoning from §5.7 and extends it into a full MECE issue tree of why Eurogrip specifically, not the category generally, loses at stocking and recommendation. Section 9 takes the diagnosis-and-decision stages from §5.1, where a cash-per-tyre scheme would need to attach its reward, and shows numerically why that attachment point rewards the wrong moment in the journey for a meaningful share of advocacy. None of these later sections re-derives the journey map from scratch; each cites this section's rows directly, which is the symmetry the writer brief asks for across a document built by six different writers from a single, shared fact base.

### What this section establishes, and what it does not

- It establishes a rider journey map from normal use through fitment, naming the mechanic as the dominant influence at the diagnosis and decision stages, per the brief's own framing.
- It establishes a working distinction between the service mechanic and the puncture shop as two related but different venues, carried forward into segments S-B and S-C in section 6.
- It establishes a market-structural reading, from Five Forces buyer-power evidence outside the brief, of why today's advocacy is plausibly informal and inconsistent, offered as a plausible explanation rather than an independent proof.
- It establishes the triggers that start a replacement journey (puncture, worn tread, age-based caution, planned service), each tagged to its source and never assigned an invented interval.
- It establishes, honestly, that no study in this build attaches a measured percentage to mechanic influence on the purchase decision, and that every claim in this section and the rest of the document is written as association, not proof, accordingly.
- It states the seed sentence on non-stocking advocates in full, at the point `PLAN.md` §2.2.11 requires it, before the recommendation itself is named in section 10.

- It does not yet size the mechanic and puncture-shop universe those journeys take place in; that is section 6, nor does it analyse Eurogrip's own stocking and recommendation gap in depth; that is section 7.
- It does not quantify how many of the journey's stages a single visit covers versus how many involve the rider moving between a diagnosing mechanic and a separate selling retailer; no source found measures this split, and this document does not invent one.

## 6. India has about 7.8 lakh outlets where a two-wheeler tyre gets recommended, and 75% of them never stock one

**Answer.** No government survey counts India's two-wheeler mechanic and puncture-shop universe directly, so this document triangulates it four ways and lands on a base case of about 7.8 lakh outlets, bear 2.7 lakh, bull 15.0 lakh [M c4.universe.base/bear/bull] [T1]. Inside that base case, 40% are service mechanics who recommend but do not stock (S-B) and 35% are puncture and tyre repair shops (S-C) [M c4.segments] [T2], so 75% of the universe never stocks a tyre at all, exactly the gap the brief's own insight points at: a meaningful share of advocacy already comes from mechanics who do not stock Eurogrip tyres `[C4-B14]`. Geography concentrates this universe behind two-wheeler registrations, which is why the pilot-state rule in PLAN.md §2.2.7 lands on Tamil Nadu, Eurogrip's home state, as Pilot A and Uttar Pradesh, the largest two-wheeler registration state where Eurogrip's presence is thinner, as Pilot B [RC18] [RC32] [RC34] [RC36]. Fragmentation evidence from the National Statistical Office's own unincorporated-enterprise bulletin shows the segment this universe sits inside is overwhelmingly own-account, not an organised, hired-staff trade [RC74].

### 6.1 Four ways to count the universe, and why they do not agree

No MoSPI publication gives an establishment count at the NIC 2008 code 4540 level (motorcycle, moped, scooter and three-wheeler repair), all-India or by state [RC06] [RC08]. This is a genuine gap in India's public statistics, not a missed search: the brief itself asks only for research into "the approximate scale of the mechanic/puncture-shop universe in India (numbers, geographic spread, degree of fragmentation)" `[C4-B16]`, not a claim that an official count exists. In its absence, this section carries four methods side by side rather than forcing a single number, following the lane's own ruling on the conflict between its two estimate methods [RC60].

| Method | Kind | Low (lakh) | Base (lakh) | High (lakh) | What it measures |
|---|---|---|---|---|---|
| **Enterprise survey** | estimate | 2.7 | 5.0 | 7.5 | Registered trade-sector establishments, reasoned down to the motorcycle-repair-specific share |
| **Two-wheeler parc** | estimate | 7.7 | 10.5 | 15.0 | India's registered two-wheeler stock, divided by an assumed catchment of bikes per outlet |
| **Rival programmes** | floor | 1.5 | 1.5 | 1.5 | The largest published adjacent-category (lubricants) mechanic-and-retailer enrolment found |
| **Eurogrip partners** | floor | 0.3 | 0.3 | 0.3 | A company-stated target for the number of retail and mechanic partners reached by one ad campaign |
| **Model universe** | bear/base/bull | 2.7 | 7.8 | 15.0 | The model's own range, base = mean of the two estimates, floored at the larger programme count |

*Source: research/data/universe_methods.csv; [T1]; [RC58] to [RC60]. Abbreviations: "lakh" = 1,00,000.*

The Enterprise survey method starts from the Annual Survey of Unincorporated Sector Enterprises (ASUSE) 2022-23, which counted about 6.50 crore all-India unincorporated non-agricultural establishments, with trade establishments (defined by MoSPI to include "mainly retail") at about 34.71% of that total, or roughly 2.26 crore [RC01] [RC03]. From here the method is a reasoned triangulation, not a published split: NIC Division 45 (motor vehicle and motorcycle trade and repair) is one of roughly 20 three-digit trade activities under Division 45 to 47, and the PIB release names "other retail trade" as the leading trade activity, implying NIC 45 is a minority share of Trade; the lane reasons a 3% to 6% share of all trade establishments for NIC 45, then a further 40% to 55% share of NIC 45 being motorcycle-specific (NIC 4540, as opposed to car-and-above repair under NIC 45200) given that two-wheelers vastly outnumber cars on Indian roads [RC07] [RC11] [RC59]. Each of those shares is a stated assumption inside the CSV, not a sourced figure, and the document says so plainly rather than presenting the resulting 2.7 to 7.5 lakh range as an official count.

The Two-wheeler parc method starts from a different primary fact: India's registered two-wheeler stock, compiled by CEIC from MoRTH/VAHAN data, stood at about 263,378 thousand units (roughly 26.3 crore) as of March 2022 [RC12]. A separate, independently sourced article confirms the multi-decade registration pattern (about seven in ten of all vehicle registrations have been two-wheelers across the growth window, not a precise single-year percentage) [RC14] [RC15]. The lane then divides this stock by a reasoned catchment of two-wheelers per mechanic or puncture-shop outlet: 3,500 bikes per outlet in the bear case (fewer, wider-catchment shops), 2,500 in the base case, and 1,800 in the bull case (denser shop network), which is itself a stated assumption rather than a sourced ratio, since no study of mechanic density per two-wheeler was found [RC58]. This produces a range of about 7.7 to 15.0 lakh outlets, with a base case near 10.5 lakh.

These two estimate methods only partially overlap, which the lane logs honestly as conflict C-C3: the Enterprise survey method (2.7 to 7.5 lakh) likely undercounts the least formal S-C puncture-repair segment, since ASUSE's enterprise frame favours establishments with some fixed location and record-keeping, while the Two-wheeler parc method likely captures informal roadside points that an enterprise survey misses entirely [RC59] [RC60]. The ruling, carried through into the model, is not to force a single reconciled number but to let the model's base case sit in the overlap-adjacent zone, about 8 to 12 lakh, with the model landing on 7.8 lakh (mean of the two estimates' base cases, 5.0 and 10.5, is 7.75, rounded to 7.8) [RC60] [M c4.universe.base].

The two floor methods are not independent estimates of the full universe; they are lower bounds drawn from adjacent evidence. Castrol India's Fast Scan platform, the largest published mechanic-and-retailer loyalty-platform enrolment found in any adjacent category, had enrolled over 1.5 lakh mechanics and retailers by its September 2019 launch announcement [RC25] [RD01]. This states only that the engageable universe for a comparable incentive platform in an adjacent category (lubricants) is at least 1.5 lakh; it says nothing about the tyre-specific universe directly, which is why it is carried as a floor, not an estimate. Separately, TVS Eurogrip's own 2022 CSK sponsorship activation built personalised video advertisements for "more than 30,000" retail and mechanic (influencer) partners [RC28]. This is a company-stated target for an ad campaign's partner reach, not an independently audited or ongoing programme-membership count; no later source confirms the 30,000 figure was actually reached or sustained [RC31]. Both floors sit well below either estimate method's low end, confirming only that the true universe is larger than either company's current reach, not narrowing the estimate range itself.

## 6.2 The three segments, same template applied to each

The universe splits MECE by role at the moment of tyre replacement, following PLAN.md §2.2.3. No source splits S-B from S-C directly for the mechanic-and-puncture-shop universe specifically, so the shares below are stated assumptions (A05a to A05c in the assumption register), applied uniformly across bear, base and bull [M c4.segments] `A05a` `A05b` `A05c`.

| Segment | Share of universe | Lakh outlets (base) |
|---|---|---|
| **S-A Stocking mechanic-retailers** | 25% | 1.9 |
| **S-B Service mechanics, non-stocking** | 40% | 3.1 |
| **S-C Puncture and tyre-repair shops** | 35% | 2.7 |

*Source:* `A05a` *to* `A05c` *; [T2]; [M c4.segments].*

**S-A: Stocking mechanic-retailers.** Role at replacement: sells and fits the tyre directly. Typical shop: a tyre shop or multi-brand workshop that carries tyre stock on its own shelves. What it needs from a brand: margin on the sale, fast-moving stock that does not tie up working capital, credibility with riders, and fitting equipment (changer, balancer) that a tyre-stocking shop runs daily. Programme entry point: Tier 3, the fitting hub tier, since an S-A outlet is in most cases already a retailer inside Eurogrip's existing retailer app relationship. Size: about 1.9 lakh outlets in the base case, the smallest of the three segments, reflecting that stocking a tyre brand is a bigger commitment than recommending one.

**S-B: Service mechanics, non-stocking.** Role at replacement: diagnoses tread wear or damage, recommends a brand, and often buys the replacement tyre from a nearby retailer on the rider's behalf or sends the rider there directly. Typical shop: a general two-wheeler service garage that handles engine work, brakes and electricals, with tyre replacement as one job among many, not its specialty. What it needs from a brand: tools that make its daily non-tyre work easier, the look of a professional shop in front of customers, and a quick, reliable way to source whichever tyre it recommends without carrying stock itself. Programme entry point: Tier 1 moving to Tier 2, since S-B shops are the clearest expression of the brief's own insight that influence and stocking are not the same thing `[C4-B14]`. Size: about 3.1 lakh outlets in the base case, the largest single segment.

**S-C: Puncture and tyre-repair shops.** Role at replacement: declares "this tyre is finished" at the point of a puncture, which is, by the nature of two-wheeler riding in India, the single most frequent tyre-related moment a rider experiences. Typical shop: a roadside or small fixed shop built around a compressor and a stock of patches, often the most informal and least capitalised of the three segments. What it needs from a brand: repair consumables that run out and need replacing (patches, plugs, rubber solution), a pressure gauge, an inflator, and signage that tells a rider the shop exists. Programme entry point: Tier 1 moving to Tier 2, on the same ladder as S-B. Size: about 2.7 lakh outlets in the base case.

| Segment | Role at replacement | Typical shop | What it needs from a brand | Programme entry point | Lakh outlets (base) |
|---|---|---|---|---|---|
| **S-A** | Sells and fits tyres | Tyre shop or multi-brand workshop with tyre stock | Margin, fast-moving stock, credibility, fitting equipment | Tier 3 (fitting hub); already a retailer in the app | 1.9 |
| **S-B** | Diagnoses wear, recommends, often buys on the rider's behalf | General two-wheeler service garage | Tools, look of a professional shop, quick sourcing of the recommended tyre | Tier 1 to Tier 2 | 3.1 |
| **S-C** | Declares "this tyre is finished" at the puncture | Roadside or small shop, compressor, patches | Repair consumables, gauge, inflator, signage | Tier 1 to Tier 2 | 2.7 |

*Source: PLAN.md §2.2.3;* `A05a` *to* `A05c` *; [M c4.segments].*

A fourth group exists at the boundary of this universe and is explicitly out of scope: OEM-authorised workshops, which fit OE-brand tyres under OEM supply contracts rather than making an independent recommendation. These are governed by OEM terms the programme cannot reach and are mentioned here only to keep the segmentation genuinely MECE, per PLAN.md §2.2.3's own boundary note.

## 6.3 Geography: where the universe concentrates, and the pilot-state rule result

Two-wheeler mechanic and puncture-shop density follows two-wheeler registrations, since the universe exists to serve the two-wheeler parc. State-wise two-wheeler registration data for one clean, authoritative, all-top-15-state table was not found: three different SIAM-linked press reports give different quarterly cuts for the same states, with Uttar Pradesh's share ranging from 12.5% to 15.7% and Maharashtra's from 10% to 11.3% across the cuts [RC19] [RC20] [RC21] [RC23]. This is logged as conflict C-C1: none of the three is a primary SIAM or VAHAN table, all are press paraphrases of the same source tier, so the two most recently dated, closest cuts (RC19, RC20) are averaged for the state table below, with the range noted rather than one source picked silently [RC23].

| State | Two-wheeler registrations (FY, annualised estimate) | Two-wheeler stock (proxy) | Share of national total | Eurogrip presence note |
|---|---|---|---|---|
| **Uttar Pradesh** | 29,95,980 | 3,63,46,164 | 13.8% | New signature store(s) reported Jun 2025, but recent and thin against Tamil Nadu's; largest or near-largest registration state sourced; **Pilot B** |
| **Maharashtra** | 24,53,230 | 2,97,61,714 | 11.3% | No Eurogrip-specific disclosure found (gap) |
| **Gujarat** | 17,36,800 | 2,10,70,240 | 8.0% | New signature store reported Jun 2025; scale not disclosed |
| **Karnataka** | 14,32,860 | 1,73,82,948 | 6.6% | No disclosure found (gap); share from a lower-confidence single press cut |
| **Tamil Nadu** | 16,49,960 | 2,00,16,728 | 7.6% | Home state: Madurai HQ, main plant, R&D centre; four Chennai signature stores opened May to Jul 2025; COO called Chennai "an important market for us"; **Pilot A** |
| **Rajasthan** | 14,11,150 | 1,71,19,570 | 6.5% | No disclosure found (gap) |
| **Bihar** | 14,32,860 | 1,73,82,948 | 6.6% | No disclosure found (gap); same lower-confidence press cut as Karnataka |
| **West Bengal** | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |
| **Madhya Pradesh** | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |

| State | Two-wheeler registrations (FY, annualised estimate) | Two-wheeler stock (proxy) | Share of national total | Eurogrip presence note |
|---|---|---|---|---|
| Andhra Pradesh | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |
| Telangana | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |
| Haryana | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |
| Punjab | not found | not found | not found | Ludhiana hosts Eurogrip's 14th signature store in India, reported Mar 2026; rank/share not sourced |
| Odisha | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |
| Kerala | not found | not found | not found | No disclosure found (gap); rank/share not sourced, not estimated |

*Source: research/data/state_parc.csv; [RC18] to [RC21]; [RC32] to [RC34]; [RC224] (14th store release). Eight of the fifteen top states carry "not found" against two-wheeler-specific registration data, per the no-invented-number rule; a third-party Vahan-scraped table was checked and rejected because it reports all-vehicle totals, not two-wheeler-specific ones, and shows an internal inconsistency on Telangana [RC77].*

**The pilot-state rule, applied.** PLAN.md §2.2.7 fixes the rule in advance of seeing the data: Pilot A is the state with the highest Eurogrip presence among the top-10 two-wheeler registration states, and Pilot B is the state with the largest two-wheeler registrations where Eurogrip's presence is weaker. Applying real evidence:

| Evidence | Tamil Nadu | Uttar Pradesh |
|---|---|---|
| Two-wheeler registration rank among sourced states | 5th (16,49,960, 7.6% share) | 1st (29,95,980, 13.8% share) |
| Eurogrip HQ, main plant, R&D centre | Yes, Madurai [RC35] | No |
| Eurogrip signature stores | Four, opened May to Jul 2025 in Chennai (Velachery, Selaiyur, Villivakkam, Perambur) [RC32] | None found in this search |
| Management statement | COO: "Chennai an important market for us" [RC33] (Q-ID QC01) | None found |
| Overall presence read | Longest-standing, deepest (home state, four stores, management quote) [RC36] | Thinner, recent-only (no stores found) against the largest registration base |
| Pilot role | **Pilot A** (highest presence among top-10 registration states) | **Pilot B** (largest registrations, weaker presence) |

*Source: [RC18], [RC32] to [RC36]; PLAN.md §2.2.7 pilot-state rule; [M c4.pilot_states].*

The rule's default assumption at planning time named Tamil Nadu and Uttar Pradesh exactly, and the evidence gathered in this lane confirms both defaults without needing to override them: Tamil Nadu carries Eurogrip's longest-standing presence by every measure found (headquarters, plant, R&D, a four-store retail push, and a named management quote), while Uttar Pradesh is the clearest case of a state with the largest sourced two-wheeler registration base and no located Eurogrip-specific presence at all [RC36] [M c4.pilot_states].

### 6.4 Fragmentation: an own-account, owner-operated universe

No source gives a motorcycle-repair-specific (NIC 4540) split between establishments with hired workers and establishments run by their owner alone. The closest available evidence is the National Statistical Office's all-sector Quarterly Bulletin of Unincorporated Sector Enterprises for April to June 2026, which covers all unincorporated non-agricultural establishments (manufacturing, trade, other services), not NIC 4540 specifically [RC73]. It shows the share of unincorporated establishments with regular hired workers fell to 12.13% in April to June 2026 from 13.25% in the prior quarter, which means about 87.9% of all unincorporated establishments nationally are run without regular hired staff, an own-account, owner-operated structure [RC74]. This all-sector figure is directional, not NIC-4540-specific evidence, and the document labels it as such; it is nonetheless consistent with every other fragmentation signal this lane found, from the roadside, single-operator character of puncture repair described in an adjacent commercial-vehicle tyre-maintenance report [RC52] to the single-operator anecdote of a mobile puncture-repair shop in Aurangabad [RC76].

| Fragmentation indicator | Figure | What it covers | Caveat |
|---|---|---|---|
| **Unincorporated establishments, April-June 2026 (all-sector, NSO)** | 8.67 crore, up from 7.94 crore a year earlier (9.2% YoY) | All manufacturing, trade and other-services establishments | All-sector, not NIC-4540-specific [RC73] |
| **Share with regular hired workers, April-June 2026 (all-sector, NSO)** | 12.13%, down from 13.25% the prior quarter | Same all-sector base | Implies about 87.9% own-account; all-sector, not NIC-4540-specific [RC74] |
| **Puncture-repair work concentration (adjacent, commercial-vehicle)** | "mostly handled by local retailers, roadside garages and independent workshops" | Commercial-vehicle tyre maintenance, not two-wheeler | Association, not proof, for the two-wheeler segment specifically [RC52] |

*Source: [RC73], [RC74], [RC52].*

The practical consequence for programme design is that enrolment cannot assume an organised employer-side channel: a scheme built around onboarding "workshop owners who then roster their staff" would miss most of this universe, since most outlets have no regular hired staff to roster in the first place. This is one reason the recommended design (§10) enrols the individual mechanic or shop directly, through distributor sales staff or self-enrolment by missed call or WhatsApp, rather than through an employer layer that the fragmentation evidence suggests mostly does not exist.

### What this section establishes, and what it does not

- It establishes a defensible range for the mechanic and puncture-shop universe (2.7 to 15.0 lakh, base 7.8 lakh) built from four independent methods, with the two estimate methods' disagreement logged as a conflict rather than silently resolved.
- It establishes that three-quarters of this universe (S-B and S-C combined, 75%) never stocks a tyre, which is the quantitative face of the brief's own insight that advocacy and stocking are not the same thing `[C4-B14]`.

- It establishes, with real evidence rather than only the plan's default assumption, that Tamil Nadu and Uttar Pradesh are the correct Pilot A and Pilot B states under the fixed pilot-state rule.
- It establishes that the universe is fragmented and own-account by the best available (all-sector) proxy evidence, which shapes the enrolment design in §10 and §12.
- It does not establish a single, official, NIC-4540-specific national count; no such count exists in published Indian statistics, and the document does not manufacture one.
- It does not split S-B from S-C using any sourced survey; that three-way split rests on stated assumptions (A05a to A05c), carried transparently rather than disguised as data.

Exhibit for the deck: S2 P1 (segment bar, lakh outlets by segment); Appendix A1.

## 7. Awareness is not Eurogrip's gap: 4 of 5 advocacy branches fail downstream of it, and the mechanic's jobs explain why

**Answer.** Eurogrip's own qualitative brand-track evidence locates the weakness downstream of awareness, not inside it: mechanic awareness is described as "average, lukewarm", while Eurogrip's tyre stocking "lags well behind competing brands" and recommendations are "not much in favour of Eurogrip" `[C4-B11]` `[C4-B07]`. Neither sentence carries a number in the brief, and this document attaches none to them. Splitting the weakness into five MECE branches (awareness, stocking, recommendation, sustainability, tracking) shows four of five below par while awareness alone is adequate, which is why §10's design spends its money on stocking, recommendation, sustainability and tracking rather than on awareness advertising. A fifth brief sentence, `[C4-B12]`, is struck through in the source PDF and is never presented here as a finding; the tools-and-visibility direction it once claimed is instead carried by the judging criterion `[C4-B27]` and the visibility insight `[C4-B13]`, and tested, not assumed, in the pilot's randomised reward-currency arm.

### 7.1 Five branches, and only one of them is not a problem

The brief gives Eurogrip a MECE way to locate its own weakness: awareness, stocking, recommendation, sustainability and tracking are mutually exclusive stages of the same advocacy chain and, together, collectively exhaust what "a mechanic recommends a tyre" requires. A mechanic cannot stock, recommend or sustainably advocate a brand he has never heard of; equally, a mechanic can be fully aware of a brand and still not stock it, not recommend it, and leave no record that he ever considered it. Reading the brief sentence by sentence against this frame shows exactly where the chain breaks.

| Branch | Sub-branch | What the brief says | Brief ID | Reading |
|---|---|---|---|---|
| **1. Awareness** | 1.1 Has the mechanic heard of Eurogrip as a brand | "Awareness among mechanics is average / lukewarm" | `[C4-B11]` | Adequate, not a gap; the brief does not call awareness a problem |
| **1. Awareness** | 1.2 Recall at the moment of replacement | No brief evidence either way | | Untested; the programme's visibility items (board, apron, code card) are a recall aid, not the primary lever |
| **2. Stocking** | 2.1 Eurogrip tyres physically on the shelf at outlets that sell tyres | "Eurogrip's tyre stocking lags well behind competing brands" | `[C4-B11]` | A real gap, named directly |
| **2. Stocking** | 2.2 Working-capital barrier at non-stocking outlets | Three-quarters of the mechanic and puncture-shop universe never stocks any tyre at all (§6) | `[C4-B14]` `[M c4.segments]` | Structural, not a brand-perception problem; stocking cannot be the universal fix because most of the universe cannot stock by definition of its role |
| **3. Recommendation** | 3.1 Which brand the mechanic names when asked | "Mechanic preferences / recommendations are not much in favour of Eurogrip" | `[C4-B07]` | A real gap, named directly |
| **3. Recommendation** | 3.2 How that advocacy is organised today | "Powerful but informal... unstructured, inconsistent, hard to place on the same plans as their peers" | `[C4-B05]` | A real gap: the channel exists and is influential, but has no structure a brand can build on |
| **4. Sustainability** | 4.1 Whether advocacy persists after a sign-up incentive | The brief explicitly rules out "high-cost, one-off incentives that are hard to sustain or track" and sets sustainability as a named evaluation criterion | `[C4-B10]` `[C4-B21]` `[C4-B29]` | A real gap: nothing in the current relationship is built to persist |
| **5. Tracking** | 5.1 Whether Eurogrip can measure what advocacy it is buying | Brief asks for "some mechanism to track or estimate program effectiveness, even if not a perfect measurement system" | `[C4-B22]` `[C4-B30]` | A real gap: no tracking mechanism exists today for an informal channel |

*Source:* `[C4-B05]`, `[C4-B07]`, `[C4-B10]`, `[C4-B11]`, `[C4-B14]`, `[C4-B21]`, `[C4-B22]`, `[C4-B29]`, `[C4-B30]`; *§6;* `[M c4.segments]`.

The practical reading of this table is not that awareness can be ignored; it is that awareness is the one branch the brief itself does not flag, so a design that spent the budget chasing awareness (mass advertising to mechanics, say) would be solving a problem the brief's own research says is not the live one. The four branches that are flagged, stocking, recommendation, sustainability and tracking, are exactly the four the recommended design in §10 answers: Tier 3 asks for stocking without requiring it of the two-thirds of the universe that cannot; the code-and-credit loop gives recommendation a structure; the six-month re-qualification and quarterly consumables refill answer sustainability; and the retailer-app log plus mystery-rider audit answer tracking.

### 7.2 What the brief's insights say, and carefully do not say

Two brief insights carry real information and neither carries a number, a distinction this document holds to throughout. `[C4-B11]` is a compound sentence: mechanic awareness is average, Eurogrip's stocking lags competing brands, and the opportunity is explicitly named as "converting awareness into stocking and recommendation". This sentence is the single clearest piece of direction in the whole brief for where the programme should spend its effort: not on awareness, which the sentence itself treats as already adequate, but on the stocking-to-recommendation conversion the sentence names. `[C4-B13]` is the second live insight: "preference for brand-visibility items (branded merchandise, display boards, uniforms) is rising quickly, mechanics increasingly value association and status, not just utility or money." Again, no percentage, no survey size, no named study methodology beyond "Eurogrip's mechanic brand-track study" `[C4-B06]`, which the brief itself describes only in qualitative terms. Both insights are treated in this document exactly as the brief states them, as directional findings from a company study whose detail was not disclosed to the case teams, never inflated into a statistic this document did not receive.

A third insight, [C4-B14], "a meaningful share of brand advocacy already comes from mechanics who do not even stock Eurogrip tyres, showing that influence and stocking are not the same thing", is the foundation of §6's segmentation and the seed planted in §5 before this document names the design in §10. It is carried here only to connect the three live insights into one reading: awareness is fine, stocking lags, recommendation lags, advocacy already happens independent of stock, and mechanics are shifting toward valuing visibility and status. Read together, these four sentences point at a single design: credit the recommendation wherever it happens, pay in things a mechanic displays and uses rather than only in cash, and pull stocking along at the tier where the brief says the gap sits.

### 7.3 Jobs to be done: the same four jobs, met differently by segment

The jobs-to-be-done framework (document framework table, ARGUMENT.md) asks what a mechanic is actually trying to get done when a rider walks in, independent of which brand he ends up recommending. Four jobs recur across all three segments from §6.2, but what satisfies each job differs sharply by segment, which is why the tier ladder in §10 gives each segment a different entry point rather than one undifferentiated reward.

| Segment | Fix fast | Earn | Look professional | Keep the customer |
|---|---|---|---|---|
| **S-A, stocking mechanic-retailer** | Turn the bay over quickly; a slow fitting job ties up the one bay a small shop has | Margin on the tyre itself; a stocked unit that does not sell quickly ties up working capital the shop cannot easily carry | Credibility that justifies charging a margin against anonymous roadside competition that undercuts on price | Repeat servicing and warranty-linked maintenance visits, not just the one tyre sale |
| **S-B, service mechanic, non-stocking** | Engine, brake and electrical turnaround; the tyre recommendation is one line item inside a longer job, not the job itself | A labour charge per job (two-wheeler general service, labour only, runs roughly ₹300 to ₹600 per visit, vendor-reported) [RC50], since there is no tyre margin to earn without stock | Looking like a shop whose recommendation is worth following, not just a pair of hands that can turn a wrench | Being the trusted advisor who sends the rider to the right purchase, even though the sale itself happens elsewhere |
| **S-C, puncture and tyre-repair shop** | Patch and reinflate within minutes; this is the single most frequent tyre-related moment a rider experiences, by the nature of two-wheeler riding in India | A per-repair charge (puncture repair, labour only, runs roughly ₹50 to ₹150, or ₹50 to ₹250 with parts, vendor-reported) [RC50], so consumables that run out are the real cost line, not a one-off tool purchase | Looking equipped (a gauge, an inflator, a board) rather than improvised, against a backdrop where this segment is the most informal and least capitalised of the three | Being trusted to say honestly "this tyre is finished" rather than oversell a repair that will fail again in a week |

*Source: §6.2; [RC50]; ARGUMENT.md framework table (jobs to be done).*

The table's "earn" column is the one that most directly explains why a cash-per-tyre loyalty scheme, examined in full in §9, is the wrong instrument for two of the three segments: S-B and S-C earn from labour and consumables, not from tyre margin, so a reward tied to tyre sales rewards a transaction neither segment is actually paid to make. A reward tied to the recommendation itself, regardless of who stocks the tyre, reaches all three jobs-to-be-done profiles with the same mechanism.

### 7.4 Mechanic economics: thin, variable, and not fit to be averaged into one number

No government or company survey publishes mechanic or puncture-shop income, shop size or labour charges for India specifically. Every figure available to this lane is either a vendor career-salary site, a vendor project-report template's forward projection for a hypothetical new workshop, or a single named news anecdote, and this document labels each one by what it actually is rather than averaging them into an implied national income, following R-C's own closing caution on this point.

| Source | Figure | What it actually measures | Label |
|---|---|---|---|
| **Indeed India** [RC46] | ₹20,599 a month average, based on 23 reported salaries | A salaried "automotive mechanic" job title's self-reported pay | Vendor-reported, small sample |
| **Indeed India** [RC47] | ₹17,978 a month average, based on 207 reported salaries | A salaried, generic "mechanic" job title's self-reported pay | Vendor-reported |
| **Solve24** [RC48] | Helper ₹15,000 to ₹22,000/month; mid-level ₹22,000 to ₹38,000/month; experienced ₹38,000 to ₹55,000/month; specialist with own setup ₹55,000 to ₹90,000-plus/month | Pay bands by seniority tier | Vendor-reported; the source page is internally inconsistent between its own introduction and its own pay table on the top tier, and is cited here with that inconsistency disclosed rather than silently resolved |
| **Solve24** [RC50] | Puncture repair labour ₹50 to ₹150 (₹50 to ₹250 with parts); two-wheeler general service labour ₹300 to ₹600 (₹600 to ₹1,400 with parts) | Per-job charges at the point of sale | Vendor-reported |
| **Finline project-report template** [RC71] [RC72] | A 4-bay workshop: Year 1 revenue about ₹17.3 lakh, Year 2 about ₹28.1 lakh, Year 3 about ₹40.3 lakh; net profit after tax about ₹3.8 lakh, ₹7.2 lakh and ₹11.4 lakh in the same three years | A vendor's own forward financial projection for a hypothetical NEW 4-bay workshop, not observed income of an existing one | Vendor-projected, hypothetical |
| **The Tribune India, named anecdote** [RC76] | About ₹500 a day during the 2020 lockdown period, for a mobile puncture-repair operator in Aurangabad | One named individual's self-reported daily earning during an unusual period (lockdown), with no monthly or non-lockdown baseline given | Single anecdote, not representative |

*Source: [RC46] to [RC50], [RC71], [RC72], [RC76].*

| Segment | Cash sensitivity (from §7.4's income rows) | Fit for a one-off cash reward | Fit for a recurring in-kind reward |
|---|---|---|---|
| **S-A** | Lower; margin-bearing, more capitalised | Matchable by a rival within days; does not build loyalty | Cost-shared hardware (changer, inflator) is a genuine capital-cost offset this segment values |
| **S-B** | Higher; paid by labour charge, no tyre margin | A cash reward for a sale the mechanic did not make himself reads as a windfall, not an earned reward | Tools that make the non-tyre half of the job easier are used daily and visibly |
| **S-C** | Highest; paid per repair, most informal, least capitalised | A cash sum large enough to matter is also large enough to be the "high-cost, one-off incentive" the brief rules out [C4-B10] | Consumables that run out every quarter (patches, rubber solution) are a recurring, low-value, genuinely needed input |

*Source: §6.2; §7.3; §7.4; [C4-B10].*

Read across these rows rather than averaged into one figure, three things are consistent. First, income at the bottom of this trade (helper-level pay, puncture-repair labour charges) is low in absolute terms and paid per job rather than as a salary, which is why a programme that asks for cash up front, even a modest one, is a real barrier at this end of the universe while a free-to-join, pay-in-kind structure is not. Second, income rises sharply with seniority and with owning a setup rather than working in one, which maps directly onto the segment split in §6.2: S-A operators, who run the more capitalised end of the trade, can absorb a cost-shared Tier 3 asset (a changer, an inflator) in a way S-B and S-C operators generally cannot. Third, every one of these figures is volatile, job-rate or projection-based rather than a stable wage, which is exactly the condition under which a recurring, low-value, in-kind reward (a quarterly consumables refill, worth a few hundred rupees) reads as meaningfully useful rather than trivial, because it offsets a real and recurring input cost rather than adding a one-off bonus on top of a stable salary. This is the economic logic behind pay in tools rather than cash: a free tool that reduces a recurring input cost is worth more, relative to this income profile, than an equivalent one-off cash sum that a rival can match within a week.

### 7.5 The struck insight, ruled: what this document never claims, and what it claims instead

One sentence in the brief's insights list is struck through in the source PDF: "Mechanic preferences for brand support have shifted: functional support, tools and equipment to change tyres, has overtaken cash and pricing incentives as the top-ranked way mechanics want to be supported by a brand" `[C4-B12]`. A struck-through sentence is deleted text, per PLAN.md §0.3 rule 5, and this document never presents it as a finding, a ranking, or evidence that Eurogrip's own research measured a shift from cash to tools. No percentage, no ranking order, and no survey result attached to that specific claim appears anywhere in this section or any other.

What this document does instead is trace the tools-and-visibility direction to two sentences that are not struck. The judging criterion itself, `[C4-B27]`, asks whether the submitted design "builds on the actual mechanic preference shift, toward tools/equipment and brand visibility, away from pure cash", which means the judges will read a design against this framing regardless of the struck sentence's evidentiary status; a design is graded against the criterion, not against the deleted insight. Separately, the visibility insight that is not struck, `[C4-B13]`, independently supports the visibility half of the same direction with its own, unstruck wording: "mechanics increasingly value association and status, not just utility or money." Together, the live criterion and the live insight justify building a tools-and-visibility design; neither claims this document has already proven mechanics prefer it to cash.

| This document never claims | This document claims instead |
|---|---|
| **"Eurogrip's study shows tools overtook cash as the top-ranked way mechanics want to be supported"** | The judging criterion `[C4-B27]` asks for a design built on a tools-and-visibility direction |
| **A specific ranking or percentage for how many mechanics prefer tools to cash** | The visibility insight `[C4-B13]` is live and unstruck, and is used exactly as the brief states it, without a number |
| **That the struck sentence `[C4-B12]` is suppressed evidence rather than deleted text** | It is deleted text per PLAN.md §0.3 rule 5; the document does not treat its absence as proof of the opposite claim either |

*Source:* `[C4-B12]`, `[C4-B13]`, `[C4-B27]`*; PLAN.md §0.3 rule 5.*

The honest resolution, consistent with PLAN.md §0.3 rule 5 and §2.2.9, is to treat the tools-versus-cash question as a hypothesis the pilot tests rather than a finding this document assumes. The pilot's matched-district experiment includes a randomised reward-currency arm: tool credits against a cash equivalent of equal value, run across the pilot districts specifically to test this preference `[M c4.audit]`. The model sizes this test at 140 shops per arm per round, 560 audits a year at steady state, for an audit cost of about ₹3.92 lakh a year `[M c4.audit]` `[T8]`, a concrete, budgeted test rather than a rhetorical gesture toward "we will check this later." Every sentence in this document that touches the tools-versus-cash question is written to this standard: it is the judging criterion's and the live insight's direction, tested in the pilot, never Eurogrip's own study proving it in advance.

### 7.6 From insight to design: a direct map, and what the design never claims

The four live insights read together (§7.2, §7.5) point at four separate design choices in §10, and the table below states that mapping directly, so a reader can check each design element against the brief sentence that justifies it rather than take the connection on trust.

| Brief insight (live, unstruck) | Brief ID | Design response in §10 | Why this insight and not the struck one justifies it |
|---|---|---|---|
| **Awareness is adequate; the opportunity is converting it into stocking and recommendation** | `[C4-B11]` | Tier 3 asks for stocking at the segment that can carry it (S-A); the Tier 1/2 ladder asks for recommendation, not stocking, from S-B and S-C | States the conversion target directly; carries no ranking claim about reward preference |
| **Advocacy is already informal, unstructured and inconsistent** | `[C4-B05]` | A personal code, logged against a tyre serial in the retailer app, gives the existing informal channel a structure it did not have before | Describes the current state's problem (no structure), not a preference ranking |
| **Visibility items are rising fast in mechanic preference; association and status matter, not just money** | `[C4-B13]` | The reward catalogue (§10.3) is weighted toward boards, aprons and a locator listing, not only tools | Live, unstruck sentence, used exactly as written |
| **Advocacy already comes from mechanics who do not stock** | `[C4-B14]` | The code works without requiring the mechanic to stock anything; stocking is asked for only at Tier 3 | States a fact about where advocacy already happens, not a preference ranking |
| **(Struck) Tools and equipment overtook cash as the top-ranked support** | `[C4-B12]`, struck | Not used as justification for any design element | Deleted text; the judging criterion `[C4-B27]` carries the tools direction instead, and is tested, not assumed, in the pilot |

*Source:* `[C4-B05]`, `[C4-B11]`, `[C4-B12]`, `[C4-B13]`, `[C4-B14]`, `[C4-B27]`*; §10.*

Set out this way, the struck sentence's absence from the "why" column is deliberate and visible: every other design element in §10 traces to a brief sentence that is still live in the source document, and the one sentence that would have most directly justified "mechanics prefer tools to cash" is excluded by name. This document would rather carry a design justified by a live criterion and a live insight than carry one justified by a deleted claim that happened to say the same thing more conveniently.

### 7.7 The reward-currency test, stated as a hypothesis with a sample size, not a finding

Because the struck sentence cannot be used, and because no other source in this lane measures whether Indian two-wheeler mechanics actually prefer tools to cash at the margin, the tools-versus-cash question is carried through this document as a Kano-style hypothesis (expanded in §10.6) that the pilot is designed to

test, not a result this document already has. The table below states the test design plainly, separate from the audit design in §13, so a reader can see exactly what evidence would turn the hypothesis into a finding.

| Element | Design |
|---|---|
| **Arm A** | Tool credits (the recommended design's actual reward currency) |
| **Arm B** | A cash equivalent of identical rupee value, paid for the same logged referral |
| **Assignment** | Randomised by pilot district, within the two pilot states (Tamil Nadu and Uttar Pradesh, §6.3) |
| **What is measured** | Which arm shows higher sustained referral activity and higher mystery-rider advocacy after the initial novelty period |
| **Sample size** | 140 shops per arm per audit round, 560 audits a year at steady state `[M c4.audit]` `[T8]` |
| **Cost** | About ₹3.92 lakh a year at steady state `[M c4.audit]` `[T8]` |
| **What a result would change** | If Arm B (cash) matches or beats Arm A on sustained activity, the national design (§12) would carry a cash-equivalent option into Tier 1 and 2 rather than tools alone; if Arm A wins, as the visibility insight `[C4-B13]` and judging criterion `[C4-B27]` suggest it should, the tools-and-status design proceeds unchanged into national rollout |

*Source:* `[M c4.audit]`; `[T8]`; *PLAN.md §2.2.9.*

This is the defensive-depth answer to a judge who asks "how do you know mechanics actually prefer tools to cash, given the brief's own study struck that exact claim". The honest answer is that this document does not know it yet; it has built a ₹3.92-lakh-a-year test, sized with the standard two-proportion sample-size formula, specifically to find out before the national phase commits real money to the assumption at scale.

### What this section establishes, and what it does not

- It establishes a MECE breakdown of why mechanic advocacy for Eurogrip is weak: awareness is adequate by the brief's own reading, while stocking, recommendation, sustainability and tracking are each named gaps, and the recommended design in §10 is built to answer the four flagged branches, not the one that is not flagged.
- It establishes the two live, qualitative brief insights (`[C4-B11]`, `[C4-B13]`) exactly as the brief states them, without attaching an invented percentage or survey size to either.
- It establishes a jobs-to-be-done reading across the three segments showing that S-B and S-C mechanics earn from labour and consumables, not tyre margin, which is why a reward tied to the recommendation reaches them and a reward tied to the tyre sale does not.
- It establishes, from the best available (vendor-reported, projected, or anecdotal) evidence, that mechanic and puncture-shop income is thin, job-rate based and volatile at the lower end of the trade, which is the economic logic behind paying in recurring, in-kind rewards rather than cash.
- It rules, once and plainly, that the struck brief sentence `[C4-B12]` is never presented as a finding; the tools-and-visibility direction in this document's design is traced instead to the live judging criterion `[C4-B27]` and the live visibility insight `[C4-B13]`, and is explicitly tested, not assumed true, in the pilot's reward-currency arm.
- It does not establish, and no source available to this lane establishes, a single reliable national figure for mechanic or puncture-shop income; the figures in §7.4 are shown separately, by source type, and are never averaged into one number.

Exhibit for the deck: S2 P2 (insights 1 to 3); P4 Tier 3 (stocking ask).

## 8. 15 influencer programmes in lubricants, batteries, parts and building materials show how India pays mechanics, and 1 of them credits advice without a purchase

**Answer.** Fifteen named programmes across lubricants, batteries, auto parts, tyres, adhesives, cement and electricals give a real, sourced picture of how Indian brands pay their field-level influencers, and on the specific test that matters most to this design, whether a reward is earned by advice alone rather than by a logged purchase, only one of the fifteen, Polycab's electrician programme, clears the bar `[T10]`. Every one of the four lubricant majors pays or trains on a purchase-linked or training-linked basis; the one tyre-maker with a named mechanic-adjacent programme, JK Tyre's Advantage 2.0, is dealer-facing rather than mechanic-facing, and no rival two-wheeler tyre brand runs a mechanic-specific programme at all. This is the white-space finding this case rests on: the category Eurogrip competes in has, to the depth this lane could search, no precedent for the exact thing this document recommends.

### 8.1 Lubricants: four named mechanic programmes, every one purchase-linked or training-linked

**What it is.** Castrol India's Fast Scan is a digital incentive platform where mechanics and retailers scan a QR code from product packs and receive an instant bank payout. **Launch year.** 2019, per the company's own launch announcement `[RD01]`. **Scale.** Over 1.5 lakh mechanics and retailers enrolled by the 2019 launch `[RD01]`; a 2024 in-pack contest on the same platform ("Activ Scan & Win") paid prizes to more than 1,400 winners `[RD04]`. **Reward currency.** Cash, paid via IMPS in partnership with Standard Chartered Bank, a mechanism the company itself describes as cutting the incentive-payment cycle "from months to minutes" `[RD02]`. **Tiers.** None disclosed; it is a flat scan-and-earn structure. **Tracking mechanism.** The app itself, since every reward requires a product-pack code scan. **What transfers to Eurogrip's design.** The instant-payout mechanism (a code scanned or logged, a reward released quickly) is a usable pattern; the retailer app's existing logging relationship with Eurogrip plays the same structural role Fast Scan's scan-and-pay plays for Castrol. **What does not transfer.** The reward is tied entirely to a product purchase, which is exactly the "pays stockers, not advice" problem §9's obvious-answer critique names; a mechanic who never stocks Castrol products cannot participate in Fast Scan at all.

Castrol runs a second, larger-scale programme on the training and contest side. **What it is.** The Super Mechanic Contest, a periodic national skills contest with an IVR and website registration route. **Launch year.** Fourth edition launched September 2021 `[RD05]`. **Scale.** More than 1,40,000 mechanics participated in the 2021-22 edition, across nine languages `[RD05]`; over 24,000 mechanics were separately trained in ASDC-endorsed masterclasses as part of the same cycle `[RD06]`. **Reward currency.** A mix: the top 50 finalists competed in a three-day on-ground finale for a motorcycle, two years of family insurance and a cheque of ₹1,00,000 or a garage makeover `[RD07]`; broader participation carries no disclosed per-mechanic reward beyond contest entry and training access. **Tiers.** An implicit funnel from mass participation to a top-50 finale, not a membership-tier ladder. **Tracking mechanism.** IVR call logs and a dedicated contest website `[RD05]`. **What transfers.** The training-plus-recognition combination, and partnering a skilling body (ASDC) to add a credible skills layer, both appear in this document's own Tier

2 fitment course and certificate. **What does not transfer.** The reward structure is a one-off contest with a small number of large prizes, not a recurring, nationally distributed reward every member can expect, which is the sustainability gap this document's tier ladder is built to avoid. Separately, Castrol's longer-running Eklavya CSR programme, close to two lakh beneficiaries trained since 2009, across ten states, with ASDC as a partner [RC67] [RC68], confirms that national-scale mechanic skilling in India is operationally possible at a cost Castrol has evidently been willing to carry for over a decade, even though Eklavya is a skilling programme, not a loyalty or referral scheme, and is cited here only as scale evidence, not as a reward-design precedent.

**What it is.** Shell's Mechanic Samriddhi is a point-based loyalty scheme: mechanics submit codes from product packs and redeem gifts. **Launch year.** Ran February to December 2014, a historical, not current, programme [RD17]. **Scale.** About 30,000 mechanics participated, with 15,800 qualifying for rewards [RD17]. **Reward currency.** In-kind: insurance, children's scholarships, and training with OEM experts, won as a package rather than cash [RD17]. **Tiers.** Not disclosed as a formal ladder; qualification for rewards was a threshold (15,800 of 30,000 participants qualified), not a multi-tier structure. **Tracking mechanism.** Codes from product packs, redeemed through a call centre or redemption centre, the same mechanism Pidilite's Fevicol programme uses (§8.5). **What transfers.** The "codes redeemed through a call centre, not solely an app" mechanism is a useful fallback precedent for this document's own WhatsApp and missed-call enrolment path, relevant if the retailer app's reach proves thinner than expected (§2.2.5's app-dependency rule). **What does not transfer.** The programme is a decade-plus-old, time-boxed campaign (ten months, 2014), not an ongoing membership structure; a separately claimed current Shell mechanic programme ("Ustaad Programme", "SHARE app") could not be confirmed on any page located in this lane and is excluded from this document entirely, per the ruling in conflict C-RD1 [RD16].

**What it is.** Mobil's Mechanic Unnati (ExxonMobil Lubricants) is a commercial-vehicle mechanic initiative combining a limited competitive element with training. **Launch year.** Ran 1 October to 31 December 2016, explicitly tied to the Government of India's skilling push and the Automotive Mission Plan 2016 [RD12] [RD13]. **Scale.** The top 50 participating mechanics received training on new-generation engine technology, with eligible workshops upgradeable to Mobil Service Centres [RD12]. **Reward currency.** Skills and status, not cash: training access and a workshop-upgrade pathway. **Tiers.** A single cut at "top 50", not a graded ladder. **Tracking mechanism.** Not disclosed in sources found. **What transfers.** The idea that a brand's reward can be a shop-level status upgrade (an "upgraded" or "featured" workshop designation), echoed in this document's own Tier 3 "featured listing in Eurogrip's online tyre-shop locator". **What does not transfer.** The programme is commercial-vehicle, not two-wheeler, and time-boxed to three months, with no evidence of renewal; ExxonMobil's separate "Udaan" training initiative for retailers and lube-change-centre owners, delivered via a mobile training bus, is a related but distinct initiative and is not folded into the Mechanic Unnati count [RD14].

Two further lubricant-category entries complete the category's count without a full teardown, since neither discloses enough structure to justify one. Gulf Oil runs a pan-India mechanic and retailer "connect" van activation (no disclosed reward currency or enrolment count) alongside a separate, invite-only "Gulf Unnati" app for retailers, offering purchase-linked base points, campaign bonus points, and tier advancement via KYC and purchase regularity [RD09] [RD92]; the Unnati app is retailer-facing, not confirmed mechanic-facing, and no mechanic-specific reward catalogue was found. Motul India, with Zypp Electric, runs a nationwide EV-mechanic training initiative aiming to certify over 10,000 mechanics as EV specialists, starting with a two-day pilot in Gurugram [RD19]; this is a training initiative, not a points-based loyalty scheme, and no separate Motul mechanic rewards programme exists in sources found.

The six lubricant-category entries, read together in one table rather than only in prose, show the category's reward pattern at a glance.

| Programme | Launch year | Scale (where disclosed) | Reward currency | Tiers | Tracking mechanism |
|---|---|---|---|---|---|
| **Fast Scan, Castrol** | 2019 | 1.5 lakh+ mechanics and retailers | Cash, instant IMPS payout | None (flat scan-and-earn) | App, product-pack QR scan |
| **Super Mechanic Contest, Castrol** | 2021-22 (4th edition) | 1,40,000+ participants; 24,000+ trained | Mixed: top-50 prizes plus training access | Mass participation to top-50 finale | IVR and dedicated website |
| **Mechanic Samriddhi, Shell** | 2014 (historical) | 30,000 participated, 15,800 qualified | In-kind: insurance, scholarships, OEM training | Threshold qualification, not a ladder | Product-pack codes, call centre or redemption centre |
| **Mechanic Unnati, Mobil** | 2016 | Top 50 trained | Skills and status (workshop upgrade path) | Single cut (top 50) | Not disclosed |
| **Gulf Unnati (app) / van activation, Gulf Oil** | Not disclosed | Not disclosed | Purchase-linked points, tiers via KYC | Tiered, mechanism not disclosed | App (retailer-facing) |
| **EV mechanic training, Motul (with Zypp Electric)** | Not disclosed | Target 10,000+ certified | Training and certification only | None | Not disclosed |

*Source:* [RD01] *to* [RD19], [RD92].

### 8.2 Batteries: one confirmed mechanic programme

**What it is.** Amaron Mileage (Amara Raja) is a mechanic-facing app recognising mechanics who buy Amaron Hi-Life Lubes. **Launch year.** Not disclosed. **Scale.** Not disclosed. **Reward currency.** Membership benefits and privileges, earned by a QR-code scan on redeemable coupons [RD21]. **Tiers.** Not disclosed. **Tracking mechanism.** QR-code scan on coupons, logged through the app. **What transfers.** The pattern of a lightweight, purchase-triggered app serving a narrow mechanic audience is a reasonable minimum viable design, relevant mainly as a floor, not a ceiling, for what this document's own design should offer. **What does not transfer.** The reward is purchase-linked exactly like the lubricant-category programmes, and the battery category shows no second confirmed mechanic programme; a search for an equivalent Exide India mechanic scheme found only non-India Exide loyalty schemes (Sri Lanka, Europe) and unsourced third-party marketing-analysis claims, which this document does not use [RD23].

| Programme | Launch year | Scale (where disclosed) | Reward currency | Tiers | Tracking mechanism |
|---|---|---|---|---|---|
| **Amaron Mileage, Amara Raja** | Not disclosed | Not disclosed | Membership benefits and privileges | Not disclosed | QR-code scan on coupons |

*Source:* [RD21]; [RD23].

### 8.3 Auto parts: three programmes, none crediting advice without a purchase

**What it is.** Bosch eXtra is Bosch India's loyalty programme for independent workshops. **Launch year.** Confirmed via a 2019 company leaflet [RD24]. **Scale.** Not disclosed. **Reward currency.** Points earned by buying Bosch car parts, via in-pack QR-code scans through the Bosch eXtra app [RD25]. **Tiers.** Not disclosed. **Tracking mechanism.** A Bosch representative verifies the workshop's location and credentials before enrolment through a Bosch enrolment mobile app [RD24]. **What transfers.** The verification step (a company representative confirms the shop is real before enrolment) is a useful fraud-control precedent, echoed in this

document's own distributor-led enrolment and audit controls (§10.7). **What does not transfer.** Reward is strictly purchase-linked and workshop-facing (cars, not two-wheelers).

**What it is.** Schaeffler India's REPXPERT Mobile Training Van is a travelling technical-training initiative for commercial-vehicle mechanics. **Launch year.** Second edition in 2024 [RD26]. **Scale.** The first edition covered over 9,000 km, reaching more than 2,600 mechanics across eight states and 42 cities [RD26]. **Reward currency.** Skills: direct instruction from Schaeffler technical experts on the van [RD27]. **Tiers.** None; open attendance. **Tracking mechanism.** Not disclosed as a loyalty-tracking system; the separate REPXPERT app gives product information and repair guidelines, with no loyalty-points component found for the India market [RD27]. **What transfers.** The travelling-van model for reaching a geographically dispersed mechanic base at scale is a credible precedent for this document's own cluster-meet and distributor-led enrolment model, though the recommended design does not include a travelling van as a line item. **What does not transfer.** No reward currency is paid at all; this is a pure training initiative with no referral-credit or advocacy-tracking mechanism, the opposite of this document's own measurability requirement [C4-B22].

**What it is.** Uno Minda's Uno Star 2.0 is an app-based loyalty programme spanning its full India trade network. **Launch year.** May 2024 [RD28]. **Scale.** Not disclosed as an enrolment count. **Reward currency.** Cash-equivalent, redeemable via bank transfer, bank gift card or gift voucher [RD30]. **Tiers.** Five tiers, Bronze, Silver, Gold, Platinum, Diamond, with a reward-wheel spin on reaching a new tier [RD29]. **Tracking mechanism.** The app itself, with KYC via Aadhaar and PAN at registration [RD28]. **What transfers.** The five-tier structure and the "spin a wheel on tier-up" mechanic are both status-building devices this document's own tier ladder echoes in spirit, with a re-qualification point rather than a wheel spin. **What does not transfer.** The reward is explicitly purchase-driven across the Uno Minda trade network (mechanics, retailers, service centres and distributors in one undifferentiated app); Uno Minda's own distribution head is on record naming the problem this undifferentiation causes: "loyalty programs mostly offer similar rewards and benefits to all the customers without understanding their preferences" [Q-RD1] [RD30], a direct, verbatim, third-party validation that an undifferentiated reward structure is a known weakness in this category, one this document's segmented, tiered design is built to avoid.

| Programme | Launch year | Scale (where disclosed) | Reward currency | Tiers | Tracking mechanism |
|---|---|---|---|---|---|
| **Bosch eXtra** | Confirmed 2019 leaflet | Not disclosed | Points from parts purchases | Not disclosed | Enrolment app, in-pack QR scan |
| **REPXPERT Mobile Training Van, Schaeffler** | 2024 (2nd edition) | 2,600+ mechanics, 8 states, 42 cities (1st edition) | Skills only, no cash or points | None | None disclosed (training only) |
| **Uno Star 2.0, Uno Minda** | May 2024 | Not disclosed | Cash-equivalent, bank transfer or voucher | Five (Bronze to Diamond) | App, Aadhaar/PAN KYC |

*Source:* [RD24] *to* [RD30].

### 8.4 Tyres: one dealer-facing programme, and a white-space finding

**What it is.** JK Advantage 2.0 is JK Tyre's dealer-facing CRM and loyalty programme, spanning passenger-car radial, truck and bus, light commercial vehicle, two-wheeler, three-wheeler, farm and retread tyre categories. **Launch year.** Not disclosed in sources found. **Scale.** A third-party agency case study, not a JK Tyre disclosure, reports about 35% dealer-member engagement, about 80% of JK Tyre's sales coming from enrolled members, and about 10% year-on-year sales growth against about 7% for the industry [T10]. **Reward currency.** Not disclosed in detail; the programme runs on a dashboard tracking offtake and warranty-registration data. **Tiers.** Not disclosed. **Tracking mechanism.** A dashboard built around offtake and warranty-registration data, the closest precedent in the whole benchmark set to this document's own retailer-app logging approach. **What transfers.** The dashboard-based tracking of offtake against warranty registrations is directly analogous to logging a code against a tyre serial, this document's own measurement backbone (§13). **What does not transfer, and the finding that matters most.** JK Advantage 2.0 is a dealer programme, explicitly not mechanic-facing; it rewards the shop that sells the tyre, not the mechanic who recommends it. No other major two-wheeler tyre rival, MRF, CEAT, Apollo, Bridgestone or Michelin, was found running a mechanic-specific programme of any kind in this search. This is the direct basis for this document's white-space claim: every rival tyre maker that runs a loyalty structure runs it at the dealer layer, where stock sits; none has built a programme that reaches the mechanic layer where, per §6, three-quarters of the influence network does not stock a tyre at all. A stock-independent, mechanic-facing design is not merely different from what rivals do; it is a category rivals have not yet entered.

| Programme | Launch year | Scale (where disclosed) | Reward currency | Tiers | Tracking mechanism |
|---|---|---|---|---|---|
| **JK Advantage 2.0, JK Tyre** | Not disclosed | About 35% dealer engagement; about 80% of sales from enrolled members (agency estimate) | Not disclosed in detail | Not disclosed | Dashboard: offtake and warranty-registration data |

*Source:* [T10]*; R-B cross-reference.*

### 8.5 Adjacent pattern benchmarks: adhesives, cement and electricals

These four categories are not Eurogrip's own, and none involves a tyre or an automotive mechanic; they are read for pattern, not for direct transfer, following the brief's own invitation to look at "adjacent categories... or any benchmark programs" [C4-B18].

**What it is.** Pidilite's Fevicol Champions' Club Reward (FCCR) rewards carpenters who scan a unique barcode on relevant Fevicol packs. **Launch year.** 2012 [RD34]. **Scale.** A secondary estimate (not Pidilite's own disclosure) puts membership at about 40,000 carpenters across 300 clubs in 145 cities [RD34]. **Reward currency.** In-kind, "functional equipment to personal items" [RD34]. **Tiers.** Not disclosed as a formal ladder. **Tracking mechanism.** A unique barcode per pack, redeemed by calling the FCC call centre or visiting a nearby redemption centre, not solely through an app [RD35]. **What transfers.** Pidilite's own framing of the club as a platform "for enhancement of social status and development of professional skills of carpenters" [RD35] is close to verbatim language for the visibility insight [C4-B13] this document builds on; the non-app redemption route is again a useful fallback precedent. **What does not transfer.** The reward is purchase-linked (a barcode from a product pack), the same stocking-dependency problem the obvious answer in §9 falls into.

**What it is.** ACC's Atoot Bandhan 2.0 is a points-based contractor and mason loyalty programme. **Launch year.** Not disclosed; won the Digital Loyalty Award at DCX 2024 [RD42]. **Scale.** Not disclosed. **Reward currency.** Points from lead registrations, product purchases and use of on-site technical services, with bonus points from games and quizzes [RD42]. **Tiers.** Not disclosed. **Tracking mechanism.** The programme's own app and lead-registration system. **What transfers.** Crediting a "lead registration" alongside a purchase is the closest precedent in the whole benchmark set to crediting a recommendation separate from a sale, which is why this document scores it as "Part" rather than "No" on crediting advice without a purchase (§8.6); it is still not a full match, because the disclosed mechanism rewards lead registration plus purchase together, not an unprompted recommendation alone. **What does not transfer, and a naming caution.** "Atoot Bandhan 2.0" must never be confused with "Bandhan Rewards", a separate programme belonging to Saurashtra Cement (Hathi Cement, Sidhee Cement brands), nor with a separate, unnamed UltraTech mason and contractor loyalty programme; a 2018 vendor case study reporting a "186% rise in masons registered" names neither

company and is not attributed to ACC or UltraTech anywhere in this document, per the ruling on conflict C-RD2 [RD44]. This naming caution also applies to Eurogrip's own retailer app, named Bandhan (§10.2); the two "Bandhan" names, ACC's contractor programme and Saurashtra Cement's rewards scheme on one side, and Eurogrip's retailer app on the other, are unrelated and must not be conflated in the deck or the document.

**What it is.** Havells runs a mobile-app loyalty programme for electricians. **Launch year.** Not disclosed. **Scale.** An investor-presentation reupload (undated) states "80K+ registered electricians", the most authoritative figure found, though carrying no explicit date [RD45]. **Reward currency.** Points from buying Havells products, redeemable for tools, vouchers and merchandise [RD46]. **Tiers.** Not disclosed. **Tracking mechanism.** The mobile app. **What transfers.** Tools as a reward catalogue category, paired with purchase tracking, at a scale (80,000-plus) that confirms a tools-based reward catalogue can run at genuinely national scale in India. **What does not transfer.** Purchase-linked, the same limitation as every lubricant and parts programme above; earlier-reported product names "Club Energy" and "Sampark" were not found on the page used to confirm this mechanism and are withdrawn from this document [RD46].

**What it is.** Polycab Experts is Polycab's loyalty and engagement programme for electricians. **Launch year.** Not disclosed. **Scale.** Polycab's Electricians' Day 2026 outreach reached over 10,000 electricians across more than 900 locations, though this is a separate engagement event, not an Experts-programme enrolment count [RD48]. **Reward currency.** Instant bank transfer per loyalty-code scan [RD47]. **Tiers.** A three-tier benefits structure with welcome rewards on moving up a tier [RD47]. **Tracking mechanism.** Loyalty-code scan, tied to a reward app. **What transfers.** This is the one programme in the entire benchmark set that this document scores "Yes" on crediting advice without a purchase, because a secondary source explicitly links the programme's rising scale to Polycab's organised-market share gain (from about 18 to 19% in FY19 to about 27%) [RD47], implying the reward reaches influence on a purchase decision, not only a direct sale by the electrician himself; this is the single closest precedent this lane found for what this document's own code-based, stock-independent design is trying to do. **What does not transfer.** The Polycab figure is secondary (not Polycab's own disclosure), and the detail of exactly which actions short of a direct sale earn a credit is not confirmed; the comparison should be read as directional, not as proof the mechanism is identical.

| Programme | Launch year | Scale (where disclosed) | Reward currency | Tiers | Tracking mechanism |
|---|---|---|---|---|---|
| **Fevicol Champions' Club, Pidilite** | 2012 | About 40,000 carpenters, 300 clubs, 145 cities (secondary estimate) | In-kind: functional equipment to personal items | Not disclosed | Unique pack barcode, call centre or redemption centre |
| **Atoot Bandhan 2.0, ACC** | Not disclosed | Not disclosed | Points: lead registration, purchase, on-site service use | Not disclosed | Programme app, lead-registration system |
| **Electrician loyalty programme, Havells** | Not disclosed | 80K+ registered electricians (undated) | Points from product purchase, redeemed for tools and merchandise | Not disclosed | Mobile app |
| **Polycab Experts, Polycab** | Not disclosed | 10,000+ reached on Electricians' Day 2026 (engagement, not enrolment) | Instant bank transfer per code scan | Three tiers | Loyalty-code scan |

*Source:* [RD34] *to* [RD48].

Category counts across the full benchmark set confirm the shape of the white-space finding: six named programmes sit in lubricants, one in batteries, three in auto parts, one in tyres, and four in the adjacent pattern-benchmark categories (adhesives, cement, electricals), fifteen in total, and the tyre category's one entry is dealer-facing, not mechanic-facing.

| Category | Named programmes found | Mechanic-facing | Credits advice without a purchase |
|---|---|---|---|
| **Lubricants** | 6 | Yes (Fast Scan, Super Mechanic Contest, Mechanic Samriddhi, Mechanic Unnati) | 0 of 6 |
| **Batteries** | 1 | Yes (Amaron Mileage) | 0 of 1 |
| **Auto parts** | 3 | Yes (Bosch eXtra, REPXPERT), partly (Uno Star 2.0 covers mechanics among other roles) | 0 of 3 |
| **Tyres** | 1 | No, dealer-facing (JK Advantage 2.0) | 0 of 1 |
| **Adjacent (adhesives, cement, electricals)** | 4 | n/a, different trade (carpenters, masons, electricians) | 2 of 4 (ACC Part, Polycab Yes) |
| **Total** | **15** | **10 of 15 mechanic-facing** | **1 full Yes, 2 Part** |

*Source: research/data/benchmarks.csv.*

### 8.6 The feature-parity heat matrix: all 15 programmes, one table

| Programme | Category | Cash | Tools | Visibility | Skill | Credits advice without purchase | Tracks |
|---|---|---|---|---|---|---|---|
| **Fast Scan, Castrol** | Lubricants | Yes | No | No | No | No | Yes |
| **Super Mechanic Contest, Castrol** | Lubricants | Yes | Part | No | Yes | n/a | Yes |
| **Mechanic Samriddhi, Shell** | Lubricants | No | n/a | n/a | Yes | No | Yes |
| **Mechanic Unnati, Mobil** | Lubricants | n/a | n/a | n/a | Yes | n/a | n/a |
| **Gulf Unnati (app) / van activation, Gulf Oil** | Lubricants | No | n/a | n/a | n/a | No | Yes |
| **EV mechanic training, Motul** | Lubricants | n/a | n/a | n/a | Yes | n/a | n/a |
| **Amaron Mileage, Amara Raja** | Batteries | n/a | n/a | n/a | n/a | No | Yes |
| **Bosch eXtra** | Auto parts | n/a | n/a | n/a | n/a | No | Yes |
| **REPXPERT Mobile Training Van, Schaeffler** | Auto parts | No | No | No | Yes | n/a | n/a |
| **Uno Star 2.0, Uno Minda** | Auto parts | Yes | n/a | n/a | n/a | n/a | Yes |
| **JK Advantage 2.0, JK Tyre** | Tyres (dealer-facing) | n/a | n/a | n/a | n/a | No | Yes |

| Programme | Category | Cash | Tools | Visibility | Skill | Credits advice without purchase | Tracks |
|---|---|---|---|---|---|---|---|
| **Fevicol Champions' Club, Pidilite** | Adhesives | n/a | Yes | n/a | Part | No | Yes |
| **Atoot Bandhan 2.0, ACC** | Cement | n/a | n/a | n/a | n/a | Part | Yes |
| **Electrician loyalty programme, Havells** | Electricals | n/a | Yes | n/a | n/a | No | Yes |
| **Polycab Experts, Polycab** | Electricals | Yes | n/a | n/a | n/a | Yes | Yes |
| **Our design** | **Tyres (mechanic-facing)** | **No** | **Yes** | **Yes** | **Yes** | **Yes** | **Yes** |

*Source: research/data/benchmarks.csv; [T10].*

Reading down the "Credits advice without purchase" column is the single most important scan of this table. Twelve of the fifteen programmes are explicitly "No": the reward requires a logged purchase, full stop. Two are "Part": Castrol's Super Mechanic Contest credits training participation alongside, not instead of, purchase and contest performance, and ACC's Atoot Bandhan 2.0 credits a lead registration alongside a purchase. Exactly one, Polycab Experts, is scored "Yes", on the strength of a secondary source linking the programme to a market-share gain that implies influence beyond direct sale. No programme in any category this lane searched, including the one tyre-adjacent programme found, runs a reward that is earned by advice alone, with no purchase requirement anywhere in the loop. This document's own design is the only "Yes" in the "Tools" and "Visibility" columns simultaneously while also being "No" on cash, a combination no benchmark programme in this table matches.

### 8.7 Third-party validation, verbatim, sourced only

One verbatim quotation from this lane's research supports a claim this document makes about the category: that undifferentiated, purchase-linked reward structures are a known weakness, not a settled best practice, even among brands already running large-scale mechanic and trade-partner programmes.

| Q-ID | Speaker, role | Quote (verbatim) | Date | Source |
|---|---|---|---|---|
| **Q-RD1** | Uno Minda, distribution head (unnamed in source) | "loyalty programs mostly offer similar rewards and benefits to all the customers without understanding their preferences" | 2024 | [RD30] |

*Source: research/raw/R-D-programmes-costs.md, Quotes section.*

Several named programmes disclosed their existence but not their internal reward mechanics; the table below states these as gaps rather than filling them with an invented figure, per R-D's own gaps log.

| Programme | What is not disclosed in sources found |
|---|---|
| **Mechanic Unnati, Mobil** | Reward catalogue beyond "top 50 trained"; no points or tiers disclosed |
| **Bosch eXtra** | Reward catalogue; enrolment count |
| **Gulf Unnati, Gulf Oil** | Point values, conversion rate, mechanic-specific (versus retailer) enrolment |
| **JK Advantage 2.0, JK Tyre** | Reward currency detail; tier structure; launch year |
| **Atoot Bandhan 2.0, ACC** | Enrolment count; point values |

*Source: research/raw/R-D-programmes-costs.md, Gaps section.*

This is the only verbatim quotation located in the R-D lane's research that bears directly on programme design quality, and it is quoted here in full rather than paraphrased, per PLAN.md §2.2.14's rule that a quote is used verbatim or not at all. Coming from the distribution head of a company that itself runs a large, tiered, purchase-linked programme (Uno Star 2.0, §8.3), the quote is a candid, inside-the-category admission that one-size-fits-all reward design is a real and recognised weakness, independent corroboration for this document's own segmented, tiered approach (§6.2, §10.1) rather than a single undifferentiated reward for every mechanic and shop.

### 8.8 What transfers to this document's design, by category, in one table

| Category | What transfers | What does not transfer |
|---|---|---|
| **Lubricants** | Instant digital payout mechanism; training paired with recognition; call-centre fallback to an app | Reward tied strictly to a logged purchase in every case |
| **Batteries** | Lightweight, narrow-audience app as a workable minimum floor | Purchase-linked only; no second confirmed programme to cross-check against |
| **Auto parts** | Representative-verified enrolment (fraud control); multi-tier status ladder; dashboard tracking offtake against warranty data | Purchase-linked reward in every case; one entry (REPXPERT) pays no reward currency at all |
| **Tyres** | Dashboard-based offtake tracking is analogous to code-against-serial logging | Dealer-facing, not mechanic-facing; the white-space gap itself |
| **Adjacent (adhesives, cement, electricals)** | Status-and-association framing (Fevicol); lead-registration crediting alongside purchase (ACC); scale proof for tools-based catalogues (Havells); the one near-match on crediting advice without a purchase (Polycab) | Different trade entirely; no automotive or two-wheeler precedent among any of the four |

*Source: §8.1 to §8.5.*

### What this section establishes, and what it does not

- It establishes, from 15 named programmes across six categories, exactly how India's major consumer and industrial brands currently pay mechanics and trade-level influencers: overwhelmingly through a cash or points reward tied to a logged product purchase.

- It establishes that only one of the 15, Polycab Experts, credits advocacy independent of a direct purchase by the member, and even that case rests on a secondary, directional source rather than the programme's own disclosure of its exact reward trigger.
- It establishes a direct white-space finding specific to tyres: JK Advantage 2.0 is the only named tyre-category programme, and it is dealer-facing; no rival two-wheeler tyre maker (MRF, CEAT, Apollo, Bridgestone, Michelin) runs a mechanic-specific programme of any kind in the sources this lane searched.
- It establishes one verbatim, third-party validation, from Uno Minda's own distribution head, that undifferentiated reward design is a recognised weakness in this category, supporting this document's tiered, segment-specific approach.
- It does not establish enrolment counts, reward catalogues or tier structures for several named programmes where the source disclosed a programme's existence but not its internal mechanics (Mechanic Unnati's reward catalogue, Bosch eXtra's reward catalogue, several enrolment counts marked "not disclosed" throughout); these gaps are stated as gaps, not filled with an invented figure.
- It does not claim any of the adjacent-category patterns (carpenters, masons, electricians) transfer wholesale to tyres and mechanics; each teardown states explicitly what transfers and what does not.

Exhibit for the deck: Appendix A3 (heat grid); cover crests.

## 9. A cash-per-tyre scheme would spend about 91% of its money on tyres that sell anyway and fails three of the brief's five criteria

**Answer.** The obvious design for this case, a scan-and-earn cash coupon per Eurogrip tyre sold, modelled on the lubricant-category pattern that dominates §8's benchmark set, would cost about ₹41.70 crore a year at the base-case assumptions behind it, and about 91% of that spend would reward tyres that would have sold anyway, with no behaviour actually changed `[M c4.cash_scheme]` `[T9]`. Scored against the brief's own five judging criteria, this obvious answer fails three outright: it is not insight-grounded against the preference shift the criterion names, it does not sustain beyond the incentive itself, and it is not measurable as a recommendation signal rather than as a sale. This section states the obvious answer fairly on its own terms before the recommended design in §10 replaces it.

### 9.1 The obvious answer, stated fairly

A reasonable team facing this brief, seeing the lubricant category's dominant pattern across every major programme in §8 (Castrol Fast Scan, Mechanic Samriddhi's precursor incentive logic, Uno Star 2.0's purchase-linked points), would likely propose the same thing those categories already run: a scan-and-earn loyalty app for mechanics and puncture shops, where every Eurogrip tyre sold or fitted earns a cash coupon or points via an in-pack QR code, paid out instantly via IMPS, following the exact mechanism Castrol's Fast Scan popularised in the lubricant category `[RD01]` `[RD02]`. This is not a strawman; it is the single best-evidenced, most scalable, most immediately buildable design available from the benchmark set, and it would likely work, in the narrow sense of moving some volume, which is exactly why it needs to be taken seriously and tested against the brief's own numbers rather than dismissed on its face.

| Element | Design |
|---|---|
| **Mechanism** | QR code inside the tyre pack, scanned by the mechanic or retailer at the point of sale |
| **Reward currency** | Cash, paid instantly via IMPS or an equivalent digital rail |
| **Who can earn** | Any outlet that sells or fits an Eurogrip tyre, which in practice means S-A stocking retailers and any S-B/S-C outlet that happens to source and fit a tyre itself |
| **Precedent** | Castrol Fast Scan (1.5 lakh+ mechanics and retailers, 2019) `[RD01]`; Uno Star 2.0 (cash-equivalent, five tiers, 2024) `[RD30]` |
| **What it would likely achieve** | Some real volume lift among outlets that already stock Eurogrip, by rewarding a sale that previously carried no extra incentive |

*Source: §8; `[RD01]`; `[RD02]`; `[RD30]`; ARGUMENT.md.*

### 9.2 The deadweight arithmetic, shown once

The model prices this scheme at the brief's own base-case assumptions: a cash coupon of ₹80 per tyre `[A34]`, against a baseline where 50% of Eurogrip's replacement tyres are already fitted through mechanics today `[A35]`, and a scheme-driven volume lift of 10% `[A36]`. The deadweight share, the fraction of total scheme spend that rewards tyres that would have sold without the scheme, follows directly from the lift: if the scheme lifts volume by a fraction `l` over the no-scheme baseline, then of every rupee spent on the post-scheme volume, the share that would have sold anyway is `1 ÷ (1 + l)`. At the base-case lift of 10% `[A36]`, this is `1 ÷ 1.10 = 0.9091`, or about 91% `[M c4.cash_scheme]` `[T9]`. Put plainly: for every ₹11 the scheme pays out, about ₹10 of it goes to a tyre sale that was going to happen regardless, and only about ₹1 buys an incremental sale.

The cost itself follows from the same inputs. The model's rewarded-units figure is 52.12 lakh tyres a year `[M c4.cash_scheme]`; at ₹80 per tyre `[A34]`, the arithmetic is 52.12 lakh × ₹80 = ₹41,69,60,000, or about ₹41.70 crore a year `[M c4.cash_scheme]` `[T9]`, matching the model's own output exactly.

| Item | Value | Derivation |
|---|---|---|
| **Cash coupon per tyre** | ₹80 (base) | `[A34]` |
| **Baseline share of replacement tyres fitted through mechanics** | 50% (base) | `[A35]` |
| **Volume lift the scheme achieves** | 10% (base) | `[A36]` |
| **Deadweight share** | 91% | `1 ÷ (1 + 0.10) = 0.9091` `[A36]` `[M c4.cash_scheme]` |
| **Tyres rewarded** | 52.12 lakh a year | `[M c4.cash_scheme]` |
| **Annual cost** | ₹41.70 crore | 52.12 lakh × ₹80 = ₹41.70 crore `[A34]` `[M c4.cash_scheme]` `[T9]` |

*Source: `[A27]` to `[A29]`, `[A34]` to `[A36]`; `[M c4.cash_scheme]`; `[T9]`.*

Two further assumptions anchor the realism of this model without changing the deadweight share: the weighted average replacement tyre MRP is about ₹2,050 at base case `[A27]`, GST on two-wheeler tyres is 18% `[A28]`, and channel margin (distributor and retailer, on the ex-GST price) is 18% at base case `[A29]`. These

three feed the net realisation and contribution-per-tyre figures used elsewhere in this document (§11's moneyshot), and are cited here only to show that the cash-scheme model is built on the same priced inputs as the recommended design, not on a separately inflated or deflated set of assumptions chosen to make the comparison look worse than it is.

### 9.3 Why a lubricant-category reward does not translate to a tyre-category reward

The deadweight arithmetic in §9.2 is a consequence, not a cause; the underlying reason a scan-and-earn cash model works for lubricants and does not translate cleanly to tyres is purchase frequency. A lubricant change recurs several times a year per bike, so a small per-change reward accumulates into a meaningful sum across a year, and the mechanic sees the brand's QR code repeatedly, which is exactly why Castrol, Shell and Mobil's programmes in §8.1 all settled on a scan-per-purchase mechanism: the purchase itself recurs often enough for a small reward to add up into real engagement. A two-wheeler tyre, by contrast, lasts years, not months; this document does not have a sourced, precise replacement-interval figure for two-wheeler tyres specifically in the raw material available to this lane, and does not invent one, but the direction is not in dispute, since the brief's own challenge statement names the problem directly: a design must avoid relying on "high-cost, one-off incentives that are hard to sustain or track" `[C4-B10]`, precisely because a reward tied to an infrequent event is forced into one of two unattractive shapes.

| Reward size, per tyre | Resulting behaviour | Why it fails the brief |
|---|---|---|
| **Small (matching a lubricant-style per-unit reward)** | Accumulates too slowly across a multi-year replacement cycle to meaningfully influence a single recommendation decision | Too small to change behaviour at the one moment it matters |
| **Large enough to matter at a single, infrequent sale** | Becomes exactly the "high-cost, one-off incentive" the brief rules out, since it is paid once every few years per mechanic-rider relationship, not routinely | Fails the sustainability criterion `[C4-B10]` `[C4-B21]` directly |

*Source:* `[C4-B10]`*;* `[C4-B21]`*; §9.1; ARGUMENT.md.*

This is also where the three-reasons argument from ARGUMENT.md's "obvious answer" section connects directly to the arithmetic above: a cash-per-tyre scheme pays only outlets that stock Eurogrip (missing the 75% of the universe established in §6 that never stocks a tyre at all, the direct contradiction of the brief's own insight `[C4-B14]`), it either underpays or overpays relative to a multi-year purchase cycle (§9.3's table above), and it is the easiest reward for a rival to match within days, since matching a cash number requires no structural change to a competitor's own programme, only a higher number on the same QR-scan mechanism every lubricant-category rival already runs.

### 9.4 Scored against the brief's five criteria

The brief sets five judging criteria for the Case 4 submission `[C4-B26]` to `[C4-B30]`. Scoring the obvious cash-per-tyre answer against each one, honestly and specifically, shows it passes two and fails three.

| Criterion | Brief wording (abridged) | Brief ID | Obvious answer's score | Why |
|---|---|---|---|---|
| **Incentive realism** | Would mechanics and shop owners actually engage | `[C4-B26]` | Pass | A cash reward is simple to understand and immediately engaging; this is the obvious answer's real strength |
| **Insight-grounding** | Builds on the actual preference shift toward tools/visibility, away from pure cash | `[C4-B27]` | Fail | The design is pure cash, the opposite of the direction the criterion names |
| **Scalability** | Works nationally within the budget | `[C4-B28]` | Pass | A QR-scan-and-pay mechanism is straightforward to scale nationally, and the lubricant category has already proven it at scale (Castrol, 1.5 lakh+ enrolled) `[RD01]` |
| **Sustainability** | Advocacy persists beyond the first incentive | `[C4-B29]` | Fail | Section 9.3 shows the reward is forced into either too-small-to-matter or too-large-to-sustain, with no recurring reason to stay engaged between infrequent tyre sales |
| **Measurability** | Tracking is feasible, even if imperfect | `[C4-B30]` | Fail | A QR scan records a sale at a stocking outlet, not a recommendation at a non-stocking one, which is what the brief asks to measure; it also cannot register any of the 75% of the universe (§6) that never stocks a tyre and therefore never triggers a scan |

*Source:* `[C4-B26]` *to* `[C4-B30]`*; §6; §9.1 to §9.3.*

Two passes and three fails is not a marginal result; a scheme that is simple and scalable but ungrounded in the stated insight, unsustainable by its own purchase-frequency mathematics, and unable to measure the exact thing the brief asks for (recommendation, not sale) does not clear the bar the brief itself sets, regardless of how familiar or easy to build it is. This is the direct basis for replacing it with the design in §10, which keeps the realism and scalability this obvious answer earns while fixing the three criteria it fails.

### 9.5 Three reasons, stated once, cross-referenced to the arithmetic above

ARGUMENT.md's own three-reasons structure for this case's obvious answer (§2.2.1) is restated here in full, cross-referenced to the specific evidence in §9.2 to §9.4 that supports each reason, so a reader does not have to hold the governing argument and the detailed arithmetic in two separate places.

| Reason the obvious answer falls short | Evidence in this section |
|---|---|
| **It pays stockers, but advice comes from everyone** | §6 establishes that 75% of the universe never stocks a tyre; a QR-scan-at-sale mechanism cannot register a credit for any of them, directly contradicting the brief's own insight `[C4-B14]` |
| **Tyres sell too rarely per shop for points to add up** | §9.3's frequency table shows the reward is forced into either too small to matter across a multi-year cycle or too large to be the sustainable design the brief asks for `[C4-B10]` `[C4-B21]` |
| **Cash is the easiest thing for rivals to match, and it measures sales, not recommendations** | §9.4 scores the design as failing measurability `[C4-B30]` for exactly this reason; §8's benchmark set shows every lubricant-category rival already runs the identical QR-scan-and-pay mechanism, so matching a higher cash number requires no structural change from a competitor |

*Source: ARGUMENT.md §"Case 4: obvious answer and three reasons"; §6; §8; §9.2 to §9.4.*

### 9.6 Deadweight is not fixed; it moves with how much lift the scheme actually buys

The 91% deadweight figure in §9.2 is the base-case reading of a single assumption, the volume lift the scheme achieves `[A36]`, and the model carries this assumption across bear, base and bull cases rather than as a single point estimate, consistent with this document's rule that uncertain numbers appear as a range. Unusually, and worth stating plainly rather than smoothing over, the model's bear case for this assumption carries the highest lift (15%) and its bull case the lowest (6%): a "bear" reading of the obvious answer is bear for Eurogrip's recommended design, not for the cash scheme itself, since a cash scheme that achieves a larger lift is, from the obvious answer's own perspective, doing relatively better, even though it still fails the three criteria in §9.4 regardless of which case applies.

| Case | Volume lift | Deadweight share | Derivation |
|---|---|---|---|
| Bear (for the recommended design; a strong cash-scheme outcome) | 15% | 87.0% | `1 ÷ 1.15 = 0.8696` |
| Base | 10% | 90.9% | `1 ÷ 1.10 = 0.9091` |
| Bull (for the recommended design; a weak cash-scheme outcome) | 6% | 94.3% | `1 ÷ 1.06 = 0.9434` |

*Source:* `[A36]`; `[M c4.cash_scheme]`.

Even at the most favourable case for the cash scheme (15% lift, bear), deadweight still runs at 87%, meaning fewer than one rupee in seven buys an incremental sale. This is the clearest single number in this section: there is no plausible range of the volume-lift assumption, inside the bear-to-bull band the model carries, under which a cash-per-tyre scheme stops being overwhelmingly deadweight spend.

### What this section establishes, and what it does not

- It establishes, fairly and on its own terms, what the obvious cash-per-tyre answer to this brief would look like, and credits it with the two criteria it genuinely passes (incentive realism, scalability).
- It establishes, with the arithmetic shown once, that this scheme would cost about ₹41.70 crore a year at base-case assumptions and spend about 91% of that on tyres that would have sold without it `[M c4.cash_scheme]` `[T9]`.
- It establishes why the lubricant-category reward mechanism this scheme borrows does not translate cleanly to tyres: purchase frequency forces the per-unit reward into either too small to matter or too large to sustain.
- It establishes a direct, criterion-by-criterion score against the brief's own five judging criteria, showing the obvious answer fails exactly three: insight-grounding, sustainability and measurability.
- It does not claim the obvious answer is a strawman or that cash rewards never work in this category; §8 shows four lubricant-category programmes running cash or points rewards at real national scale, and this section credits that evidence rather than dismissing it.
- It does not invent a precise two-wheeler tyre replacement-interval figure; the frequency argument in §9.3 is made directionally, against the brief's own sustainability wording, rather than against a sourced number this lane does not have.
- It does not treat the 91% deadweight figure as a fragile, cherry-picked base case; §9.6 shows deadweight stays above 87% across the full bear-to-bull range the model carries for the volume-lift assumption, so the finding holds regardless of which case a reader prefers.

A reader who still finds the cash-per-tyre answer appealing on first principles, because it is the pattern every lubricant-category rival already runs successfully at scale (§8.1), should read §9.4's criteria table again rather than treat §9.2's cost arithmetic as the whole argument. The deadweight share tells a budget-realism story; the criteria table tells a judging story, and it is the second one that determines whether this submission can win, since the brief grades the design against insight-grounding, sustainability and measurability by name, not against spend efficiency alone, and a design can be cheap to run while still losing on exactly those three names.

Exhibit for the deck: S2 P3 (obvious play rejected).

## 10. The programme: 3 tiers let every shop join free, earn tools and status for each logged recommendation, and re-qualify every six months

**Answer.** The recommended design replaces the cash-per-tyre scheme §9 rejects with a three-tier ladder that any mechanic or puncture shop can join for free, pays in tools, repair consumables and visible status rather than cash, and asks for a re-qualification every six months so the programme renews itself instead of fading after a sign-up gift `[C4-B21]`. A personal code, logged against a tyre serial in Eurogrip's existing Bandhan app, credits the mechanic's recommendation wherever it happens, including at the 75% of outlets that never stock a tyre at all `[C4-B14]` `[M c4.segments]`. Every reward in the catalogue below is priced from real Indian market quotes, not an assumed figure, and the whole structure is built to be harder for a rival running a purchase-linked cash scheme to copy than it looks, because copying it means paying for advice on tyres a rival does not sell.

### 10.1 The tier ladder, with real prices against each reward

The three tiers follow PLAN.md §2.2.4's structure exactly: entry rule, what the member gets in kind, what they give back, and when they are reviewed. The prices below are drawn from `tool_costs.csv` and `visibility_costs.csv` rather than restated from the cost-per-member model, so a reader can see the actual market items behind each tier's cost line in §11.

| Tier | Who / entry rule | Gets (in kind, never cash) | Indicative item prices | Gives back | Renewal |
|---|---|---|---|---|---|
| Tier 1 | Any mechanic or puncture shop; free sign-up by distributor sales staff or by missed call or WhatsApp; phone number, shop photo, GPS pin | Starter tubeless puncture-repair kit; small shop board with a QR code; member code card; monthly WhatsApp tips | Tubeless repair kit, retail/branded, ₹190 to ₹1,500 per piece (Moglix Kozdiko about ₹190; WAICO 13-in-1 offer ₹199) `[tool_costs.csv]`; printed/frontlit flex board, ₹10 to ₹40 per sq ft, so a basic 2×1.5 ft (3 sq ft) board prices around ₹30 to ₹120 printed `[visibility_costs.csv]` | Shares the code with riders who need a tyre; any logged referral in six months keeps the member active | Drops inactive after six months with no logged code; kit refills stop |

| Tier | Who / entry rule | Gets (in kind, never cash) | Indicative item prices | Gives back | Renewal |
|---|---|---|---|---|---|
| Tier 2 | 6 logged referrals in 6 months, or completion of the 2-hour tyre-fitment course [A14] | Digital pressure gauge; tyre levers and a bead-breaker function; apron or uniform; a larger board; a completion certificate; quarterly consumables refill | Digital tyre pressure gauge, ₹499 to ₹1,500 (Onelap TyreChek offer ₹499; Kozdiko about ₹752) [tool_costs.csv]; tyre lever, ₹90 to ₹980 per piece [tool_costs.csv]; printed/promotional apron, ₹100 to ₹150 per piece [tool_costs.csv]; ACP shop signboard, plain/unlit, ₹180 to ₹200 per sq ft [visibility_costs.csv] | 12 referrals a year [A15] | Drops to Tier 1 if below threshold at the six-month review |
| Tier 3 | 40 referrals a year, or stocking the agreed Eurogrip core sizes [A16] | Electric inflator or compressor (cost-shared); a two-wheeler tyre changer for top hubs (cost-shared or lease); shop fascia; a featured listing in Eurogrip's online tyre-shop locator; priority stock through the distributor; an annual meet | Digital tyre inflator, fixed/workshop, 230V, ₹19,500 to ₹23,600 [tool_costs.csv]; motorcycle tyre changer machine, 1.5 HP, about ₹45,000 [tool_costs.csv]; ACP/acrylic signboard, lit (LED or glow), ₹190 to ₹800 per sq ft [visibility_costs.csv] | 40 referrals a year and stocking of core sizes [A16] | Same six-month review |

*Source: PLAN.md §2.2.4; [A14] to [A16]; research/data/tool_costs.csv; research/data/visibility_costs.csv; [T3]; [T11].*

The model's own cost-per-member figures (§11, [T3]) are built from a weighted blend of Eurogrip's own cost share across these same items, not from the full retail prices quoted above; several Tier 3 items are explicitly cost-shared or distributor-subsidised rather than fully company-funded, which is why the model's per-member Tier 3 cost ([A10], about ₹7,000 to ₹11,000 one-time, bull to bear) runs well below the full retail price of a tyre changer alone. The table above exists to show that every reward named in the tier ladder is a real, priced, purchasable Indian market item, not a placeholder description.

## 10.2 The recommendation loop and the app ruling

The loop that turns a mechanic's recommendation into a tool credit runs in five steps, following PLAN.md §2.2.5 exactly.

| Step | What happens |
|---|---|
| 1 | The mechanic recommends Eurogrip and hands the rider a code, by card, board QR, or a WhatsApp message with a store-locator link |
| 2 | The rider buys the tyre at any Eurogrip retailer, or at the Tier 3 hub itself if the mechanic also stocks |
| 3 | The retailer logs the mechanic's code against the tyre's serial number in the retailer app at the point of sale; the retailer earns a small logging credit inside its own existing scheme for doing this, giving it a reason to log |
| 4 | The mechanic's tool credits rise; credits redeem only against the programme catalogue (tools, consumables, visibility items, training seats), never as cash |
| 5 | Every six months, each member is re-tiered on logged codes against the thresholds in §10.1 |

*Source: PLAN.md §2.2.5.*

This loop depends on a live, company-run retailer app to log the code at step 3, and the app's actual identity and status matter enough to the whole design that this document states the ruling plainly rather than leaving it implicit: the programme logs codes through Eurogrip's existing retailer-facing app, named **Bandhan**, launched in 2019 for retailer loyalty, with Click-to-Order e-ordering functionality added in 2020 [M c4.app_name]. This naming carries one caution worth repeating from §8.5: Eurogrip's Bandhan app is unrelated to ACC's "Atoot Bandhan 2.0" contractor programme or Saurashtra Cement's "Bandhan Rewards", both discussed in §8.5 as adjacent-category pattern benchmarks; the shared word is a coincidence of two unrelated industries using a common Hindi word for "bond", and the deck and this document keep the two entirely separate.

If a future lane confirms the app is no longer live, has materially reduced reach, or never had point-of-sale logging capability built in, PLAN.md §2.2.13's kill-and-pivot criteria apply directly: a one-time build or extension cost [A22], running ₹25 lakh to ₹60 lakh across bull to bear, is reserved in the cost model specifically for this contingency, and the pilot's first quarter is the point at which this is confirmed before the programme commits further rollout spend to the assumption that step 3 has a reliable channel.

| App dependency | Current ruling | Fallback if the ruling changes |
|---|---|---|
| App name and status | Bandhan, 2019 retailer-loyalty app, Click-to-Order e-ordering added 2020 | None needed at current ruling |
| One-time build/extension reserve | [A22], ₹25 lakh (bull) to ₹60 lakh (bear) | Drawn down only if the app proves non-live or under-capable during the pilot |
| Manual fallback for step 3 | Not the primary design | WhatsApp or SMS code logging during any outage, per risk control R08 (§10.7) |

*Source: [M c4.app_name]; [A22]; PLAN.md §2.2.13; §10.7 (risk R08).*

## 10.3 The reward catalogue, with real prices and real SKUs

Beyond the tier-entry items already priced in §10.1, the full programme catalogue includes a set of recurring and one-time items a member actually redeems credits against, each drawn from the real market quotes in tool_costs.csv and visibility_costs.csv rather than a generic description.

| Catalogue item | Tier(s) it serves | Price (as quoted) | Note |
|---|---|---|---|
| Tyre rubber solution (puncture-repair adhesive), 50 to 75 ml | Tier 2, Tier 3 (quarterly refill) | ₹160 to ₹250 per bottle | Xpert Cycle, Max International, Supermax Cycle bottles [tool_costs.csv] |
| Tube/tubeless patch kit | Tier 1, Tier 2 (quarterly refill) | ₹90 to ₹300 per kit/set | Bolton Heavy Duty and similar [tool_costs.csv] |
| Single tyre repair patch (consumable) | Tier 1, Tier 2 | ₹62 per piece | CT-42 Tyre Repair Patch [tool_costs.csv] |
| Portable tyre inflator (12V or USB) | Tier 2 upgrade option | ₹699 to ₹3,499 | Tantra, UN1QUE, Mi Portable Air Compressor [tool_costs.csv] |

| Catalogue item | Tier(s) it serves | Price (as quoted) | Note |
|---|---|---|---|
| **Printed T-shirt (bulk, team visibility)** | Tier 2, Tier 3 (cluster meets) | ₹190 to ₹300 per piece at 100-piece order | Qikink pricing, 5% GST on garment plus print charge `[visibility_costs.csv]` |
| **Promotional cotton cap** | Tier 1, Tier 2 | ₹20 to ₹92 per piece | Plain to printed `[visibility_costs.csv]` |
| **Vinyl/printed sticker (code or branding)** | Tier 1 | ₹1 to ₹10 per piece at bulk MOQ | Strong volume-price sensitivity `[visibility_costs.csv]` |
| **General mechanic toolbox, mid-range tier** | Tier 2 upgrade option | ₹500 to ₹2,000 per piece | Directory-level estimate, not a single vendor SKU `[tool_costs.csv]` |

*Source: research/data/tool_costs.csv; research/data/visibility_costs.csv.*

The quarterly consumables refill named in §10.1's Tier 2 and Tier 3 rows draws directly from the rubber-solution and patch-kit rows above; at the model's own per-member refill cost (`[A12b]` ₹180 to ₹450 a quarter for Tier 2, `[A12c]` ₹400 to ₹900 a quarter for Tier 3), a single Tier 2 refill covers roughly one to two bottles of rubber solution plus a patch kit at the prices quoted here, confirming the model's refill-cost assumption is a realistic basket of these actual items, not an arbitrary round number.

## 10.4 The sustainability engine: five mechanisms, not one incentive

PLAN.md §2.2.6 names five separate reasons this programme should keep running after the first sign-up gift, each with a different cost behaviour, reproduced here against the brief's own sustainability criterion `[C4-B21]` `[C4-B29]`.

| Mechanism | Why it persists | Cost behaviour |
|---|---|---|
| **Quarterly consumables refill, active members only** | Plugs and patches run out; the refill is a recurring, genuine reason to log a code | Variable, small (§10.3's consumable prices) |
| **Six-month tier review** | Loss of status and tools is a stronger motivator than a one-off gift, a loss-aversion effect from behavioural economics | None (a scheduling discipline, not a spend line) |
| **Visibility compounds** | A board, apron and locator listing bring the shop customers directly; the shop wants to keep what is already working for it | One-time, amortised over `[A11]` three years |
| **Skills and a certificate** | Tubeless and EV tyre fitment are new, genuinely useful skills; a certificate is a professional identity the mechanic keeps regardless of tier | Per head, one-time (`[A13]` training cost, `[A13s]` share trained per year) |
| **Community and recognition** | Cluster meets run by distributors; state-level, non-cash recognition for top members | Small, annual (`[A33]` meets and recognition per Tier 2/3 member) |

*Source: PLAN.md §2.2.6; `[C4-B21]`; `[C4-B29]`; `[A11]` to `[A13s]`; `[A33]`.*

The six-month review is the mechanism doing the most structural work here, and it is worth stating why explicitly, since it costs the programme nothing to run. A reward given once and never revisited (a sign-up kit, a cash bonus) has no power to influence behaviour after the day it is received; a status and toolset that can be lost at the next review, by contrast, gives every active member a standing reason to keep logging referrals between reviews, which is the exact mechanism risk control R03 (§10.7) relies on to answer the single most probable failure mode this programme faces, enthusiasm fading once the starter kit is in hand.

## 10.5 Counter-positioning: why a rival cannot simply copy this design

The 7 Powers framework's counter-positioning concept asks whether an incumbent, imitating a challenger's design, would damage its own existing business by doing so. Applied to this case, a rival tyre maker running a purchase-linked cash scheme (the pattern every lubricant-category programme in §8 already runs, and the pattern JK Tyre's own dealer-facing programme runs) cannot simply copy a stock-independent, recommendation-credited design without creating a direct conflict with its own existing programme.

| Step in the reasoning | Why it holds |
|---|---|
| **A rival's existing scheme pays for tyres sold through its own dealer network** | This is the JK Advantage 2.0 pattern (§8.4): reward is tied to offtake at an enrolled dealer |
| **Copying this document's design means crediting a mechanic's recommendation even when the tyre that gets sold is not the rival's own** | The rival would be paying a mechanic to recommend a tyre that, by definition of a recommendation-credited design, might not be the exact SKU the rival's own dealer stocks |
| **This creates a direct conflict with the rival's existing dealer-loyalty economics** | Paying for advice on tyres a rival does not control the sale of cannibalises the logic its own purchase-linked scheme is built on |
| **A rival that instead keeps its scheme purchase-linked, to avoid this conflict, cannot reach the 75% of the universe that never stocks any tyre** | Section 6 shows this is the majority of the universe; a purchase-linked design structurally excludes it |

*Source: 7 Powers framework (ARGUMENT.md); §6; §8.4; §9.*

This reasoning is stated as reasoning about structural fit, not as a claim this document has evidence of any specific rival's internal economics or stated intentions; no rival has been observed deciding not to build a stock-independent programme, and this document does not claim otherwise. What this document does claim is that the pilot-to-scale timeline (§12) is designed to build a lead in enrolled shops and logged codes before a copy, if one is attempted, could realistically match it, consistent with risk control R05 (§10.7).

## 10.6 The Kano hypothesis, flagged as untested

Section 7.7 already states the reward-currency test design in full; this subsection restates the underlying Kano-model hypothesis plainly, as a hypothesis, not a finding, because a reader arriving at §10 directly should see the same caution a reader arriving via §7 already saw.

| Reward currency | Kano category (hypothesis) | What would confirm or deny it |
|---|---|---|
| **Cash** | A performance attribute rivals can match within days (§9.4), not a basic need or a delighter | If Arm B of the pilot's reward-currency test (§7.7) matches or beats Arm A, cash's attribute status is confirmed |

| Reward currency | Kano category (hypothesis) | What would confirm or deny it |
|---|---|---|
| **Tools** | A basic need: something every member expects and uses daily, without which the programme is not worth joining | If Tier 1 and Tier 2 enrolment or retention is materially weaker when the starter kit is withheld, this is confirmed |
| **Visibility (board, apron, listing)** | A potential delighter: something that exceeds expectation and drives advocacy beyond what a functional reward alone would | If mystery-rider advocacy (§13) rises disproportionately among Tier 2 and 3 members holding visibility items, relative to members at the same referral volume without them, this is confirmed |

*Source: Kano model framework (ARGUMENT.md); §7.5 to §7.7; §13.*

This document does not claim the Kano categorisation above is proven; it is carried through the design as the working hypothesis that justifies weighting the catalogue toward tools and visibility over cash, exactly as the live brief insight `[C4-B13]` and judging criterion `[C4-B27]` direct, with the explicit intention of testing it rather than asserting it as settled.

### 10.7 Fraud controls: one credit per serial, and four more checks

A design that pays for a recommendation rather than a sale creates a new fraud surface, since the thing being verified (did this mechanic actually recommend this tyre to this rider) is harder to observe directly than a sale receipt. PLAN.md §2.2.5 and the model's own risk register name five controls addressing this directly.

| Control | What it stops |
|---|---|
| **One credit per tyre serial** | A single sale cannot be logged against more than one mechanic's code, closing the simplest double-counting route |
| **Monthly cap per member** | Caps the maximum plausible fraud exposure per member per month even if other controls are evaded |
| **Random IVR call-backs to riders named on the sale** | Verifies, by direct contact with the actual buyer, that the recommendation the code implies actually happened |
| **Distance flag, retailer to mechanic beyond `[A21]` 15 km** | Flags implausible pairings, such as a mechanic and a retailer too far apart to plausibly be part of the same real transaction |
| **Distributor audit of the top earners each quarter** | Targets review effort at the members with the most to gain from gaming the system, the highest-value fraud surface |

*Source: PLAN.md §2.2.5; `[A21]`; model/inputs/risks.csv; `[T12]` (risk R01).*

These five controls map directly onto risk R01 in the model's own risk register ("Mechanics could log codes for tyres riders did not actually buy, or collude with retailers to fabricate recommendations", probability 2, impact 2) `[T12]`, and are deliberately layered (a serial check, a volume cap, a verification call, a geography check, and a periodic audit) so that no single control carries the entire weight of preventing fraud; a member who evades one control still faces four more.

### 10.8 Scoring this design against the same five criteria §9.4 used

Section 9.4 scored the obvious cash-per-tyre answer against the brief's five judging criteria and found it passed two and failed three. The same five-criterion scoring, applied to this section's recommended design, is the direct mirror that shows what changed and why.

| Criterion | Brief ID | This design's score | Why |
|---|---|---|---|
| **Incentive realism** | `[C4-B26]` | Pass | Tier 1 is free and costs the mechanic nothing to join; every reward is priced from real market items (§10.1, §10.3) a mechanic recognises and uses, not an abstract point value |
| **Insight-grounding** | `[C4-B27]` | Pass | Every design element traces to a live brief sentence (§7.6's mapping table); the struck sentence is never used as justification |
| **Scalability** | `[C4-B28]` | Pass | The tier ladder and loop run on Eurogrip's existing distributor network and retailer app (§10.2); §12 details the three-gate national rollout within the 1.5% to 2% budget envelope |
| **Sustainability** | `[C4-B29]` | Pass | Five separate, independently costed mechanisms (§10.4) keep the programme running after month one, none of them a single one-off incentive |
| **Measurability** | `[C4-B30]` | Pass | A code logged against a tyre serial in the retailer app, a mystery-rider audit, and a matched-district pilot (§13) together measure recommendation, not just sale, directly answering the gap §9.4 found in the obvious answer |

*Source: `[C4-B26]` to `[C4-B30]`; §9.4; §10.1 to §10.7.*

A design that passes all five named criteria, where the obvious answer passed two, is the direct argument for why this document replaces the cash-per-tyre scheme rather than refining it. The two criteria the obvious answer already passed, incentive realism and scalability, are carried forward rather than discarded: Tier 1's free, zero-cash-outlay entry point keeps the "would mechanics actually engage" answer just as strong as a cash reward's immediate appeal, and the existing distributor and retailer-app infrastructure keeps the national-scale answer intact without needing new channels this design would have to build from nothing.

### 10.9 A member's path through the ladder, stated as a timeline

The tier ladder in §10.1 is easiest to read as a static table; it is worth also stating what one member's actual path through it looks like over a year, since that is closer to how a judge or a mechanic would actually experience the design.

| Point in time | Tier | What has happened | What the member holds |
|---|---|---|---|
| **Month 0** | Enrolment | Signs up free via a distributor visit, missed call, or WhatsApp; phone number, shop photo and GPS pin recorded | Starter puncture-repair kit, small shop board, code card |
| **Month 1 to 6** | Tier 1, working toward Tier 2 | Shares the code with riders needing a tyre; logs referrals through the retailer app loop (§10.2) | Monthly WhatsApp tips; running referral count toward the 6-referral, 6-month threshold `[A14]` |
| **Month 6, first review** | Tier 1 to Tier 2 (if threshold met) or stays Tier 1 | Six logged referrals in six months, or completion of the 2-hour fitment course | Digital gauge, levers, apron, larger board, certificate, first quarterly consumables refill |

| Point in time | Tier | What has happened | What the member holds |
|---|---|---|---|
| **Month 6 to 12** | Tier 2, working toward Tier 3 | Twelve referrals a year is the Tier 2 standard to hold; higher-volume members approach the 40-referral Tier 3 threshold `[A15]` `[A16]` | Ongoing quarterly refills; visibility items already in daily use |
| **Month 12, second review** | Possible move to Tier 3 | 40 referrals in the year, or stocking the agreed core sizes | Cost-shared inflator or changer, shop fascia, locator listing, priority distributor supply, invitation to the annual meet |
| **Every 6 months thereafter** | Re-qualification | Logged codes against the current tier's threshold | Retained status and tools if the threshold holds; drops a tier if it does not |

*Source: §10.1; §10.2;* `[A14]` *to* `[A16]`.

This timeline view also makes the six-month review's behavioural logic concrete: a member who has held Tier 2 status for six months, with an apron, a board and a certificate already in daily use, faces a genuine loss, not just a missed future gain, if referrals fall below threshold at the next review. That asymmetry, between a reward already held and a reward merely promised, is the loss-aversion mechanism §10.4 names, now shown as something that happens to a specific member on a specific calendar, not only as an abstract behavioural-economics citation.

## 10.10 Why a free Tier 1 matters, given what §7.4 found about mechanic income

Section 7.4 showed that income at the lower end of this trade (helper-level pay, per-job puncture-repair and service charges) is thin, job-rate based and volatile, not a stable salary. A design that asked for any cash outlay to join, even a small one, would be a real barrier at exactly the end of the universe where S-C puncture shops and lower-tier S-B service mechanics sit, which together make up 75% of the universe (§6.2). Tier 1's design answers this directly: zero cost to join, a starter kit given rather than sold, and enrolment that can happen without a shop visit at all, by missed call or WhatsApp, so a mechanic with no spare cash and no reliable way to travel to a distributor's office can still become a member on the same day he first hears about the programme.

| Design choice | What §7.4's income evidence implies it must avoid |
|---|---|
| **Free Tier 1 entry, no joining fee** | Any fee, however small, would exclude the helper-level and per-job-paid end of the trade this document's own income evidence shows is real and widespread |
| **Starter kit given, not sold on credit** | A credit-based starter kit creates a debt relationship, not a reward relationship, and risks the shop declining to join rather than risk a liability it cannot easily absorb |
| **Self-enrolment by missed call or WhatsApp, not only a distributor visit** | A shop that cannot easily close for a visit, or that operates from a roadside point rather than a fixed premises (§6.4's fragmentation evidence), still has a path to join |
| **Quarterly refills sized to a few hundred rupees, not a large one-off grant** | Matches the recurring, small-ticket nature of this trade's actual cash flow, shown in §7.4's per-job charge figures, rather than a lump sum that reads as unfamiliar or suspicious |

*Source: §6.2; §6.4; §7.4; §10.1.*

None of this is a claim that every mechanic in India is cash-poor; §7.4's own income table shows real variation, from helper-level pay up to a specialist with an owned setup earning several times as much. The design choices in the table above are aimed specifically at not losing the lower-income end of the universe at the enrolment stage, since a programme that only the better-capitalised S-A stocking retailers can afford to join would, by construction, miss exactly the S-B and S-C majority this case is built to reach.

## What this section establishes, and what it does not

- It establishes the full tier ladder with real, market-quoted prices behind every named reward, drawn from `tool_costs.csv` and `visibility_costs.csv` rather than a generic description, and the five-step recommendation loop that connects a mechanic's code to a logged tyre serial in Eurogrip's existing Bandhan app.
- It establishes the app-dependency ruling plainly: the programme runs on Bandhan, Eurogrip's 2019 retailer-loyalty app with 2020 e-ordering, with a budgeted fallback reserve `[A22]` if a future lane finds the app's capability thinner than assumed.
- It establishes a priced reward catalogue of real Indian market SKUs, a five-mechanism sustainability engine with no single point of failure, a 7-Powers counter-positioning argument for why a rival cannot costlessly copy this design, a Kano hypothesis stated as a hypothesis with its own test design, and a five-layer fraud-control stack mapped to the model's own risk register.
- It does not claim the Kano categorisation of cash, tools and visibility is proven; §7.7 and §10.6 both state explicitly that the pilot's reward-currency arm exists to test it.
- It does not claim knowledge of any specific rival's internal economics or stated plans; the counter-positioning argument in §10.5 is structural reasoning about fit, not an observed fact about a competitor's decision.
- It does not treat the retailer-app dependency as risk-free; §10.2 and §10.7 both carry the live fallback and reserve cost for the scenario in which that dependency does not hold.

Read end to end, this section's nine subsections are built to answer one question a sceptical judge could reasonably ask after reading §9's rejection of the obvious answer: if cash is this easy to design and this well-precedented in adjacent categories, what exactly does the alternative actually consist of, beyond the governing one-line thought in §2.2.2. The answer is a tier ladder priced against real market SKUs (§10.1), a loop that uses infrastructure Eurogrip already runs rather than infrastructure this document assumes into existence (§10.2), a catalogue a mechanic can recognise and use the same day he redeems it (§10.3), five independent reasons the programme should still be running in year two (§10.4), a structural reason a rival faces real friction in copying it (§10.5), an honestly flagged hypothesis rather than an overclaimed certainty about reward preference (§10.6), a layered fraud-control stack with no single point of failure (§10.7), a direct criterion-by-criterion score against the same five tests §9.4 applied to the obvious answer (§10.8), a concrete one-member timeline rather than only an abstract tier table (§10.9), and a design-choice table tracing the free-entry decision back to the income evidence in §7.4 rather than treating "free" as a slogan (§10.10). Section 11 now prices this whole structure in full, against the budget envelope the brief itself sets, and shows the same cost per member carried through to the moneyshot every reader of this document is ultimately asking for: how many extra tyres a single shop needs to recommend before the whole programme pays for itself.

Exhibit for the deck: S2 P4 (tier ladder and loop); P6 (rollout); P2 insight 4 (sustainability).

## 11. ₹22.0 crore a year, 1.6% of business-unit revenue, equips 1.16 lakh shops and pays back at 4.4 extra tyres per shop a year

**Answer.** The base case spends ₹21.99 crore a year [M c4.spend_cr.base] [T4], 1.63% of the relevant business-unit revenue [M c4.spend_share_pct.base] [T4], and equips 1.16 lakh member shops [M c4.members_lakh.base] [T4] at a blended cost of ₹1,627.50 per member a year [M c4.cost_per_member.base] [T3]. The programme breaks even when a member shop sends 4.4 extra Eurogrip tyres a year, one every 11.7 weeks [M c4.be.base] [M c4.weeks.base] [T5], a bar the design claims no uplift to clear. Across bear to bull, spend moves from ₹10.29 crore to ₹29.20 crore and break-even moves from 11.7 to 2.2 tyres [T4] [T5], and the single assumption that moves break-even most is the contribution margin on the company's net realisation A30 [T6].

| Metric | Bear | Base | Bull | Tag |
|---|---|---|---|---|
| Relevant BU revenue (₹ crore) | 1,240 | 1,350 | 1,460 | A01 |
| Budget envelope (₹ crore) | 18.60 | 23.62 | 29.20 | [M c4.envelope_cr] |
| Spend (₹ crore) | 10.29 | 21.99 | 29.20 | [M c4.spend_cr] [T4] |
| Spend as % of BU revenue | 0.83% | 1.63% | 2.00% | [M c4.spend_share_pct] |
| Members (lakh) | 0.27 | 1.16 | 2.43 | [M c4.members_lakh] [T4] |
| Cost per member (₹/year) | 2,349.50 | 1,627.50 | 1,105.33 | [M c4.cost_per_member] |
| Contribution per tyre (₹) | 327 | 427 | 539 | [T5] |
| Break-even (extra tyres/member/year) | 11.7 | 4.4 | 2.2 | [M c4.be] [T5] |
| One tyre every (weeks) | 4.5 | 11.7 | 23.3 | [M c4.weeks] [T5] |

*This table pulls the headline scenario numbers that the rest of this section derives and explains, in one place, so a reader can check any downstream claim against it before reading the derivation. Source: [T4]; [T5]; A01; [M c4.spend_cr]; [M c4.spend_share_pct]; [M c4.members_lakh]; [M c4.cost_per_member]; [M c4.be]; [M c4.weeks].*

### 11.1 The business-unit revenue base, and why it is a range

The programme's envelope is sized off A01, the relevant business-unit revenue, which is defined narrowly as domestic two- and three-wheeler replacement revenue in FY26, not TVS Srichakra's full consolidated revenue. Starting from consolidated revenue from operations of ₹3,643 crore in FY26 [RA12], the split between original-equipment supply, replacement sales and exports is not disclosed by the company in a form that isolates the domestic replacement line directly. The closest primary split available is CRISIL's April 2023 rating rationale, the most recent primary source this lane found with a revenue-mix statement [RA95], which puts original-equipment supply at roughly 46% to 48% of revenue and exports at roughly 13% to 14%, leaving the remainder, aftermarket and replacement revenue, at roughly 34% to 40% depending on which end of the OEM and export brackets is read against the other. Because CRISIL's own statement is itself a bracket rather than a single percentage, this document carries both ends as the bear and bull readings and takes a point near the middle of the implied range as base, rather than picking one reading and presenting it as precise.

| Scenario | Aftermarket and replacement share of consolidated revenue | FY26 consolidated revenue (₹ crore) | Relevant BU revenue (₹ crore) |
|---|---|---|---|
| Bear | 34% | 3,643 | 1,240 |
| Base | 37% | 3,643 | 1,350 |
| Bull | 40% | 3,643 | 1,460 |

*This table shows the arithmetic behind A01: the same FY26 consolidated revenue figure multiplied by three defensible readings of CRISIL's aftermarket-share bracket, each a direct brief of the primary source rather than an independently sourced percentage. Source: A01; RA12; RA95; RA96.*

A01's bear and bull are not meant to span every conceivable reading of TVS Srichakra's business mix; they span the two ends of the one disclosed bracket this lane located. Any reading of the aftermarket share materially outside 34% to 40% would need a newer or more granular company disclosure than the ones found, and this document does not manufacture one.

### 11.2 The envelope: budget share times business-unit revenue

The brief itself states the budget is 1.5% to 2.0% of the relevant business-unit revenue [C4-B19] A02, a range cross-checked against two rivals' own disclosed advertisement and sales-promotion spend, both near 2.1% of revenue in their most recent reported year [RB49] [RB50], which sits just above this band and corroborates it as an industry-realistic range rather than an arbitrary planning convention. The envelope in each scenario is A02 multiplied by A01, with the base case choosing to spend at 1.75% of its own base-case revenue while treating the additional headroom up to the 2.0% ceiling as contingency, per PLAN.md §2.2.8.

| Scenario | Budget share (A02) | Relevant BU revenue (A01, ₹ crore) | Envelope (₹ crore) |
|---|---|---|---|
| Bear | 1.5% | 1,240 | 18.60 |
| Base | 1.75% | 1,350 | 23.62 |
| Bull | 2.0% | 1,460 | 29.20 |

*The envelope is the ceiling the programme is permitted to spend inside, not the amount it actually spends; §11.3 to §11.4 show that the base and bear cases spend below this ceiling while the bull case spends all the way to it. Source: A01; A02; [M c4.envelope_cr]; [T4].*

The bull case is the only scenario where spend equals the envelope exactly (₹29.20 crore of ₹29.20 crore [M c4.spend_cr.bull] [M c4.envelope_cr.bull]), because the bull case's lower per-member costs let a larger member base fit inside the same 2.0% ceiling. The base case spends ₹21.99 crore of a ₹23.62 crore envelope, leaving ₹5.01 crore of headroom to the 2.0% ceiling of base-case revenue [M c4.headroom_to_2pct_cr.base]; the bear case leaves the largest headroom, ₹14.51 crore [M c4.headroom_to_2pct_cr.bear], because bear-case per-member costs are highest and the model deliberately does not force spend up to the ceiling in a

scenario already defined by worse-than-expected unit economics. This headroom is a design choice stated once here: the model never assumes the programme spends the full allowable ceiling in every scenario, only in the bull case where the unit economics make it affordable to do so.

| Scenario | Envelope at own scenario's budget share (₹ crore) | Ceiling at 2.0% of own scenario's revenue (₹ crore) | Actual spend (₹ crore) | Headroom to the 2.0% ceiling (₹ crore) |
|---|---|---|---|---|
| Bear | 18.60 | 24.80 | 10.29 | 14.51 |
| Base | 23.62 | 27.00 | 21.99 | 5.01 |
| Bull | 29.20 | 29.20 | 29.20 | 0.00 |

*The second column is always 2.0% of that scenario's own A01 revenue figure, which differs from the first column except in the bull case, where A02 is itself 2.0%. Reading the two ceiling columns side by side shows why only the bull case uses its full allowable ceiling: in bear and base, the programme is cheaper to run than the maximum the brief's own 1.5% to 2.0% rule would allow, leaving contingency room rather than spending to the limit by default. Source:* A01 *;* A02 *; [M c4.envelope_cr]; [M c4.spend_cr]; [M c4.headroom_to_2pct_cr].*

This headroom matters for the kill-criteria logic in §15: if Tier 3 hardware costs run above the bear case in practice (risk R09, §14), the first lever is to absorb the overrun inside the existing headroom before touching member coverage, and only to cut Tier 3 hardware to lease-only (per PLAN.md §2.2.13) if the overrun would otherwise breach the 2.0% ceiling itself.

### 11.3 Cost per member by tier

The programme costs a member differently by tier, because Tier 1 carries only a starter kit and no recurring hardware, Tier 2 adds a quarterly consumables refill and a larger one-time kit, and Tier 3 carries the highest one-time hardware cost (cost-shared) plus the largest consumables and visibility footprint, per the tier ladder in PLAN.md §2.2.4. The model blends these three tier costs, weighted by the steady-state member mix (75% Tier 1, 20% Tier 2, 5% Tier 3 A07a A07b A07c ), into the five-component cost per member shown below.

| Component | Bear (₹) | Base (₹) | Bull (₹) |
|---|---|---|---|
| Tools | 1,470 | 1,042 | 741 |
| Visibility | 456 | 304 | 202 |
| Training | 185 | 125 | 75 |
| Field | 158 | 96 | 58 |
| Tech | 80 | 60 | 30 |
| Total | 2,350 | 1,628 | 1,105 |

*Tools and visibility are one-time items amortised over A11's three-year useful life; training is the per-trainee course fee (A13) weighted by the share of Tier 2 and 3 members trained each year (A13s); field and tech are the per-member share of the fixed field and technology lines described in §11.4. Source:* A07 *to* A20 *;* A33 *;* A19m *; [T3].*

The blended cost per member actually used in the budget math (₹2,349.50 bear, ₹1,627.50 base, ₹1,105.33 bull [M c4.cost_per_member]) sits a few rupees from the T3 component total shown above (₹2,350, ₹1,628, ₹1,105). Both figures come from the same model run; the small difference is that the budget-math version also blends in a share of the enrolment cost that replaces churned members (A17, A17c), a cost that T3's steady-state tier breakdown does not carry because it describes what an already-enrolled member costs to keep, not what it costs to replace one who leaves. This document states the difference once here rather than letting two near-identical numbers appear unexplained elsewhere.

Reading the five components as a share of the base-case total shows where the cost per member actually sits: Tools is 64.0% of the ₹1,628 total, Visibility is 18.7%, Training is 7.7%, Field is 5.9% and Tech is 3.7%. This share pattern repeats, with small shifts, across bear and bull, which is why §11.4's budget-line table and this tier-level table tell the same underlying story from two different cuts of the same cost base: tools and refills dominate both because Tier 3 hardware is the single most expensive line item per member and because every active member, in every tier, draws on the tools line in some form, whereas visibility, training, field and tech are each either one-time, partial-coverage or fixed-cost items that touch a smaller share of total spend.

| Component | Base (₹) | Share of base total | Bear (₹) | Share of bear total | Bull (₹) | Share of bull total |
|---|---|---|---|---|---|---|
| Tools | 1,042 | 64.0% | 1,470 | 62.6% | 741 | 67.1% |
| Visibility | 304 | 18.7% | 456 | 19.4% | 202 | 18.3% |
| Training | 125 | 7.7% | 185 | 7.9% | 75 | 6.8% |
| Field | 96 | 5.9% | 158 | 6.7% | 58 | 5.2% |
| Tech | 60 | 3.7% | 80 | 3.4% | 30 | 2.7% |
| Total | 1,628 | 100% | 2,350 | 100% | 1,105 | 100% |

*This is the same T3 data recast as a percentage breakdown rather than a rupee breakdown, to show that the Tools line's dominance (62.6% to 67.1% of per-member cost across all three scenarios) is a stable structural feature of the design, not an artefact of the base case alone. Source: [T3];* A07 *to* A20 *.*

### 11.4 Five budget lines, bear to bull

The model keeps exactly five budget line names across every scenario, per PLAN.md §2.2.8: Tools and refills, Visibility kits, Training and meets, Field teams, and Tech and audits. Tools and refills is the largest line in every scenario (55.1% of base-case spend [M c4.lines]) because it carries both the one-time tool cost amortised across the member base and the recurring quarterly consumables refill that keeps Tier 2 and 3 members active.

| Line | Bear (₹ crore) | Bear (%) | Base (₹ crore) | Base (%) | Bull (₹ crore) | Bull (%) |
|---|---|---|---|---|---|---|
| Tools, refills | 3.97 | 38.6% | 12.12 | 55.1% | 17.98 | 61.6% |
| Visibility kits | 1.23 | 12.0% | 3.54 | 16.1% | 4.90 | 16.8% |
| Training, meets | 0.50 | 4.9% | 1.45 | 6.6% | 1.82 | 6.2% |
| Field teams | 2.93 | 28.4% | 3.12 | 14.2% | 3.01 | 10.3% |
| Tech and audits | 1.67 | 16.2% | 1.77 | 8.0% | 1.49 | 5.1% |
| Total | 10.29 | 100% | 21.99 | 100% | 29.20 | 100% |

*Field teams covers the per-enrolment incentive (A17) and the fixed programme team and state coordinators (A18); tech and audits covers the retailer-app extension or build (A22), messaging (A19m) and the mystery-audit and brand-track lines (A31, A31n, A32). Both are weighted toward fixed costs, which is why their rupee value changes less across scenarios than Tools, refills does. Source: [M c4.lines_sc]; [T4];* A17 ; A18 ; A19 ; A19m ; A22 ; A31 ; A31n ; A32 .

Field teams is the one line that does not move monotonically with scenario: ₹2.93 crore bear, ₹3.12 crore base, ₹3.01 crore bull. This is because the line blends a per-enrolment variable cost (A17, highest per enrolment in the bear case at ₹250) against a fixed coordinator cost (A18, highest in absolute terms in the bear case at ₹250 lakh/year) applied across member counts that themselves differ sharply by scenario (0.27 lakh bear versus 2.43 lakh bull). The base case's larger member count against a still-substantial fixed coordination cost (₹200 lakh/year, A18 base) produces the highest absolute field-teams spend of the three scenarios; this document states the pattern honestly rather than smoothing it into a false straight line across bear to bull.

As a share of total spend, Tools and refills rises from 38.6% bear to 61.6% bull, while Field teams and Tech and audits both shrink as a share (28.4% to 10.3%, and 16.2% to 5.1% respectively) because these two lines are the most fixed-cost-heavy and therefore dilute fastest as the member base scales up in the bull case. This is the shape a tools-and-status programme should have: the variable, member-facing cost dominates at scale, and the fixed administrative and measurement overhead becomes a shrinking share of a larger base.

### 11.5 Year 1 versus Year 2

The rollout plan (detailed by quarter in §12) spends ₹6.81 crore in Year 1, covering the pilot and scale phases, and ₹19.15 crore in Year 2, covering the national phase, both inside the base-case envelope in every quarter [M c4.year1_spend_cr] [M c4.year2_spend_cr] [T7].

| Year | Spend (₹ crore) | Share of two-year total |
|---|---|---|
| Year 1 (Q1 to Q4) | 6.81 | 26.2% |
| Year 2 (Q5 to Q8) | 19.15 | 73.8% |
| Two-year total | 25.96 | 100% |

*The spend is heavily back-loaded because member growth itself is back-loaded: the ramp curve (A37a to A37h) puts only 3% of steady-state members active in Q1 and 100% active by Q8, so the bulk of per-member cost, which scales with active members, lands in Year 2. Source: [T7]; [M c4.year1_spend_cr]; [M c4.year2_spend_cr];* A37a *to* A37h .

The deck's S2 budget panel (P7) shows the Year 2 figure, ₹21.99 crore rounded to the base-case annual spend at full national coverage, because Year 2 is the first year the programme runs at the steady-state cost structure this section derives; Year 1's lower figure reflects the ramp, not a different cost structure.

### 11.6 What moves break-even most: the tornado

The model varies one assumption at a time, holding every other assumption at its base value, and records how far the base-case break-even (4.4 tyres) moves at that assumption's own bear and bull values. The largest single-assumption swing by a clear margin is the contribution margin on the company's net realisation (A30), which moves break-even from 3.9 tyres at the bull end of A30's own range to 5.1 tyres at the bear end, a swing of 1.2 tyres, roughly 2.8 times the size of the next-largest swing A30 [T6].

| Rank | Assumption | Label | Break-even low | Break-even high | Swing |
|---|---|---|---|---|---|
| 1 | A30 | Contribution margin on the company's net realisation | 3.9 | 5.1 | 1.2 |
| 2 | A27 | Weighted average replacement tyre MRP | 4.1 | 4.8 | 0.7 |
| 3 | A20 | Tool credit per logged referral | 4.3 | 4.7 | 0.4 |
| 4 | A29 | Channel margin (distributor and retailer) on the ex-GST price | 4.3 | 4.7 | 0.4 |
| 5 | A06 | Coverage cap: members divided by universe at steady state | 4.4 | 4.7 | 0.4 |
| 6 | A09 | One-time tools per member, Tier 2 (Eurogrip's share) | 4.3 | 4.6 | 0.3 |

*Each row isolates one assumption; the break-even swing is the distance between running the model at that assumption's bear value and its bull value, with every other assumption held at base. This is why the six swings do not sum to the full bear-to-bull range in §11 of the headline table: that range moves every assumption together, not one at a time. Source: [T6]; assumption register.*

The contribution margin on the company's net realisation (A30) is the top driver because it sits in the denominator of the break-even formula itself (§11.7), so a percentage-point change in A30 changes every tyre's contribution directly, while the other five assumptions each affect either the numerator (spend) or a different part of the denominator (price net of GST and channel margin, or member count) by a smaller proportional amount. The weighted average replacement tyre MRP (A27) is the second-largest driver because it is the other half of the contribution-per-tyre calculation; together, A30 and A27 account for 1.9 of the 2.3-tyre total swing across all six ranked assumptions, confirming that break-even is overwhelmingly a pricing and margin question, not a programme-design question, once the five budget lines in §11.4 are fixed.

## 11.7 The moneyshot

"A member shop needs 4.4 extra Eurogrip tyres a year, one every 11.7 weeks, for the whole programme to pay for itself." [M c4.be.base] [M c4.weeks.base]. This is the single largest numeral in the deck (80 pt, card named CARD: MONEYSHOT on S2 panel P5), and it is constructed to claim no uplift: it states the bar the pilot must clear, not a forecast that the pilot will clear it.

The formula is break-even = steady-state annual programme spend ÷ members ÷ contribution per tyre [M c4.spend_cr] [M c4.members_lakh] [T5]. Showing the base-case arithmetic once: spend is ₹21.99 crore, which is ₹21,99,22,208 at the Indian grouping (1 crore = 1,00,00,000 rupees); members is 1.1625 lakh, which is 1,16,250 shops; dividing spend by members gives ₹1,891.37 a member a year. Dividing that figure by the base-case contribution per tyre, ₹427.37 [T5], gives 4.4266, which rounds to the 4.4 extra tyres a year this document and the deck both state [M c4.be.base].

Contribution per tyre is itself a three-step build from the weighted average replacement tyre MRP (A27), not a single sourced figure: the MRP is divided by 1 plus the GST rate to reach the net-of-tax realisation, that figure is reduced by the channel margin the distributor and retailer keep (A29), and the result is multiplied by the contribution margin on the company's own net realisation (A30) to reach the contribution the company earns per tyre.

| Step | Bear | Base | Bull |
|---|---|---|---|
| Weighted average replacement tyre MRP (₹) A27 | 1,900 | 2,050 | 2,200 |
| GST rate A28 | 18% | 18% | 18% |
| Net realisation per tyre, ex-GST (₹) | 1,610 | 1,737 | 1,864 |
| Channel margin kept by distributor and retailer A29 | 22% | 18% | 15% |
| Net realisation after channel margin (₹) [T5] | 1,256 | 1,425 | 1,585 |
| Contribution margin on net realisation A30 | 26% | 30% | 34% |
| Contribution per tyre (₹) [T5] | 327 | 427 | 539 |

*This table unpacks the single "contribution per tyre" row already carried in the headline table (§11) into the four assumptions that build it, so the moneyshot's denominator is traceable to A27 through A30 rather than treated as a single opaque model output. Source: A27; A28; A29; A30; [T5].*

| Scenario | Spend (₹ crore) | Members (lakh) | Spend per member (₹/year) | Contribution per tyre (₹) | Break-even (tyres/member/year) | One tyre every (weeks) |
|---|---|---|---|---|---|---|
| Bear | 10.29 | 0.27 | 3,811 | 327 | 11.7 | 4.5 |
| Base | 21.99 | 1.16 | 1,891 | 427 | 4.4 | 11.7 |
| Bull | 29.20 | 2.43 | 1,202 | 539 | 2.2 | 23.3 |

*Spend per member is the intermediate step in the break-even formula (spend divided by members), shown here before the final division by contribution per tyre, so the two-step arithmetic in the paragraph above can be checked against each scenario, not only the base case. Source: [M c4.spend_cr]; [M c4.members_lakh]; [T5]; [M c4.be]; [M c4.weeks].*

The bear case states a higher bar, 11.7 extra tyres a year, because bear-case spend per member is higher (fewer members absorbing a smaller but still substantial field and tech fixed cost) while bear-case contribution per tyre is lower (the weighted average replacement tyre MRP, channel margin and contribution margin assumptions are all set to their least favourable values together in the bear scenario). The bull case states the easiest bar, 2.2 extra tyres a year, roughly one every 23.3 weeks, for the same reason in reverse. The honesty of this moneyshot rests on what it does not claim: it does not say the pilot will produce 4.4 extra tyres a member; it says that is the number of extra tyres a member needs to produce for the programme to have paid for itself, and §12 and §13 describe exactly how the pilot measures whether that happens.

## 11.8 Deadweight comparison: the honest bar against the obvious scheme's hidden cost

The obvious alternative, a cash-per-tyre coupon scheme, was costed in §9 to isolate its deadweight share, the fraction of its spend that rewards tyres that would have sold through that shop anyway, with no change in mechanic behaviour. The model puts that scheme's base-case cost at ₹41.70 crore a year, rewarding 52.1 lakh tyres, of which 90.9% (rounds to 91%) would have sold anyway [T9] [M c4.cash_scheme].

| Design | Annual cost (₹ crore, base case) | What it measures | Measurability advantage |
|---|---|---|---|
| Obvious cash-per-tyre scheme | 41.70 | Tyres sold at a stocking shop (a sales record) | Cannot distinguish a rewarded sale from a sale that would have happened anyway; 90.9% deadweight [T9] |
| Recommended programme (this design) | 21.99 | Logged recommendations against a tyre serial, plus a mystery-audit lift over control districts | States an honest break-even bar (4.4 extra tyres a member) that claims zero assumed uplift, and measures the actual lift through a matched-district experiment (§13) |

*The comparison is not only that the recommended design costs less (₹21.99 crore versus ₹41.70 crore in the base case); it is that the cash scheme's own cost structure makes 91% of its spend unmeasurable as incremental, while the recommended design's break-even bar and audit design are built to measure incrementality directly. Source: [T9]; [M c4.cash_scheme]; [T4]; §9 of this document (writer B).*

A cash-per-tyre scheme sized at the same ₹21.99 crore the recommended design actually spends would reward roughly 27.5 lakh tyres at the same ₹80 coupon rate A34, of which, at the same 90.9% deadweight share, about 25.0 lakh tyres would be rewarded without any behaviour change at all. The recommended design's equivalent exposure is bounded instead by the moneyshot: it spends to equip 1.16 lakh shops and states plainly, in the open, the exact number of extra tyres each shop needs to produce for that spend to have been worth it, a claim a judge, a pilot district or Eurogrip's own finance team can check against the retailer app's logged data, not an assumption buried inside an unmeasured coupon redemption rate.

The deeper reason the two designs differ on measurability, not just on cost, is what each one actually records. A cash coupon redemption is a sales event: the retailer app, or any point-of-sale system, can confirm a tyre left the shop and a coupon was claimed, but it cannot distinguish a rider who would have bought that tyre at that shop regardless from a rider who bought it because the shop pushed for it. The recommended design's logged code, by contrast, is tied to a named mechanic's recommendation at the moment it is made, before the retailer transaction completes, and that same mechanic's unprompted recommendation rate is

separately checked against matched control districts that received no programme at all (§13). The cash scheme has no equivalent control group built into its own mechanics; its 90.9% deadweight estimate in this document is itself a model-based inference from purchase-frequency assumptions (A35, A36), not something the scheme's own operating data could ever confirm or deny once it is actually running. This is the measurability argument in its sharpest form: the obvious scheme's main weakness is not only that it is expensive, it is that it would keep running for years without ever generating the evidence needed to know whether it worked.

### What this section establishes, and what it does not

- It establishes the full base-to-bull cost structure of the recommended programme: envelope, spend, five budget lines, cost per member by tier, and the Year 1 to Year 2 split, each traced to a named assumption or model output.
- It establishes the moneyshot with its formula shown in full, including the base-case arithmetic step by step, so the 4.4 extra tyres a year figure is reproducible, not asserted.
- It establishes that the contribution margin on the company's net realisation (A30) is the single assumption most likely to move the break-even bar, which is the figure the pilot's financial sensitivity work should watch most closely.
- It establishes, through the deadweight comparison, why an honest break-even bar on a measurable design is a stronger answer to the brief's measurability criterion than a cheaper-looking but largely unmeasurable cash scheme.
- It does not establish that the pilot will clear the 4.4-tyre bar; that is an empirical question §12 and §13 are designed to answer, not a claim this section makes.
- It does not treat the bear-to-bull range as a probability distribution with a most-likely point estimate narrower than the full range; the range is carried as three scenarios throughout, per the style contract.
- It does not claim the five budget lines are the only possible way to spend the envelope; they are the five named lines the model and the deck carry throughout the build, chosen because each maps to one of the programme's own design mechanisms (tools and consumables, visibility items, training, field operations, technology and measurement) rather than to a generic marketing-budget category.

Exhibit for the deck: S2 P5 (CARD: MONEYSHOT); S2 P7 (budget donut); Appendix A2 (tornado and scenario table).

## 12. Two states, then eight, then all of India: three gates in 24 months decide whether more money is spent

**Answer.** The programme rolls out in three phases over eight quarters: a two-state pilot in Q1 to Q2, an eight-state scale phase in Q3 to Q4, and a national phase across all states through the distributor network in Q5 to Q8, with a go or no-go gate at the end of each phase [T7]. Every phase boundary is also a spending boundary, which is the plan's own device for keeping the decision to spend more money separate from the decision to keep running the programme at its current size. Tamil Nadu is Pilot A and Uttar Pradesh is Pilot B, a result the pilot-state rule produces from real evidence, not from the plan's own default assumption alone [M c4.pilot_states]; the two states together give the pilot both a deep, de-risked market to prove the mechanics work and a large, thin-presence market to prove they also work where the company cannot lean on an existing retail footprint. Members grow from 0.03 lakh in Q1 to 1.16 lakh at full national steady state in Q8, and quarterly spend grows from ₹0.91 crore to ₹5.50 crore over the same window [T7], a path that is deliberately an S-curve rather than a straight line. Enrolment runs through the distributor network already in place, with a named set of parties, TVS Srichakra's aftermarket team, distributors, retailers, the audit agency and the training partner, each carrying a defined role across enrolment, logging, fulfilment, training, auditing and fraud monitoring.

### 12.1 Three phases, three gates

The rollout is sequenced deliberately from the smallest, most controllable footprint to the largest, so that every design assumption this document carries is tested at a small scale before it is trusted at a national one.

| Phase | Quarters | Coverage | Purpose | Gate to pass before the next phase |
|---|---|---|---|---|
| **Pilot** | Q1 to Q2 | 2 states (Tamil Nadu, Uttar Pradesh), treated districts vs matched control districts | Prove engagement and advocacy lift; run the tool-credit vs cash-equivalent reward-currency arm test | G1, end of Q2 |
| **Scale** | Q3 to Q4 | 8 states covering the largest share of the two-wheeler parc, selected from VAHAN registrations | Prove cost per member at volume, distributor-led enrolment | G2, end of Q4 |
| **National** | Q5 to Q8 | All states, through the distributor network | Steady state; annual brand-track re-run | G3, end of Q8 |

*Each phase is a go or no-go decision, not an automatic continuation: the budget committed to the next phase is released only after the prior phase's gate is passed, which is why §12.6 states each gate's exact threshold rather than describing the rollout as a single continuous ramp. Source: PLAN.md §2.2.7; [T7].*

| Quarter | States with an active member base | Cumulative coverage logic |
|---|---|---|
| **Q1 to Q2** | 2 (Tamil Nadu, Uttar Pradesh) | Pilot only; no member outside the two pilot states |
| **Q3 to Q4** | 8 | The 2 pilot states plus 6 further states selected from VAHAN registration volume at the time scale-phase planning begins |
| **Q5 to Q8** | All states | Remaining states onboarded through the distributor network in sequence, reaching full national coverage by Q8 |

*The state count is a coverage measure, not a member-count measure: a state can be "active" from the start of a phase while its own member base is still ramping up inside that state, per the ramp curve in §12.5. This table should be read alongside §12.5's member and spend figures, not in place of them. Source: PLAN.md §2.2.7.*

### 12.2 The pilot-state rule, applied with evidence

PLAN.md §2.2.7 fixes the pilot-state rule before any state-level data is examined: Pilot A is the state with the highest Eurogrip presence among the top-10 two-wheeler registration states, and Pilot B is the state with the largest two-wheeler registrations where Eurogrip's presence is weaker. Applying real research evidence

(R-C, reproduced here from this document's own §6.3) rather than the plan's own stated default, both of the plan's defaults are confirmed: Tamil Nadu as Pilot A and Uttar Pradesh as Pilot B [M c4.pilot_states].

| Evidence | Tamil Nadu | Uttar Pradesh |
|---|---|---|
| **Two-wheeler registration rank among sourced states** | 5th (16,49,960, 7.6% share) | 1st (29,95,980, 13.8% share) |
| **Eurogrip headquarters, main plant, R&D centre** | Yes, Madurai | No |
| **Eurogrip signature stores** | Four, opened May to Jul 2025, Chennai (Velachery, Selaiyur, Villivakkam, Perambur) | None found |
| **Management statement** | COO: Chennai is an important market for the company | None found |
| **Overall presence read** | Longest-standing, deepest presence (home state, four stores, a named management quote) | Thinner, more recent presence against the largest registration base |
| **Pilot role** | Pilot A (highest presence among top-10 registration states) | Pilot B (largest registrations, weaker presence) |

*This table is reproduced from this document's own §6.3 (writer B), because the pilot-state result is both a research finding and a rollout-design input; carrying the same evidence table here keeps §12's rollout logic traceable to the same facts rather than restating the conclusion without its support. Source: [RC18]; [RC32] to [RC36]; PLAN.md §2.2.7; [M c4.pilot_states].*

The pilot-state rule's outcome matters for cost as well as credibility: piloting in Tamil Nadu lets the programme lean on Eurogrip's own deepest distribution and retail presence to de-risk the enrolment and logging mechanics before they are asked to work in a state, Uttar Pradesh, where the company's presence is thinner but the addressable two-wheeler parc, and therefore the addressable mechanic and puncture-shop universe, is the largest in the country. A pilot that only tested the easy state would never learn whether the design works where Eurogrip's own retail footprint cannot carry it; a pilot that only tested the hard state would risk a slow, uncertain start with no fallback evidence of what the design looks like when it works. Running both together, as matched treated districts within each state against matched control districts in the same state, is what lets the difference-in-differences design in §13 isolate the programme's effect from each state's own underlying market conditions.

## 12.3 Distributor-led enrolment operations

Enrolment runs through Eurogrip's existing distributor network rather than through a new, parallel sales force, because the distributor relationship with mechanics and retailers already exists and a new recruitment channel would duplicate cost the programme does not need to carry. The mechanics of enrolment are as follows. Distributor sales staff visit mechanics and puncture shops already inside their territory and enrol them on the spot, a visit priced in the model at A17's enrolment cost per new member (₹120 to ₹250 depending on scenario), reasoned from field-sales day-rate benchmarks divided by an assumed number of enrolment visits a staff member completes in a day. A missed-call or WhatsApp self-enrolment path runs in parallel, so a mechanic who hears about the programme from a rider, a board at a neighbouring shop, or word of mouth does not have to wait for a distributor visit to join, which is also the control named against risk R04 (distributor apathy, §14). Distributors are paid a per-enrolment incentive and are reviewed against monthly enrolment targets, keeping the channel's own commercial interest aligned with programme growth rather than treating enrolment as an unpaid extra task layered onto the distributor's core stocking and selling work.

| Enrolment channel | How it works | Cost driver | Risk it mitigates |
|---|---|---|---|
| **Distributor sales-staff visit** | Staff member visits a mechanic or puncture shop in their territory and enrols on the spot | A17 per-enrolment incentive | n/a, the primary channel |
| **Missed call or WhatsApp self-enrolment** | Mechanic initiates enrolment without waiting for a visit | Low, messaging cost only (A19m) | R04, distributor apathy |
| **Monthly enrolment target review** | Distributor's enrolment pace reviewed against a target each month by the programme team | Field teams fixed cost (A18) | R04, distributor apathy |

*Source: PLAN.md §2.2.5; §2.2.7;* A17 *;* A19m *;* A18 *; [T12] risk R04.*

Enrolment itself is only the first of the five steps in the recommendation loop described in document §10: once a mechanic is enrolled, a rider's purchase still has to route through a retailer who logs the code, which is why §12.4's RACI table gives retailers a Responsible role specifically on code logging rather than on enrolment. The distributor's commercial relationship with both the mechanic (through enrolment and ongoing tool and consumable supply) and the retailer (through the existing stocking relationship) is what makes a distributor-led model workable at the scale the national phase requires: a central team alone could not visit 1.16 lakh shops directly, but the existing distributor network already reaches most of this universe for an entirely different commercial reason, stocking and selling Eurogrip tyres, and the programme rides on that existing reach rather than building a parallel one.

## 12.4 RACI: who runs what

PLAN.md §2.2.12 names the parties running the programme: TVS Srichakra's own aftermarket team, the distributor network, retailers (through the retailer app), a third-party audit agency, and a training partner delivering the 2-hour tyre-fitment course.

| Activity | TVS Srichakra aftermarket team | Distributors | Retailers | Audit agency | Training partner |
|---|---|---|---|---|---|
| **Programme design and gate decisions** | A | C | I | I | I |
| **Member enrolment** | A | R | C | I | I |
| **Code logging at point of sale** | A | I | R | I | I |
| **Tool and consumables fulfilment** | A | R | C | I | I |
| **Tier review and re-qualification** | A | C | I | I | I |
| **2-hour fitment course delivery** | A | C | I | I | R |

| Activity | TVS Srichakra aftermarket team | Distributors | Retailers | Audit agency | Training partner |
|---|---|---|---|---|---|
| Mystery-rider audits | A | I | I | R | I |
| Brand-track re-survey (annual) | A | I | I | I | I |
| Fraud monitoring (code caps, distance flags) | R | C | I | I | I |

*R = Responsible (does the work), A = Accountable (owns the outcome and the gate decision), C = Consulted, I = Informed. TVS Srichakra's aftermarket team is Accountable for every row because the programme is theirs end to end; it is also Responsible for fraud monitoring because the audit trail (serial caps, distance flags, IVR call-backs) is an internal control function the model prices as part of the tech and audits budget line, not an outsourced one. The brand-track re-survey is run by Eurogrip's own market-research relationship, not the audit agency used for mystery-rider visits, which is why the audit agency is marked Informed, not Responsible, on that row. Source: PLAN.md §2.2.12; §2.2.5 (fraud controls); §2.2.9 (measurement roles).*

### 12.5 Quarter by quarter: members and spend

| Quarter | Members (lakh) | Spend (₹ crore) |
|---|---|---|
| Q1 | 0.03 | 0.91 |
| Q2 | 0.07 | 1.05 |
| Q3 | 0.29 | 1.95 |
| Q4 | 0.52 | 2.90 |
| Q5 | 0.76 | 3.84 |
| Q6 | 0.93 | 4.55 |
| Q7 | 1.10 | 5.26 |
| Q8 | 1.16 | 5.50 |
| Year 1 (Q1 to Q4) | | 6.81 |
| Year 2 (Q5 to Q8) | | 19.15 |

*Members in each quarter are the base-case steady-state member count (1.1625 lakh) multiplied by that quarter's ramp share (A37a to A37h, rising from 3% in Q1 to 100% in Q8); spend tracks members closely but not exactly, because the fixed field and tech lines (A18, A19) are incurred from Q1 regardless of how few members are active yet. Source: [T7];* `A37a` *to* `A37h` *; [M c4.rollout].*

The quarter-by-quarter member curve is deliberately an S-curve, not a straight line: only 3% and 6% of steady-state members are active in Q1 and Q2 because the pilot phase is designed to prove the model works in two states before any scale-phase budget is committed, a jump to 25% in Q3 as distributor-led enrolment turns on across eight states at once, and a final climb from 65% in Q5 to 100% in Q8 as the national phase brings every remaining state onto the distributor network in sequence.

### 12.6 Gate definitions: the bar to pass before more money is spent

| Gate | Timing | Threshold | What happens if it is not met |
|---|---|---|---|
| G1 | End of Q2 | Monthly active share ≥ 60% `A23`; advocacy lift ≥ 15 points over matched control districts `A24` | Fails on activity but passes on advocacy: fix onboarding and continue; fails on advocacy: stop at 2 states |
| G2 | End of Q4 | Code-linked tyres per member per year ≥ the model's break-even figure (4.4 extra tyres, base case) [M c4.be.base] | Scale-phase spend is not released into the national phase until sales performance is reviewed against break-even |
| G3 | End of Q8 | Annual brand-track re-survey shows stocking and recommendation up versus the pre-programme baseline | National phase is not called complete without this re-run; A32 reserves the annual budget line for it every year thereafter |

*Each gate pairs a specific, pre-committed threshold with a specific consequence, so that "more money is spent" is a decision made against a stated number agreed before the pilot starts, not a judgement call made after the fact once the numbers are known. Source: PLAN.md §2.2.9; §2.2.13;* `A23` *;* `A24` *; [M c4.be.base];* `A32` *.*

The G2 threshold deserves one clarification: PLAN.md §2.2.9 states the gate as "code-linked tyres per member per year ≥ break-even," and this document uses the base-case break-even figure, 4.4 extra tyres, as that threshold, rather than the bear-case figure of 11.7. This is a deliberate reading of the plan, not an arbitrary choice: the base case is the scenario the programme is actually budgeted and staffed against in Year 2 (§11.5), so the gate should test performance against the plan the programme is actually running, not against a bear-case bar nobody is funding it to clear. If sales performance by Q4 clears the bear-case bar of 11.7 extra tyres a member but not the base-case bar of 4.4, the design would in practice already be performing far above what either bar implies, since 11.7 is a harder target than 4.4; this ordering is stated once here to avoid any reader confusing a lower break-even number with a lower bar: fewer extra tyres needed is an easier bar to clear, not a harder one, because break-even here is a requirement on the member, not a target the company sets for itself to beat.

By the end of Q4, the scale phase has run for two full quarters across eight states, long enough for the retailer app's logged-code data to show a code-linked-tyres-per-member rate that is not merely the first few weeks of early adopters, which is why the gate sits at the end of the scale phase rather than inside it. A G2 review that found sales performance comfortably above 4.4 tyres a member but a monthly active share that had slipped below the G1 bar of 60% would be read as a different kind of problem than a G2 review that found activity holding steady but sales below break-even; the first points to member engagement cooling as the base grows, the second points to the economics themselves, and the model's four measurement layers (§13) are built precisely so a gate failure can be diagnosed by layer rather than treated as one undifferentiated miss.

The practical governance point behind all three gates is the same: each gate converts a judgement call, whether to keep funding the programme, into a pre-committed decision rule, agreed before the pilot starts and before anyone has an incentive to read ambiguous early results more favourably than the data supports. This is also why the gates sit inside this document rather than being left to a verbal understanding between the programme team and Eurogrip's leadership: a written, numbered threshold is the only version of a gate that a judge, an auditor, or a successor programme team two years from now can hold the programme to.

### What this section establishes, and what it does not

- It establishes the full three-phase, eight-quarter rollout with its member and spend path by quarter, traced to the ramp assumptions (A37a to A37h) and the rollout model output (T7).
- It establishes, with real evidence rather than only the plan's stated default, that Tamil Nadu is Pilot A and Uttar Pradesh is Pilot B under the fixed pilot-state rule.
- It establishes the enrolment operating model (distributor-led, with a self-enrolment fallback) and a named RACI across the five parties running the programme.
- It establishes each gate's exact threshold and consequence, so that continuing to the next phase is a pre-agreed decision rule, not a discretionary call.
- It does not establish that the eight scale-phase states are named yet; PLAN.md §2.2.7 defers that selection to R-C's VAHAN-based state ranking at the time scale-phase planning begins, and this document does not invent a list of eight states where none has been selected.
- It does not assume every gate will be passed; §15 restates the kill and pivot criteria that apply if a gate is not met, and this section's job is only to state what each gate tests, not to predict the outcome.
- It does not describe the training partner, the audit agency or the eight scale-phase states as named organisations or states; the RACI table in §12.4 and the state table in §12.1 describe roles and a selection method, not a named shortlist, because no lane in this research deliverable sourced or selected specific vendor names or a specific eight-state list, and inventing one here would break the no-invented-names rule this deliverable follows throughout.

Exhibit for the deck: S2 P6 (24 months, three gates, Gantt with gate diamonds); Appendix A1 (pilot-states caption).

## 13. Four layers of measurement and one experiment show whether recommendations moved, at a known cost per audit

**Answer.** The programme measures itself through four layers, activity, advocacy, sales and brand, each with its own metric, data source and gate value, rather than through a single proxy number (PLAN.md §2.2.9). The core experiment is a matched-district difference-in-differences design run during the pilot, comparing treated districts in Tamil Nadu and Uttar Pradesh against control districts matched on two-wheeler registrations and baseline Eurogrip sell-in [RH24] [RH25] [RH26], the same two pilot states described in §12. The mystery-rider audit that feeds the advocacy layer runs 140 shops per arm per round, 560 audits a year at steady state, for a known annual cost of ₹3.92 lakh [M c4.audit.n_per_arm] [M c4.audit.audits_per_year] [M c4.audit.cost_lakh] [T8], derived from a two-proportion sample-size formula rather than a round number chosen for convenience. A parallel reward-currency arm test, tool credits against a cash equivalent of the same value, tests the Kano hypothesis flagged in document §10 directly, rather than assuming it, and the whole measurement system together costs about 1.5% of the base-case programme's own annual spend.

### 13.1 The four-layer KPI tree

Each layer answers a distinct question: whether a member is doing anything at all, whether riders actually hear the recommendation, whether that recommendation turns into a logged tyre sale, and whether any of it shows up in the brand's own long-run tracking.

| Layer | Metric (slide short form) | Definition | Source | Gate value |
|---|---|---|---|---|
| **Activity** | Monthly active | Members with at least one logged code or catalogue redemption in the month, divided by total members | Retailer app plus programme log | G1 ≥ 60% A23 |
| **Advocacy** | Mystery audit | Share of audited shops that name Eurogrip unprompted when a rider asks which tyre to buy, member versus control districts | Audit agency | G1: plus 15 points versus control A24 |
| **Sales** | Code-linked tyres | Tyres logged with a member code, per member, per year | Retailer app | G2 ≥ break-even (4.4 extra tyres, base case) [M c4.be.base] |
| **Brand** | Brand re-survey | Eurogrip's own mechanic brand-track study, re-run: awareness, stocking, recommendation | Eurogrip | G3: stocking up versus the pre-programme baseline |

*The four layers are ordered deliberately from the easiest to measure and earliest to appear (activity, inside the first month) to the hardest to measure and slowest to appear (brand, inside the first year), which is why the gates in §12.6 test the earlier layers first and the brand layer only at G3. Source: PLAN.md §2.2.9;* A23 *;* A24 *; [M c4.be.base].*

| If this layer is weak | The likely explanation | The indicated response |
|---|---|---|
| **Activity (monthly active below 60%)** | Onboarding friction, or the starter kit is not giving members a recurring reason to log a code | Fix onboarding and the Tier 1 to Tier 2 ladder's early engagement design, per the G1 pivot rule in §12.6 |
| **Advocacy (lift below 15 points)** | Members are logging codes without genuinely changing what they tell riders, or the audit itself is under-powered | Treat as the more serious failure; per §12.6 and §15, this is the branch that stops expansion at two states |
| **Sales (code-linked tyres below break-even)** | The loop is working but not at the volume the unit economics require | Review at G2; this is a cost-structure question, not an engagement question, and the tornado in §11.6 names where to look first |
| **Brand (stocking and recommendation flat at re-survey)** | The programme is operating but has not yet moved the underlying brand metrics the brief's judging criteria ultimately care about | Reviewed at G3; triggers the annual brand-track-skipped risk control (R10, §14) if the re-survey itself was not run |

*This table is a diagnostic aid, not a prediction: it states what each layer's weakness would most plausibly mean and which response this document and PLAN.md already commit to, so that a gate failure in practice is read against a pre-written diagnosis rather than interpreted fresh each time. Source: PLAN.md §2.2.9; §2.2.13; §12.6; §14 of this document.*

The KPI tree is a balanced scorecard applied to a single programme rather than to a whole company: Activity and Sales are operational measures the programme's own systems record automatically, Advocacy is an external, audited measure designed specifically to catch the gap between what a shop reports about itself and what an unprompted rider actually hears, and Brand is the slowest-moving, most strategic measure, the one the brief's own judging criteria ultimately care about, awareness, stocking and recommendation moving in Eurogrip's favour. No single layer can stand in for the other three: a programme could show high monthly activity (members logging codes) while advocacy stays flat (if members are logging codes without genuinely recommending more), which is exactly the gap the mystery-rider audit exists to catch.

## 13.2 Difference-in-differences: the pilot's core experiment

The pilot's core experiment compares two groups across two time points: treated districts, where the programme runs, and matched control districts in the same state, where it does not, each measured before the pilot starts and again at its end. Matching control districts to treated districts on two-wheeler registrations and baseline Eurogrip sell-in is the design step that makes the comparison credible, because it rules out the simplest alternative explanation for any difference observed, that the treated districts were simply larger, denser two-wheeler markets to begin with. The method itself, comparing a before-after change in a treated group against the same before-after change in a matched control group, is the standard difference-in-differences design described in the econometrics literature cited by this document's methods lane: Angrist and Pischke's textbook names differences-in-differences as one of its core methods for using policy or programme changes as natural experiments [RH24], though the exact chapter and page range for the technique inside that specific textbook could not be confirmed from the publisher's own page and is noted as a gap rather than invented [RH25]; an accessible, non-paywalled explainer of the same treated-versus-control, before-versus-after logic, consistent with the textbook's treatment, was used as the cross-check [RH26].

| Design element | Treated districts | Control districts |
|---|---|---|
| **Programme presence** | Programme runs in full, members enrolled and active | No programme presence |
| **Matching criteria** | Matched to control on two-wheeler registrations and baseline Eurogrip sell-in | Matched to treated on the same two criteria |
| **Measured before (baseline)** | Mystery-audit unprompted recommendation rate, pre-pilot | Same metric, same timing |
| **Measured after (pilot end)** | Mystery-audit unprompted recommendation rate, end of Q2 | Same metric, same timing |
| **What the design isolates** | The difference between the treated group's own before-after change and the control group's own before-after change, net of any market-wide trend both groups shared | n/a, the comparator |

*Source: [RH24]; [RH25]; [RH26]; PLAN.md §2.2.9.*

The parallel-trends assumption behind this design, that absent the programme, treated and control districts would have moved together, is the one the matching step on two-wheeler registrations and baseline sell-in is meant to protect, though no amount of matching can prove the assumption holds; it can only make it more plausible than an unmatched comparison would. This document states that limitation plainly rather than presenting the difference-in-differences design as a guarantee of causal attribution.

A difference-in-differences design is the right choice for this pilot specifically because the alternative, a single before-after comparison inside the treated districts alone, would attribute to the programme any change that was actually happening everywhere, for example a general seasonal rise in two-wheeler tyre replacements, a state-wide GST-driven price shift (A28), or a broader market trend that has nothing to do with mechanic advocacy. The matched control group exists to net that shared trend out, isolating the portion of the change in the treated districts that the control districts did not also experience. This is also why the control districts must be matched, not simply any other districts in the same state: an unmatched control drawn from a district with a very different two-wheeler density or a very different starting Eurogrip presence would itself be confounded with the comparison, reintroducing exactly the bias the design exists to remove.

## 13.3 The mystery-rider protocol

A mystery-rider audit sends an unannounced visitor, posing as a rider who needs a tyre, into a randomly drawn sample of member and control shops each round, and records whether the shop names Eurogrip unprompted, rather than only after the visitor asks about Eurogrip by name, which would defeat the point of testing unprompted recommendation in the first place. The protocol is deliberately unannounced and run by a third-party agency with rotating personnel, drawing its sample randomly each round from the full member list rather than announcing visits in advance, which is also the stated control against risk R07, audit gaming (§14): a shop that knew in advance which visits were audits could behave differently only during those visits, biasing the measured advocacy rate upward without any real change in day-to-day recommendation behaviour. The protocol's own methodological ancestry sits in the mystery-shopping literature rather than in market research designed specifically for brand-recommendation testing: the clearest empirical reliability evidence located is a university thesis finding mystery-shopper reports were about 71% accurate without time pressure and about 48% accurate under time pressure [RH21], and a separate working paper frames the method as a form of concealed observation that gives a snapshot rather than a guaranteed representative sample of every service encounter [RH22]. This document states plainly that the audit design is methodologically analogous to, not identical to, these published service-quality mystery-shopping studies, since no peer-reviewed study validates mystery shopping specifically for an unprompted brand-recommendation test of the kind this programme runs [RH20] [RH23].

| Methodological question | What this document found | How the gap is handled |
|---|---|---|
| **Exact chapter and page range for difference-in-differences inside Angrist and Pischke's textbook** | Publisher's own table of contents was cut off before the relevant section; no fuller listing located | Cite the book's stated scope and method name, not a page number; cross-check against an open lecture-note explainer of the same method [RH25] [RH26] |
| **Peer-reviewed validity study for mystery shopping as an unprompted brand-recommendation test** | Not located; available studies address general service-quality mystery shopping, not brand recommendation specifically | State the audit design as methodologically analogous, not identical, to the published literature [RH20] [RH23] |
| **Empirical reliability figure for mystery-shopper reporting accuracy** | A single university master's thesis, not a peer-reviewed journal article, reporting 71% accuracy without time pressure and 48% under time pressure | Carry the figure labelled as the best available evidence, not as an established industry standard [RH21] |

*Each row names a specific limit in the evidence this lane could locate, rather than letting the audit protocol read as more academically settled than it is; this is the same honesty convention document §0 states for the whole deliverable, applied here to the measurement methodology specifically. Source: [RH20] to [RH26].*

## 13.4 Sample size and cost

The model sizes the mystery-audit sample using the standard two-proportion formula for detecting a difference between two rates: n = (z_alpha/2 + z_beta)^2 x [p1(1 - p1) + p2(1 - p2)] / (p1 - p2)^2, a form consistent with the textbook treatment of sample sizes for comparing two proportions, attributed in this lane's methods review to a widely cited third edition textbook on statistical methods for rates and proportions, with an earlier first edition of the same book cited independently and the exact page range across the two editions left unresolved rather than guessed at [RH27] [RH28]. Plugging in the baseline unprompted recommendation rate used for this calculation only, p1 = 0.20 A25, and the target lift, 15 points, so p2 = 0.35 A24, with a two-sided significance level of 0.05 (z_alpha/2 = 1.96) and 80% power (z_beta = 0.84), gives p1(1 - p1) = 0.16, p2(1 - p2) = 0.2275, and (p1 - p2)^2 = 0.0225; the formula's numerator, (1.96 + 0.84)^2 x (0.16 + 0.2275) = 7.84 × 0.3875 = 3.04, divided by 0.0225, gives approximately 135 shops per arm. The model reports 140 shops per arm [M c4.audit.n_per_arm], a round-up consistent

with the standard practice of rounding a sample-size calculation up rather than down, and this document defers to the model's own reported figure as authoritative rather than forcing an exact match to the illustrative arithmetic shown here.

| Item | Value | Tag |
|---|---|---|
| Baseline unprompted recommendation rate (p1, for sample sizing only) | 20% | A25 |
| Target advocacy lift (points) | 15 | A24 |
| Implied treated-district rate (p2) | 35% | derived |
| Shops per arm per round | 140 | [M c4.audit.n_per_arm] [T8] |
| Audit rounds per year at steady state | 2 | A31n |
| Audits per year | 560 | [M c4.audit.audits_per_year] [T8] |
| Cost per audit (₹, base case) | 700 | A31 |
| Audit cost per year (₹ lakh) | 3.92 | [M c4.audit.cost_lakh] [T8] |

*A25's 20% figure is used only to size the audit sample, not as a claim about Eurogrip's current unprompted recommendation rate; the brief itself says recommendations are "not much in favour" of Eurogrip without giving a number, and this document treats 20% as a conservative planning figure for the power calculation alone. Source:* A25 *;* A24 *;* A31 *;* A31n *; [M c4.audit]; [T8].*

| Measurement line | Annual cost (₹ lakh, base case) | Share of base-case programme spend (₹21.99 crore) |
|---|---|---|
| Mystery-rider audits | 3.92 | 0.18% |
| Brand-track re-survey | 30.00 | 1.36% |
| Total measurement cost | 33.92 | 1.54% |

*The entire four-layer measurement system, including the annual brand-track re-survey that gates G3, costs about 1.5% of the base-case programme's own annual spend, which is the practical answer to "at a known cost per audit" in this section's own title: the audit line alone costs ₹700 a visit and ₹3.92 lakh a year, a cost small enough relative to the programme's own budget that skipping it to save money, the exact failure risk R10 names, would not meaningfully change the programme's overall cost structure. Source: [M c4.audit.cost_lakh];* A32 *; [M c4.spend_cr.base]; [T12] risk R10.*

### 13.5 The reward-currency arm test

A randomised arm test runs inside the pilot districts alongside the main difference-in-differences design: one set of treated districts pays referrals in tool credits, as the programme is designed throughout this document, and a second set pays an equal rupee value as a cash-equivalent reward instead, with districts assigned to one arm or the other at random. This directly tests the hypothesis document §10 flags under the Kano model, that cash functions as a performance attribute rivals can match while tools function as a basic need members value for reasons a rival's cash offer cannot easily replicate, rather than assuming the hypothesis is already proven.

The brief's own judging criterion names a shift in mechanic preference toward tools and equipment and brand visibility, away from pure cash, and PLAN.md §0.3's own golden rules caution against ever attaching an invented percentage to that shift or presenting it as a finding already confirmed by Eurogrip's own internal brand-track study, since the specific insight sentence making that exact claim is one of the brief's own struck-through lines and must never be presented as a finding. The reward-currency arm test exists precisely to generate real evidence for or against that preference shift, inside this programme's own pilot, rather than relying on the brief's struck insight or on the adjacent-category benchmarking in document §8 alone. If Arm 2 (cash equivalent) outperforms Arm 1 (tool credits) on referral volume, the honest response is not to suppress the result but to revisit the tier ladder's reward mix before the scale phase begins, since the programme's measurability advantage over the obvious cash scheme (§11.8) rests on paying in a currency members actually value more, not merely on paying in a currency that is cheaper to administer.

| Arm | Reward currency | Hypothesis under test | Districts |
|---|---|---|---|
| Arm 1 | Tool credits (the design's default) | Tools function as a basic need: referral volume holds or grows even without a cash alternative | Randomly assigned pilot districts |
| Arm 2 | Cash equivalent of the same rupee value | Cash functions as a performance attribute: referral volume rises further, or falls, if paid in cash instead | Randomly assigned pilot districts |

*The two arms are compared on the same metric, code-linked referrals per member, over the same pilot window, so the test produces a direct answer to whether the brief's own judging criterion (a shift toward tools and equipment, away from pure cash) actually changes mechanic behaviour, rather than only matching a stated preference in a survey. Source: PLAN.md §2.2.9; §2.2.12 (Kano model); document §10 (writer B).*

### 13.6 Fraud controls (cross-reference)

Fraud controls for the logging mechanism itself, one credit per tyre serial, a monthly cap per member, random IVR call-backs to riders, a distance flag between retailer and mechanic beyond 15 km A21, and a distributor audit of top earners each quarter, are described in full in document §10 (writer B) and are not repeated at length here; this section notes only that the same controls also protect the measurement system described above, since a fraudulent code-logging pattern would corrupt the Sales layer's code-linked-tyres metric in exactly the way the audit's unannounced, randomly sampled design protects the Advocacy layer from gaming. The measurement system and the fraud-control system share a single underlying design principle, that a metric is only as trustworthy as the process that generates it is hard to game, which is why the audit protocol's randomisation and the logging mechanism's serial-level controls are treated in this document as two instances of one idea rather than as two unrelated sets of rules.

### 13.7 Reporting cadence

| Cadence | What is reported | Audience |
|---|---|---|
| **Monthly** | Activity dashboard (monthly active share, by tier and state) | Programme team, distributors |
| **Quarterly (pilot) / twice yearly (steady state)** | Mystery-audit round results, treated versus control | Programme team, TVS Srichakra aftermarket leadership |
| **Six-monthly** | Tier review and re-qualification outcomes | All members, programme team |
| **Annual** | Brand-track re-survey results | Leadership, G3 gate review |
| **At each gate (end of Q2, Q4, Q8)** | Formal go or no-go review against the gate's threshold | Leadership |
| **Ad hoc (fraud flags)** | Any distance-flag or cap-breach alert from the logging system, reviewed as it occurs rather than batched into the monthly cycle | Programme team, distributor audit function |

*The reporting cadence intentionally runs faster than the rollout's own gate calendar for the two layers (activity, fraud flags) that can degrade quickly between gates, and only as slow as the gate calendar itself for the two layers (sales, brand) whose own underlying behaviour genuinely does not change meaningfully month to month.*

*Audit rounds step down from quarterly during the pilot to twice yearly at steady state* A31n *, matching the general pattern of measuring more frequently while the design is least proven and less frequently once it is running at a stable national scale. Source: PLAN.md §2.2.9;* A31n *.*

### What this section establishes, and what it does not

- It establishes the full four-layer measurement system, with a definition, data source and gate value for each layer, so that "whether recommendations moved" has four separate, checkable answers rather than one.
- It establishes the difference-in-differences design with its matching criteria stated, and names the methodological gap (an unconfirmed exact chapter citation) honestly rather than hiding it.
- It establishes the audit's sample size and annual cost with the two-proportion formula shown explicitly, while deferring to the model's own reported sample size (140 per arm) as authoritative over the illustrative arithmetic (approximately 135) shown to demonstrate the method.
- It establishes the reward-currency arm test as a genuine, randomised test of the Kano hypothesis named in document §10, not a result already assumed true.
- It does not claim mystery shopping is a validated methodology for brand-recommendation testing specifically; it states the method's published reliability evidence comes from adjacent service-quality research, not from a study of this exact use case.
- It does not repeat the fraud-control mechanisms in full; those are described once in document §10 and cross-referenced here only where they protect the measurement system itself.
- It does not treat the measurement system's own cost (about 1.5% of base-case programme spend) as negligible simply because it is small in absolute rupee terms; it states the figure precisely so that a reader can judge for themselves whether skipping any part of it, the exact temptation risk R10 names, would meaningfully change the programme's budget at all.

Exhibit for the deck: S2 P8 (gates table); Appendix A4 (VALIDATE FIRST callout).

## 14. 10 ways the programme could fail, each paired with one control

**Answer.** The risk register names 10 ways the programme could fail, from a mechanic's enthusiasm fading after the starter kit to a rival copying the design once it is visible in the market, each paired one to one with a specific control, following the pre-mortem technique of imagining failure before it happens rather than discovering it afterward [RH29] [RH30]. The two highest-scoring risks by probability times impact are activity fading after sign-up (R03, probability 3, impact 3) and the retailer skipping code logging at the point of sale (R02, probability 3, impact 2) [M c4.risks] [T12], both of which sit at the member and retailer end of the loop, not at the measurement or competitive end. Every risk in the register carries a named control that is already built into the programme's design, cost structure or measurement system described in §11 to §13, rather than a control proposed as a future to-do with no owner or budget.

### 14.1 Pre-mortem framing

A pre-mortem asks a team, before a plan is executed, to treat the plan as already having failed and to write down the reasons, a technique first described in Gary Klein's 2007 Harvard Business Review article "Performing a Project Premortem" [RH29], on the reasoning that naming failure modes in advance surfaces risks that groupthink and sunk-cost momentum would otherwise suppress once a plan is already underway and has visible champions [RH30]. This document applies the same discipline to the Eurogrip mechanic advocacy programme specifically: each of the 10 risks below was written as a failure mode first, stated plainly as something that could go wrong, before the matching control was attached, rather than starting from a list of controls the design already includes and working backward to find a risk each one addresses.

### 14.2 The probability times impact heat map

Each risk in the register carries a probability score (1 low, 2 medium, 3 high) and an impact score on the same scale, scored against the programme as designed in §10 to §13, before any control is applied [M c4.risks].

| Probability \ Impact | Low (1) | Medium (2) | High (3) |
|---|---|---|---|
| **High (3)** | | R02 | R03 |
| **Medium (2)** | R06 | R01, R04, R05, R07, R09 | R08 |
| **Low (1)** | | R10 | |

*Reading the grid: R03 (activity fades) sits in the highest-risk cell, high probability and high impact; R02 (retailer skips logging) and R08 (app downtime) each combine a high score on one axis with a medium score on the other; the remaining seven risks cluster in the medium band on both axes or lower. Source: [M*

*c4.risks]; [T12].*

| Rank | Risk ID | Risk (short) | Probability | Impact | Score (P x I) |
|---|---|---|---|---|---|
| 1 | R03 | Activity fades | 3 | 3 | 9 |
| 2 | R02 | Retailer skips logging | 3 | 2 | 6 |
| 2 | R08 | App downtime | 2 | 3 | 6 |
| 4 | R01 | Code fraud | 2 | 2 | 4 |
| 4 | R04 | Distributor apathy | 2 | 2 | 4 |
| 4 | R05 | Rivals copy design | 2 | 2 | 4 |
| 4 | R07 | Audit gaming | 2 | 2 | 4 |
| 4 | R09 | Budget overrun | 2 | 2 | 4 |
| 9 | R06 | Tool resale | 2 | 1 | 2 |
| 9 | R10 | Brand-track skipped | 1 | 2 | 2 |

*The top five risks by this ranking, R03, R02, R08 and then the five-way tie at a score of 4, are the five the deck's Appendix A4 panel carries as numbered badges with their short controls; the ranking itself is the model's own ordering of the risk register, not a judgement call made for this document. Source: [M c4.risks]; [T12]; deck panel A4 (PLAN.md §6.5).*

### 14.3 Risk categories: a MECE grouping

| Category | Risks | What the category has in common |
|---|---|---|
| **Behavioural and engagement** | R03 (activity fades), R06 (tool resale) | The member's own motivation to stay engaged, not an external actor's behaviour |
| **Operational and channel** | R02 (retailer skips logging), R04 (distributor apathy), R08 (app downtime) | A partner in the loop (retailer, distributor, or the app itself) not performing its role |
| **Integrity and fraud** | R01 (code fraud), R07 (audit gaming) | Deliberate gaming of either the reward mechanism or the measurement mechanism |
| **Competitive** | R05 (rivals copy design) | An external competitor's response to the programme's own visibility |
| **Financial** | R09 (budget overrun) | Cost control against the assumption register's own bear case |
| **Measurement** | R10 (brand-track skipped) | Whether the programme can prove its own effect at all |

*Grouping the 10 risks this way shows the register is not a random list: it covers every point in the loop described in document §10, from the member's own motivation through the channel partners who carry the loop, to the integrity of both the reward and the measurement systems, to the competitive and financial context the programme operates inside. Source: [T12]; document §10 (writer B).*

### 14.4 The full risk to control table

Each of the 10 risks below is paired one to one with its control, reproduced in full from the risk register rather than the shortened deck labels, so the reasoning behind each control is visible in full.

| ID | Risk (in full) | P | I | Control (in full) |
|---|---|---|---|---|
| **R03** | Initial sign-up enthusiasm fades once the starter kit is in hand and no further engagement follows. | 3 | 3 | Quarterly consumable refills create a recurring reason to log codes; the six-month tier review risks loss of status and tools, which behavioural evidence shows is a stronger motivator than a one-off gift; WhatsApp tips keep the programme visible between refills. |
| **R02** | The retailer has no strong incentive to take the extra step of entering the mechanic code at the point of sale, so the loop breaks at step 3. | 3 | 2 | The retailer earns a small logging credit inside its own existing loyalty scheme for every code entered, giving it a reason to log; the programme is piloted with retailer training before scale. |
| **R08** | If the retailer app is not live, has limited reach, or goes down, code logging has no reliable channel. | 2 | 3 | A22 reserves a one-time build or extension cost if no live app exists; a manual WhatsApp or SMS fallback for logging during outages; the pilot confirms the app's real capacity before scale. |
| **R01** | Mechanics could log codes for tyres riders did not actually buy, or collude with retailers to fabricate recommendations. | 2 | 2 | One credit per tyre serial; a monthly cap per member; random IVR call-backs to riders named on the sale; a distance flag between retailer and mechanic beyond A21 km; distributor audit of the top earners each quarter. |
| **R04** | Distributors who are asked to enrol mechanics may deprioritise it against their core stocking and selling work. | 2 | 2 | A per-enrolment incentive (A17) paid to distributor sales staff; a missed-call or WhatsApp self-enrolment path that does not depend on a distributor visit; monthly enrolment targets reviewed with distributors. |
| **R05** | A competitor could launch a similar tools-and-status programme once ours is visible in the market. | 2 | 2 | The stock-independent design is harder for a rival with purchase-linked schemes to copy without cannibalising its own programme (7 Powers counter-positioning); the pilot-to-scale timeline aims to build a lead in enrolled shops before a copy can match it. |
| **R07** | Shops could learn to recognise mystery riders and behave differently only during audits, biasing the measurement. | 2 | 2 | Audits are unannounced and run by a third-party agency with rotating personnel; the sample is drawn randomly each round from the full member list, not announced in advance; results are compared against the matched control districts, which the shops do not know are being tracked. |
| **R09** | Costs per member, especially Tier 3 hardware, could run above the assumption register's bear case. | 2 | 2 | Spend is capped at the 1.5% to 2% envelope in every quarter (model check spend_within_envelope); member growth is phased (rollout table) so costs are visible before national scale; Tier 3 hardware can move to lease-only if the bear case breaches the cap. |

| ID | Risk (in full) | P | I | Control (in full) |
|---|---|---|---|---|
| R06 | Members could resell tools or branded merchandise rather than using them, defeating the engagement purpose. | 2 | 1 | Items are chosen to have low resale value relative to their utility to the shop (branded, sized to the shop, consumable-dependent); audits flag members with high redemption but low subsequent referral activity. |
| R10 | Without the annual brand-track re-survey, Eurogrip cannot confirm whether stocking and recommendation actually moved. | 1 | 2 | A32 reserves an annual budget line for the re-survey; G3 at the end of Q8 is explicitly gated on this re-run, making it a condition for calling the national phase complete. |

*Source: [T12]; model/inputs/risks.csv.*

Three of the ten controls are directly priced in the budget described in §11: R01's audit and monitoring work sits inside the tech and audits line, R08's app build contingency is A22, and R10's brand-track budget is A32. Pricing a control rather than leaving it as an unfunded intention is itself part of what separates this risk register from a generic list of good practices: a control with no line item behind it is a hope, not a design feature, and this document tries to name which of the two each control actually is. The remaining controls are either design features with no separate budget line (R02's retailer logging credit sits inside the retailer's own existing loyalty scheme, not a new Eurogrip cost) or operational practices (R04's monthly enrolment target review, R07's unannounced and rotated audit scheduling) that the field-teams and tech-and-audits lines already fund as part of running the programme day to day, rather than as an additional cost layered on top.

### What this section establishes, and what it does not

- It establishes all 10 named risks with their probability and impact scores, each paired one to one with a control already built into the programme's design, budget or measurement system.
- It establishes that activity fading (R03) and retailer non-logging (R02) are the two highest-scoring risks, which is also why §11's sustainability engine and §12's retailer-logging-credit mechanism exist as first-line, not backstop, design features.
- It establishes a MECE grouping of the 10 risks into six categories, showing the register covers behavioural, operational, integrity, competitive, financial and measurement failure modes without gaps or overlaps.
- It does not treat the probability and impact scores as externally validated figures; they are this document's own judgement, scored against the programme as designed, following the pre-mortem technique's own method of imagining failure first rather than measuring an already-observed failure rate.
- It does not add an eleventh risk beyond the 10 in the register; the register is treated as complete for the purposes of this document, while acknowledging in §15 that a pilot could surface a failure mode this pre-mortem did not anticipate.
- It does not score any risk as a reason to abandon the design; every control named is already inside the programme as described in §11 to §13, which is the pre-mortem's actual purpose, to find the failure modes early enough to design around them, not to produce a list of reasons not to proceed.

Exhibit for the deck: Appendix A4 (risk heat map, numbered badges and controls).

## 15. What we have not tested yet, and the 60 interviews that would test it first

**Answer.** Every bear, base and bull figure in §11 to §14 rests on secondary sources, adjacent-category benchmarks and stated design assumptions, not on a single interview with an Indian mechanic, puncture-shop owner or distributor, because none has been run A38 A39 . The validation plan this document commits to before the pilot begins is 60 interviews, 20 each across the three mechanic and puncture-shop segments (S-A, S-B, S-C), spread across four cities, two in each pilot state [M c4.validation] A38 A39 . What would change this document's mind is stated once, plainly, as four named conditions, not as a vague openness to being wrong, and the closing paragraph below recaps the whole Case 4 argument from §5 through §15 without adding anything new.

### 15.1 The validation plan: roles, counts, cities and questions

The 60 validation interviews are costed and planned, per PLAN.md §0.3 rule 4's standing instruction never to fabricate primary research, as a Customer Validation Plan to be run before the pilot starts, not as research already completed. Twenty interviews are allocated to each of the three segments named in §6 of this document (writer B): S-A stocking mechanic-retailers, S-B service mechanics who do not stock, and S-C puncture and tyre-repair shops, the same three segments the budget, tier ladder and rollout design in §11 and §12 are built around A38 .

| Segment | Interviews | Rationale |
|---|---|---|
| **S-A, stocking mechanic-retailers** | 20 | Tests whether Tier 3's hub-level reward mix (cost-shared hardware, priority stock, locator listing) actually matches what a stocking shop values most |
| **S-B, service mechanics, non-stocking** | 20 | Tests the core seed finding, that advocacy from non-stocking mechanics is real and that tools and visibility, not cash, would move their recommendation behaviour |
| **S-C, puncture and tyre-repair shops** | 20 | Tests whether consumables refills (plugs, patches, rubber solution) are genuinely the recurring engagement hook the sustainability engine in §10 assumes they are |
| **Total** | 60 | [M c4.validation.interviews] A38 |

*Source: A38 ; §6 (writer B) segment definitions; PLAN.md §2.2.3.*

| City | State | Segment coverage |
|---|---|---|
| **City 1** | Tamil Nadu | S-A, S-B, S-C |
| **City 2** | Tamil Nadu | S-A, S-B, S-C |
| **City 3** | Uttar Pradesh | S-A, S-B, S-C |
| **City 4** | Uttar Pradesh | S-A, S-B, S-C |

*Four cities, two in each of the two pilot states named in §12.2, give the validation plan geographic coverage inside exactly the states the pilot itself will run in, so what is learned before the pilot starts is directly transferable to it* A39 *[M c4.validation.cities]. Source:* A39 *; §12.2 of this document.*

The planned questions fall into four groups, stated here as topics rather than a fixed script, since the exact wording belongs to the interview instrument itself, not to this document: what tools, equipment or visibility items the shop already owns or wants, and how it currently decides which to prioritise when money is tight; how the shop currently recommends a tyre brand, if at all, and what, if anything, currently influences that choice; whether a six-month re-qualification cycle, status loss included, would change engagement compared with a one-time reward; and whether the shop would prefer tool credits or an equal cash value, asked directly rather than inferred, which is the same question the reward-currency arm test in §13.5 will later test at scale with real behaviour, not stated preference.

| Question group | What it tests | Links to |
|---|---|---|
| **Current tools, equipment and visibility ownership and priorities** | Whether the tier ladder's reward catalogue (§10) matches real unmet needs | Tier ladder design, §10 |
| **Current brand recommendation behaviour and its drivers** | Whether the seed finding (non-stocking mechanics already advocate) holds at the individual level | Seed finding, §5, §6 |
| **Reaction to a six-month re-qualification cycle** | Whether loss aversion is a real motivator for this specific population, not only a general behavioural-economics claim | Sustainability engine, §10 |
| **Stated preference, tool credits versus cash equivalent** | A first, qualitative read on the Kano hypothesis, ahead of the quantitative reward-currency arm test | Reward-currency arm test, §13.5 |

*Source: PLAN.md §2.2.6; §2.2.9; document §5, §6, §10 (writers A and B).*

This document is explicit about what the 60 interviews are and are not: they are a qualitative validation step sized and costed before the pilot, not a substitute for the pilot's own quantitative evidence, and not a claim that mechanic behaviour in India has already been surveyed at any representative scale. No invented percentage, quote or finding from these interviews appears anywhere in this document, because they have not yet been conducted.

## 15.2 What would change our mind

PLAN.md §2.2.13 names four conditions that would change the Case 4 recommendation, each stated here with what changes and what does not.

| Condition | What changes | What does not change |
|---|---|---|
| **R-C finds most two-wheeler tyres are bought with no mechanic involvement at all** | Weight shifts from S-B and S-C toward retailer staff as the primary advocacy channel | The core thesis, pay for the advice, not the stock, in tools and status rather than cash |
| **R-A finds no retailer app or point-of-sale logging capability exists** | A22's build cost is added in full, and the pilot start is pushed to account for the build time | The loop design itself (mechanic recommends, rider buys, code is logged, credits accrue) |
| **Model break-even (base case) runs above A26's 12-tyre kill threshold** | Tier 3 hardware moves to lease-only and the model is re-run; if still above the threshold, the programme narrows to S-A and S-B only | Nothing, if break-even stays below 12; the base case in this document sits at 4.4, well under the threshold, so this condition has not been triggered [M c4.be.base] A26 |
| **Pilot G1 fails on activity but passes on advocacy, or fails on advocacy** | Fixes onboarding in the first case; stops expansion at two states in the second | The second failure mode, failing on advocacy, is treated as the more serious of the two, because it means the loop is not changing what riders actually hear, not merely that fewer members are logging in |

*Source: PLAN.md §2.2.13;* A26 *; [M c4.be.base]; §12.6 of this document.*

The third condition is already resolved in this document's favour: the model's base-case break-even of 4.4 extra tyres a member a year sits well below the 12-tyre kill threshold [M c4.be.base] A26, confirmed directly by the model's own flag, c4_be_below_kill_base, returning true. This document states that result once here rather than treating the kill criterion as still an open question; it is a condition that has already been checked against real model output and has not been triggered.

## 15.3 Conclusively: the Case 4 argument in full

The Eurogrip mechanic advocacy programme pays for the advice, not the stock, and pays in tools and status rather than cash, because a meaningful share of advocacy already comes from mechanics who never stock a tyre, and a stock-linked reward would miss them entirely. The universe this reaches is about 7.8 lakh outlets in the base case, three-quarters of which never stock a tyre at all, split across three segments, S-A stocking mechanic-retailers, S-B service mechanics, and S-C puncture and tyre-repair shops, each on the same tier ladder of free entry, in-kind rewards, and a six-month re-qualification cycle that renews the programme instead of letting it fade after a one-time gift. Running it costs ₹21.99 crore a year in the base case, 1.63% of the relevant business-unit revenue, and pays back the moment a member shop sends 4.4 extra Eurogrip tyres a year, a bar stated honestly with no assumed uplift and measurably cheaper, in deadweight terms, than the obvious cash-per-tyre alternative, which would spend 91% of its money on tyres that sell anyway. It reaches that scale through three gated phases over 24 months, a two-state pilot in Tamil Nadu and Uttar Pradesh proven with real evidence rather than only a planning-time default, an eight-state scale phase, and a national rollout through the existing distributor network, with a pre-agreed, numbered threshold at the end of each phase rather than a discretionary continuation decision. It measures itself through four layers, activity, advocacy, sales and brand, anchored by a matched-district difference-in-differences experiment and an unannounced mystery-rider audit costing a known ₹3.92 lakh a year, and it names 10 specific ways it could fail, each already paired with a control already built into its design rather than left as an open risk. What it has not yet done is talk to a single Indian mechanic, puncture-shop owner or distributor; the 60 interviews planned across the two pilot states exist to test, before a rupee is committed at scale, whether the tools, the re-qualification cycle and the tool-credits-versus-cash preference this whole design rests on actually hold for the people the programme is built around, and the pilot itself exists to test, with real behaviour rather than stated intent, whether the 4.4-tyre bar is one the programme can actually clear.

### What this section establishes, and what it does not

- It establishes the full validation plan, 60 interviews across three segments and four cities in the two pilot states, with the question groups each interview round is meant to test, before any claim about mechanic behaviour is treated as confirmed.
- It establishes the four named conditions that would change this document's recommendation, with the third condition (the break-even kill threshold) already checked against the model's own output and found not triggered.
- It establishes a full recap of the Case 4 argument from the universe sizing through the budget, rollout, measurement and risk register, as a single closing synthesis.

- It does not present the 60 planned interviews as research already completed, and no invented quote, percentage or finding from them appears anywhere in this document.
- It does not claim the four kill conditions are exhaustive of every way the recommendation could need to change; they are the four PLAN.md §2.2.13 names in advance, and a pilot could in principle surface a fifth condition this document has not anticipated.
- It does not repeat the cost, rollout or measurement figures from §11 to §14 with any new number; the closing synthesis in §15.3 is a pure recap, as the writer rules for this document require.

Exhibit for the deck: Appendix A4 (VALIDATE FIRST callout); none beyond that for the kill-criteria and closing synthesis passages.

## 16. Four slides carry the Case 4 answer: what each panel shows and where its numbers come from

**Answer.** The deck is exactly four slides, a cover, a single dense executive-summary core slide, an appendix, and a thank-you slide, per the user's own decision to build one Figma Slides deck for Case 4 rather than a full Round 2 submission length [PLAN.md §0.2]. The core slide (S2) alone carries eight panels, P1 to P8, covering the universe segmentation, the brief's insights, the rejected cash scheme, the programme loop, the moneyshot, the rollout gates, the budget, and the measurement gates, so that every number in §11 to §15 of this document has exactly one place it appears on the deck. Every number on every panel traces to a research section, a tag and a model key, reproduced in full in the derivation table below.

### 16.1 The slide blueprint

| Slide | Archetype | Panels or elements |
|---|---|---|
| **S1 Cover** | Mind-map hub (Cover + hub-and-spoke) | Top band (chip, logos, team chip); title and subtitle; verdict card (the governing thought); team table; prepared-for line; mind-map panel with the seed caption and four nodes (mechanic, rider, retailer, rivals); logo row; dashed bus to five adjacent-category crests; source line |
| **S2 Executive summary (the core slide)** | Rails (H) + multi-chart dense (J) + moneyshot (P) | Headline; three rails (DIAGNOSIS, PROGRAMME, DELIVERY); P1 segment bar; P2 brief insights; P3 obvious-play badges; P4 programme loop and tier table; P5 moneyshot card; P6 rollout Gantt with gate diamonds; P7 budget donut; P8 gates scorecard |
| **S3 Appendix** | Appendix (X) | A1 four ways to count the universe, plus segments and pilot states; A2 budget scenario table and tornado; A3 benchmark feature-parity grid; A4 risk heat map, badges and VALIDATE FIRST callout |
| **S4 Thank you** | Conclusion synthesis (W) | Top band; THANK YOU title; THEREFORE card (closing synthesis line); team table (repeating S1's table, per the cover and thank-you style rule); three link slots (research document, video, model workbook); closing line; source line |

*The four-slide structure is fixed by the user's own decision (PLAN.md §0.2); this table names each slide's panels so the derivation table in §16.2 can cite a specific panel for every number rather than only a slide number. Source: PLAN.md §6.5; §0.2.*

### 16.2 Derivation: panel by panel

| Slide | Panel | Text or number | Research section | Tag | Model key | Matches (Y/N) |
|---|---|---|---|---|---|---|
| **S1** | Mind-map seed caption | Advocacy already comes from mechanics who do not stock Eurogrip | §5, §6 | [C4-B14] | n/a | Y |
| **S1** | Verdict card | Pay for the advice, not the stock, and pay in tools and status rather than cash | §2, §10 | [C4-B14] [C4-B27] | n/a | Y |
| **S1** | Crests row | Five adjacent-category programmes | §8 | n/a | [T10] | Y |
| **S2** | Headline | Members, budget, break-even | §11 | n/a | [M c4.members_lakh.base] [M c4.spend_cr.base] [M c4.be.base] | Y |
| **S2** | P1 | Segment bar, S-A/S-B/S-C shares and lakh outlets | §6 | A05a to A05c | [M c4.segments] [T2] | Y |
| **S2** | P2 | Four brief-insight bullets | §7 | [C4-B14] [C4-B13] | n/a | Y |
| **S2** | P3 | Three obvious-play failure badges | §2, §9 | [C4-B10] [C4-B22] | [M c4.cash_scheme] | Y |
| **S2** | P4 | Tier table and programme loop | §10 | n/a | [T11] | Y |
| **S2** | P5 | Moneyshot: break-even tyres and weeks | §11 | n/a | [M c4.be] [M c4.weeks] | Y |
| **S2** | P6 | 24-month Gantt with G1 to G3 gate diamonds | §12 | A23 A24 | [T7] | Y |
| **S2** | P7 | Budget donut: five lines, spend, share of BU revenue | §11 | A01 A02 | [T4] | Y |
| **S2** | P8 | Gates scorecard: layer, metric, gate value | §13 | A23 A24 A26 | [M c4.be.base] | Y |
| **S3** | A1 | Four counting methods and the model universe range | §6 | n/a | [T1] | Y |
| **S3** | A1 | Segment table (3 segments plus total) | §6 | A05a to A05c | [T2] | Y |
| **S3** | A1 | Pilot-states caption | §6, §12 | n/a | [M c4.pilot_states] | Y |
| **S3** | A2 | Scenario table (spend, members, break-even, bear/base/bull) | §11 | n/a | [T4] [T5] | Y |

| Slide | Panel | Text or number | Research section | Tag | Model key | Matches (Y/N) |
|---|---|---|---|---|---|---|
| S3 | A2 | Tornado chart (top assumptions moving break-even) | §11 | A30 A27 A20 A29 A06 A09 | [T6] | Y |
| S3 | A3 | Benchmark feature-parity grid, 7 rows including the recommended design | §8 | n/a | [T10] | Y |
| S3 | A4 | Risk P x I grid and badges | §14 | n/a | [M c4.risks] [T12] | Y |
| S3 | A4 | VALIDATE FIRST callout | §15 | A38 A39 | [M c4.validation] | Y |
| S4 | THEREFORE card | Closing synthesis line | §15.3 | n/a | n/a | Y |
| S4 | Team table | Harsh Kawatra, Delhi Technological University | document §0 | n/a | n/a | Y |

*This table mirrors what `deck\derivation.md` will hold once the deck itself is built (PLAN.md §6.6 step 1); it is built here from PLAN.md §6.5's own panel specification cross-referenced against this document's sections 11 to 15 and part-B's sections 6 to 10, so that every slide number traces to a research section before a single Figma node is drawn. Source: PLAN.md §6.5; §6.6; this document §11 to §15; part-B §6 to §10.*

### 16.3 Why the core slide alone carries eight panels

PLAN.md §0.1 states the single core slide (S2) doubles as the Round 1 one-page executive summary the brief itself requires, which is why it is built to the EY density doctrine described in the deck-system reference, 4 to 5 distinct type levels, bands and rails, and a chart paired with a table rather than a chart alone, instead of to the lighter density a typical internal slide would carry. Eight panels on one slide is not panel count for its own sake: each of the eight maps to one of the skill's 8-section argument blueprint (Executive summary, Context, Actors, Quantitative analysis, Feasibility, Recommended alternative, Conclusion carried in the moneyshot, and Appendix carried forward to S3), collapsed onto a single slide rather than spread across 100 slides, per the compression guidance this deliverable's own §0 states explicitly.

| Slide section | Skill's 8-section mapping | S2 panel |
|---|---|---|
| I Executive summary | Headline and the whole slide | S2 headline |
| III Actors (symmetric) | The three segments, same template | P1 |
| II Context (+ seed) | The brief's own insights | P2 |
| (the obvious answer, stated fairly before the recommendation) | The rejected cash scheme | P3 |
| VI Recommended alternative | The programme loop and tier ladder | P4 |
| IV Quantitative analysis | The moneyshot | P5 |
| V Feasibility | The rollout gates | P6 |
| IV Quantitative analysis (budget) | The budget donut | P7 |
| V Feasibility (measurement) | The gates scorecard | P8 |

*Source: PLAN.md §0 (skill touchpoints T2, T4); §6.5.*

### 16.4 Cross-section coverage check

| Document section | Appears on which slide or panel | Covered (Y/N) |
|---|---|---|
| §6 (universe, segments, pilot states) | S1 seed; S2 P1; S3 A1 | Y |
| §7, §8, §9 (gap, benchmarks, cash scheme) | S2 P2, P3; S3 A3 | Y |
| §10 (programme design) | S2 P4 | Y |
| §11 (budget, moneyshot, tornado) | S2 P5, P7; S3 A2 | Y |
| §12 (rollout, gates) | S2 P6; S3 A1 pilot-states caption | Y |
| §13 (measurement) | S2 P8; S3 A4 VALIDATE FIRST | Y |
| §14 (risks) | S3 A4 | Y |
| §15 (validation, kill criteria, closer) | S3 A4; S4 THEREFORE card | Y |

*This table reads the derivation table in §16.2 from the opposite direction, by document section rather than by panel, to confirm that every one of this document's own sections 6 to 15 has at least one place on the deck, and that no section was written with no deck exhibit at all. Source: this document §6 to §15; PLAN.md §6.5.*

### What this section establishes, and what it does not

- It establishes the full four-slide blueprint with every panel named, so the deck's structure is fixed before any Figma node is drawn.
- It establishes a complete derivation table covering every number and text string on all four slides, each traced to a research section, a tag, and a model key.
- It establishes why the core slide alone carries eight panels, mapping each panel to the skill's own 8-section argument blueprint rather than treating panel density as an end in itself.
- It does not build the deck itself; that is PLAN.md §6's own Phase D, which this document's derivation table is written to support, not to replace.
- It does not mark any row as a mismatch (every row above reads Y); if a future deck build finds a number does not match this document, PLAN.md §6.6's own instruction is to correct the deck or this document, whichever is wrong, and to record the correction, not to leave the mismatch silently in place.

Exhibit for the deck: none, this section describes the deck's own structure rather than appearing inside it.

## 17. Three riders, three jobs: commuters buy reliability, gig riders buy uptime, premium riders buy proof from peers

**Answer.** The brief names three segments and leaves the gig-worker profile deliberately open for independent research [C1-B04] [C1-B11]. Built from NITI Aayog's own workforce estimates and platform and fleet-operator disclosures, the gig segment is roughly 77 lakh workers nationally in 2020-21, projected to 2.35 crore by 2029-30 [RE01] [RE02], riding about 161 km a day on the delivery sub-segment the closest study measured [RE24], and earning in a band of roughly ₹75 to ₹115 an hour net of costs depending on how full-time the rider is [RE30]. Commuters are the largest segment by reach, with two-wheelers carrying 52.3% of urban worker commutes [RE45]; premium riders are the smallest by volume but the segment the brief itself flags as having "the most room to grow" [C1-B09]. All three are built here as data archetypes, not individuals: no interview, quote or name is invented anywhere in this section.

| Segment | Approximate size or reach signal | Primary value driver (brief) | Where Eurogrip already competes |
|---|---|---|---|
| Commuter | Two-wheelers carry 52.3% of urban worker commutes [RE45] | Reliability, everyday usage [C1-B04] | "Suitable for all types of applications and roads," widest tyre range [C1-B08] |
| Gig Worker | About 77 lakh nationally in 2020-21, growing toward 2.35 crore by 2029-30 [RE01] [RE02]; segment left open by the brief [C1-B11] | Durability, uptime [C1-B04] | No segment-specific programme found in this lane's research; built fresh in this document |
| Premium | Royal Enfield alone sold 9,02,757 units domestically in FY25 [RE38], the closest available volume proxy for premium-tier riders | Performance, status, peer recommendation [C1-B04] [C1-B09] | "Widest range" positioning exists, but the brief says the segment needs a "stronger, more rounded impression" on performance, technology and peer advocacy [C1-B10] |

*This table reads across the three segments on the same four columns so the rest of this section can go deep on each one without repeating the headline comparison. Source: [C1-B04]; [C1-B08]; [C1-B09]; [C1-B10]; [C1-B11]; [RE01]; [RE02]; [RE24]; [RE30]; [RE38]; [RE45].*

Every segment profile below uses the same four-row template, so the three can be read side by side rather than as three unrelated write-ups: who they are, what they value, purchase drivers, and the evidence behind each claim. The template is stated once here and then applied three times.

| Template row | What it captures |
|---|---|
| Who they are | The archetype's riding pattern, vehicle use and daily routine, built from data, never a named individual |
| What they value | The brief's own stated value driver for the segment [C1-B04], expanded with supporting evidence |
| Purchase drivers | What actually moves a tyre decision for this archetype: trigger, channel, influence |
| Evidence | The sourced facts the profile rests on, each tagged, with any derived or illustrative figure labelled as such |

*Source: PLAN.md §2.2.3 (same-template discipline applied to Case 4's segments); this document applies the same discipline to Case 1's three rider segments.*

### 17.1 The Commuter: a two-wheeler ridden roughly 20 to 30 km a day for a fixed, cost-sensitive journey

| Template row | Commuter profile |
|---|---|
| Who they are | A worker riding a two-wheeler for a fixed daily commute. Two-wheelers carry 42.6% of all worker commutes longer than 1 km nationally, and are the single leading urban commuting mode at 52.3% of urban worker commutes against 37.1% in rural areas [RE45]. The average worker commute costs ₹785 a month nationally, ₹1,044 a month in urban areas and ₹612 a month in rural areas [RE46]. A single-brand telemetry sample (Ather, not representative of the market) found almost 90% of owners ride no more than 34 km a day and about half ride no more than 16 km a day [RE48]; a commercial lender's own illustrative guide (not a survey) separately puts a five-day working week on a commuter scooter at roughly 600 to 900 km a month, which works out to about 20 to 30 km a day across a working month [RE47]. The two figures come from different kinds of source (one brand's telemetry, one lender's marketing guide) but sit in the same rough band, which is as much confidence as this lane's evidence supports for a daily-distance figure |
| What they value | Reliability and everyday usage, stated directly by the brief [C1-B04]. Eurogrip already carries a seen-as-suitable-for-everything reputation: "suitable for all types of applications (bikes) roads," with "the widest range of tyres" [C1-B08] |
| Purchase drivers | A survey of more than 8,000 Indian two-wheeler buyers, on general purchase decisions rather than tyres specifically, found style and looks, fuel economy, comfort and brand to be the top four factors in that order [RE49]. The closest tyre-specific proxy evidence found, a study of 112 car owners (cars, not two-wheelers, the nearest proxy study located), ranked quality, price, brand, safety and reliability as the top five attributes in a tyre replacement decision [RE50]. Read together, and with the caveat that neither study is a direct two-wheeler-tyre survey, a Commuter's tyre decision plausibly weighs reliability and price before brand story, which is consistent with the brief's own framing of this segment as responding "more to functionality" [C1-B10] |
| Evidence | [RE45] [RE46] [RE47] [RE48] [RE49] [RE50] [C1-B04] [C1-B08] [C1-B10]; all distance figures are either a single-brand telemetry sample or an illustrative lender guide, not a nationally representative two-wheeler distance survey, and are labelled as such wherever cited again in this document |

*This profile applies the template defined above to the Commuter archetype, keeping every claim traceable to a tagged source and flagging the two non-representative distance sources explicitly rather than presenting either as a national average. Source: see Evidence row above.*

Commuters are the segment where a replacement tyre decision is least likely to be a brand-led, considered purchase and most likely to be resolved wherever the bike already is, at a mechanic's shop or a retail counter, at the point the tread or a puncture forces the decision. The research document's own §5 (rider journey, written by writer A) establishes that the mechanic is usually the person in the room at that moment [C4-B03] [C4-B04], and this document's §18 builds directly on that finding rather than restating the journey map here in full.

| Journey stage | What happens | Where | Who influences the decision |
|---|---|---|---|
| Trigger | Tread wear or a puncture is noticed, often by the mechanic rather than the rider [C4-B03] [C4-B04] | Roadside, home, or at a routine service visit | Mechanic, or the rider's own visual check |

| Journey stage | What happens | Where | Who influences the decision |
|---|---|---|---|
| Discover | Little active brand search; the rider typically goes to whichever shop is nearest or already trusted | Local mechanic or multi-brand tyre shop | Mechanic's stock and recommendation |
| Decide | Price and immediate availability dominate; brand recall plays a secondary role to what the shop actually stocks | At the shop counter | Mechanic, price, availability |
| Buy and use | Fitted on the spot in most cases; the Commuter rarely revisits the decision until the next wear-out or puncture cycle | Point of sale, same visit | Mechanic (fitment quality) |

*This table traces the four stages a Commuter moves through at the moment of replacement, each stage naming where it happens and who holds influence, the same three-column structure applied again to the Gig Worker and Premium journeys below so the three can be compared stage by stage. Source: [C4-B03]; [C4-B04]; PLAN.md §2.2.3 (rider journey logic built for Case 4, reused here for Case 1's Commuter segment since the replacement moment is the same physical event for both cases).*

### 17.2 The Gig Worker: left open by the brief, built here from NITI Aayog, platform disclosures and fleet-operator data

The brief states plainly that "this segment is intentionally left fully open" and that the gig-worker profile must be built from independent research [C1-B11]. This sub-section is that research, assembled from six kinds of evidence: the national gig-workforce estimate, named delivery-platform rider counts, EV fleet-operator fleet sizes, a distance and work-pattern study, earnings data, and the labour-policy environment the segment operates under.

| Template row | Gig Worker profile |
|---|---|
| Who they are | A rider working for a food-delivery, quick-commerce or ride-hailing platform, or for an EV fleet operator that supplies vehicles to those platforms. NITI Aayog estimated India's gig workforce at about 77 lakh (7.7 million) in 2020-21, 2.6% of the non-agricultural workforce and 1.5% of the total workforce, projected to reach about 2.35 crore (23.5 million) by 2029-30, or 6.7% of the non-agricultural workforce and 4.1% of total livelihoods [RE01] [RE02] [RE03]. Within current gig work, NITI Aayog classifies 47% as medium-skilled, 22% as high-skilled and 31% as low-skilled, with the medium-skilled share declining and the other two rising [RE04], a classification covering all gig work, not two-wheeler delivery specifically, but the closest official skill breakdown this lane found |
| What they value | Durability and uptime, stated directly by the brief [C1-B04]. A rider who cannot earn while the bike is off the road loses income directly; the Zomato CEO's own figures show earnings are measured over logged-in time, so any unplanned downtime for a puncture or a wheel change is lost earning time by construction, not just lost convenience [RE26] [RE97] |
| Purchase drivers | Puncture frequency and repair turnaround time matter more to this rider than brand story, because a stopped bike is a stopped income stream. The closest available evidence on roadside puncture-repair cost in India is a wide, dated, cross-city anecdotal range of roughly ₹50 to ₹300 per repair, drawn from forum posts between 2008 and 2016, not a current rate card [RE93]; an insurance add-on exists (IFFCO Tokio's tyre-replacement cover for bulges, bursts or cuts) that can partly offset a gig rider's or commuter's tyre-damage costs, though take-up among gig riders specifically is not evidenced in this lane's research [RE94] |
| Evidence | See the five tables below, covering national scale, platform rider counts, EV fleet scale, distance and work pattern, and earnings and policy |

*This profile applies the same four-row template used for the Commuter above, with the evidence row expanded into separate tables below because the brief's own instruction to build this segment "independently" calls for more supporting detail than the other two segments carry. Source: [C1-B04]; [C1-B11]; [RE01] to [RE04]; [RE26]; [RE93]; [RE94]; [RE97].*

| Metric | Value | Period | Tag |
|---|---|---|---|
| Gig workforce, India, 2020-21 | About 77 lakh (2.6% of non-agricultural workforce, 1.5% of total workforce) | 2020-21 | [RE01] |
| Gig workforce, projected | About 2.35 crore (6.7% of non-agricultural workforce, 4.1% of total livelihoods) | 2029-30 | [RE02] [RE03] |
| Medium-skilled share of current gig work | 47%, declining | Current (2022 report) | [RE04] |
| High-skilled share | 22%, rising | Current (2022 report) | [RE04] |
| Low-skilled share | 31%, rising | Current (2022 report) | [RE04] |

*This table sets the national scale and skill composition of the gig workforce, the base NITI Aayog estimate this profile's platform- and fleet-level numbers sit inside. Source: [RE01]; [RE02]; [RE03]; [RE04].*

| Platform or fleet operator | Rider or vehicle count | Period | Tag |
|---|---|---|---|
| Eternal (Zomato) delivery partners | 4.73 lakh, up from 4 lakh in FY24 | FY25 | [RE06] |
| Eternal food-delivery average monthly transacting users | 20.6 million, up 12% year on year | FY25 | [RE07] |
| Swiggy, MSDE skilling tie-up reach (not a clean platform-only count; includes restaurant-partner staff) | 2.4 lakh delivery partners plus staff of 2 lakh restaurant partners | Reported 2024 | [RE08] |
| Uber-Shadowfax two-wheeler fleet partnership | Over 2 lakh two-wheelers | Oct 2024 | [RE09] |
| Uber India, active earners a month (all vehicle types) | Over 1.5 million | 2026 | [RE10] |
| Uber India, share of rides on auto and moto services | Over half | Mar 2025 | [RE11] |
| Porter driver-owners | About 3 lakh, with a stated growth target of close to 15 lakh driver-partners by Mar 2024 | Jan 2022 statement | [RE12] |
| Porter two-wheeler service launch, four cities | Over 2,000 driver-partners onboarded | Launch period | [RE14] |

*This table lists every named delivery or ride-hailing platform and fleet partnership this lane's research confirmed on direct fetch, each with its own rider or vehicle count and period, so the national NITI Aayog total above can be read against named, dated, platform-level evidence rather than staying an abstract macro figure. Source: [RE06] to [RE12]; [RE14]; Swiggy's own rider count, distinct from the MSDE tie-up figure, is logged as a gap in this lane's raw research and not asserted here.*

| EV fleet operator | Fleet size | Growth target | Tag |
|---|---|---|---|
| **Zypp Electric** | About 20,000 EVs | 1,00,000 e-bikes within 12 to 18 months (by FY26 end); 5,00,000 by FY30 | [RE15] [RE17] |
| **Zypp Electric, monthly delivery volume and driver partners** | About 5 million monthly deliveries, about 20,000 driver partners | As of an undated interview, later than Dec 2024 | [RE18] |
| **Yulu** | 50,000 two-wheelers | 2,00,000 within two years (quadrupling), funded by a $93 million Series C round | [RE19] [RE20] |
| **Uber-Zypp Electric EV deployment** | Over 1,000 Zypp EVs on Uber Moto Delhi as of May 2023 | 10,000 electric two-wheelers by 2024 | [RE23] |

*This table isolates the EV-specific fleet operators named in the brief's own electrification context, since these fleets are the gig segment's fastest-growing and most tyre-life-trackable sub-segment, because they already run centralised telemetry and maintenance across owned or leased vehicle pools rather than rider-owned bikes. Source: [RE15]; [RE17]; [RE18]; [RE19]; [RE20]; [RE23].*

| Metric | Value | Study or source basis | Tag |
|---|---|---|---|
| **Average distance a day** | 161 km | IJMR study of 111 food- and grocery-delivery riders aged 18 to 40 in Panvel, Mumbai Metropolitan Region | [RE24] |
| **Average deliveries a day** | 20 to 25 | Same study | [RE24] |
| **Share working at least six days a week** | 91% | Same study | [RE25] |
| **Share working more than 10 hours a day** | Most riders | Same study | [RE25] |
| **Musculoskeletal pain in the preceding year** | 87.3% (38% in the preceding week) | Same study | [RE98] |
| **Psychological distress** | 42.3% of riders | Same study | [RE25] [RE98] |

*This table carries the one distance and work-pattern study this lane's research located with a two-wheeler-delivery-specific sample, used here as the working distance benchmark for the gig archetype; the sample is 111 riders in one metropolitan region, not a national survey, and is labelled as such wherever this figure recurs in this document. Source: [RE24]; [RE25]; [RE98].*

| Earnings metric | Value | Basis | Tag |
|---|---|---|---|
| **Zomato delivery earnings per hour, logged-in time including wait** | ₹102 (2025), up from ₹92 (2024) | Company statement (CEO) | [RE26] |
| **Tip per hour** | ₹2.6 (2025), up from ₹2.4 (2024); only about 5% of orders carry a tip | Company statement | [RE27] |
| **Zomato delivery partners working at least 8 hours a day, average monthly earnings** | About ₹28,000 gross (2024), about ₹23,000 net after about ₹5,000 of estimated fuel cost | Company statement (CEO, Feb 2025) | [RE28] |
| **Two-wheeler gig driver gross earnings per hour** | About ₹170 before expenses, about ₹115 after costs (costs about 32% of gross) | IDInsight 2024 administrative-data study | [RE30] |
| **Consistent full-time drivers' net earnings per hour** | About ₹75, against about ₹62.3 for casual urban labour | Same study | [RE30] |
| **Gender earnings gap** | Women earn about 7% less per hour than men | Same study | [RE30] |
| **Full-time driver average hours a week** | 51 (some up to 95); women work about 13 fewer hours a week than men | Same study | [RE30] |
| **Derived implied per-km rate (not a reported figure)** | Roughly ₹6.7 per km: ₹28,000 a month [RE28] divided by an illustrative 26 working days [RE27] gives about ₹1,077 a day, divided by the 161 km a day distance figure from a different study and sample [RE24] | Cross-study derivation, flagged explicitly as an estimate, not a sourced figure | derived from [RE24] [RE27] [RE28] |

*This table carries every earnings figure this lane's research confirmed on direct fetch, keeping the Zomato-specific hourly figure, the IDInsight administrative-data figure and the one derived per-km estimate clearly separated by source and method, because none of the three measures the same thing in the same way. Source: [RE26] to [RE30]; the derived per-km figure is logged in this lane's own raw research as a gap with "best fallback: derive an implied per-km rate," applied here exactly on that basis and never presented as a reported statistic.*

| Policy development | What it does | Status | Tag |
|---|---|---|---|
| **Code on Social Security, 2020 (central)** | Legally recognised gig workers and proposed a national welfare framework | Not enforced five years on, per this lane's most recent check | [RE34] |
| **Rajasthan Platform Based Gig Workers (Registration and Welfare) Act, 2023** | First Indian state gig-worker law | Not yet implemented | [RE32] |
| **Karnataka Platform-Based Gig Workers (Social Security and Welfare) Ordinance, 2025** | Gig Work Welfare Fee of 1% to 5% of each task payout; up to 5% of the fund usable for administration | Rules, including the exact fee rate, not yet notified | [RE33] |

| Policy development | What it does | Status | Tag |
|---|---|---|---|
| **Union Budget 2025-26** | Nearly 1 crore gig workers to receive identity cards, e-Shram enrolment, and PM-JAY health coverage, covering workers on Ola, Uber, Rapido, Zomato, Zepto, Swiggy and Blinkit | Announced 1 Feb 2025; implementation detail to follow | [RE35] [RE36] |
| **Labour Secretary statement on PM-JAY rollout** | Groundwork for gig and platform worker health coverage "nearly finished"; government to bear the full PM-JAY expense for gig workers | Stated as expected soon, no confirmed date in this lane's research | [RE37] |

*This table lists the labour-policy environment the gig segment sits inside, relevant to this document because it shapes how a brand-run advocacy or enrolment programme for gig riders should be framed: alongside, not instead of, the state's own welfare and registration push, and never presented as a substitute for it. Source: [RE32] to [RE37].*

A 31 December 2025 strike by more than 2 lakh delivery riders nationally shows the segment is organised enough to act collectively when working conditions are contested, a relevant fact for any brand considering fleet-level or platform-level partnership terms with this segment [RE92].

| Journey stage | What happens | Where | Who influences the decision |
|---|---|---|---|
| **Trigger** | A tyre wears out faster than a private rider's would, given the distance covered [RE24], or fails mid-shift, which stops earning immediately [RE26] [RE97] | On the road, mid-shift | The rider's own assessment of downtime cost |
| **Discover** | For fleet-operator riders (Zypp, Yulu), tyre choice may sit with the fleet operator, not the rider, since the fleet owns and maintains the vehicle [RE15] [RE19]; for platform riders on their own vehicle, discovery runs through whichever mechanic or shop is fastest to reach | Fleet depot (EV fleets) or nearest mechanic (platform riders on own vehicle) | Fleet operator's procurement decision, or the rider's own mechanic |
| **Decide** | Minimising downtime dominates: the rider or fleet operator chooses whichever option gets the bike back on the road fastest, at a cost that does not erode the thin per-hour margin shown above | Fleet depot or roadside shop | Repair speed, cost, availability |
| **Buy and use** | Fitted and the rider returns to the platform immediately; any recurring failure or short tyre life is noticed quickly given the distance covered daily [RE24] | Point of service, same visit | Fleet operator (if applicable) and the rider's own experience of tyre life under heavy use |

*This table applies the same three-column journey structure used for the Commuter above, with one difference flagged explicitly: for EV fleet-operator riders, the tyre decision may sit one level above the rider, with the fleet operator, which matters directly for how this segment is reached in §19's channel plan. Source: [RE15]; [RE19]; [RE24]; [RE26]; [RE97].*

### 17.3 The Premium rider: a smaller, above-350cc-proxy segment that buys on performance, status and peer recommendation

| Template row | Premium profile |
|---|---|
| **Who they are** | A rider on a larger-displacement or enthusiast motorcycle. No clean national count of "premium two-wheeler riders" exists in India's sales data, so this profile uses Royal Enfield's own disclosed volumes as the closest available proxy: domestic sales of 9,02,757 units in FY25, up 8% from 8,34,795 units in FY24, with total wholesales (domestic plus export) crossing 10 lakh units for the first time at 10,09,900 units, up 11% [RE38]. Within Royal Enfield's own range, above-350cc sales (the closest proxy available for the true premium tier, since SIAM does not publish a clean 250cc-plus series) were 13,709 units in March 2025 alone, up 49.21% year on year from 9,188 units in March 2024 [RE42], equal to 13.57% of the brand's total March 2025 sales mix, a brand-internal proxy figure, not a market-share claim [RE41] |
| **What they value** | Performance and status, stated directly by the brief [C1-B04]. The brief adds that premium riders "weigh peer recommendation and performance heavily, a different mindset from commuters, who respond more to functionality" [C1-B09], and names the opportunity as "a stronger, more rounded impression on performance, technology, and peer advocacy" [C1-B10] |
| **Purchase drivers** | The same car-owner proxy study used for the Commuter above (112 respondents, the closest tyre-specific attribute study found) ranks quality, price, brand, safety and reliability as the top five tyre-replacement attributes [RE50]; for this segment, quality and brand plausibly outrank price given the brief's own framing of a status-and-performance buyer. Organic peer content specifically on tyres is thin: an online community snapshot of the r/royalenfield forum found only 19 total tyre reviews across all brands, ranking Vredestein at 5.0 stars (5 reviews), Bridgestone at 4.7 stars (3 reviews) and Reise at 4.7 stars (3 reviews), with Eurogrip not appearing among the ranked brands in this small, aggregator-tracked sample [RE43]. A 2017 owner-forum thread on a tubeless front-tyre fitment for a specific Royal Enfield model drew only two replies years later, neither adding tyre feedback, illustrating how little organic tyre-specific peer content circulates in this community even on a long-running thread [RE44] |
| **Evidence** | [RE38]; [RE41]; [RE42]; [RE43]; [RE44]; [RE50]; [C1-B04]; [C1-B09]; [C1-B10]; sample sizes on the peer-review evidence (19 total reviews) are small and the forum data is aggregator-tracked, not a structured survey, both flagged here and not restated as if more certain elsewhere in this document |

*This profile applies the same four-row template used for the Commuter and Gig Worker above; the thinness of organic tyre-specific peer content (19 reviews total, Eurogrip absent from the ranked set) is itself evidence for this segment's "stronger, more rounded impression" opportunity named in the brief [C1-B10], not only a data gap. Source: see Evidence row above.*

| Metric | Value | Period | Tag |
|---|---|---|---|
| **Royal Enfield domestic sales** | 9,02,757 units, up 8% | FY25 | [RE38] |
| **Royal Enfield total wholesales** | 10,09,900 units, up 11%, first year above 10 lakh | FY25 | [RE38] |
| **Royal Enfield exports** | 1,07,143 units, up 37% | FY25 | [RE38] |
| **Above-350cc sales (premium proxy)** | 13,709 units, up 49.21% year on year | March 2025 | [RE42] |
| **Above-350cc share of Royal Enfield's own total sales mix** | 13.57% (brand-internal proxy, not a market-share figure) | March 2025 | [RE41] |
| **r/royalenfield community tyre reviews, total sample** | 19 reviews across all tyre brands; Eurogrip not in the ranked set | Aggregator snapshot | [RE43] |

*This table carries the volume and peer-content figures behind the Premium profile above, kept separate from the Commuter and Gig Worker tables because the Royal Enfield proxy, unlike the other two segments' figures, measures one brand's own disclosed sales rather than a segment-wide survey or platform count. Source: [RE38]; [RE41]; [RE42]; [RE43].*

A competitor benchmark is relevant here because the Premium segment is where rival tyre brands are actively repositioning. CEAT shifted its brand communication toward travel and adventure in May 2024, aligning with a stated industry shift toward all-terrain vehicles and high-performance off-road bikes, running its first ad in this new direction during the IPL broadcast window [RE83], and named Geoffrey Emmanuel, the first Indian rider to compete in the FIM Junior World Championship's Moto3 class, as brand ambassador in January 2024 for the launch of two new tyre series: Sportrad (from ₹12,500 a set, for high-performance bikes such as the KTM RC 390 and TVS Apache RR 310) and Crossrad (from ₹4,300 a set, off-road grip, for bikes such as the Yamaha FZ and Suzuki Gixxer) [RE84]. This is stated here as a competitive fact, not as a claim about CEAT's internal results, and is carried forward into §18 and §19's positioning and media sections.

| Journey stage | What happens | Where | Who influences the decision |
|---|---|---|---|
| **Trigger** | A planned upgrade (new tyre for better grip or a specific use case) more often than a forced replacement, though wear and punctures still occur | Owner's own planning, or at a routine service | Owner's own research, riding community |
| **Discover** | Active search: forums, riding-community groups, and increasingly brand ambassador or influencer content from rival brands [RE83] [RE84] | Online forums, community groups, enthusiast dealer or specialist fitment shop | Peer recommendation, performance claims, ambassador content |
| **Decide** | Brand and quality carry more weight relative to price than for the Commuter [RE50]; peer recommendation is a named brief insight for this segment [C1-B09] | Specialist fitment shop, or ordered for fitment at a preferred shop | Peer recommendation, brand story, technology credibility |
| **Buy and use** | Fitted at a shop the owner already trusts; experience is more likely to be discussed in the owner's own riding community afterward, feeding back into the next rider's discovery stage | Specialist fitment shop | Owner's own post-purchase experience, shared onward in the community |

*This table applies the same journey structure a third time; the "buy and use" stage differs from the other two segments in one respect worth naming: the Premium rider's post-purchase experience is more likely to re-enter the discovery stage of another rider in the same community, which is the structural reason §18 builds this segment's message around peer-checkable evidence rather than a one-way advertising claim. Source: [C1-B09]; [RE50]; [RE83]; [RE84].*

### 17.4 The three journeys side by side, and what differs by segment

| Journey stage | Commuter | Gig Worker | Premium |
|---|---|---|---|
| **Trigger** | Wear or puncture, often mechanic-spotted [C4-B03] [C4-B04] | Accelerated wear from distance, or a mid-shift failure that stops earning immediately [RE24] [RE26] | Planned upgrade more often than forced replacement |
| **Discover** | Passive, nearest or already-trusted shop | Fleet operator's procurement (EV fleets) or fastest mechanic (own-vehicle riders) [RE15] [RE19] | Active search, riding communities, rival ambassador content [RE83] [RE84] |
| **Decide** | Price and availability dominate [RE49] [RE50] | Downtime-cost minimisation dominates, given a thin ₹75 to ₹115-an-hour net-earnings band [RE30] | Brand, quality and peer recommendation weigh more than price [RE50] [C1-B09] |
| **Buy and use** | Fitted same visit, decision rarely revisited until next wear-out | Fitted same visit, return to platform immediately | Fitted at a trusted specialist shop; experience often re-enters the community's discovery stage for other riders |

*This table reads the three journeys mapped in §17.1 to §17.3 across the same four stages in one place, the comparison this document's §18 positioning section and §19 channel plan build from directly. Source: this document §17.1 to §17.3.*

One point applies across all three profiles and is stated once here rather than three times above: none of the segment sizes quoted is a count of Eurogrip customers or Eurogrip-aware riders specifically. The 52.3% urban-commute figure, the roughly 77-lakh-to-2.35-crore gig-workforce range, and the Royal Enfield proxy volume are all segment-size signals for the Indian two-wheeler population as a whole, inside which Eurogrip already holds some share of mind [C1-B05] and some share of stock. The sizing work in this section answers "how large is the addressable rider base in each segment," not "how many of them already know or buy Eurogrip," which the brief states is already a strength to build on rather than a gap to close from zero [C1-B05] [C1-B06]. That distinction matters for §19's budget math, which spends against addressable riders and outlets, not against an unknown current Eurogrip-aware base.

### What this section establishes, and what it does not

- It establishes a same-template profile (who they are, what they value, purchase drivers, evidence) for all three segments, with every claim tagged to a brief sentence, a raw research fact, or an explicitly labelled derivation.
- It establishes the gig-worker profile the brief leaves open [C1-B11], built from NITI Aayog's national estimates, seven named delivery platforms and fleet operators, one distance-and-work-pattern study, Zomato's and IDInsight's earnings data, and the current state of gig-worker labour policy, with every figure's sample size, period and method stated rather than blended into a single implied national average.
- It establishes that the Premium segment's volume evidence is a proxy (Royal Enfield's own disclosed sales), not a segment-wide survey, and that organic peer tyre-content for this segment is thin (19 total reviews in the one community sample found), which is itself evidence for the brief's "more rounded impression" opportunity [C1-B10].
- It establishes the four-stage journey map for each segment and a side-by-side comparison table, the structural basis for the positioning built in §18.
- It does not yet state Eurogrip's recommended positioning for each segment; that is §18's task, built on these profiles.
- It does not treat any figure above as more precise than its source supports: distance, earnings and peer-content figures carry explicit sample sizes, dates and, where relevant, a flag that the source is a single brand's telemetry, a vendor guide, or a small aggregator-tracked sample rather than a national survey.

## 18. One brand, one proof currency: distance travelled is the claim all three segments can check

**Answer.** The recommended architecture is one masterbrand, Eurogrip, with a single proof currency, distance travelled without tyre failure, carried by the gig fleet's own tracked usage and surfaced to Commuter and Premium riders through different channels but never a different brand name or a different underlying claim. This rejects the obvious alternative of three separate campaigns, which the brief's own brand-coherence constraint rules out directly: the strategy "must work as one

coherent brand architecture, not as different or heterogenous approaches" [C1-B14]. Keller's Customer-Based Brand Equity model [RH01] [RH03] is used to show why a shared, checkable proof point builds resonance faster across all three segments than three unconnected messages would, each starting its own awareness-to-resonance climb from zero.

| Segment | Positioning line (built on §17's profile) | Proof point carried | Tag |
|---|---|---|---|
| Commuter | A tyre that is already on the roads doing the daily distance this segment itself rides | Mechanic-and-retail-counter visibility of gig-fleet distance data, since the mechanic is the person in the room at the replacement moment [C4-B03] [C4-B04] | [C1-B04] [C1-B08] |
| Gig Worker | The tyre fleet operators choose to run the most demanding daily distance in the country on | Tracked tyre life on EV fleet vehicles (Zypp, Yulu and comparable operators), the rider's own lived experience of uptime [RE15] [RE19] | [C1-B04] [C1-B11] |
| Premium | A tyre with real-world distance evidence a rider's own community can check, not a claim taken on faith | The same underlying distance data, reframed as a technology and peer-advocacy story for a segment that already discounts unverified marketing claims (19 total tyre reviews in one forum sample, thin peer content) [RE43] [RE44] | [C1-B09] [C1-B10] |

*This table carries one positioning line and one proof point per segment, each built directly on the profile established in §17, so the reader can trace each segment's message back to the evidence that justifies it rather than to an unsupported claim. Source: [C1-B04]; [C1-B08]; [C1-B09]; [C1-B10]; [C1-B11]; [C4-B03]; [C4-B04]; [RE15]; [RE19]; [RE43]; [RE44].*

### 18.1 Why a masterbrand, not three sub-brands

The brief's own channel-mix requirement spans Digital, Retail and On-ground for the strategy as a whole, not per segment [C1-B13], and separately requires the architecture to be coherent [C1-B14]. A sub-brand structure (for example, naming each segment's tyre line separately) would multiply the brand-building task three times over inside the same 1.5% to 2% of operating revenue envelope [C1-B12], diluting awareness spend against three separate names instead of compounding it against one. Eurogrip already enjoys strong brand awareness [C1-B05]; a masterbrand architecture spends that existing awareness forward into consideration and preference for each segment [C1-B06], rather than starting a new awareness climb for each sub-brand.

| Architecture option | What it does | Why rejected or accepted |
|---|---|---|
| **Three sub-brands, one per segment** | Independent brand identity, messaging and (implicitly) campaign budget per segment | Rejected: breaks the brief's coherence constraint directly [C1-B14]; triples the awareness-building task inside a fixed budget [C1-B12] |
| **One generic campaign, same message to all three** | Single message, single budget line, minimal planning complexity | Rejected: the brief explicitly asks whether the strategy addresses the three segments "distinctly, not one generic approach applied to all three" [C1-B18] |
| **One masterbrand, segment-specific proof points and channels (recommended)** | Single name and identity; the claim (distance travelled) stays constant; the evidence shown and the channel used differ by segment | Accepted: satisfies coherence [C1-B14], segment specificity [C1-B18] and the cross-segment channel-mix requirement [C1-B13] simultaneously |

*This table states the obvious alternatives fairly before naming the recommendation, following the same obvious-answer-stated-first discipline this document's §2 and Case 4 chapter both use, so the choice reads as a reasoned rejection rather than an unexamined default. Source: [C1-B12]; [C1-B13]; [C1-B14]; [C1-B18].*

### 18.2 Keller's CBBE pyramid, applied to the three segments

Keller's Customer-Based Brand Equity model treats brand equity as the differential effect of brand knowledge on consumer response to the brand's marketing, splitting brand knowledge into brand awareness and brand image [RH02]. The later, widely used pyramid form of the same author's work (salience, performance and imagery, judgments and feelings, resonance, sometimes labelled identity, meaning, response and resonance) comes from his textbook, Strategic Brand Management, not the 1993 journal article itself [RH03]. Applied here, Eurogrip already sits reasonably high on salience [C1-B05]; the work this strategy does is to move each segment up the performance-and-imagery and judgments-and-feelings levels toward resonance, using the same underlying evidence (distance travelled) read through each segment's own lens.

| CBBE level | What it requires | How the distance-currency strategy builds it, per segment |
|---|---|---|
| **Salience (brand awareness)** | The segment thinks of Eurogrip when the category comes to mind | Already present per the brief [C1-B05]; this strategy spends to hold it, not rebuild it |
| **Performance and imagery** | The segment believes Eurogrip performs well and fits its own self-image | Commuter: reliability proof at the counter. Gig: uptime proof from the fleet's own usage. Premium: technology and status proof from peer-checkable evidence |
| **Judgments and feelings** | The segment forms a favourable evaluation and an emotional response | Each segment's proof point is addressed to the specific driver the brief names for that segment [C1-B04] [C1-B09], not a single blended message |
| **Resonance** | The segment actively recommends or advocates for the brand | Commuter and Gig advocacy routes through the mechanic (built on the Case 4 programme, §10 of this document); Premium advocacy routes through the riding community itself |

*This table reads Keller's four-level model top to bottom and states, for each level, what this strategy specifically does to move each segment up it, rather than asserting resonance is achieved without showing the mechanism. Source: [RH01]; [RH02]; [RH03]; [C1-B04]; [C1-B05]; [C1-B09].*

### 18.3 The message hierarchy: one fact, three framings

| Level | Content | Segment framing |
|---|---|---|
| **The fact** | Eurogrip tyres run real-world distance on India's highest-mileage fleets without failure, tracked and checkable, not asserted | Constant across all three segments |
| **Commuter framing** | "The tyre already doing the daily distance you ride, every day" | Reliability and everyday usage [C1-B04] |
| **Gig Worker framing** | "The tyre the fleets that cannot afford downtime choose to run" | Durability and uptime [C1-B04] |

| Level | Content | Segment framing |
|---|---|---|
| **Premium framing** | "Distance you can check, not a claim you have to take on faith" | Performance, status, peer-checkable evidence [C1-B09] [C1-B10] |

*This table is the message architecture in its simplest form: one fact at the top, three framings below it, each framing addressed to the exact value driver the brief names for that segment, so no segment receives a message built for a different segment's priorities. Source: [C1-B04]; [C1-B09]; [C1-B10].*

The gig fleet is the structural reason this works as one brand rather than three. A rider-owned Commuter bike or a Premium enthusiast's motorcycle each generates one person's worth of usage evidence; an EV fleet operator's vehicles generate fleet-scale, centrally tracked usage data across thousands of vehicles doing the highest daily distance of any segment in §17 (161 km a day on the one delivery study available [RE24], and fleets built for continuous multi-shift operation [RE15] [RE19]). That fleet-scale evidence is foreshadowed in §17.2's gig-worker profile before this section names it as the shared proof currency, following the same foreshadow-before-naming discipline Case 4's own design uses for its non-stocking-advocate seed [C4-B14] [M c4.be].

### 18.4 Why not three campaigns, stated directly against the obvious answer

The obvious answer to "how should Eurogrip build and strengthen the brand distinctly across three segments" [C1-B07] is to run three separate campaigns: mass digital and television for Commuter, discount-led engagement for Gig, and influencer or motorsport content for Premium, layered on top of the brand's existing sports sponsorship. Three reasons this falls short, stated plainly:

1. **It fragments one budget into three unconnected efforts.** Inside 1.5% to 2% of operating revenue [C1-B12], three independent campaigns each need their own creative, media buy and measurement, none of which compounds with the others, and the brief's own coherence requirement rules this structure out directly [C1-B14].
2. **A discount-led Gig campaign buys share, not preference.** A price incentive moves the next purchase decision but does not move the brand up Keller's performance-and-imagery or resonance levels [RH03]; the moment the discount ends, nothing distinctive about Eurogrip remains with the rider, which is the same failure mode the Case 4 chapter identifies in a cash-per-tyre mechanic scheme (§9 of this document, written by writer B).
3. **Premium influencer content without a verifiable product claim reads as a paid placement, not peer advocacy.** The brief itself says Premium riders weigh peer recommendation heavily [C1-B09]; a rival, CEAT, has already moved an ambassador and two new tyre lines into this exact space [RE83] [RE84], and an unsupported influencer claim competing against a rival's own named-ambassador campaign is a weaker position than a claim the rider's own community can verify against real usage data.

### 18.5 The brand funnel, awareness to consideration to preference, by segment

The brief frames the opportunity as sharpening "how that awareness converts into consideration and preference" [C1-B06], which is the brand funnel, not the brand-equity pyramid, though the two frameworks describe the same underlying movement from different angles: Keller's model names the psychological levels a rider's relationship with the brand climbs through, while the funnel names the behavioural stages a rider passes through on the way to a purchase decision. Both frameworks are used together here because the brief's own language invokes the funnel directly, while the coherence and resonance requirements invoke Keller's model.

| Funnel stage | Commuter | Gig Worker | Premium |
|---|---|---|---|
| **Awareness** | Already reasonably high [C1-B05]; held, not rebuilt, by this strategy | Starting lower: no segment-specific Eurogrip programme found in this lane's research for gig riders specifically | Present through the existing CSK and motorsport-adjacent sponsorship history [RE77] to [RE81], but not segment-targeted |
| **Consideration** | Built at the point of replacement, where the mechanic is already the decisive touchpoint [C4-B03] [C4-B04] | Built through the fleet operator's own procurement decision, or the rider's own experience of uptime under heavy use | Built through riding-community content the rider's peers can check, competing directly against CEAT's active ambassador campaign [RE83] [RE84] |
| **Preference** | Reliability track record at the counter, reinforced every time a worn tyre is replaced | Demonstrated uptime across the fleet's own tracked usage, which the rider or fleet operator experiences directly, not just hears about | Peer-verified distance evidence plus the technology story, read as more credible than an unverified influencer claim |

*This table maps each segment through the three funnel stages the brief itself names [C1-B06], showing where this strategy's segment-specific proof points apply at each stage, and is read alongside the CBBE table in §18.2 rather than as a competing framework. Source: [C1-B05]; [C1-B06]; [C4-B03]; [C4-B04]; [RE77] to [RE81]; [RE83]; [RE84].*

### 18.6 The 4Ps, read through one masterbrand

| P | What stays constant across segments | What varies by segment |
|---|---|---|
| **Product** | The same Eurogrip tyre range; no segment gets a renamed or rebadged product line | Which models and sizes are foregrounded in each segment's communication (commuter-use sizes, fleet-use sizes, premium and above-350cc fitments) |
| **Price** | The existing price architecture; this strategy does not recommend a discount-led play for any segment [C1-B10] [C1-B21] | None recommended; a Gig discount scheme is explicitly rejected in §18.4 as a weaker alternative, not adopted at a different level |
| **Place** | Eurogrip's existing retail and distribution footprint, and the mechanic network the Case 4 chapter builds on | Gig riders are additionally reached through fleet-operator and platform partnerships (§19), a channel the other two segments do not need |
| **Promotion** | One underlying claim (distance travelled, checkable) across every channel | The channel mix and the specific proof shown: retail-counter and mechanic visibility for Commuter, fleet partnership content for Gig, riding-community and technology content for Premium |

*This table applies the classic 4Ps framework to confirm the masterbrand architecture holds at the marketing-mix level, not only at the message level: product and price stay constant by design, while place and promotion carry the segment-specific execution §19 prices and schedules. Source: [C1-B10]; [C1-B21]; this document §18.1 to §18.4.*

A reader checking this section against the brief's own differentiation criterion, "is there a clear, distinctive idea, not just do social media plus billboards" [C1-B21], should find the answer in the proof currency itself rather than in the channel list: the distinctive idea is that one verifiable fact, carried by the segment that

generates the most usage evidence, does the work of building the other two segments' preference, instead of three segments each receiving an unconnected channel plan built from the same generic digital-plus-billboard playbook the brief explicitly warns against.

### 18.7 Where this connects to the Case 4 mechanic programme, stated once and carried forward

This document's Case 4 chapter (§5 to §16, written by writers A, B and C) recommends a mechanic and puncture-shop advocacy programme built on the same governing idea this section applies to Case 1: pay for checkable advice, not for an unverifiable claim. The cross-case link, stated once here and not restated as a separate recommendation, is that the Commuter segment's retail-counter proof point in §18's positioning table rests on the same mechanic touchpoint the Case 4 programme is built to strengthen, so a mechanic who already carries Eurogrip's tool-credit and status incentives per the Case 4 design has a direct, structural reason to also carry the distance-evidence message this section recommends, rather than the two programmes competing for the same mechanic's attention with two unrelated asks. This is reasoning about fit between two separately justified recommendations, not a claim that Case 4's programme is a precondition for Case 1's strategy to work; each case's recommendation stands on its own evidence, and the fit is a bonus the research document notes rather than relies on.

The same logic applies, more weakly, to the Gig segment: a fleet operator enrolled in a distance-tracking relationship with Eurogrip for Case 1's proof-currency purpose is also a natural candidate for the kind of distributor-led or partnership-led enrolment the Case 4 programme's rollout plan describes for reaching shops at scale, though Case 4's programme itself is built around mechanics and puncture shops, not fleet operators, and this document does not conflate the two audiences. The Premium segment has no direct structural link to the Case 4 programme, since Premium riders buy through specialist fitment shops rather than the general mechanic network the Case 4 chapter sizes and segments [C4-B16].

### 18.8 A brief note on what "coherent" does not mean here

Coherence, as the brief states it [C1-B14], does not mean identical messaging to every segment; §18.3's message hierarchy shows three different framings of the same fact precisely because an identical message to all three would fail the segment-specificity criterion [C1-B18] just as badly as three unconnected brands would fail the coherence criterion. The test this document applies throughout is narrower and more checkable: does every segment's message trace back to the same underlying fact and the same brand name, under one architecture, with no segment receiving a claim the others' evidence would contradict. By that test, a Commuter message built on fleet-tracked distance data and a Premium message built on the same data pass; three segments each receiving an invented, unrelated claim about the tyre would not.

This is also why the recommendation names a currency (distance travelled) rather than a slogan. A slogan can be rewritten per segment without changing the underlying claim, which is exactly the trap a nominally coherent but practically fragmented campaign falls into: three different taglines sitting on top of three unconnected pieces of evidence still read, to a judge applying the brief's own coherence criterion [C1-B14], as three brands wearing one name. A currency, by contrast, is a fact a rider or a judge can ask to see: how many kilometres, on which fleet, with what failure rate, tracked by whom. Each segment's framing in §18.3 answers a different question about that one fact (what does it mean for my daily ride, for my shift, for my riding community) without ever substituting a different fact underneath. That is the specific, checkable sense in which this document uses the word coherent, and it is the sense the brief's judging criteria reward: insight-grounding [C1-B19], channel realism [C1-B20], and differentiation [C1-B21] are all easier to demonstrate against one fact carried three ways than against three independently invented claims. Feasibility [C1-B22] follows the same logic: a single tracked fact, once instrumented through fleet-operator partnerships, is cheaper to maintain and easier to audit than three separately verified claims would be, which is the feasibility case §19's budget and §20's roadmap both build on without needing to restate it.

### What this section establishes, and what it does not

- It establishes a single masterbrand architecture with one constant proof currency (distance travelled) and three segment-specific framings, directly satisfying the brief's coherence constraint [C1-B14] and segment-specificity criterion [C1-B18] at the same time.
- It establishes the CBBE pyramid mechanism by which this strategy moves each segment from existing salience [C1-B05] toward resonance, with a named mechanism at each level rather than an assumed outcome.
- It establishes why the obvious three-campaign answer fails on budget fragmentation, discount-driven share versus preference, and unverifiable Premium claims against an already-active rival.
- It establishes the structural reason the gig fleet carries the proof currency: fleet-scale tracked usage data that no single Commuter or Premium rider's own bike can generate alone.
- It does not yet state the channel-by-channel budget that funds this architecture; that is §19's task.
- It does not claim Eurogrip currently runs any cross-segment distance-tracking programme; this is a recommended design, built on real fleet-operator and platform evidence, not a description of an existing Eurogrip programme.

## 19. ₹63.75 crore across Digital, Retail and On-ground puts 62% of the money where the tyre is chosen

**Answer.** The base-case budget is ₹63.75 crore a year, 1.75% of TVS Srichakra's FY26 consolidated revenue of ₹3,643 crore A1-01 A1-02 [M c1.budget_cr.base] [T15], inside the brief's own 1.5% to 2.0% benchmark [C1-B12]; the bear case is ₹54.65 crore at 1.5% and the bull case is ₹73.16 crore at 2.0% of a slightly higher bull-side revenue read A1-01 [T15]. Of the base budget, 62% lands in Retail and On-ground, the channels where a tyre is actually chosen or fitted, against 38% in Digital [M c1.chosen_share_pct] [T14]. That spend buys about 203.2 crore digital impressions reaching 5,080.3 lakh unique viewers, branding for about 72,040 outlets, 267.8 on-ground events reaching 8.0 lakh riders directly, and enrolment of about 3.19 lakh gig riders through fleet partnerships [M c1.reach] [T14].

| Scenario | Budget share of revenue | Budget (₹ crore) | Tag |
|---|---|---|---|
| **Bear** | 1.5% | 54.65 | A1-02 [M c1.budget_cr.bear] [T15] |
| **Base** | 1.75% | 63.75 | A1-02 [M c1.budget_cr.base] [T15] |
| **Bull** | 2.0% | 73.16 | A1-02 [M c1.budget_cr.bull] [T15] |

*This table carries the three-scenario budget envelope that every other number in this section is built from, following the same bear-base-bull discipline this document's style contract requires for every uncertain figure. Source: A1-01 ; A1-02 ; [M c1.budget_cr]; [T15].*

## 19.1 The segment by channel matrix, reproduced from the model

| Segment | Digital (₹ crore) | Retail (₹ crore) | On-ground (₹ crore) | Segment total (₹ crore) |
|---|---|---|---|---|
| Commuter | 8.93 | 10.20 | 6.38 | 25.50 |
| Gig | 3.98 | 3.98 | 7.97 | 15.94 |
| Premium | 5.74 | 1.91 | 5.10 | 12.75 |
| Brand platform | 5.74 | 1.91 | 1.91 | 9.56 |
| Total | 24.39 | 18.01 | 21.36 | 63.75 |

*This table is reproduced exactly from the model's base-case output [M c1.matrix] [T13], with a segment-total and channel-total row added for readability; every cell traces to a channel-split assumption (A1-07 to A1-18) applied to a segment budget (A1-03 to A1-06) applied to the base envelope above. Source: [M c1.matrix]; [T13];* A1-03 *to* A1-18 *.*

The arithmetic behind one row, shown once: the Commuter segment takes 40% of the base envelope A1-03 , ₹63.75 crore × 0.4 = ₹25.50 crore, split 35% Digital, 40% Retail and 25% On-ground A1-07 A1-08 A1-09 , giving ₹8.93 crore, ₹10.20 crore and ₹6.38 crore respectively, each matching the model's own printed cell [M c1.matrix] [T13]. The same two-step multiplication (envelope × segment share × channel share) produces every other cell in the matrix; it is not repeated a second time in this section.

| Segment | Share of base budget | Basis | Tag |
|---|---|---|---|
| Commuter | 40% | Largest-volume, lowest-margin segment; largest nominal share at the lowest per-rider spend | A1-03 |
| Gig | 25% | Carries the proof-of-distance evidence central to the Case 1 recommendation (§18); second-largest share | A1-04 |
| Premium | 20% | Lower volume, highest margin, carries the technology story | A1-05 |
| Brand platform | 15% | Residual share funds the shared masterbrand platform sitting above all three segments, for example the existing CSK sponsorship [RE77] | A1-06 |

*This table states the design basis for each segment's share of the total envelope, each a stated design allocation rather than a derived figure, consistent with this document's rule that any paragraph resting on a design assumption says so once. Source:* A1-03 *to* A1-06 *; [RE77].*

| Segment | Digital split | Retail split | On-ground split | Basis for the split |
|---|---|---|---|---|
| Commuter | 35% | 40% | 25% | Commuter riders decide largely at the retail counter and mechanic shop A1-07 A1-08 A1-09 |
| Gig | 25% | 25% | 50% | Gig riders are reached chiefly through fleet operators and platform partnerships, not mass media A1-10 A1-11 A1-12 |
| Premium | 45% | 15% | 40% | Premium riders are reached through riding-community digital content and peer advocacy; track and test events carry the technology proof A1-13 A1-14 A1-15 |
| Brand platform | 60% | 20% | 20% | The masterbrand platform's reach is built on digital and sponsorship amplification A1-16 A1-17 A1-18 |

*This table carries the channel-split assumption behind each row of the matrix above, each split a design allocation sized to sum to 100% within its own segment, so the reasoning behind every cell in §19.1's matrix is visible in one place. Source:* A1-07 *to* A1-18 *.*

## 19.2 What the budget buys

| Item | Value | Tag |
|---|---|---|
| Digital impressions | 203.2 crore | [M c1.reach.impressions_crore] [T14] |
| Unique digital reach | 5,080.3 lakh | [M c1.reach.unique_reach_lakh] [T14] |
| Outlets branded | 72,040 | [M c1.reach.outlets_branded] [T14] |
| On-ground events (Commuter, Premium and Brand platform) | 267.8 | [M c1.reach.events] [T14] |
| Riders reached at on-ground events | 8.0 lakh | [M c1.reach.event_reach_lakh] [T14] |
| Gig riders enrolled through fleet partners | 3.19 lakh | [M c1.reach.gig_riders_enrolled_lakh] [T14] |
| Share of budget where the tyre is chosen (Retail plus On-ground) | 62% | [M c1.chosen_share_pct] [T14] |

*This table is reproduced from the model's own "what the budget buys" output [T14], restated here because it is the deck's moneyshot material per PLAN.md §2.1's Case 1 moneyshot form (the share of spend landing where the tyre is chosen, and what it buys). Source: [M c1.reach]; [M c1.chosen_share_pct]; [T14].*

The model derives these figures with two different cost logics inside the same On-ground channel, stated once here. For Commuter, Premium and Brand platform, On-ground spend buys discrete events, each costed at ₹5,00,000 in the base case A1-21 , reaching about 3,000 riders each A1-22 : combined On-ground spend for these three segments is ₹6.38 crore plus ₹5.10 crore plus ₹1.91 crore, or ₹13.39 crore, which at ₹5,00,000 a event gives about 267.8 events, each reaching 3,000 riders for the 8.0 lakh total event reach shown above. For Gig, On-ground spend instead buys fleet-partner enrolment at ₹250 per rider enrolled in the base case A1-23 : the Gig segment's ₹7.97 crore On-ground allocation divided by ₹250 per rider gives about 3.19 lakh gig riders enrolled, matching the model's own figure. The two logics are not interchangeable: an event reaches riders once at a mall or a track, while fleet enrolment is a standing relationship with the operators and platforms named in §17.2's tables (Zypp Electric, Yulu and comparable operators), which is the channel §18 relies on to generate the tracked distance evidence the whole strategy is built around.

### 19.3 Media cost benchmarks behind the model's assumptions

| Channel | Unit | Cost range (₹) | Basis | Tag |
|---|---|---|---|---|
| **Digital, YouTube CPM** | per 1,000 impressions | 40 to 250 | India CPM range by content niche, vendor-reported | A1-19 S425 |
| **Retail branding, LED or glow signboard** | per sq ft installed | 250 to 900 | Delhi NCR indicative installed rate, vendor-reported | A1-20 S440 |
| **On-ground activation** | per single-city metro-mall event | 3,00,000 to 8,00,000 | Vendor-reported pop-up activation cost | A1-21 S441 |
| **OOH hoarding, medium (Mumbai high-traffic junction)** | per month | 40,000 to 1,20,000 | Vendor rate card, excludes printing and GST | S427 |
| **OOH hoarding, prime (Bandra or Connaught Place)** | per month | 2,00,000 to 6,00,000 | Vendor rate card | S429 |
| **Radio, AIR FM Gold Delhi prime time** | per 10-second spot | 1,200 to 1,800 | Vendor rate card | S431 |
| **Cinema, Miraj video ad** | per screen per week | 8,000 to 22,000 | Regular week to blockbuster-week rate, vendor-reported | S434 |
| **IPL-adjacent team sponsorship (for comparison, not a recommended spend)** | 3-season principal-partner deal | about 100 crore total | TVS Eurogrip's own CSK sponsorship, 2022 to 2024, unofficial trade-press figure | [RE77] |

*This table carries the rate-card evidence behind the model's own cost-per-unit assumptions (A1-19 to A1-21), plus comparison benchmarks for channels the model does not itself cost line by line, so a reader can judge whether the model's assumed rates sit inside the range the market actually charges. Source:* A1-19 ; A1-20 ; A1-21 ; S425 ; S427 ; S429 ; S431 ; S434 ; *[RE77].*

The IPL-adjacent sponsorship line deserves a direct comment because it is the single largest number in this section and the one most likely to be confused with the recommended budget. TVS Eurogrip's own CSK principal-partner sponsorship ran across the 2022 to 2024 IPL seasons at a reported total of about ₹100 crore for the three-season term [RE77] [RE78], a trade-press figure with no company confirmation found, and no source in this lane's research confirms whether the deal was renewed for 2025 or 2026 [RE82]. That figure sits well above this entire section's three-year-equivalent base-case budget of roughly ₹191 crore (₹63.75 crore a year times three), which is the reason this document treats the existing sponsorship as a Brand platform cost already carried outside the incremental envelope modelled here A1-06, rather than folding its full historical cost into the new segment budgets above; the 15% Brand platform share in §19.1 funds amplification and continuation of that kind of platform activity, not a sponsorship of the same scale started from zero.

### 19.4 Activation plan by segment

| Segment | Digital activation | Retail activation | On-ground activation |
|---|---|---|---|
| **Commuter** | Distance-proof content (the fact carried from §18) run on YouTube and Meta at the CPM rates in §19.3, targeted by commute-pattern and two-wheeler ownership signals | Retail-counter and mechanic-shop signage built on the Case 4 programme's own shop boards and listings (document §10), carrying the same distance-proof message | Local-market pop-up activations at the cost and reach shown in §19.2, scheduled around service-season peaks (monsoon, pre-festival) |
| **Gig** | Content placed where gig riders already spend attention: platform-partner channels, WhatsApp updates at the India marketing-template rate of ₹0.8631 per message from Jan 2026 S445 | Branding at fleet-operator depots and partner workshops, not the general mechanic network | Standing fleet-partnership relationships with EV fleet operators (Zypp Electric, Yulu and comparable operators, §17.2), the channel that generates the tracked distance evidence §18 relies on |
| **Premium** | Riding-community content and technology explainers, competing directly against CEAT's active Sportrad and Crossrad ambassador campaign [RE83] [RE84] | Signature and specialist-fitment store presence, a smaller footprint than Commuter retail by design A1-14 | Track-day and test-event sponsorship at the rates shown in media_costs.csv (Buddh International Circuit, Madras Motor Race Track), giving riders a verifiable, in-person technology experience S443 S444 |
| **Brand platform** | Continuation and amplification of the existing masterbrand sponsorship footprint | Masterbrand signage at flagship outlets | Masterbrand event presence above the three segment-specific programmes |

*This table states, channel by channel, what each segment's spend in §19.1's matrix actually buys in execution terms, so the budget allocation reads as an activation plan rather than a spreadsheet exercise. Source: this document §17 to §19; [RE83]; [RE84];* S443 ; S444 ; S445 .

### 19.5 Fleet partnerships: the roster this budget actually reaches

| Fleet or platform | Fleet or rider scale | Growth signal | Role in this budget's Gig allocation |
|---|---|---|---|
| **Zypp Electric** | About 20,000 EVs, about 20,000 driver partners [RE15] [RE18] | Target 1,00,000 e-bikes by FY26 end, 5,00,000 by FY30 [RE15] [RE17] | Candidate for a tracked distance-evidence partnership feeding §18's proof currency; enrolment costed at ₹250 per rider in the base case A1-23 |
| **Yulu** | 50,000 two-wheelers [RE19] | Target 2,00,000 within two years, backed by a $93 million funding round [RE19] [RE20] | Same role; direct operations in four cities plus seven to eight franchise cities widen reach without a city-by-city enrolment cost [RE20] |
| **Zomato/Eternal delivery partners** | 4.73 lakh delivery partners, 20.6 million average monthly transacting users [RE06] [RE07] | Delivery-partner count up from 4 lakh the prior year [RE06] | Individual-rider enrolment rather than fleet-level, reached through the same ₹250-per-rider logic but without a centrally tracked vehicle fleet behind it |
| **Uber-Shadowfax / Uber Moto** | Over 2 lakh two-wheelers via the Shadowfax partnership [RE09]; over half of Uber India's rides run on auto and moto services [RE11] | Partnership announced Oct 2024 | Platform-level partnership candidate; Uber's own Zypp Electric integration (over 1,000 EVs on Uber Moto Delhi by May 2023, target 10,000 by 2024) shows platforms already broker this kind of fleet relationship [RE23] |

*This table names the specific fleet operators and platforms the Gig segment's On-ground allocation is built to reach, carried forward from the evidence base assembled in §17.2, so the enrolment figure in §19.2 (3.19 lakh gig riders) reads against named, real organisations rather than an abstract count. Source: [RE06]; [RE07]; [RE09]; [RE11]; [RE15]; [RE17]; [RE18]; [RE19]; [RE20]; [RE23];* A1-23 .

None of these operators or platforms is stated or implied to have an existing relationship with Eurogrip; this table is evidence of who exists to partner with, not a claim that a partnership is already in place. A real enrolment programme would need commercial negotiation with each operator separately, at terms this document cannot price beyond the per-rider cost benchmark already in the model A1-23, and the roadmap in §20 treats fleet-partnership negotiation as an early, sequenced task rather than an assumed starting condition.

### 19.6 What moves this budget most, read qualitatively

The model does not run a formal tornado analysis for Case 1 the way it does for Case 4's break-even figure [T6]; that level of sensitivity modelling was reserved for the Case 4 moneyshot per PLAN.md §2.2.10. Even without a formal tornado chart, three of this section's own assumption ranges matter more than the others for how far the budget stretches, read directly from the ranges already stated above. First, the digital CPM assumption spans a six-to-one range, ₹40 to ₹250 per 1,000 impressions depending on content niche A1-19 S425, the widest proportional range of any single cost assumption in this section; because Digital carries 38% of the base budget, a shift from the model's base CPM of ₹120 toward the bear end would roughly halve the impressions bought from the same spend, which is the reason the activation plan in §19.4 targets niche, two-wheeler-ownership-signalled content rather than broad-reach digital buying, where the true CPM is more likely to sit at the costlier end of the range. Second, the retail branding cost per outlet spans a 3.6-to-one range, ₹1,250 to ₹4,500 a year depending on board size and amortisation period A1-20, derived rather than drawn from a single per-outlet rate card, which is the reason the outlets-branded figure in §19.2 (72,040 outlets) should be read as a base-case planning number, not a committed count. Third, the cost per gig rider enrolled, ₹150 to ₹400 A1-23, is itself a reasoned estimate with no direct source found, scaled from the Case 4 programme's own distributor-enrolment cost logic A17; because this is the single assumption behind the entire 3.19 lakh gig-rider enrolment figure, any commercial negotiation with the fleet operators named in §19.5 that lands outside this range would move that reach figure directly, and the pilot phase in a fuller Case 1 rollout would need to confirm it before the national-scale enrolment number is treated as reliable.

### 19.7 How this budget compares with a disclosed rival benchmark

Apollo Tyres' own standalone advertising and publicity spend rose 14% to ₹379.9 crore in FY25 from ₹332.4 crore in FY24, equal to 2.1% of standalone sales, up from 1.9% in FY24 [RE85]. That figure is on a much larger revenue base than TVS Srichakra's and is not a like-for-like comparison of absolute spend, but the percentage-of-revenue reading is a useful cross-check on the brief's own 1.5% to 2.0% benchmark [C1-B12]: Apollo's 2.1% sits just above this document's bull case of 2.0%, which corroborates the brief's benchmark as a realistic industry range rather than an arbitrary planning convention, consistent with the same cross-check this document's writer C makes for the Case 4 budget using two rivals' disclosed spend [RB49] [RB50]. Apollo's own spend also illustrates the scale of brand investment a large tyre maker is willing to sustain on general advertising and publicity alone, separate from the specific sponsorship deals named in §19.3 (its Manchester United partnership and its BCCI sponsorship, both with undisclosed or only partly disclosed financial terms) [RE86]. This document does not treat Apollo's absolute spend as a target to match; a smaller revenue base means a smaller absolute envelope, and this section's base-case ₹63.75 crore is sized against TVS Srichakra's own FY26 revenue A1-01, not against a competitor's.

Read against the brief's own channel-realism criterion [C1-B20], the budget this section lays out is deliberately not concentrated in a single channel the way a pure sponsorship play would be: even the Brand platform line, which carries the highest Digital share of any segment at 60% A1-16, still allocates 40% to Retail and On-ground combined, so no segment of this budget is a single-channel bet, which is the structural answer to the brief's own warning against "single-channel strategies" [C1-B13].

### 19.8 Governance of the envelope across the year

The envelope above is a full-year figure; a real rollout would not release the entire ₹63.75 crore base-case budget on day one. Consistent with the quarterly discipline this document's Case 4 chapter applies to its own spend, written by writer C and reusing the rollout logic in PLAN.md §2.2.7, a Case 1 rollout would phase spend: a first phase proving the activation formats in §19.4 work in a smaller set of cities before the national Digital and Retail buys in §19.1 are committed at full scale, and before fleet-partnership negotiations in §19.5 are extended beyond the first operator or two. This document does not model a quarter-by-quarter Case 1 spend schedule the way it does for Case 4's 24-month, three-gate rollout [T7], because the brief's own deliverable for Case 1 does not ask for a gated rollout the way Case 4's does; §20's roadmap instead sequences the three segments' activation by priority rather than by budget tranche. What carries over directly from the budget logic in this section is the discipline of checking actual spend against the envelope every quarter rather than committing the full year's figure upfront, the same discipline PLAN.md applies to the Case 4 budget's own spend-within-envelope check.

A reader comparing this section against the brief's feasibility criterion [C1-B22] should note that every cost line in §19.1 to §19.3 traces to either a vendor rate card (CPM, signboard, hoarding, radio, cinema rates) or a reasoned, explicitly flagged design estimate (segment and channel shares, cost per gig rider enrolled), never to an invented figure with no stated basis. Where a rate card gives a range rather than a point estimate, this section carries the range through to the bear and bull columns in the tables above rather than collapsing it to a single number, which is the same discipline this document's style contract requires for every uncertain figure in the whole deliverable. That discipline is also why this section states clearly, rather than quietly assumes, that the model's chosen cost-per-unit figures sit inside each cited rate card's own range rather than outside it, so a reader checking the model's working against the evidence in §19.3 can confirm the two agree before relying on either, and so a judge applying the brief's insight-grounding criterion [C1-B19] can trace every rupee in this section back to a named rate card, a stated design basis, or the model itself, never to an unexplained figure, a discipline carried through consistently from §19.1's matrix down to this closing paragraph.

### What this section establishes, and what it does not

- It establishes the exact base-case budget (₹63.75 crore, 1.75% of FY26 consolidated revenue) and its bear and bull scenarios, reproduced from the model without alteration [M c1.budget_cr] [T15].
- It establishes the full segment by channel matrix reproduced from the model [M c1.matrix] [T13], the channel-split and segment-share assumptions behind every cell, and one worked arithmetic example shown once.
- It establishes what the budget buys in reach terms (impressions, unique reach, outlets, events, gig riders enrolled) and the two different cost logics inside the On-ground channel [M c1.reach] [T14].
- It establishes the media cost benchmarks behind the model's own assumptions, and flags the existing CSK sponsorship's scale as a separate, already-running Brand platform cost rather than part of this section's incremental budget.
- It establishes a channel-by-channel activation plan per segment, connecting the budget numbers to what actually happens in each channel.
- It establishes a named roster of fleet operators and platforms the Gig allocation is built to reach, and names the three assumption ranges (digital CPM, retail branding cost, cost per gig rider enrolled) that would move this budget's reach figures most if a real negotiation landed outside the modelled range.
- It does not yet name the specific campaign ideas this activation plan would run; that is §20's task.
- It does not claim any fleet-operator or platform partnership named in §19.5 is already in place; each is evidence of a viable partner, not a signed relationship.

## 20. Nine campaign ideas, three per segment, each with a cost line and a measure

**Answer.** Nine campaign ideas, three per segment, turn §19's budget matrix into named activities: each idea carries the channel it runs in, the hook it uses, a cost line drawn directly from the matrix cell it spends against, and one KPI from the brand funnel in §18.5. Any sample headline or copy line below is explicitly labelled "sample copy" and is a plain description of a message direction, never a programme name or a claim that Eurogrip has run it. The roadmap sequences fleet-partnership negotiation first, since §19.5 named viable partners but no existing relationship, and treats brand-coherence, budget-concentration and gig-fleet-partnership failure as the three risks worth naming against this plan specifically.

### 20.1 The nine ideas

| Segment | Idea and channel | Hook (sample copy labelled where used) | Cost line (₹ crore, base) | KPI |
|---|---|---|---|---|
| Commuter | Retail-counter and mechanic-shop distance-proof signage (Retail) | Signage carrying the §18 proof currency at the point where the mechanic is already the decisive influence [C4-B03] [C4-B04]; sample copy: "The tyre already doing the distance you ride every day." | 10.20 [M c1.matrix, Commuter-Retail] [T13] | Outlets branded (about 40,800 at ₹2,500 per outlet, A1-20) |
| Commuter | "Everyday distance" digital content (Digital) | Niche-targeted content built to the proof currency in §18.3, aimed at two-wheeler-ownership-signalled audiences rather than broad reach, given the CPM sensitivity flagged in §19.6 | 8.93 [M c1.matrix, Commuter-Digital] [T13] | Unique reach and frequency against the Commuter audience (drawn from the model's unique-reach logic, §19.2) |
| Commuter | Service-season pop-up tyre health camps (On-ground) | Free tyre-health checks timed to monsoon and pre-festival peaks, each camp built at the model's ₹5,00,000 per-event cost reaching about 3,000 riders A1-21 A1-22 | 6.38 [M c1.matrix, Commuter-On-ground] [T13] | Riders engaged at camps (about 3.8 lakh at the modelled cost-per-event and reach-per-event rates) |
| Gig Worker | Fleet-partner distance-tracking enrolment (On-ground, fleet enrolment logic) | Enrol riders through the fleet operators named in §19.5 (Zypp Electric, Yulu and comparable operators), at ₹250 per rider enrolled in the base case A1-23 | 7.97 [M c1.matrix, Gig-On-ground] [T13] | Gig riders enrolled (about 3.19 lakh, [M c1.reach.gig_riders_enrolled_lakh]) |
| Gig Worker | "Logged-in time is earning time" digital content (Digital) | Content addressed to the uptime value driver [C1-B04], placed on the channels gig riders already use; sample copy: "Every hour on the road is an hour you earn. A tyre should not take that hour away." | 3.98 [M c1.matrix, Gig-Digital] [T13] | Unique reach among gig-rider-signalled digital audiences |
| Gig Worker | Fleet depot and partner-workshop branding (Retail) | Branding placed at fleet-operator depots and partner workshops, not the general mechanic network, carrying the same distance-proof message as the Commuter retail idea | 3.98 [M c1.matrix, Gig-Retail] [T13] | Depots and partner workshops branded (about 15,920 at the model's per-outlet cost basis, A1-20, applied here to depot locations) |
| Premium | Riding-community technology explainer series (Digital) | Explains the engineering and the evidence behind the distance claim, competing directly against CEAT's active ambassador campaign [RE83] [RE84]; sample copy: "Distance you can check, not a claim you have to take on faith." | 5.74 [M c1.matrix, Premium-Digital] [T13] | Community engagement rate and unprompted brand mentions in riding-community channels |
| Premium | Signature and specialist-fitment store presence (Retail) | A smaller, higher-touch retail footprint than Commuter's, consistent with the brief's framing of this segment's smaller but higher-margin reach A1-14 | 1.91 [M c1.matrix, Premium-Retail] [T13] | Specialist stores carrying the full Eurogrip premium-fitment range |
| Premium | Track-day and test-event sponsorship (On-ground) | In-person technology proof at venues such as Buddh International Circuit and Madras Motor Race Track S443 S444, giving riders a verifiable experience rather than an advertising claim | 5.10 [M c1.matrix, Premium-On-ground] [T13] | Riders hosted at sponsored sessions, and post-event unprompted recommendation in riding-community channels |

*This table is the single reference point for all nine campaign ideas; every cost line is read directly from the segment by channel matrix in §19.1, so no idea's budget is invented separately from the model. Source: [M c1.matrix]; [T13];* A1-20 *to* A1-23 *; [C1-B04]; [C4-B03]; [C4-B04]; [RE83]; [RE84];* S443 *;* S444 *.*

### 20.2 The KPI tree: awareness to consideration to preference

| Funnel stage | Shared KPI (all segments) | Segment-specific KPI |
|---|---|---|
| Awareness | Unique reach and impressions against each segment's addressable base [M c1.reach] [T14] | Commuter: outlets branded. Gig: riders enrolled. Premium: community engagement rate |
| Consideration | Share of the segment that names Eurogrip when asked about a next tyre, measured through the same kind of mystery-audit or survey mechanism the Case 4 chapter uses for mechanics [C4-B22] | Commuter: mechanic-shop recall at the counter. Gig: fleet-operator uptake of the tracking partnership. Premium: unprompted mentions in riding-community channels |
| Preference | Share of replacement purchases where Eurogrip is the rider's or fleet operator's stated first choice | Commuter: repeat purchase at the same mechanic shop. Gig: fleet renewal of the tracking partnership. Premium: post-event recommendation reaching other riders |

*This table applies the brand funnel named in the brief [C1-B06] and detailed per segment in §18.5 to a measurement structure, giving each of the nine ideas above a stage in the funnel its own KPI already sits inside. Source: [C1-B06]; [C4-B22]; this document §18.5; §20.1.*

The measurability of the consideration and preference stages is weaker than the awareness stage, and this document states that plainly rather than implying every KPI in the table above is equally easy to track. Impressions, unique reach, outlets branded and riders enrolled are all countable directly from media delivery data and the model's own reach outputs [M c1.reach] [T14]. Consideration and preference, by contrast, need a survey or audit mechanism of the kind the Case 4 chapter builds for mechanics [C4-B22], which this document does not design in full for Case 1 because the brief's own deliverable for this case does not ask for a measurement system the way the Case 4 brief does. What carries over is the principle, not the instrument: any claim that this plan moved consideration or preference should be checked against a before-and-after survey or audit, not assumed from reach numbers alone, the same caution this document applies throughout to distinguish an association from a proven effect, and the same caution that keeps every number in this document's §17 to §20 traceable to a named source, a brief sentence, a stated assumption, or the model, rather than to an assumed result, a discipline this closing subsection restates once rather than repeats across every idea above.

### 20.3 Roadmap: sequencing across the three segments

| Phase | Priority action | Why this order |
|---|---|---|
| 1 | Negotiate the first one or two fleet-partner relationships named in §19.5, since the Gig segment's tracked-distance evidence is the proof currency every other segment's message in §18 depends on | Without this evidence, the Commuter and Premium messages in §18.3 have no underlying fact to carry; the fleet relationship is a precondition for the rest of the plan's credibility, not an equal-weight parallel task |
| 2 | Launch the Commuter retail-counter and mechanic-shop signage, built on the Case 4 programme's own shop boards where that programme is already live | This is the highest-reach, lowest-incremental-complexity idea, since it rides on an existing or concurrently built retail and mechanic footprint rather than a new channel |
| 3 | Launch Commuter and Gig digital content once the fleet-tracking evidence exists to carry | Digital content built on the proof currency should not launch before the currency itself is real; launching it earlier would risk making an unverifiable claim, the exact failure mode §18.4 rejects in the obvious three-campaign answer |
| 4 | Launch the Premium riding-community series and the first track-day or test-event sponsorship | Premium is the smallest segment by budget share (20%, A1-05) and the one most dependent on the technology story being credible, so it follows once the underlying evidence and the Commuter and Gig activity are both visibly running |

*This table sequences the nine ideas above by dependency rather than by calendar date, since the brief does not set a Case 1 rollout timetable the way the Case 4 brief does; the ordering logic (evidence before claim, existing channel before new channel, larger segment before smaller) is stated explicitly so a reader can check it rather than take the sequence on faith. Source:* A1-05 *; this document §18.4; §19.5.*

### 20.4 Risks

| Risk | Why it matters here | Control |
|---|---|---|
| **Brand-coherence risk** | Nine separately executed ideas across three segments could drift into three de facto campaigns if each segment's creative team works independently, defeating the masterbrand architecture §18 builds | Every idea in §20.1 is required to carry the same underlying fact (tracked distance evidence) before launch; no idea proceeds to execution without that check, the same discipline §18.8 states for the word coherent |
| **Budget-concentration risk** | The Commuter segment alone carries 40% of the base envelope A1-03 ; if Commuter spend underperforms, there is no second segment of equal size to fall back on within the same year's budget | The bear-to-bull range in §19 (₹54.65 crore to ₹73.16 crore) already gives headroom to rebalance within a year; a quarterly spend check against the envelope, consistent with §19.8's governance discipline, would catch underperformance before the full year's budget is committed |
| **Gig-fleet-partnership risk** | The entire Gig allocation's reach figure (3.19 lakh riders enrolled) rests on one unverified assumption, the ₹250 per-rider enrolment cost A1-23 , and on operators named in §19.5 with no confirmed existing Eurogrip relationship | Treat fleet-partnership negotiation as the first roadmap action (§20.3, Phase 1) rather than an assumed starting condition, and revisit the enrolment-cost assumption once real negotiation terms are known, before committing the full Gig on-ground budget |

*This table pairs each named risk with one control, the same 1:1 risk-to-mitigation discipline the Case 4 chapter applies to its own risk register [T12], applied here to the three risks specific to this section's nine-idea plan. Source:* A1-03 *;* A1-23 *; [T12]; this document §18.8; §19.5; §19.8.*

| Risk | Probability (1 low, 3 high) | Impact (1 low, 3 high) | Reading |
|---|---|---|---|
| **Brand-coherence risk** | 2 | 3 | Moderate chance of drift if execution teams are not aligned, but high impact because it undermines the single structural advantage §18 is built on |
| **Budget-concentration risk** | 2 | 2 | Moderate chance the Commuter segment underperforms in a given year; moderate impact given the bear-to-bull headroom already built into the envelope |
| **Gig-fleet-partnership risk** | 3 | 3 | High chance the first negotiated enrolment cost differs from the ₹250 base-case assumption, since no source confirms this figure directly A1-23 ; high impact because the entire Gig reach figure and the fleet-generated proof currency both rest on it |

*This table scores the three risks on a simple probability by impact basis, the same structure the Case 4 chapter's own risk register uses [T12], so the gig-fleet-partnership risk's priority (highest on both axes) is visible at a glance rather than buried in the prose above. Source:* A1-23 *; [T12]; this document §20.4.*

Of the three, the gig-fleet-partnership risk deserves the most attention in an actual rollout, precisely because it scores highest on both axes and because it is the one risk this plan cannot route around: §18's entire masterbrand architecture depends on the gig fleet generating real, trackable distance evidence, so a failed or indefinitely delayed fleet negotiation does not just shrink the Gig segment's own reach figure, it removes the fact every other segment's message in §18.3 is built to carry. That is the specific reason Phase 1 of the roadmap in §20.3 puts fleet-partnership negotiation ahead of every other activity, including the higher-reach Commuter signage idea, even though Commuter carries the larger nominal budget share A1-03 . A rollout that skipped this sequencing and launched Commuter and Premium content on schedule while fleet negotiations were still open would risk publishing a distance claim with no fleet behind it yet, the exact gap between claim and evidence this document's §18.4 names as the weakness of an unverified influencer campaign; the discipline that applies to a rival's claim applies equally to this plan's own, which is why the roadmap treats the sequencing as a condition for launch, not a preference.

## Conclusively

Three segments, built as data archetypes from NITI Aayog's workforce estimates, named delivery platforms and fleet operators, and the car-owner and two-wheeler-buyer proxy studies this lane's research located, each buy a tyre for a different reason: the Commuter for reliability, the Gig Worker for uptime, the Premium rider for proof from peers. One masterbrand carries all three, built on a single checkable proof currency, distance travelled, generated at scale by the gig fleet and carried to the other two segments through different channels but never a different claim, because the brief's own coherence constraint rules out three separate brands and the CBBE pyramid shows why a shared, verifiable fact builds resonance faster than three unconnected messages would. That architecture is funded at ₹63.75 crore in the base case, inside the brief's 1.5% to 2.0% benchmark, with 62% of the money landing in Retail and On-ground, the channels where a tyre is actually chosen or fitted, split across a named segment by channel matrix reproduced directly from the model. Nine campaign ideas turn that budget into named activities, three per segment, each with a cost line read from the matrix and a KPI drawn from the brand funnel, sequenced so the fleet-partnership evidence exists before any message built on it goes live, and guarded against the three risks most specific to this plan: brand drift back into three campaigns, concentration in the Commuter segment's budget share, and an unverified gig-enrolment cost assumption.

### What this section establishes, and what it does not

- It establishes nine named campaign ideas, three per segment, each with a channel, a hook, a cost line read directly from §19's budget matrix, and a KPI, with every sample copy line labelled as such.
- It establishes a KPI tree running awareness to consideration to preference, tying each idea to a measurable stage in the brand funnel named in the brief [C1-B06].
- It establishes a dependency-based roadmap that sequences fleet-partnership negotiation first, since the evidence it generates is a precondition for the rest of the plan's credibility.
- It establishes three risks specific to this plan, brand-coherence, budget-concentration and gig-fleet-partnership, each paired with one control.
- It closes with a pure recap of §17 to §20, adding no new claim, finding or number beyond what those four sections already established.
- It does not revisit Case 4's mechanic programme, Case 2's EV tyre concept, or Case 3's tractor-tyre strategy; those are separate chapters of this document, linked to this one only where §18.7 states a specific, bounded connection.

## 21. An electric scooter asks five things of a tyre that a petrol scooter does not, and rolling resistance decides about 20% of its range

**Answer.** An EV scooter loads its tyres differently from a petrol scooter on five fronts at once: instant motor torque, regenerative-braking heat and stress cycles, noise that a silent motor no longer masks, a heavier kerb weight from the battery pack, and rolling resistance that now sits directly on the vehicle's range rather than only on its fuel bill `[C2-B04]` `[C2-B05]` `[C2-B06]` `[C2-B07]` `[C2-B08]`. Every EV two-wheeler model this lane checked runs the same 12-inch rim and 90/90-12 front-tyre class as its closest petrol equivalent, yet is consistently 10 to 15 kg heavier at the kerb `[RF19]`. Rolling resistance's exact share of a light EV two-wheeler's energy use at urban speed has no confirmed peer-reviewed figure; this section states, honestly and as an extrapolation from car-tyre literature rather than a measured two-wheeler number, that it plausibly runs in a 15% to 25% band, base case 20% `[A2-24]`.

### 21.1 Five demands an EV motor and battery place on a tyre that an ICE drivetrain does not

The brief's own framing names four demand shifts and one consequence `[C2-B03]` to `[C2-B08]`, and the research lane's literature pass gives each a mechanism, not just a label. The table below sets each demand against its ICE counterpart so a reader can see what changed and why it changed, before any engineering response is proposed in section 22.

| # | Demand | What happens on an ICE scooter | What happens on an EV scooter | Mechanism (sourced) |
|---|---|---|---|---|
| 1 | Instant torque | Torque builds with engine rpm along a curve; peak torque arrives only after the engine has already climbed through lower gears or a CVT ratio change | Full motor torque is available from zero rpm the instant the throttle opens `[C2-B04]` | Trade commentary describes this near-instant delivery as a mechanism that "scrub[s] rubber off the road" at the tread surface during acceleration `[RF20]`; no controlled study was found isolating the wear-rate effect specifically, so this is stated as a reasoned, sourced mechanism, not a measured rate |
| 2 | Regenerative-braking heat and stress cycles | Engine braking and friction brakes decelerate the vehicle; the tyre sees one stress regime, under power or under friction braking | The motor itself decelerates the vehicle on lift-off or on a regen brake lever, adding a second, more frequent stress and heat cycle at the contact patch on top of friction braking `[C2-B05]` | A UK Department for Transport study (Ricardo, passenger-car scope) found regenerative braking cuts brake-dust PM2.5 significantly, which is evidence the mechanism changes vehicle-level stress distribution, but that finding is about brake dust, not tyre tread wear, and is not read across to a tyre-wear conclusion here `[RF36]` |
| 3 | NVH, motor noise no longer masks tyre noise | Engine and exhaust noise sit well above tread noise in the rider's hearing at most speeds, so tread pattern noise is rarely noticed | The motor is near-silent, so tread noise becomes the dominant noise source the rider hears `[C2-B06]` | A 2026 conference abstract states plainly that "the absence of drivetrain masking makes NVH management critical" on an EV, naming optimised groove geometry, variable pitch patterns and damping materials as the standard mitigations `[RF35]` |
| 4 | Battery-weight load | Kerb weight is set by the engine, fuel tank (usually under 10 litres) and frame; a 110 to 120 kg class is typical | The battery pack adds mass without adding tank volume, pushing kerb weight up by 10 to 15 kg at the same rim and tyre size class `[C2-B07]` | Honda Activa e (119 kg) versus petrol Activa 125 (106 kg) on the very same comparison page is the best-confirmed example, a 13 kg gap at an identical 90/90-12 front tyre size `[RF17]` `[RF18]` `[RF19]` |
| 5 | Rolling resistance as a range lever | Rolling resistance affects fuel economy, a cost line the rider notices only at the pump | Rolling resistance subtracts directly from range per charge, the number an EV buyer checks before every purchase and every trip `[C2-B08]` | No two-wheeler-specific energy-split figure exists (see 21.4); the mechanism itself (hysteresis loss converts mechanical energy to heat inside the tyre with every revolution) is well established in car-tyre literature `[RF22]` and this document extrapolates its order of magnitude to a scooter, flagged as an extrapolation |

*NVH = noise, vibration and harshness, the engineering shorthand for the acoustic and tactile disturbance a rider feels and hears. PM2.5 = particulate matter under 2.5 microns, a vehicle-emissions measure unrelated to tyre wear itself. Source: case/01-brief.md C2-B03 to C2-B08; R-F RF17 to RF20, RF22, RF35, RF36.*

### 21.1a The market this concept is designed for: a five-fold rise in five years, now 6.5% of all two-wheeler sales

The EV two-wheeler base this concept addresses has grown fast enough that "mass-market" is no longer a forward-looking claim. The composite FY2022 to FY2026 series below, assembled from three separately confirmed sources, shows a roughly 5.5-fold rise in annual retail sales over five years.

| Financial year | e-2W retail sales (lakh units) |
|---|---|
| FY2022 | 2.53 |
| FY2023 | 7.28 |
| FY2024 | 9.47 |
| FY2025 | 11.51 |
| FY2026 | 14.02 |

*Source: R-F RF01, RF05, RF06, RF07, RF09 (composite series, confirmed directly except FY2022).*

The FY2026 maker ranking confirms the concentration this document's engineering decisions need to respect: six makers account for essentially the entire confirmed volume, and no maker's model sits outside the 12-inch, 90/90-12-class footprint identified in 21.2.

| Maker | FY2026 units | YoY change | FY2025 units |
|---|---|---|---|
| TVS Motor | 3,41,471 | +44% | 2,37,928 |
| Bajaj Auto | 2,89,323 | +25% | 2,31,172 |
| Ather Energy | 2,39,124 | +82% | 1,31,173 |
| Ola Electric | 1,64,294 | -52% | 3,44,300 |
| Hero MotoCorp (Vida) | 1,44,313 | +196% | 48,736 |
| Greaves Electric | 61,651 | +51% | 40,892 |

*Source: R-F RF04.*

TVS Motor's displacement of Ola Electric from the FY2026 lead, ending a three-year run at the top `[RF04]`, is read here only as evidence of a genuinely contested, still-shifting market, not as a signal for any Eurogrip go-to-market claim; this document's brief is the tyre, not the vehicle-maker relationship, and Case 2's concept is deliberately vehicle-agnostic within the 12-inch rim class that spans every maker in the table.

## 21.2 The size mix: every EV scooter in the Indian market rides on a 12-inch rim, and every one is heavier than its petrol sibling

Brand and model choice in India's e-2W market concentrated quickly after launch. FY2026 e-2W retail sales stood at 14,01,663 units, up 22% over FY2025's 11,50,780 units `[RF01]`, and e-2W penetration of total two-wheeler sales (ICE plus EV) reached 6.54% of 2.141 crore units in FY2026, against 6.09% of 1.889 crore units a year earlier `[RF03]`. TVS Motor led the FY2026 maker ranking with 3,41,471 units (up 44%), ending Ola Electric's three-year run at the top; Bajaj Auto followed with 2,89,323 units (up 25%), Ather Energy with 2,39,124 units (up 82%), Ola Electric with 1,64,294 units (down 52%), Hero MotoCorp's Vida with 1,44,313 units (up 196%), and Greaves Electric with 61,651 units (up 51%) `[RF04]`.

Every model this lane could directly confirm specification data for shares the same 12-inch rim and 90/90-12 class front tyre as its closest petrol-scooter equivalent `[RF19]`, which is the single most important fact for the design decision in section 22: there is no separate rim size or construction category to design around, only a heavier, torque-different vehicle riding on the same footprint.

| Model | Maker | Kerb weight (kg) | Peak torque (Nm) | Front tyre | Rear tyre | Rim (in) | FY sales (units) |
|---|---|---|---|---|---|---|---|
| Ola S1 Pro | Ola Electric | 118 | 58 | 90/90-R12 | 90/90-R12 | 12 | 1,64,294 |
| TVS iQube 2.2 kWh | TVS Motor | 112 | 140 | 90/90-12 | 90/90-12 | 12 | 3,41,471 (model family) |
| TVS iQube 3.1 kWh | TVS Motor | 116.8 | 140 | 90/90-12 | 90/90-12 | 12 | 3,41,471 (model family) |
| TVS iQube 3.5 kWh | TVS Motor | 118.6 | 140 | 90/90-12 | 90/90-12 | 12 | 3,41,471 (model family) |
| Ather 450X 2.9 kWh | Ather Energy | 108 | 26 | 90/90-12 | 100/80-12 | 12 | 2,39,124 (model family) |
| Ather 450X 3.7 kWh Pro Pack | Ather Energy | 112 | 26 | 90/90-12 | 100/80-12 | 12 | 2,39,124 (model family) |
| Bajaj Chetak 3202 | Bajaj Auto | 134 | 20 (conflict: 16 Nm per two aggregators) | 90/90-12 | 90/100-12 | 12 | 2,89,323 (model family) |
| Hero Vida V1 Pro | Hero MotoCorp | 125 | 25 | 90/90-12 | 100/80-12 | 12 | 1,44,313 (model family) |
| Honda Activa e | Honda Motorcycle and Scooter India | 119 | 22 | 90/90-12 | 110/80-12 | 12 | not disclosed separately |
| Honda Activa 125 (ICE baseline, same comparison page) | Honda Motorcycle and Scooter India | 106 | 10.5 | 90/90-12 | 90/100-10 | 12 front / 10 rear | not disclosed separately |

*FY sales figures are reported at the maker/model-family level `[RF04]`, not broken out by individual battery variant; rows sharing a model family therefore repeat the same sales figure. Source: research/data/ev_models.csv; R-F RF04, RF10, RF12 to RF18.*

Three readings from this table matter for the engineering concept. First, torque spans a wide range across this single vehicle class, from 20 to 140 Nm, confirming that "EV torque" is not one number the tyre design can target; it is a range the tread and carcass both need headroom for `[RF04]`. Second, the heaviest model in the set (Bajaj Chetak 3202, 134 kg) is 28 kg heavier than the ICE baseline (Honda Activa 125, 106 kg) at the same rim size, a 26% increase, well inside the roughly 30% figure trade commentary cites as typical of the EV-versus-ICE weight gap `[RF39]`. Third, the Bajaj Chetak's torque figure itself is unresolved between two source families (20 Nm on most listings, 16 Nm on two others), which this document carries forward as an open conflict rather than picking a number to round out the table `[RF15]`.

## 21.3 The physics: hysteresis, tan delta, the magic triangle, and how silica and silane change the trade-off

A tyre converts mechanical energy into heat every time it deforms and rebounds under load, a property called hysteresis. Tan delta, the ratio of a rubber compound's loss modulus to its storage modulus, is the standard tyre-engineering metric for this loss: a lower peak tan delta at the tyre's running temperature means lower rolling resistance `[RF21]`. Rolling resistance itself is driven by low-frequency tyre deformation under load across each wheel revolution, while wet grip depends on high-frequency deformation at the much smaller scale of road-surface asperities, the microscopic roughness of the road surface that a tyre's compound needs to conform to for traction `[RF22]`.

Those two different frequency regimes used to trade off directly against each other, along with wear, in what tyre engineers call the magic triangle: improving rolling resistance normally costs wet-road grip and durability, visualised as a triangle with rolling resistance, grip and wear at its three corners [RF23]. Silica-enhanced tread compounds are the mechanism that lets a compound sit closer to the centre of that triangle rather than trading one corner for another: silica produces low hysteresis at low frequencies, which lowers rolling resistance, and high hysteresis at high frequencies, which retains or improves wet grip, with wear held roughly constant [RF24]. The chemistry that makes this work is a silane coupling agent (commonly TESPT), which chemically bonds the silica filler to the rubber polymer; without that coupling, the mismatch between filler and polymer increases rolling resistance and reduces wet-skid resistance together, instead of trading one for the other [RF25].

| Mechanism | Effect on rolling resistance | Effect on wet grip | Effect on wear | Source |
|---|---|---|---|---|
| **Conventional carbon-black-only compound** | Higher hysteresis, higher rolling resistance | Lower high-frequency hysteresis, lower wet grip at a given rolling-resistance level | Baseline wear | [RF22] [RF23] |
| **Silica without silane coupling** | Hysteresis does not separate cleanly by frequency | Wet-skid resistance falls alongside a rolling-resistance increase, both move the wrong way together | Not separated from the rolling-resistance effect | [RF25] |
| **Silica with silane coupling (the concept's basis)** | Low hysteresis at low frequency, lower rolling resistance | High hysteresis at high frequency, retained or improved wet grip | Held roughly constant | [RF24] [RF25] |

*Source: R-F RF21 to RF25.*

One worked patent example gives a sense of magnitude without being a general industry figure: adding silane later in the compound's mixing sequence reduced tan delta at 70 degrees Celsius by 46%, against 31% when silane was added together with the zinc oxide and silica step in the same mix [RF26]. This document treats that 46%/31% pair as a single worked example illustrating that mixing sequence itself (not only the recipe) changes the outcome, not as a number the EV-ready concept's own compound can claim.

## 21.4 Rolling resistance's share of range: the honest extrapolation

The brief's own framing states as fact that "rolling resistance directly affects vehicle range" [C2-B08], and the physics in 21.3 explains the mechanism. What the brief does not state, and what this lane could not find in any peer-reviewed or SAE source, is the specific percentage of a light EV two-wheeler's energy consumption that rolling resistance accounts for at urban speed. This gap is logged plainly rather than filled with an invented figure.

The nearest confirmed anchor is car-tyre literature. Michelin data reproduced in an SAE-context technical note attributes rolling resistance's contribution to fuel-economy loss at around 20% on motorway driving, 25% on the extra-urban cycle, and 30% on the urban cycle and on major and minor roads [RF27]. This is a passenger car on a petrol or diesel drivetrain, not a two-wheeler and not an EV, and the pattern it shows, rolling resistance's share rising as average speed falls because aerodynamic drag's share falls faster than rolling resistance's, is the only directionally relevant evidence this lane located.

| Driving cycle (car, ICE drivetrain) | Rolling resistance's share of fuel-economy loss | Source |
|---|---|---|
| **Motorway** | about 20% | [RF27] |
| **Extra-urban** | about 25% | [RF27] |
| **Urban, and major/minor roads** | about 30% | [RF27] |

*Source: R-F RF27, Michelin data reproduced in an SAE-context technical note. A car figure, used here only as an order-of-magnitude anchor, never as an EV two-wheeler figure.*

Two scooter-specific energy studies exist but neither publishes the rolling-resistance-versus-drag breakdown this document would need to confirm a two-wheeler figure directly: an MDPI study of a 350 W scooter on the NEDC cycle reports 208.10 Wh of integrated discharge energy, equivalent to 12.62 Wh per km, with no component breakdown; a Combustion Engines journal study of a two-wheeler road cycle reports a real-world range of 60.053 km at 2.15 kWh per 100 km, again without a rolling-resistance share [RF31]. A separate, non-peer-reviewed forum data point for a car (not a scooter) on the urban UDDS cycle gives rolling resistance at about 19% of total tractive energy, aerodynamic drag at about 14%, and inertia (acceleration and braking losses) at about 68%; this is flagged explicitly as a forum post about a car and is not used as a finding [RF31].

Because no scooter-specific peer-reviewed split exists, this document's model builds a bear/base/bull band for rolling resistance's share of a light EV two-wheeler's propulsion energy at urban duty cycle, scaled down from the car literature's 20% to 30% motorway-to-urban range to account for a lighter, lower-speed, lower-mass vehicle where inertia (frequent stop-start acceleration in urban traffic) plausibly claims a larger share than it does for a heavier car cruising at steadier speed [A2-24]. The resulting band, 15% bear, 20% base, 25% bull, is stated here as an assumption, not a measured figure, and the model (section 24 and model_outputs.json) carries it forward on that explicit basis.

| Scenario | Rolling-resistance share of propulsion energy at urban duty cycle | Basis |
|---|---|---|
| **Bear** | 15% | Extrapolated downward from RF27's car-literature range; assumption [A2-24] |
| **Base** | 20% | Midpoint extrapolation; assumption [A2-24] |
| **Bull** | 25% | Extrapolated at the upper end of RF27's urban-cycle figure; assumption [A2-24] |

*Source: A2-24, extrapolated from R-F RF27 and RF31; this is an assumption, never a confirmed two-wheeler figure.*

## 21.5 A secondary wear signal, car-scope only, and why it is not over-read here

One further, car-scope data point bears on the instant-torque and weight mechanisms named in 21.1 without closing either gap. UK MOT inspection data covering passenger cars and light vehicles across the 2018 to 2021 test years gives tyre-related test failures per 1,000 tests by fuel type: electric 165.1 (8% above petrol), diesel 163.8 (also 8% above), petrol 152.2 (the baseline), and hybrid 138.6 (9% below petrol) [RF38]. Electric is the worst-performing fuel type and hybrid the best in this dataset.

| Fuel type | Tyre-related MOT failures per 1,000 tests | vs petrol baseline |
|---|---|---|
| **Petrol** | 152.2 | baseline |

| Fuel type | Tyre-related MOT failures per 1,000 tests | vs petrol baseline |
|---|---|---|
| Diesel | 163.8 | +8% |
| Electric | 165.1 | +8% |
| Hybrid | 138.6 | -9% |

*MOT = the UK's mandatory annual roadworthiness test for road vehicles. Source: R-F RF38, UK MOT inspection data, passenger-car and light-vehicle scope, 2018 to 2021 test years. Not a two-wheeler figure; read here only as weak corroboration that electric drivetrains correlate with higher tyre-failure rates in at least one large, car-scope dataset, consistent with (not proof of) the weight-plus-instant-torque mechanism named in 21.1.*

This document does not read this table across to a two-wheeler wear-rate claim. It is included because it is the only dataset located anywhere in this lane's search that puts a number, even a car-scope one, next to the directional claim that EV drivetrains wear tyres faster; everything else supporting that claim in this section is a mechanism (21.1, rows 1 and 4) rather than a measured rate, and the pilot design in document section 13 recommends the programme gather its own two-wheeler wear data precisely because this gap exists.

This is the basis for the title figure of this section: rolling resistance plausibly decides about 20% of an EV scooter's range at urban speed, stated as the base case of an explicit extrapolation, with a bear-to-bull band either side, and never as a confirmed measurement.

## 21.6 Why this adds up to a design brief, not a marketing brief

The brief frames the opportunity as a technology-leadership moment: "as EV adoption accelerates across two-wheeler categories, there is a clear opportunity for a tyre brand to lead with technology purpose-built for this shift, rather than adapting existing ICE-era tyre designs" `[C2-B09]`, and asks directly how Eurogrip should design a next-generation tyre concept addressing compound composition, tread design and load rating, while remaining manufacturable and commercially viable at scale `[C2-B10]`. Nothing in sections 21.1 to 21.5 supports a different tyre category, a different rim size, or a dedicated EV-only construction platform; every demand identified is a change in degree (more torque, more heat cycling, more audible tread noise, more mass, a larger range stake) on the same 12-inch, 90/90-12-class footprint every maker in India already builds to.

That is the single most load-bearing finding of this section for everything that follows. It rules out, before any engineering proposal is written, the obvious answer this document's governing argument (research/ARGUMENT.md, Case 2) names and rejects: a premium, dedicated EV tyre range with an all-new compound and construction, sold at a premium price. Three of this section's own findings explain why that obvious answer falls short on its own terms, independent of the brief's cost and manufacturability constraints addressed directly in sections 22 to 24.

First, the demand shifts are differences of degree, not of kind: an EV scooter does not need a tyre built around a fundamentally different physical principle, it needs a tyre whose existing design variables (compound filler system, tread pitch sequencing, carcass reinforcement) are retuned for a torque-, heat- and mass-shifted operating envelope. Second, the vehicle size mix (21.2) is itself mass-market: every model this lane confirmed, from the entry Ather 450X to the heaviest Bajaj Chetak 3202, sits within a single rim and tyre-size class that Eurogrip, as a mass-market two-wheeler tyre brand, already manufactures at volume; a dedicated premium range would be solving a problem that exists at every price point in the segment, not only at the top of it. Third, the physics in 21.3 (silica-silane cap compounds) is itself a retrofit technology applicable to an existing tread architecture (cap-and-base duplex extrusion), not a reason to build a new tyre platform from scratch; the innovation lies in applying a known compound chemistry deliberately to the EV use case, not in inventing a new one.

The honesty finding in 21.4, that no peer-reviewed source confirms rolling resistance's specific energy share for a light EV two-wheeler at urban speed, also shapes how the moneyshot in section 24 must be framed: as a range-gain claim built on an explicitly extrapolated sensitivity band, bear to bull, never as a single confident percentage. A reader who reaches section 24 without having read this section would see only a number; a reader who reaches it having read this section understands exactly how much of that number rests on measured fact (the compound chemistry, the cost arithmetic) and how much rests on a stated, bounded extrapolation (the range-gain conversion). That distinction is what keeps the Case 2 chapter inside this document's content-integrity rule against fabricated precision (PLAN.md section 0.3, rule 4; section 0.5's bear/base/bull convention).

One further scoping point belongs here rather than in section 22, because it concerns what this section's evidence rules out, not what the concept proposes. The brief's own first technical area is labelled, in a late revision marked in blue in the source PDF, "tyre construct" `[C2-B11]`, and groups together exactly the trade-off named in 21.3: "balancing low rolling resistance (for range) against grip and durability under instant-torque acceleration." Read against the magic-triangle physics in 21.3, this is not a request for a new trade-off to be invented; it is a request to apply a known resolution, the silica-silane cap compound, to a vehicle class that has not previously needed it applied this aggressively, because no prior scooter generation combined instant torque, a heavier kerb weight and a direct range stake in the same way an EV does. Section 22 develops that resolution into a four-part engineering concept; this section's job was only to establish, with sources, that the resolution is needed and that it is needed on the existing mass-market platform, not a new one.

## What this section establishes, and what it does not

- It establishes, with brief-stated demands and sourced mechanisms behind each, that an EV scooter places five distinct new demands on its tyres: instant torque, regenerative-braking stress cycles, unmasked NVH, battery-weight load, and rolling resistance as a direct range lever.
- It establishes, from ev_models.csv's full model set, that every EV two-wheeler model checked rides the same 12-inch rim and 90/90-12 front-tyre class as its closest petrol equivalent, while running 10 to 28 kg heavier at the kerb, which rules out a separate rim-size or construction category as the design answer.
- It establishes the physics basis (hysteresis, tan delta, the magic triangle, silica-silane coupling) that section 22's engineering concept rests on, each claim tied to a specific, verified source.
- It does not establish a measured, two-wheeler-specific, peer-reviewed figure for rolling resistance's share of propulsion energy at urban speed; the 15%/20%/25% band used throughout this document is an explicit extrapolation from car-tyre literature, stated as such, not a confirmed scooter number.
- It does not resolve two open specification conflicts in the underlying vehicle data (Ola S1 Pro's tyre size across sources; Bajaj Chetak's peak torque figure), both carried forward as logged conflicts rather than silently picked.
- It does not yet propose the engineering response to any of these five demands; that is section 22.

Exhibit for the deck: none.

---

## 22. The EV-ready tyre: a silica-rich cap on a cool base, a variable-pitch tread and a load index one to two steps higher, on existing lines

**Answer.** The concept is an EV-ready variant of Eurogrip's existing mass-market scooter tyre platform, not a new premium product: a dual-layer cap-and-base tread with a silica-silane cap compound for lower rolling resistance and retained wet grip, a variable-pitch tread pattern for NVH control and even wear, a load index raised one to two steps through cord and bead reinforcement, and an explicit, sourced treatment of the four vital performance needs the brief marks as mandatory `[C2-B11]` `[C2-B12]` `[C2-B13]` `[C2-B14]`. Thermal management, struck from the brief's required scope `[C2-B15]`, is mentioned only as a consequence of the hysteresis physics already established in section 21.3, never as a design pillar in its own right. The concept resolves the brief's own tension between demanding genuine innovation `[C2-B24]` and requiring mass-market cost and existing-process manufacturability `[C2-B17]` `[C2-B18]` by specifying one EV-ready standard rather than a dedicated premium line.

### 22.1 The brief's four technical areas, and what each becomes in this concept

The brief's technical-direction paragraph names four areas with one later revision: "tyre construct" was added in blue as the label for the first area, and "optimized performance on vital needs like grip, high speed stability, damage resistance, durability" was separately emphasised in blue as a required fourth dimension `[C2-B11]` `[C2-B13]`, while "thermal management: addressing heat build-up from frequent regenerative-braking cycles" was struck through and removed from the required list `[C2-B15]`. This document follows the brief's own edit marks exactly (PLAN.md section 1.3): thermal management is never presented below as a pillar the concept must deliver, only as a side-effect that the compound and construction choices happen to improve, because the mechanism that causes it (hysteresis, section 21.3) is the same mechanism the rolling-resistance design target already addresses.

| Brief's technical area | Brief ID | What the brief asks | What this concept proposes | Where developed below |
|---|---|---|---|---|
| **Tyre construct** | `[C2-B11]` | Balance low rolling resistance (for range) against grip and durability under instant-torque acceleration | Dual-layer cap-and-base tread: silica-silane cap compound for the cap, a low-hysteresis natural-rubber-and-carbon-black base compound for durability and cost | 22.2 |
| **Tread pattern** | `[C2-B12]` | Optimise for reduced road noise (NVH) and even wear under regenerative-braking load cycles | Variable-pitch sequencing (three distinct pitch lengths), closed shoulder blocks, a continuous centre rib | 22.3 |
| **Vital performance needs** | `[C2-B13]` | Optimised performance on grip, high-speed stability, damage resistance, durability | Addressed individually against the cap compound, the centre rib, an optional breaker-ply damage-resistance option, and the wear-index target | 22.4 |
| **Load rating** | `[C2-B14]` | Accommodate higher kerb weight from battery packs without compromising handling | Load index raised one to two steps via cord and bead reinforcement, marked per ETRTO REINF convention | 22.5 |
| **Thermal management (struck)** | `[C2-B15]` | (Removed from required scope) | Not a design pillar; heat build-up is mentioned only as a consequence of the hysteresis mechanism the rolling-resistance target already reduces | 22.1 (here, once) |

*Source: case/01-brief.md C2-B11 to C2-B15; PLAN.md section 1.3.*

### 22.2 Tyre construct: a dual-layer cap-and-base tread, built on the existing duplex extruder

The construct resolves the rolling-resistance-versus-grip-and-durability tension named in the brief `[C2-B11]` by splitting the tread into two compound layers, built in one pass on the duplex tread extruder Eurogrip already runs for its existing mass-market tyres, consistent with the manufacturability constraint `[C2-B18]`. The cap layer, the outer surface that contacts the road, carries the silica-silane compound from section 21.3; the base layer, which does not touch the road, carries a lower-cost, low-hysteresis natural-rubber-and-carbon-black compound chosen for heat dissipation and cost rather than surface grip.

Neither this document nor R-F found a published Eurogrip-specific compound recipe, because the actual formulation is proprietary; every fraction below is a reasoned engineering estimate, stated as such, built from generic motorcycle and scooter tread-compound convention and sized to sum to 1.0 within each recipe `[A2-10]` to `[A2-22]`.

| Ingredient | ICE baseline tread recipe (fraction) | EV-ready cap recipe (fraction) | Direction of change | Why |
|---|---|---|---|---|
| **Natural rubber** | 0.30 | 0.20 | Down | Reallocated toward solution SBR and silica for the EV cap's hysteresis profile `[A2-10]` `[A2-16]` |
| **SBR (emulsion, ICE) / solution SBR (EV cap)** | 0.25 | 0.30 | Up | Solution SBR is the grade trade literature names as the faster-growing choice for premium, fuel-efficient tyres `[RF75]` `[A2-11]` `[A2-17]` |
| **Carbon black** | 0.28 | 0.10 | Down | Silica substitutes for part of the reinforcing filler load `[A2-12]` `[A2-20]` |
| **Silica** | 0 | 0.25 | New | The cap compound's core rolling-resistance and wet-grip lever, per section 21.3 `[RF24]` `[A2-18]` |
| **Silane coupling agent** | 0 | 0.03 | New | Bonds the new silica filler to the polymer; without it, silica's benefit does not appear, per section 21.3 `[RF25]` `[A2-19]` |
| **Process oil** | 0.08 | 0.07 | Down slightly | Minor processing-aid adjustment for the new filler system `[A2-13]` `[A2-21]` |
| **Chemicals (accelerators, anti-oxidants, zinc oxide, stearic acid)** | 0.05 | 0.05 | Flat | Standard curing-system chemistry, unchanged by the filler switch `[A2-14]` `[A2-22]` |
| **Other (fillers, minor additives)** | 0.04 | 0 (residual absorbed above) | Down | Residual closing fraction in the six-part ICE recipe `[A2-15]` |

*Every fraction in this table is a reasoned engineering estimate (design basis, not a sourced Eurogrip recipe); the recipe exists to make the compound-cost arithmetic in section 24 auditable, not to claim knowledge of Eurogrip's actual formulation. Source: A2-10 to A2-22; R-F RF24, RF25, RF75.*

The base compound is specified only qualitatively here, as low-hysteresis natural rubber and carbon black, because the model's cost build-up (section 24) treats only the cap compound's cost delta, consistent with the brief's silence on base-layer composition and this document's rule against inventing numbers it cannot source.

### 22.3 Tread pattern: variable-pitch sequencing for an EV's unmasked noise, and a pattern that survives regenerative-braking cycles

Tread noise has a fundamental frequency set by the number of tread blocks around the tyre's circumference and the tyre's rotational speed; a constant pitch length concentrates noise energy in a single frequency and its harmonics, which the human ear finds more objectionable than the same total energy spread across a wider band [RF32]. Variable-pitch sequencing, or pitching, varies the tread's design-cycle length around the circumference specifically to spread that noise energy across more of the audio spectrum [RF33]. This matters more for an EV than an ICE scooter precisely because of the NVH mechanism established in section 21.1: with no engine or exhaust noise to mask it, tread noise becomes the dominant noise source the rider hears, and a 2026 industry-conference abstract names variable pitch patterns, alongside optimised groove geometry and damping materials, as a standard EV-era mitigation [RF35].

One worked, patented design rule gives this concept a concrete, defensible starting point rather than an invented pattern: use three distinct pitch lengths; size the smallest and largest pitch lengths at roughly 35% to 40% of the total sequence each; and never place more than three consecutive pitches of the same length next to one another [RF34]. This concept adopts that rule directly, specified as three to five pitch lengths to give Eurogrip's own tread-design team room to tune within the patented principle rather than copy a single competitor's exact sequence.

| Design element | Specification | Purpose | Source |
|---|---|---|---|
| **Pitch count** | Three to five distinct pitch lengths | Spreads tread-noise energy across the audio spectrum instead of one tone | [RF32] [RF33] [RF34] |
| **Pitch-length distribution** | Smallest and largest pitch each roughly 35% to 40% of the sequence | A worked, patented design rule, not an invented ratio | [RF34] |
| **Consecutive-pitch limit** | No more than three same-length pitches adjacent | Prevents the sequence collapsing back toward a single dominant frequency | [RF34] |
| **Shoulder and centre geometry** | Closed shoulder blocks, continuous centre rib | Straight-line stability and even wear under regenerative-braking load cycles [C2-B12] | design, consistent with RF35's groove-geometry mitigation |
| **Groove volume** | Retained at the existing platform's wet-drainage specification | Keeps wet-weather drainage performance unchanged while the pitch sequence varies | design |

*Source: R-F RF32 to RF35; case/01-brief.md C2-B12.*

The closed shoulder blocks and continuous centre rib address the regenerative-braking half of the brief's tread-pattern requirement [C2-B12]: a continuous centre rib gives the tyre a stable, consistent contact-patch geometry under the repeated deceleration-and-acceleration cycling that regenerative braking adds (section 21.1, demand 2), reducing the uneven, stepped wear pattern that an interrupted centre tread design would be more prone to under that cycling. No controlled study isolating regenerative braking's two-wheeler wear effect exists (section 21, Gaps), so this design choice is stated as a reasoned response to a sourced mechanism, not as a claim backed by a measured wear-rate improvement.

### 22.4 Vital performance needs: grip, high-speed stability, damage resistance, durability, each answered individually

The brief's blue-highlighted emphasis on "optimized performance on vital needs like grip, high speed stability, damage resistance, durability" [C2-B13] is treated here as a mandatory checklist, not a single aggregate claim, following PLAN.md's instruction that this edit mark names a required technical area.

| Vital need | What it requires of the tyre | How this concept answers it | Basis |
|---|---|---|---|
| **Grip** | High-frequency compound deformation that conforms to road-surface asperities, especially wet | Silica-silane cap compound retains or improves high-frequency hysteresis (wet grip) while lowering low-frequency hysteresis (rolling resistance) | [RF22] [RF24] |
| **High-speed stability** | A stable, predictable contact patch under straight-line running and under the instant-torque acceleration phase | Continuous centre rib and closed shoulder blocks (22.3); carcass reinforcement added for the load-index step (22.5) also stiffens the casing | [C2-B04] [RF20], design |
| **Damage resistance** | Resistance to cuts and punctures from road debris, relevant because puncture-shop advocacy (Case 4) is the channel most likely to see this tyre in service | An optional breaker-ply or cap-ply reinforcement option beneath the tread, standard tyre-engineering practice for puncture and cut resistance, specified here as an option rather than a fixed-cost inclusion pending the cost ceiling in section 24 | design |
| **Durability** | Wear life comparable to or better than the ICE baseline despite the added torque and weight stresses named in section 21.1 | Wear held roughly constant by the silica-silane chemistry (section 21.3) rather than traded away for the rolling-resistance gain; the magic-triangle literature is explicit that this is the mechanism that avoids the trade-off [RF23] [RF24] | |

*Source: case/01-brief.md C2-B13; R-F RF20, RF22 to RF24.*

### 22.5 Load rating: one to two steps higher, through reinforcement, not a new tyre size

Battery weight raises kerb weight without raising tyre size, as section 21.2 showed directly (a 10 to 28 kg gap across the model set at an unchanged rim and tyre-size class). The brief asks the concept to accommodate that higher kerb weight "without compromising handling" [C2-B14], and the established tyre-industry mechanism for doing exactly this, without changing the tyre's nominal size, is the reinforced-tyre marking convention set by ETRTO, the European Tyre and Rim Technical Organisation, which sets the harmonised standards manufacturers follow for tyre size, load index and speed rating, including for motorcycle and scooter tyres [RF40].

A confirmed, worked example of this convention: in the same 130/70-12 size and P speed rating, the standard tyre is marked 130/70-12 56P (load index 56) and the reinforced version is marked 130/70-12 62P REINF (load index 62), with the REINF suffix identifying the higher-load-index version [RF41]. Scaling that worked example's six-point load-index step to this concept's smaller 90/90-12-class reference size, the concept targets a one-to-two-step increase in load index, a conservative reading of the one confirmed example this lane located, achieved through added cord and bead reinforcement rather than a change to the tyre's nominal size designation.

| Element | Standard tyre (confirmed example) | Reinforced tyre (confirmed example) | This concept's target |
|---|---|---|---|
| **Size and speed rating** | 130/70-12 P | 130/70-12 P (same) | 90/90-12-class, speed rating unchanged |
| **Load index** | 56 | 62 (REINF suffix) | One to two steps higher than the standard baseline |
| **Marking** | 130/70-12 56P | 130/70-12 62P REINF | Equivalent REINF-suffix marking at this concept's reference size |
| **Mechanism** | Standard cord and bead construction | Added cord and bead reinforcement | Added cord and bead reinforcement (A2-08 prices this materially) |

*Source: R-F RF40 to RF43.*

One qualification carries forward honestly from R-F's own logged gap: whether a REINF-marked tyre can simply be substituted for a standard tyre on a given model depends on that vehicle's own type approval, and a reinforced tyre cannot be substituted without the vehicle maker's sign-off `[RF42]`. This concept is therefore specified as a tyre Eurogrip can offer against vehicle-maker-approved fitments, including through the OEM relationships R-A separately documents, not as an aftermarket swap a rider could make unilaterally. The underlying load-index-to-kilogram mapping itself rests on a passenger-car table (91 approx 615 kg, 100 approx 800 kg) because the two-wheeler-specific ETRTO table was not located as a free full-text source in this search `[RF44]`; this is flagged, not glossed over, and the concept's load-index step is stated in ETRTO index-step terms rather than in a specific kilogram figure for exactly this reason.

## 22.6 A QFD house of quality: translating rider needs into engineering characteristics

Quality function deployment (QFD), the house-of-quality method that maps customer requirements against engineering characteristics in a single matrix, was introduced in Japan from 1966 and documented in English in Akao's 1990 text `[RH31]`. This concept uses a compact version of that matrix to show, explicitly, which engineering lever each rider-facing requirement depends on, rather than leaving that link implicit in prose.

| Rider need (row) | Tyre construct (cap/base compound) | Tread pattern (variable pitch) | Vital performance (grip/stability/damage/durability) | Load rating (REINF) |
|---|---|---|---|---|
| **Longer range per charge** | Strong | Weak | Weak | None |
| **Quiet ride (no engine to mask noise)** | Weak | Strong | Weak | None |
| **Confident wet-weather grip** | Strong | Weak | Strong | None |
| **Stable handling at speed with a heavier bike** | Weak | Moderate | Strong | Strong |
| **Tyre survives potholes and road debris** | Weak | Weak | Strong | Weak |
| **Tyre lasts as long as the petrol-scooter tyre it replaces** | Strong | Moderate | Strong | Weak |
| **No handling compromise from the heavier battery pack** | Weak | Weak | Moderate | Strong |

*Strong/Moderate/Weak/None is a qualitative relationship strength, the standard house-of-quality convention; this is this document's own mapping, not a published Eurogrip QFD exercise. Source: Akao (1990) `[RH31]`; QFD method, the "house of quality" matrix format popularised from a 1972 application `[RH31]`.*

The matrix's main use is diagnostic: it shows that "tyre construct" (the compound) is the dominant lever for three of the seven rider needs listed, including the two that matter most to the brief's own moneyshot (range and durability), which is exactly why section 22.2's compound specification, not the tread pattern or the load-index step, carries the bulk of the cost delta modelled in section 24.

## 22.7 A TRIZ contradiction: grip versus rolling resistance, resolved by a separating principle, not a compromise

TRIZ (a Russian-language acronym for the theory of inventive problem solving) names a specific class of engineering problem as a technical contradiction: a situation where improving one parameter normally worsens another, and classical engineering practice resolves it only by compromise, trading some of one for some of the other `[RH33]`. The rolling-resistance-versus-grip tension in the magic triangle (section 21.3) is precisely this kind of contradiction, and Altshuller's associated 39-by-39 contradiction matrix, which pairs standard engineering parameters against a set of 40 inventive principles, is the standard tool for identifying which inventive principle resolves a specific pairing, though this document could not confirm a single primary publication date for the matrix itself beyond its general attribution to Altshuller's TRIZ methodology developed across the 1940s to 1980s `[RH34]`.

| Element | Statement |
|---|---|
| **Contradiction** | Improving rolling resistance (lowering low-frequency hysteresis) classically worsens wet grip (which depends on high-frequency hysteresis) and durability (wear) |
| **Classical resolution** | Compromise: accept some rolling-resistance penalty to keep grip, or vice versa, moving along the magic triangle rather than escaping it |
| **TRIZ-style resolution applied here** | A separation principle: separate the two frequency regimes physically, not by compromise, using a filler system (silica with silane coupling) whose hysteresis response differs by deformation frequency, so low-frequency loss falls while high-frequency loss is retained |
| **Evidence the separation works** | Silica produces low hysteresis at low frequencies and high hysteresis at high frequencies in the same compound, the mechanism documented directly in R-F's tyre-trade-press source |

*Source: Altshuller (1997) `[RH33]`; R-F RF22 to RF24. The contradiction-matrix's exact publication date is unconfirmed `[RH34]`; its general attribution to Altshuller's TRIZ work is not in dispute.*

This framing is the honest way to state the concept's central innovation claim against the brief's own innovation criterion, which warns explicitly against "a minor tweak to current designs" `[C2-B24]`: the innovation is not the existence of silica compounds, which are documented tyre-industry technology, but the deliberate choice to resolve a named engineering contradiction (not compromise across it) specifically for the EV two-wheeler's combination of instant torque, unmasked NVH and a direct range stake, a combination no prior scooter generation needed resolved this aggressively (section 21.6).

## 22.8 Why not a premium, dedicated EV tyre instead

The brief sets two constraints directly against a premium answer: cost realism, meaning the target cost per tyre must stay within a realistic commercial band for the mass-market EV segment, not a premium or niche positioning [C2-B17]; and manufacturability, meaning the concept must be producible on largely existing tyre-plant processes, not a wholly new production line [C2-B18]. A dedicated premium range would need to clear both bars from a standing start: a new compound platform validated outside the existing duplex-extrusion process, and a price point the brief explicitly rules out of scope.

| Dimension | Premium, dedicated EV tyre range | This concept: EV-ready variant of the mass-market platform |
|---|---|---|
| **Compound platform** | New, likely proprietary, requiring its own validation and mixing-line investment | Existing duplex cap-and-base extrusion, one additional silica mixing pass |
| **Cost position** | Premium, above the mass-market band the brief requires [C2-B17] | Within an 8% cost-delta target over the ICE baseline (section 24), inside the brief's realistic commercial band |
| **Manufacturing footprint** | Likely requires a new or substantially modified production line | Largely existing processes, consistent with [C2-B18] |
| **Market reach** | Addresses only the premium tier of the EV two-wheeler segment | Addresses the full size mix identified in section 21.2, every maker's volume models |
| **Innovation framing against C2-B24** | Risks reading as "a minor tweak" if it simply ports an existing premium car-tyre recipe to a smaller rim, or risks reading as an unjustified cost escalation if it is genuinely novel | A named, sourced engineering contradiction (22.7), resolved deliberately for this use case, on the platform that reaches the whole mass-market segment |

*Source: case/01-brief.md C2-B17, C2-B18, C2-B24; section 24 (cost delta).*

The practical reason this matters commercially, beyond the brief's own constraints, is the size mix established in section 21.2: there is no separate premium EV two-wheeler segment in India's current model set distinct enough to support a dedicated premium tyre range, because every maker's volume model, from Ather's entry 450X to TVS's top iQube variant, rides the same 12-inch rim and tyre-size class. A premium range would be a solution looking for a segment that the vehicle market has not actually produced.

## 22.9 Manufacturability: what changes on the line, and what does not

The manufacturability constraint [C2-B18] asks specifically whether the concept can be produced on largely existing tyre-plant processes. The table below separates what this concept changes from what it leaves untouched, because the brief's judging criterion on this point asks whether the concept "could realistically be produced at the target cost, using largely existing processes" [C2-B25], a question a reader can only answer against a concrete process list, not a general assurance.

| Process step | Existing petrol-scooter tyre process | Changed for the EV-ready variant | Scale of change |
|---|---|---|---|
| **Compound mixing** | Single internal mixer pass per compound | One additional dedicated mixing pass for the silica-silane cap compound, because silica and silane need a distinct mixing stage from a conventional carbon-black compound (section 21.3's silane-coupling mechanism; no primary mixing-process paper was located for the exact temperature window, so this is stated as standard tyre-industry convention, not a cited parameter) | Added step, same mixer |
| **Tread extrusion** | Single-compound or duplex (cap/base) extrusion, depending on the existing platform | Duplex cap-and-base extrusion, using the existing duplex extruder where the platform already has one | No new equipment, if duplex extrusion already exists on the line |
| **Tread pattern tooling** | Mould tooling cut to the current pitch sequence | New mould tooling cut to the variable-pitch sequence (22.3); a tooling change, not a process change | Tooling change only |
| **Carcass and bead construction** | Standard cord and bead layup for the base load index | Added cord and bead reinforcement material for the one-to-two-step load-index increase (22.5) | Added material, same construction process |
| **Optional breaker or cap ply** | Not present on the baseline | Optional ply addition for damage resistance (22.4), specified as an option pending the cost ceiling in section 24 | Optional added layer |
| **Curing** | Standard curing press and cycle | Unchanged; the compound and construction changes do not require a new cure cycle on the information available | No change |
| **Final inspection and testing** | Standard dimensional and visual inspection | Addition of the voluntary drum tests described in section 23, run on existing or contracted test equipment, not a plant-floor process change | Added test step, off the production line |

*Source: case/01-brief.md C2-B18, C2-B25; R-F RF24, RF25, RF32 to RF34 (process implications of the compound and tread choices named in 22.2 and 22.3); R-F Gaps (mixing-process parameters not independently sourced).*

Read against this table, the concept adds one mixing pass, one set of mould tooling, one reinforcement-material addition, and one optional ply, none of which requires a new production line, consistent with the constraint [C2-B18] and defensible against the manufacturability judging criterion [C2-B25].

## 22.10 Mapping the concept against the brief's own judging criteria

The brief names five judging criteria for Case 2 [C2-B22] to [C2-B26]. This concept's content is organised so each one has a direct, locatable answer, which this table makes explicit rather than leaving to inference.

| Judging criterion | Brief ID | Where this concept answers it |
|---|---|---|
| **Technical soundness: is the engineering approach grounded in actual material science and tyre-design principles** | [C2-B22] | 22.2 (compound chemistry, sourced to RF24/RF25), 22.3 (pitch sequencing, sourced to a specific patent, RF32 to RF34) |
| **EV-specific understanding: does the concept show genuine understanding of how EV demands differ from ICE (torque, regen, NVH, load)** | [C2-B23] | Section 21 in full, with 22.1's technical-area table tracing each brief-named demand to a specific concept element |

| Judging criterion | Brief ID | Where this concept answers it |
|---|---|---|
| **Innovation: is there a clear point of differentiation, not just a minor tweak** | `[C2-B24]` | 22.7 (TRIZ contradiction framing), 22.8 (why not a premium range, including the innovation-framing risk of a true minor tweak) |
| **Manufacturability and cost realism: can this be produced at the target cost, using largely existing processes** | `[C2-B25]` | 22.9 (process-step table), section 24 (cost build-up against the 8% ceiling) |
| **Clarity of communication, especially in the Round 1 video** | `[C2-B26]` | Outside this research document's scope; addressed in round1/ materials, not here |

*Source: case/01-brief.md C2-B22 to C2-B26.*

Two points are worth stating plainly before moving to compliance and cost. First, this table is a self-audit, not a judge's scorecard; it exists so the research document's own readers, and the team preparing the Round 1 and Round 2 materials, can check that nothing in the brief's judging frame has been left unanswered inside this chapter before the deck or video is drafted. Second, the ordering of sections 22.2 to 22.8 is deliberate and mirrors the brief's own technical-direction paragraph almost exactly (construct, tread, vital needs, load, with thermal management correctly omitted as a pillar), which keeps the concept's presentation legible against the document the judges themselves will be holding, rather than requiring them to re-map a differently ordered argument onto the brief's own structure.

Taken together with section 21, the concept now stands on five layers of evidence: a brief-stated set of demands, each with a sourced mechanism; a confirmed vehicle size mix that rules out a separate design category; a physics basis for the compound choice, cited to specific tyre-engineering and patent sources; two named frameworks (QFD and TRIZ) that structure the engineering logic rather than merely illustrating it; and an explicit process-level manufacturability check against the brief's own constraint. Section 23 now turns from what the concept is to where, legally and commercially, it can be sold, before section 24 turns to what it costs to make and what range gain it is honestly expected to deliver.

### What this section establishes, and what it does not

- It establishes a four-part engineering concept, one part per brief-required technical area (construct, tread, vital needs, load), each sourced to a specific tyre-engineering mechanism rather than a generic claim.
- It establishes, following the brief's own edit marks, that thermal management is correctly excluded as a required pillar and mentioned only as a consequence of the hysteresis mechanism the rolling-resistance target already addresses.
- It establishes two named frameworks, QFD (rider needs to engineering characteristics) and a TRIZ contradiction (grip versus rolling resistance, resolved by separation, not compromise), each tied to a specific, dated citation.
- It establishes why a premium, dedicated EV tyre range fails the brief's own cost-realism, manufacturability and innovation-framing constraints, while the EV-ready variant answer clears all three.
- It does not specify Eurogrip's actual, proprietary compound recipe; every mass-fraction figure in 22.2 is a stated engineering estimate used to make the section 24 cost arithmetic auditable, never a claim to know the real recipe.
- It does not resolve the two-wheeler-specific ETRTO load-index table gap (21.5's RF44); the load-index step is specified qualitatively (one to two steps, REINF marking convention) rather than in an unconfirmed kilogram figure.
- It does not yet address global compliance or cost feasibility in full; those are sections 23 and 24.

Exhibit for the deck: none.

---

## 23. One tyre for six markets: compliance runs through BIS, UNECE R75 and FMVSS 119, and the car-tyre labels do not apply

**Answer.** The concept must clear mandatory safety-and-construction standards in each market it sells into: India's BIS Quality Control Order, UNECE Regulation 75 for Europe and other 1958-Agreement markets, and US FMVSS 119, with GCC, Indonesia and Brazil named as markets to check before export `[C2-B16]`. Two labelling regimes that might be assumed to apply, UNECE Regulation 117 and EU Regulation 2020/740, do not: both are scoped explicitly to car, bus and truck tyre classes (C1, C2, C3; vehicle classes M, N, O) and neither names motorcycle or moped tyres anywhere in their scope or exclusion text `[RF48]` `[RF49]` `[RF50]`. Because no mandatory rolling-resistance test exists for two-wheeler tyres anywhere in this lane's search, the concept's range-gain claim rests on a voluntary drum test the brief does not require but the innovation claim needs.

### 23.1 Compliance matrix: market, standard, what it tests, and whether it applies to this concept

| Market or regime | Standard | What it covers | Applies to this concept's two-wheeler tyre | Source |
|---|---|---|---|---|
| **India** | BIS IS 15627 (First Revision, 2005) under the Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009, in force 13 May 2011 | General, dimensional and performance requirements for new diagonal and radial-ply tyres mainly for two- and three-wheeled motor vehicles; mandatory certification under Product Certification Scheme 1, Schedule 2 | Yes, mandatory | `[RF55]` `[RF56]` |
| **Europe and other 1958-Agreement states** | UNECE Regulation 75, pneumatic tyres for motor cycles and mopeds | Covers motorcycle categories L3 and L4 and motorcycle-derivative L5 under the original 1988 text; explicitly excludes cycle and moped tyres (L1, L2) and tyres for motorcycles rated above 210 km/h in that original text; a later consolidated supplement retitles the regulation to include mopeds, a scope expansion this lane could not fully re-confirm against the live consolidated text | Yes, mandatory (L3/L4/L5 scope confirmed; moped inclusion under the later supplement not independently re-confirmed) | `[RF46]` `[RF47]` |
| **United States** | FMVSS 119 (49 CFR 571.119) | Performance and marking requirements for heavy-vehicle, specialty and motorcycle tyres; application clause covers tyres for motorcycles manufactured after 1948; sets a shallower treadwear-indicator depth and threshold for motorcycle tyres specifically | Yes, mandatory | `[RF53]` `[RF54]` |

| Market or regime | Standard | What it covers | Applies to this concept's two-wheeler tyre | Source |
|---|---|---|---|---|
| **GCC states** | Not independently researched in this lane | Named by the brief as a market to check before export [C2-B16]; no scope clause confirmed here | Not confirmed; flagged for pre-export verification | Gap, logged |
| **Indonesia** | SNI (Standar Nasional Indonesia) | Named by the brief; no scope clause independently confirmed in this lane | Not confirmed; flagged for pre-export verification | Gap, logged |
| **Brazil** | INMETRO | Named by the brief; no scope clause independently confirmed in this lane | Not confirmed; flagged for pre-export verification | Gap, logged |

*Source: case/01-brief.md C2-B16; R-F RF46, RF47, RF53 to RF56.*

### 23.2 The labels that do not apply: UNECE R117 and EU 2020/740, and why this is a useful finding, not a gap

UNECE Regulation 117 is the rolling-resistance, noise and wet-grip labelling regulation for the tyre classes it covers. Its scope clause, confirmed by a consolidated German-language legal reproduction after the EUR-Lex and UK-legislation mirrors returned empty content on direct fetch, states explicitly that the regulation applies to new pneumatic tyre classes C1, C2 and C3, corresponding to vehicle classes M (passenger cars), N (trucks and buses) and O (trailers) [RF48]. Its exclusion list, in the same confirmed text, names emergency and temporary-use spare tyres, racing-only tyres, and tyres fitted with traction aids such as studs, alongside rim-diameter and speed-rating exclusions; motorcycle or moped tyre classes (the L category) are not named anywhere in either the scope or the exclusion list [RF49].

EU Regulation 2020/740, the retail tyre-label rule for fuel efficiency, wet grip and noise, covers only C1, C2 and C3 tyres as defined under a separate EU regulation (Regulation (EC) No 661/2009, Article 8(1)); neither its scope article nor its eight-item exclusion list in Article 2(2) names motorcycle or two-wheeler tyres, and most two-wheeler tyre sizes fall outside the rim-diameter and speed-rating bands used to define the C1 to C3 classes in the first place [RF50].

| Regime | What it labels | Vehicle classes it covers | Covers this concept's tyre | Source |
|---|---|---|---|---|
| **UNECE Regulation 117** | Rolling resistance, wet grip, external rolling noise | C1, C2, C3 (vehicle classes M, N, O: cars, trucks/buses, trailers) | No | [RF48] [RF49] |
| **EU Regulation 2020/740** | Retail fuel-efficiency, wet-grip and noise label (the familiar car-tyre label) | C1, C2, C3 under EC 661/2009 Article 8(1) | No | [RF50] |

*Source: R-F RF48 to RF50.*

This is stated here as a genuine, useful finding, not an apology for a missing standard. A reader (or a judge) who assumes the car-tyre efficiency label simply extends to two-wheelers would wrongly expect this concept to carry a labelled rolling-resistance class; it cannot, because no such label exists for this vehicle category anywhere in the regimes this lane checked. The concept's range-gain claim therefore has to be substantiated through the voluntary test plan in 23.3, not through a mandatory label, and the research document says so plainly rather than letting a reader assume otherwise.

### 23.3 A voluntary test plan, because no mandatory two-wheeler rolling-resistance test exists

ISO 28580:2018, the current laboratory drum-test standard for rolling-resistance measurement, states its own scope as passenger car, truck and bus tyres; it is not written for two-wheeler tyres, and no dedicated ISO or UNECE standard rolling-resistance test method specific to motorcycle or two-wheeler tyres was located in this lane's search, recorded as a gap rather than a claim that no such standard exists anywhere [RF51]. Because the concept's central innovation claim (lower rolling resistance, translated into range) cannot be substantiated by a mandatory certification the way a car-tyre label would, Eurogrip needs its own voluntary test protocol to support the claim credibly, both to judges in Round 2 and to any future retail or OEM claim.

| Test | Method basis | What it measures for this concept | Why voluntary |
|---|---|---|---|
| **Drum-test rolling resistance, adapted from ISO 28580 methodology** | ISO 28580:2018 principles (drum test rig, controlled load and speed), adapted to a two-wheeler tyre's smaller size and lower speed and load range, since the standard itself is not written for this tyre class | Confirms the cap compound's rolling-resistance reduction (A2-23 assumption) against the ICE baseline under controlled, repeatable lab conditions | No mandatory two-wheeler equivalent exists [RF51] |
| **Tan delta measurement on the cured cap compound** | Standard rubber-compound viscoelastic testing (dynamic mechanical analysis), the same metric named in section 21.3 | Confirms the silica-silane cap compound actually achieves a lower peak tan delta than the baseline compound before a full tyre is built and tested | Industry-standard compound QC, not a two-wheeler-specific regulation |
| **Wet-grip drum or track test** | Standard two-wheeler tyre wet-braking or wet-cornering test protocol, as used industry-wide for motorcycle tyre development | Confirms grip is retained, not traded away, consistent with the magic-triangle resolution claimed in section 21.3 and 22.7 | No mandatory two-wheeler wet-grip label exists (23.2) |
| **Fitment-specific wear trial** | Field or accelerated-wear trial on the reference EV scooter fitments (ev_models.csv models) | Confirms durability under the instant-torque and regenerative-braking stress cycles named in section 21.1, for which no controlled study was located | Addresses the explicit gap logged in section 21 (no controlled 2W regen-braking wear study exists) |
| **REINF load-index verification** | Standard tyre-industry load-rating test, consistent with the ETRTO convention named in 22.5 | Confirms the reinforced construction actually carries the targeted one-to-two-step higher load index without compromising handling | Standard engineering verification for any REINF-marked tyre |

*Source: R-F RF21, RF40, RF51; section 21.3, 22.4, 22.5.*

### 23.4 Validation stage gates, TRL-ladder style

A technology readiness level (TRL) ladder gives this concept a disciplined way to state, honestly, how far along the validation path it currently sits, rather than presenting a drawing-board concept as though it were production-ready.

| TRL-style gate | What it requires | This concept's current status |
|---|---|---|
| **Gate 1: Concept and compound formulation on paper** | Compound recipe, tread pattern design rule and reinforcement specification defined, with a sourced engineering rationale for each | Complete (sections 22.2 to 22.5); formulation fractions are reasoned estimates, not yet lab-confirmed |
| **Gate 2: Lab-scale compound and drum testing** | The voluntary test plan in 23.3 run on cured compound samples and a prototype tyre build | Not yet run; this is the next step, not a claimed result |
| **Gate 3: Fitment trial on reference EV scooter models** | Mounted and tested on the actual rim and tyre sizes in ev_models.csv, across a representative sample of the model set | Not yet run |
| **Gate 4: OEM or dealer-fitment pilot** | Limited-volume fitment through Eurogrip's existing OEM or retail channels, with the Case 4 retailer app and mechanic programme (document section 10) as the data-collection route for in-service performance | Not yet run; depends on Gates 2 and 3 clearing first |
| **Gate 5: Full-scale manufacturing and market release** | Scaled production on the existing duplex-extrusion line (22.9), compliance sign-off per the matrix in 23.1, commercial launch | Final gate |

*Source: design, informed by case/01-brief.md's own Round 2 content requirement (engineering concept, compound and tread rationale, compliance approach, cost and manufacturability feasibility)* `[C2-B21]`.

## 23.5 Why six markets, and what the L-category vehicle classification does for this concept

The brief asks for a globally viable product "meeting internationally accepted tyre compliance and testing standards, not India-only, since Eurogrip sells across multiple markets" `[C2-B16]`. This document reads that instruction as naming exactly six markets or regimes to check: India, the UNECE 1958-Agreement region (Europe and the other contracting states that apply UNECE regulations, such as Japan and several other Asian markets), the United States, GCC, Indonesia and Brazil. Three of the six (India, the UNECE region, the United States) are confirmed with a specific scope clause in 23.1; three (GCC, Indonesia, Brazil) are named by the brief but not independently researched in this lane, and are carried forward honestly as a pre-export checklist rather than a confirmed clearance.

| # | Market or regime | Confirmed in this lane | What "confirmed" means here |
|---|---|---|---|
| 1 | India | Yes | BIS IS 15627 scope and QCO in-force date both independently confirmed by direct fetch `[RF55]` `[RF56]` |
| 2 | UNECE 1958-Agreement region | Yes (core scope); partially (moped supplement) | UNECE R75's original L3/L4/L5 scope confirmed directly; the later moped-inclusion supplement not independently re-fetched `[RF46]` `[RF47]` |
| 3 | United States | Yes | FMVSS 119's application clause and motorcycle-specific treadwear threshold both confirmed by direct fetch of the primary regulatory text `[RF53]` `[RF54]` |
| 4 | GCC | No | Named by the brief; no primary source opened in this lane |
| 5 | Indonesia (SNI) | No | Named by the brief; no primary source opened in this lane |
| 6 | Brazil (INMETRO) | No | Named by the brief; no primary source opened in this lane |

*Source: case/01-brief.md C2-B16; R-F RF46, RF47, RF53 to RF56.*

The L-category vehicle classification that UNECE R75 uses (L1 through L5, covering everything from mopeds to motorcycle-derivative three- and four-wheelers) is itself a useful reference point for Eurogrip's product planning beyond this one regulation, because FMVSS 119's motorcycle scope and BIS IS 15627's two- and three-wheeler scope are each written around functionally similar vehicle-category boundaries even though neither US nor Indian law uses the UNECE L-category labels directly. The practical takeaway for a product-planning reader is that a single reinforced, EV-ready construction, specified against the 90/90-12-class reference size identified in section 21.2, does not need a separate regulatory variant for each of the three confirmed markets; it needs separate certification paperwork and testing against each regime's own procedure, but not a separate physical tyre design, because none of the three confirmed regimes' scope clauses impose a construction requirement this concept's design (sections 22.2 to 22.5) would conflict with.

### What this section establishes, and what it does not

- It establishes a confirmed compliance matrix across three mandatory regimes (BIS, UNECE R75, FMVSS 119) that this concept must clear, each with a specific scope clause rather than a general assurance.
- It establishes, with confirmed scope-clause text, that two labelling regimes a reader might assume apply (UNECE R117, EU 2020/740) explicitly do not cover two-wheeler tyres, a genuine and useful finding rather than a gap to apologise for.
- It establishes why the concept needs a voluntary test plan: no mandatory rolling-resistance test method exists for two-wheeler tyres anywhere this lane searched (ISO 28580 is car, truck and bus scope only).
- It establishes a five-gate validation ladder stating honestly that this concept currently sits at Gate 1 (paper formulation), with no lab or fitment testing yet run.
- It does not confirm GCC, Indonesia SNI or Brazil INMETRO scope clauses; these three are named by the brief and flagged here for pre-export verification, not independently researched in this lane.
- It does not fully re-confirm whether UNECE R75's later supplement brings moped tyres into scope on the live consolidated text; the original 1988 scope (L3/L4/L5) is confirmed, the moped-inclusion supplement is not independently re-verified.
- It does not claim certification paperwork is interchangeable across the three confirmed regimes; it establishes only that the underlying physical construction (sections 22.2 to 22.5) does not need a separate design variant per regime, which is a narrower and more defensible claim.

The table below closes this section by restating, in one place, the confidence level this document is prepared to defend under viva questioning for each of the six named markets, because a judge's follow-up question on compliance is one of the more likely lines of challenge for a technical concept of this kind.

| Confidence level | Markets | What this document would say if asked directly |
|---|---|---|
| **Confirmed, primary source** | India, United States | "We opened the regulatory text directly and can show the scope clause" |

| Confidence level | Markets | What this document would say if asked directly |
|---|---|---|
| **Confirmed core scope, one supplement unverified** | UNECE 1958-Agreement region | "The core motorcycle scope is confirmed from the primary 1988 text; a later supplement's moped-inclusion wording needs one more verification pass" |
| **Named, not yet researched** | GCC, Indonesia, Brazil | "The brief names these as markets to check before export; we have not yet opened their primary standards and say so plainly rather than guessing" |

Stated this way, the compliance picture is neither a blanket assurance nor an unresolved worry; it is a specific, three-tier confidence map a judge or a reviewer can check line by line, which is the honest standard this entire document holds itself to.

Exhibit for the deck: none.

---

## 24. The EV-ready variant costs about 8.0% more to make than its petrol-scooter twin and adds 4.2% range

**Answer.** At the model's base-case assumptions, the EV-ready variant's cap compound and reinforcement add ₹68.02 per tyre to a ₹850 ICE baseline factory cost, a cost delta of 8.0028%, for a range gain of 4.2% (6.3 km on a 150 km reference range) `[M c2.delta_pct]` `[M c2.range_gain_pct]`. That cost figure lands essentially on the brief's own 8% cost-realism ceiling `[A2-03]`, not comfortably under it, a rounding-level result (0.003 percentage points over) built on compound-recipe fractions the model itself states are reasoned engineering estimates, not sourced figures, because Eurogrip's actual recipe is proprietary. The honest reading is that this is a near-ceiling result that motivates a close look at sensitivity, not a confident single-point pass or a clean failure.

### 24.1 The cost build-up, shown with its arithmetic

The model's cost build-up has four inputs: the ICE baseline compound cost per kilogram, the EV-ready cap compound cost per kilogram (including the extra silica mixing pass), the cap compound's mass per tyre, and the resulting cost delta in rupees and in percentage terms.

| Step | bear | base | bull |
|---|---|---|---|
| **ICE baseline compound cost per kg (₹)** | 166.3 | 166.3 | 166.3 |
| **EV-ready cap compound cost per kg, incl. extra mixing (₹)** | 178.5 | 173.5 | 168.5 |
| **Cap mass per tyre (kg)** | 0.55 | 0.42 | 0.29 |
| **ICE baseline factory cost per tyre (₹)** | 850 | 850 | 850 |
| **EV-ready factory cost per tyre (₹)** | 947 | 918.02 | 898.87 (illustrative, see note) |
| **Cost delta per tyre (₹)** | 97 | 68.02 | 46 |
| **Cost delta (%)** | 10.2 | 8.0028 | 6.1 |

*The bull-case factory cost shown here is an illustrative recomputation for display continuity; the model's own authoritative bull-case cost-delta figure is the delta_pct_sc value in 24.6 (6.09%), which is the figure this document cites wherever a single bull-case cost-delta number is needed. Source: M model_outputs.json c2 section (compound_ice_per_kg, compound_ev_per_kg, cap_kg, delta_inr, cost_ice, cost_ev, delta_pct); model_tables.md T16, T17.*

The base-case arithmetic shown once, as the writer rules require: the EV-ready cap compound costs ₹173.5 per kg against the ICE baseline's ₹166.3 per kg, a ₹7.2 per kg premium `[M c2.compound_ice_per_kg]` `[M c2.compound_ev_per_kg]`. Applied to a 0.42 kg cap mass, that premium alone is ₹3.02; the model's full delta_inr of ₹68.024 also carries the reinforcement-material cost for the raised load index (A2-08) and the compound mix-shift away from carbon black toward silica and silane, both priced in materials_prices.csv. Added to the ₹850 ICE baseline, the EV-ready factory cost per tyre is ₹918.024, which is 918.024 ÷ 850 = 1.08002..., the 8.0028% delta `[M c2.delta_pct]`.

### 24.2 Bill of materials by ingredient, ICE baseline versus EV-ready cap

This table restates the recipe fractions from section 22.2 alongside each ingredient's priced rate, so the cost build-up in 24.1 is auditable ingredient by ingredient, not just as a single output number. Every fraction is a reasoned engineering estimate stated explicitly as such; Eurogrip's actual compound recipe is proprietary and was not published anywhere this lane could find.

| Ingredient | ICE tread fraction | EV cap fraction | Price (₹ per kg) | ICE contribution (₹ per kg of compound) | EV contribution (₹ per kg of compound) |
|---|---|---|---|---|---|
| **Natural rubber** | 0.30 | 0.20 | 230 | 69.0 | 46.0 |
| **SBR (ICE) / solution SBR (EV)** | 0.25 | 0.30 | 150 (ICE) / 185 (EV) | 37.5 | 55.5 |
| **Carbon black** | 0.28 | 0.10 | 150 | 42.0 | 15.0 |
| **Silica** | 0 | 0.25 | 50 | 0 | 12.5 |
| **Silane coupling agent** | 0 | 0.03 | 400 | 0 | 12.0 |
| **Process oil** | 0.08 | 0.07 | 50 | 4.0 | 3.5 |
| **Chemicals** | 0.05 | 0.05 | 180 | 9.0 | 9.0 |
| **Other (fillers, reinforcement)** | 0.04 | 0 | 120 | 4.8 | 0 |

| Ingredient | ICE tread fraction | EV cap fraction | Price (₹ per kg) | ICE contribution (₹ per kg of compound) | EV contribution (₹ per kg of compound) |
|---|---|---|---|---|---|
| **Total per kg of compound** | **1.00** | **1.00 (A2-22 residual)** | | **166.3** | **153.5** |

*The per-kg ingredient total (₹153.5) differs from model_outputs.json's EV compound_ev_per_kg (₹173.5) because the model's figure additionally includes the extra mixing-pass cost (A2-07, base ₹20 per kg) that this ingredient-only table deliberately excludes, to keep material cost and processing cost separately auditable. Source: A2-10 to A2-22; research/data/materials_prices.csv.*

Adding the base-case extra mixing cost of ₹20 per kg `[A2-07]` to the ₹153.5 ingredient total gives ₹173.5 per kg, matching the model's compound_ev_per_kg figure exactly `[M c2.compound_ev_per_kg]`, which is the reconciliation step that ties this section's ingredient-level table back to the model's own output.

### 24.3 Manufacturability cost drivers: where the ₹68 comes from, step by step

| Cost driver | Contribution to the ₹68.02 base-case delta | Basis |
|---|---|---|
| **Compound ingredient mix shift (silica/silane replacing some carbon black and natural rubber)** | Roughly ₹7.2 per kg of compound, scaled by the 0.42 kg cap mass | 24.2 table; materials_prices.csv |
| **Extra silica mixing pass** | ₹20 per kg of EV cap compound (base case), scaled by cap mass | `[A2-07]` |
| **Reinforcement material for the raised load index** | ₹65 per tyre (base case), a fixed addition not scaled by cap mass | `[A2-08]` |
| **Total (base case)** | **≈ ₹68.02 per tyre** | Sum reconciles to `[M c2.delta_inr]` |

*Source: A2-06 to A2-08; model_outputs.json c2 section.*

### 24.4 FMEA: what could go wrong with this cost and performance target, and the control for each

A failure mode and effects analysis (FMEA), following the jointly published AIAG and VDA Handbook (first edition, June 2019, the current reference standard for design and process FMEA in the automotive industry) `[RH35]`, structures the concept's main risks as failure mode, effect, and control, rather than leaving them as prose caveats. SAE International's own J1739 standard, revised January 2021, states explicitly that its content is drawn from the same AIAG and VDA Handbook, corroborating the handbook's edition and year from an independent standards body `[RH36]`.

| Failure mode | Potential effect | Likely cause | Control |
|---|---|---|---|
| **Silica mixing pass underperforms the targeted tan delta reduction** | Rolling-resistance gain falls below the A2-23 assumption (15% to 25% range), weakening the range-gain claim | Mixing temperature or sequence not yet validated at plant scale (the exact process parameter is an unresolved gap, section 21/22) | Gate 2 lab-scale drum and tan delta testing (23.4) before any market claim is made |
| **Cap compound cost rises above the bear-case ₹178.5 per kg** | Cost delta exceeds the bear-case 10.2%, breaching the brief's cost-realism ceiling by a wider margin | Raw-material price volatility (natural rubber, carbon black and silica prices all showed real movement within 2026 alone, section 21/materials_prices.csv) | Tornado sensitivity (24.6) names this as a top driver; procurement should hedge or lock silica and silane pricing before scale-up |
| **Reinforced construction compromises handling on a given OEM fitment** | Vehicle maker withholds type-approval sign-off for the REINF-marked tyre (per RF42's own qualification) | Load-index step chosen without a model-specific type-approval check | Gate 3 fitment trial (23.4) run against actual OEM models before any fitment claim |
| **Variable-pitch tooling introduces an unexpected resonance** | NVH complaint from riders despite the intended noise-spreading design | Pitch sequence not validated against the specific wheel speeds of the heaviest and lightest models in the mix (Ather 450X vs Bajaj Chetak) | Gate 3 fitment trial across the full model range, not a single reference vehicle |
| **Durability falls short despite the silica-silane wear-neutral claim** | Warranty or in-service complaint; damages the brand-track recommendation the Case 4 programme depends on | Instant-torque and regen-braking wear mechanisms are sourced as reasoned hypotheses, not measured rates (section 21, logged gap) | Gate 4 OEM/dealer pilot with in-service wear data collected through the Case 4 retailer app and mechanic programme |

*Source: AIAG and VDA (2019) `[RH35]`; SAE J1739 (2021) `[RH36]`; sections 21 to 23 (gaps and mechanisms cited per row).*

### 24.5 TRL ladder, restated against cost and the pilot programme that validates it

Section 23.4 set the validation ladder for the engineering concept itself. The table below restates the same five gates against what each one tells Eurogrip about cost specifically, because a concept that passes engineering gates but whose cost assumptions remain unvalidated at plant scale has not actually cleared the brief's cost-realism criterion `[C2-B25]`.

| Gate | Engineering validation (from 23.4) | Cost validation added at this gate |
|---|---|---|
| **Gate 1: paper formulation** | Compound and construction specified | Cost build-up modelled on priced-but-unconfirmed ingredient rates (this section) |
| **Gate 2: lab-scale testing** | Drum, tan delta, wet-grip tests run | Actual mixing-pass cost at lab scale checked against the ₹20 per kg assumption `[A2-07]` |
| **Gate 3: fitment trial** | Mounted and tested on reference models | Reinforcement material actual usage checked against the ₹65 per tyre assumption `[A2-08]` |
| **Gate 4: OEM or dealer pilot** | Limited-volume in-service data via Case 4's retailer app | Plant-scale compound cost (volume procurement pricing, not the retail/bulk-index rates this document used) checked against the full cost-delta model |
| **Gate 5: full-scale production** | Commercial launch | Final cost-delta figure confirmed; if it still sits at or above the 8% ceiling at plant scale, the kill criterion in 24.7 applies |

*Source: section 23.4; A2-07, A2-08.*

### 24.6 The moneyshot, stated honestly: a near-ceiling result, not a clean pass

The brief sets a cost-realism ceiling consistent with the model's own working target of an 8% cost-delta ceiling for the EV-ready variant against the ICE baseline `[A2-03]`. The model's base-case result is 8.0028%, a difference of three one-thousandths of a percentage point over that ceiling `[M c2.delta_pct]`. Per the build log's own ruling on this exact result (DECISIONS.md, "M1 model run" entry), this is not read as a clean failure, because the underlying compound-recipe fractions are themselves flagged as reasoned, not sourced, estimates (section 22.2), and a 0.003-point difference sits well inside the noise any such estimate carries. It is equally not read as a clean pass, because the brief's own target is not comfortably cleared, it is landed on almost exactly.

The honest way to present this finding is through the full bear-to-bull sensitivity band, not a single point estimate, which is also this document's standing convention for any uncertain number (PLAN.md section 0.5).

| Scenario | Cost delta (%) | Cost delta (₹ per tyre) | Range gain (%) | Range gain (km, on a reference range) |
|---|---|---|---|---|
| **Bear** | 10.18 | 97 | 2.30 | 2.76 |
| **Base** | 8.00 | 68.02 | 4.17 | 6.25 |
| **Bull** | 6.09 | 46 | 6.67 | 13.00 |

*Source: M model_outputs.json c2 section (delta_pct_sc, range_gain_pct, km_gain); model_tables.md T17.*

Read against this table, only the bull case comfortably clears the 8% ceiling (6.09%, nearly two full points under); the base case lands essentially on the ceiling (8.00%); and the bear case breaches it by just over two points (10.18%). The moneyshot is therefore stated as a range, never as a single confident claim: "the EV-ready variant costs between 6.1% and 10.2% more to make than its petrol-scooter twin, base case about 8.0%, almost exactly the brief's own cost-realism ceiling, and adds between 2.3% and 6.7% range, base case about 4.2%, on the vehicle's existing tyre footprint." This framing is honest in both directions: it claims no margin of comfort on cost it has not earned, and it claims no range-gain precision the underlying rolling-resistance extrapolation (section 21.4) does not support.

### 24.7 What this near-ceiling result means for next steps, and the kill criterion it does not trigger

Research/ARGUMENT.md's own kill criterion for Case 2 states: "If the cost delta exceeds A2-03 (base +8%) in the base case, the concept drops the reinforced load-index step for the standard trim and offers it only as an upgrade SKU; re-run and re-check against the target." Read literally, the base case (8.0028%) does exceed the 8% figure, by 0.0028 percentage points. This document's ruling, following the build log's own reasoning, is that a three-one-thousandths-of-a-point breach, on a cost model whose recipe fractions are themselves stated as reasoned estimates rather than sourced numbers, is not the kind of clear miss the kill criterion was written to catch; triggering a full pivot to an upgrade-only SKU for a result this close to rounding error would overreact to model noise rather than respond to a genuine cost problem.

The more defensible next step, and the one this document recommends, is the sensitivity discussion itself: Gate 2's lab-scale mixing-pass cost check and Gate 4's plant-scale procurement pricing (24.5) are exactly the steps that would confirm whether the true cost delta sits closer to the bear case, the base case, or genuinely under the ceiling once real mixing and procurement data replace the current reasoned estimates. If plant-scale data at Gate 4 confirms a cost delta meaningfully above 8%, the kill criterion's reinforced-load-index-as-upgrade-SKU response remains available and already specified; it is simply not triggered by this base-case result alone.

| Reading of the base-case result | What it would imply | This document's ruling |
|---|---|---|
| **Clean pass (comfortably under 8%)** | No further action needed; claim the full concept at launch | Not the actual result; overstates confidence the model does not support |
| **Clean failure (meaningfully over 8%)** | Trigger the kill criterion immediately: drop the reinforced load-index step to an upgrade SKU | Not the actual result; a 0.0028-point breach is not a meaningful failure |
| **Near-ceiling, within model noise (this document's reading)** | Treat as a genuine open question; validate at Gates 2 and 4 before any launch cost claim; keep the kill criterion available but not triggered | The result this section reports |

*Source: research/ARGUMENT.md, Case 2 kill criterion; DECISIONS.md "M1 model run" entry.*

### 24.8 Headline numbers for this section, in one place

A reader moving from this research document into the deck or video materials needs one table that carries every headline figure from this section without having to re-derive it; this table is that reference point, and every figure in it traces back to a specific subsection above.

| Headline figure | Value (base case) | Bear to bull range | Where derived |
|---|---|---|---|
| **Cost delta per tyre** | ₹68.02 | ₹46 to ₹97 | 24.1, 24.6 |
| **Cost delta (%)** | 8.0028% (stated as ≈8.0%) | 6.09% to 10.18% | 24.1, 24.6 |
| **Range gain (%)** | 4.17% (stated as ≈4.2%) | 2.30% to 6.67% | 24.6 |
| **Range gain (km, reference range)** | 6.25 km | 2.76 km to 13.00 km | 24.6 |
| **Cost-realism ceiling** | 8.0% | n/a (fixed design target) | `[A2-03]` |
| **Breach against ceiling (base case)** | +0.0028 percentage points | n/a | 24.6, 24.7 |

*Source: section 24.1 to 24.7, restated.*

### Conclusively

Sections 21 to 24 establish, in sequence, why an EV scooter needs a different tyre, what that tyre is, where it can legally be sold, and what it costs. An EV scooter places five new demands on its tyres (instant torque, regenerative-braking stress cycles, unmasked NVH, battery-weight load, and rolling resistance as a direct range lever), and every model in India's EV two-wheeler market rides the same 12-inch, 90/90-12-class footprint, ruling out a separate design category as the answer `[section 21]`. The concept answers all four of the brief's required technical areas, construct, tread, vital performance needs and load rating, on the existing mass-market platform, using a silica-silane cap compound, variable-pitch tread sequencing, and a one-to-two-step higher load index achieved through

reinforcement rather than a new tyre size, with thermal management correctly excluded as a required pillar per the brief's own edit marks [section 22]. The concept clears three confirmed mandatory compliance regimes (BIS, UNECE R75, FMVSS 119), with three more named and flagged for pre-export verification, and the car-tyre rolling-resistance labels (UNECE R117, EU 2020/740) are confirmed as genuinely not applicable to two-wheelers, which is why the concept needs its own voluntary test plan [section 23]. And the cost to deliver all of this is honest, not flattering: a base-case delta of 8.0028% against the brief's own 8% ceiling, essentially landing on the boundary rather than clearing it comfortably, with a 6.1% to 10.2% bear-to-bull range that makes clear how much of this result still depends on engineering assumptions a lab and a pilot, not a model, will ultimately confirm [section 24]. The range gain this cost buys, base case about 4.2%, rests on an explicitly extrapolated rolling-resistance share of urban energy use, never presented as a measured two-wheeler figure. Taken together, this is a concept the brief's own constraints can defend: built on existing lines, priced at the edge of a realistic commercial band rather than a premium one, and honest about exactly how much of its headline numbers are confirmed fact, reasoned engineering estimate, or extrapolation, with each labelled as such throughout.

### What this section establishes, and what it does not

- It establishes the full cost build-up, from priced ingredient fractions through to the model's own delta_inr and delta_pct outputs, reconciled with arithmetic shown once (24.1, 24.2).
- It establishes an FMEA naming five concrete failure modes, each tied to a specific gap or mechanism from sections 21 to 23, with a control mapped to a specific validation gate, not a generic risk statement.
- It establishes the moneyshot honestly as a bear-to-bull range, never a single point estimate, with the base case stated plainly as landing essentially on the brief's own 8% ceiling rather than comfortably under it.
- It establishes why this near-ceiling result does not trigger the ARGUMENT.md kill criterion as written: the breach (0.0028 percentage points) sits inside the noise of a cost model built on stated engineering estimates, not sourced figures, and the kill criterion remains available if plant-scale data later confirms a genuine, larger breach.
- It does not claim the EV-ready variant's cost delta is confirmed under the ceiling; the honest reading is a boundary result that the sensitivity band, not a single number, should carry into any deck or video built from this document.
- It does not claim a lab-confirmed rolling-resistance reduction or a measured range-gain figure; both rest on assumptions (A2-23, A2-24) stated explicitly as reasoned estimates and extrapolations respectively.
- It does not resolve whether plant-scale procurement pricing will land closer to the bear, base or bull case; that is exactly what Gates 2 and 4 (24.5) are designed to confirm.

Exhibit for the deck: none.

## 25. India's tractor-tyre market is worth about ₹9,276 crore a year, and 6 brands hold most of it

**Answer.** No industry body, rating agency or company filing in this build states a dated, tractor-tyre-specific market size in rupees or units [RG70], so this section builds one bottom-up from the tractor parc, the replacement interval by use-type and real rear-tyre price quotes, landing at about ₹9,276 crore a year for rear tyres alone in the base case, ranging ₹6,818 crore to ₹12,838 crore bear to bull [M c3.market_sets] [A3-03] to [A3-10]. Six brands are visibly active in the segment with real priced products on the market, MRF, Apollo, BKT, Goodyear India, CEAT and JK Tyre [C3-B07], but no source in this lane gives a verified, tractor-tyre-specific share breakdown for any of them; the only two percentage splits found are undated, unattributed, mutually inconsistent and for the overall tyre industry, not tractor tyres, and this document excludes both rather than present an invented share figure [RG70]. Eurogrip's own standing in this market reads, on the evidence available, as an early-stage domestic entrant whose recent off-highway tyre (OHT) investment has been overwhelmingly export-led, not a share leader judges should assume is already established [C3-B07] [RG74] to [RG79].

### 25.1 Why this document builds its own market size, and what it leaves out

The absence of a tractor-tyre-specific market figure is itself a finding, not a gap to paper over. R-G searched directly for an ATMA, CRISIL or ICRA tractor-tyre segment size and found none; the single category-level breakdown ATMA has ever published for tractor tyres is a January 2006 monthly production snapshot, two decades stale and unusable as a current-period base [RG68]. The two overall-tyre-industry brand-share figures that did surface, one from an unattributed slide deck (MRF about 28%, Apollo about 27%, JK 13%, CEAT 12%, BKT 8%, Goodyear 4%) and one from a consumer insurer's blog (MRF 30%, Apollo 18%, CEAT 8%, BKT 6%), disagree with each other by double digits on Apollo's share alone, carry no dated primary source, and describe the whole Indian tyre industry rather than the tractor-tyre segment specifically [RG70]. Both are excluded from this document everywhere, including here; a number this unreliable is worse than stating plainly that the figure does not exist.

What this document does instead is derive a market size from four things R-G did confirm: the national tractor parc, the share of that parc running at each use intensity, the rear-tyre replacement interval implied by tyre life in hours against annual operating hours, and real rear-tyre price quotes from a retail aggregator. Table T-F1 lays out the parc and its segment split; Table T-F2 the replacement interval; Table T-F3 the resulting rear-tyre-pair replacement volume; Table T-F4 the price benchmarks; and Table T-F5 the market-size arithmetic itself, shown once in full so the derivation is auditable rather than asserted.

**Table T-F1. India's tractor parc and its use-type split (lakh units, bear / base / bull)**

| Segment | Share of parc | Bear | Base | Bull |
|---|---|---|---|---|
| Total parc | 100% | 130.0 | 150.0 | 170.0 |
| Commercial and haulage operators | 15% | 19.5 | 22.5 | 25.5 |
| Smallholder owner-operators | 70% | 91.0 | 105.0 | 119.0 |
| Custom hiring centres | 15% | 19.5 | 22.5 | 25.5 |

*Source: [A3-03] to [A3-06]. Parc itself is a reasoned estimate (no national tractor-parc figure was found directly in R-G) built from FY26 domestic wholesale dispatches of 11.60 lakh units [RG01] and recent-year sales levels [RG07], [RG09] accumulated over a typical 12 to 15 year operating life, a design assumption rather than a sourced census figure. The 15/70/15 split is a reasoned estimate consistent with the Agriculture Census 2015-16 finding that marginal-plus-small holdings are 86.1% of all operational holdings nationally [RG50], which supports a large smallholder-owned base and a minority commercial and custom-hiring tail.*

**Table T-F2. Rear-tyre replacement interval by segment (years, bear / base / bull)**

| Segment | Bear | Base | Bull |
|---|---|---|---|
| Commercial and haulage | 4.0 | 3.3 | 2.8 |
| Smallholder owner-operator | 10.0 | 8.0 | 6.0 |
| Custom hiring centre | 3.5 | 3.0 | 2.5 |

*Source:* `[A3-07]` *to* `[A3-09]`*, derived from a farm-advisory aggregator's general tractor-tyre service life of 2,000 to 4,000 hours* `[RG44]` *divided by the annual operating hours reported in regional (sub-national) studies, about 830 to 900 hours a year for commercial and custom-hiring use* `[RG65]`*. No national-level study of annual tractor operating hours exists; the regional figures are the best available triangulation, stated as such.*

Running these two tables together through each segment's parc count divided by its replacement interval gives the number of rear-tyre pairs the national parc puts up for replacement every year, before any brand split is applied. This is a volume figure, not yet a value figure, and it is shown in full in Table T-F3.

**Table T-F3. Rear-tyre pairs replaced a year nationally, by segment (lakh pairs, bear / base / bull)**

| Segment | Bear | Base | Bull |
|---|---|---|---|
| Commercial and haulage | 4.88 | 6.82 | 9.11 |
| Smallholder owner-operator | 9.10 | 13.13 | 19.83 |
| Custom hiring centre | 5.57 | 7.50 | 10.20 |
| **Total** | **19.55** | **27.44** | **39.14** |

*Source:* `[M c3.sets]` `[T18]` *for the base column; bear and bull columns are the team's own arithmetic on the same formula (parc share divided by replacement interval) using the bear and bull values from T-F1 and T-F2 respectively, shown once here. Worked example, base, commercial: 22.5 lakh tractors divided by a 3.3-year interval equals 6.82 lakh pairs a year. The total rises from 19.55 lakh pairs bear to 39.14 lakh pairs bull, a swing driven almost entirely by the smallholder segment, since it carries 70% of the parc.*

## 25.2 Pricing the pairs: six named brands, real quotes, no verified share

A retail aggregator carrying rear and front tractor tyre listings gives real, dated MRP quotes across the three major rear sizes (12.4×28, 13.6×28 and 16.9×28) for MRF, Goodyear India and Apollo, with BKT and JK Tyre named as present on the same page but with prices sitting behind an unretrieved click-through, a logged gap rather than an invented figure `[RG34]` to `[RG39]`. CEAT is not directly priced in this lane's retrieval either, but the brief itself names CEAT alongside the other five as part of the competitive field to assess `[C3-B07]`, so this document carries all six as the named competitive set while pricing only the three confirmed.

**Table T-F4. Rear tractor tyre MRP by size and brand, as quoted (₹)**

| Size | MRF | Goodyear India | Apollo (Krishak Gold / Premium) | BKT | CEAT | JK Tyre |
|---|---|---|---|---|---|---|
| **12.4×28** | 14,500 | 15,000 | 14,000 to 14,500 | present, price not retrieved | not retrieved | not retrieved |
| **13.6×28** | not listed | 17,440 | 16,400 | present, price not retrieved | not retrieved | not retrieved |
| **16.9×28** | not listed | not listed | 22,000 | present, price not retrieved | not retrieved | not retrieved |

*Source:* `[RG34]` *to* `[RG38]`*, TractorGyan rear and front tyre price lists. The aggregator's own FAQ states prices "start from ₹3,100" for front tyres, but the lowest priced product actually shown in its table is ₹3,250, an internal inconsistency on the source page; this document uses the table price, not the FAQ floor* `[RG39]`*. The general tractor-tyre MRP range the aggregator quotes across all models is about ₹2,500 to ₹90,000, reflecting the spread between small front tyres and the largest high-flotation rear sizes* `[RG41]`*.*

Taking the 13.6×28 size, the one with two confirmed brand quotes bracketing a plausible mid-market rear tyre, as the pricing anchor, Goodyear India's ₹17,440 and Apollo's ₹16,400 bracket a midpoint of ₹16,900, which is the base-case single-tyre price this document uses `[A3-10]`; the bear and bull columns use the higher and lower of the two quoted prices respectively, so the price band itself is never invented, only its midpoint.

**Table T-F5. Rear-tyre replacement market, bottom-up (₹ crore a year, bear / base / bull)**

| Item | Bear | Base | Bull |
|---|---|---|---|
| Rear-tyre pairs replaced a year (lakh) | 19.55 | 27.44 | 39.14 |
| Price per single tyre (₹) | 17,440 | 16,900 | 16,400 |
| Price per pair (₹) | 34,880 | 33,800 | 32,800 |
| Market value (₹ crore) | 6,818 | 9,276 | 12,838 |

*Source:* `[A3-10]`*,* `[M c3.sets]`*,* `[T18]`*, team arithmetic shown once. Worked example, base: 27,44,318 pairs multiplied by ₹33,800 a pair equals ₹92,75,79,48,400, or about ₹9,276 crore. This figure covers rear tyres only, the higher-value and more frequently replaced tyre on a tractor; no front-tyre life or interval assumption was sourced in this build (a logged gap), so the true all-tyre market is larger than this figure, not smaller. It also excludes original-equipment fitment on new tractors, counting replacement demand only, consistent with how the brief frames the opportunity as a share-of-replacement question* `[C3-B06]`*.*

Set against this, TVS Srichakra's own domestic OHT revenue, bear ₹200 crore, base ₹255 crore, bull ₹310 crore `[A3-01]`, implies a domestic share of roughly 2.9% to 3.7% of the rear-tyre replacement market this section sizes, depending which bear, base or bull pairing is used (255 divided by 9,276 equals about 2.7% at the matched base-base pairing, team arithmetic). Two caveats apply to this ratio and are stated once rather than repeated: domestic OHT revenue is a broader category than tractor tyres alone, likely including other agricultural and light off-highway products `[A3-01]`, so the ratio is indicative, not a precise tractor-tyre share; and it is consistent with, not contradicted by, the qualitative finding in §25.3 below that Eurogrip's recent OHT push reads as export-led rather than domestic-share-building.

## 25.3 Five Forces for tractor tyres

Applying Porter's Five Forces to the tractor-tyre segment, using only what R-G and the brief itself establish rather than importing assumptions from the two-wheeler segment analysed elsewhere in this document, gives a picture of a relationship-driven, moderately fragmented category where the brand's problem is distribution trust, not product differentiation.

**Table T-F6. Five Forces for Indian tractor tyres**

| Force | Finding | Evidence |
|---|---|---|
| **Rivalry among existing competitors** | At least six named brands (MRF, Apollo, BKT, Goodyear India, CEAT, JK Tyre) compete on largely overlapping size and pattern ranges at tightly clustered price points (₹14,000 to ₹22,000 across confirmed rear sizes); no verified share leader exists in the public record | `[C3-B07]` `[RG34]` to `[RG38]` `[RG70]` |
| **Buyer power** | The brief states tractor-tyre purchase decisions run through dealer relationships and trust rather than brand advertising, and that regional dealer loyalties are strong and entrenched; this gives buyers (farmers and fleet operators, mediated by dealers) real power to switch away from any single brand that cannot match local dealer economics | `[C3-B03]` `[C3-B04]` |
| **Supplier power** | No input-cost or raw-material supplier data specific to tractor tyres was sourced in this lane; this force is left unassessed here rather than filled with an assumption borrowed from the two-wheeler segment's natural-rubber dependency, a deliberate gap | n/a, logged gap |
| **Threat of substitutes** | No evidence of tractor tyre retreading volume or an alternative wheel technology displacing pneumatic tractor tyres was located in this lane; the nearest adjacent shift is the GST-driven price reduction on both tractors and tractor tyres, which affects affordability, not the substitute threat itself | `[RG03]` `[RG04]`, logged gap on retreading |
| **Threat of new entrants** | TVS Eurogrip's own radial tractor tyre range (Tigertrac R-1W) only reached the Indian market in February 2024, after decades of the brand's OHT range focusing on smaller implement sizes; this is itself evidence that even an established two-wheeler tyre maker enters the domestic tractor-tyre segment as a credible new entrant, not that entry barriers are low for outsiders generally | `[RG72]` `[RG77]` |

*Source: as cited per row; this table deliberately leaves supplier power and the substitute-threat force thinly evidenced rather than invented, consistent with the honesty convention stated in document §0.*

Two of the five forces carry more weight than the other three for how Eurogrip should actually compete, and both point the same direction. Buyer power sits with the dealer, not the farmer, because the brief itself names dealer relationships and trust, not brand advertising, as the actual purchase driver `[C3-B03]`, and regional dealer loyalty is described as strong and entrenched `[C3-B04]`. Rivalry is real but not price-led in the way a commodity category's rivalry usually is: the confirmed rear-tyre prices in Table T-F4 cluster within a narrow band for a given size (₹14,000 to ₹15,000 for the 12.4×28 class across three brands), which suggests competitors are not routinely discounting against each other on list price, consistent with the brief's framing of this as a relationship-driven, low-brand-salience category rather than a price war `[C3-B06]`. Put together, these two forces say the same thing from two directions: a tractor-tyre strategy that tries to win through advertising spend or price cuts is fighting the wrong force, while a strategy that wins the dealer relationship and proves itself through tyre life in the field is fighting the force that actually decides outcomes in this category.

The GST change (`[RG03]`, `[RG04]`) interacts with these forces rather than sitting outside them. A tractor-tyre buyer facing a lower effective tax burden has more headroom in the same budget envelope to consider a tyre upgrade or a brand switch at the point of replacement, which marginally loosens buyer lock-in to the cheapest available option, a small opening a credible new entrant can use. It does not change which force dominates; dealer trust and regional loyalty remain the gate a lower price alone does not open.

## 25.4 Eurogrip/TVS's current standing: an early-stage, export-led OHT entrant domestically

The brief's own blue-marked research ask is explicit: "Define the current standing of Brand TVS EUROGRIP" `[C3-B07]`. The clearest direct evidence on this question is also the most important honest finding in this chapter, and it runs against the instinct to assume an established national brand is already a share leader in every category it touches. Trade press describes TVS Eurogrip as a two-wheeler tyre market leader in India, but states in the same breath that its off-highway products "aren't yet widely known" domestically, because the range had historically focused on smaller implement sizes before the radial and VF (very high flexion) launches of 2023 and 2024 `[RG77]`. The Tigertrac R-1W radial, the brand's flagship modern tractor tyre, made its first India appearance only in February 2024, at the Krishi Darshan Expo in Hisar, Haryana `[RG72]`.

The company's own capacity-investment language tells the same story. CRISIL's April 2023 rating rationale on TVS Srichakra's Madurai OHT capacity expansion, a two-phase, ₹340 crore project that increased big-tyre capacity by 500% and doubled overall OHT capacity, states that 100% of the expanded output was planned to cater to export markets, with an estimated additional revenue potential of about ₹500 crore a year at optimal utilisation `[RG76]`. TVS Srichakra's own management, in the person of Mathan Babu, is quoted confirming the capacity figures in trade press, the clearest named-management statement on OHT capacity this lane located `[RG79]`, and the brand's own exhibitor profile at Agritechnica describes it as a leading exporter of agricultural and industrial off-highway tyres to over 70 countries, an export-framed self-description, not a domestic-leadership claim `[RG74]`. The brand targeted the European OHT market specifically at Agritechnica 2023 `[RG75]`, and its VF range, aimed at reducing soil compaction at lower inflation pressures, was announced as an international technology entry with no stated India launch date `[RG78]`.

None of this is disqualifying for the recommendation this document makes from §27 onward; if anything it sharpens the case for a sequencing strategy that starts where Eurogrip's product and distribution strength is realistic to build rather than assuming share it does not yet hold. But stating it plainly here, rather than glossing over it to make the opportunity sound bigger than the evidence supports, is itself consistent with the brief's own insight-grounding criterion `[C3-B18]`: a strategy built on an honest read of where the brand actually stands is more credible to a judging panel than one built on an assumed leadership position the evidence does not back.

It is also worth stating what this finding does not mean. It does not mean Eurogrip lacks the manufacturing capability to compete domestically; the Madurai expansion that CRISIL describes as export-planned is the same plant and the same tyre-building process that would supply a domestic push, so capability is proven even where domestic market presence is not `[RG76]`. It does not mean the radial and VF product lines are inferior; both are recent, modern constructions (radial, and very-high-flexion for soil compaction) that the company chose to introduce internationally first, a sequencing choice about markets, not a statement about product quality `[RG78]`. And it does not mean competitors are necessarily further ahead on product; the absence of a verified tractor-tyre share breakdown for any brand (§25.2) means this document cannot and does not claim MRF, Apollo or any other named brand holds a larger confirmed domestic share than Eurogrip, only that none of the six has a sourced number attached to its position. What the evidence does support, cleanly, is that the brand's own recent investment and launch pattern has been export-first, and that the domestic tractor-tyre push is new enough (February 2024) that a GTM strategy for it should assume a challenger's starting position, not an incumbent's.

**Table T-F7. TVS Eurogrip's OHT and tractor-tyre timeline (what is sourced, in order)**

| Date | Event | Reading |
|---|---|---|
| **2023 (April)** | ₹340 crore Madurai OHT capacity expansion approved, 100% export-planned | Domestic capacity was not the stated target of the investment that built it |
| **2023 (November)** | VF agricultural tyre range announced internationally | Technology entry, no India launch date stated |
| **2023 (Agritechnica, Hannover)** | Latest OHT range targeted at Europe | Growth push framed as export, not domestic |
| **2024 (February)** | Tigertrac R-1W radial's first India appearance, Hisar expo | Domestic radial-tractor-tyre presence begins here, not before |
| **2024 (same expo)** | IM 18 implement-tyre and PT 09 power-tiller patterns shown | Brand breadth extends to implements and small machines alongside tractors |

*Source: as cited per row. Note the chronology: the export-facing capacity and technology investment (2023) precedes the first confirmed Indian radial-tractor-tyre market appearance (2024), supporting the reading that the domestic tractor-tyre push is genuinely early-stage rather than merely under-marketed.*

**Table T-F8. National tractor industry volume, FY22 to FY26 (units)**

| Year | Domestic sales (units) | Year-on-year change |
|---|---|---|
| **FY22 to FY23** | 9,45,311 (record at the time) | n/a |
| **FY23 to FY24** | 8,67,237 | down 8% |
| **FY24 to FY25** | 9,39,713 | up 8.36% |
| **FY25 to FY26** | 11,60,231 (wholesale dispatch) | up 23.47% |

*Source:* `[RG07]` , `[RG09]` , `[RG01]` *. FY26's surge is attributed by the same source to the GST rate cut on tractors from 12% to 5% (lowering prices by roughly ₹40,000 to ₹60,000 a unit depending on horsepower), an above-normal monsoon, and TREM V emission-norm pre-buying ahead of a tightening deadline* `[RG04]` *. The strength of this cyclical surge is one reason this document treats the FY26 parc and sales base as a high-water mark rather than a steady-state run rate when sizing the replacement market in Table T-F5.*

### What this section establishes, and what it does not

- It establishes a bottom-up, auditable tractor-tyre replacement market size (rear tyres only, bear ₹6,818 crore to bull ₹12,838 crore, base ₹9,276 crore a year), built because no official segment-specific figure exists, not despite one being available and ignored.
- It names the six brands the brief itself asks about (MRF, Apollo, BKT, Goodyear India, CEAT, JK Tyre) and prices three of them on confirmed rear sizes, while stating plainly that no verified tractor-tyre share breakdown exists for any of them.
- It states honestly, using the brand's own capacity-investment language and a named management quote, that Eurogrip's recent OHT growth has been export-led and that its first India radial-tractor-tyre appearance was February 2024, so the brand should be read as an early-stage domestic entrant, not an established tractor-tyre share leader.
- It does not claim a market share for Eurogrip in tractor tyres specifically; the 2.7% to 3.7% ratio shown is domestic OHT revenue against this section's own rear-tyre market estimate, an indicative cross-check, not a sourced tractor-tyre share figure.
- It does not assess supplier power or the threat of substitutes with sourced tractor-tyre-specific evidence; both are left as stated gaps in Table T-F6 rather than filled with borrowed assumptions from the two-wheeler segment.
- It does not yet say how Eurogrip should compete inside this market; that is the work of §26 to §28.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 26. A tractor tyre is chosen by the dealer first: recommendation ranks sixth of six purchase factors, and the order changes by state

**Answer.** The one directly quantified study of tractor buying behaviour this lane located ranks peer, mechanic and dealer recommendation sixth out of six factors farmers weigh, behind fuel and oil efficiency, subsidy, maintenance cost, horsepower and low price `[RG46]` , which means a tractor-tyre strategy cannot assume recommendation drives the purchase decision the way it does in Case 4's two-wheeler programme; it has to work through the channel that does drive it, the dealer, while using the mechanic and peer layer as a secondary, trust-reinforcing influence rather than the primary lever. Regional variation is real and large: Uttar Pradesh alone accounts for 16.08% of FY25 retail tractor sales and the highest national cereal-crop-area share, while Punjab runs the highest cropping intensity in India (1.97 against a 1.37 national average) with an average holding size over three times the national figure `[RG11]` `[RG55]` `[RG60]` , so a single national value proposition would be fighting very different farm economics state by state. Price sensitivity tracks farm size directly: marginal-plus-small holdings are 86.1% of all operational holdings nationally `[RG50]` , and in the states where this document could source a state-specific figure, that share swings from 97.0% in Bihar to an implied minority position in Punjab, a spread wide enough that the same tyre and credit offer cannot be pitched the same way in both states `[RG57]` `[RG59]` .

### 26.1 The buying centre: dealer first, mechanic and neighbour as reinforcement, not the trigger

The clearest primary evidence on who actually influences a tractor purchase comes from a 2020 Telangana study (Garrett ranking, 120 sample farmers across six talukas of Adilabad district, 12 sample dealers from six tractor companies, data collected January to March 2020). Farmers ranked fuel and oil efficiency first, followed by subsidy, maintenance cost, horsepower and low price, with recommendations from relatives, friends, local mechanics, dealers or company staff placed sixth, after all five of those factors `[RG46]` . The same study's 12 sampled dealers, asked what they believed farmers considered, ranked subsidy first and fuel efficiency and maintenance cost next, placing peer, mechanic and dealer recommendation in a similarly low, sixth-tier position, a gap between farmers' and dealers' own stated rankings that the study itself flags `[RG47]` .

This is an important, if narrow, piece of evidence, and this document treats it as association, not proof, for two reasons stated plainly: the sample is 120 farmers in one Telangana district, not a national study, and it measures stated purchase-factor rankings for the tractor itself, not specifically for the tyre fitted to it or replaced on it. What it does establish credibly is the buying-centre structure implied by the brief's own research ask, "how purchase decisions are actually made, and who

influences them (dealers, mechanics, peers)" [C3-B08]: the dealer is the primary node, because dealer trust and relationship (C3-B03's own framing) carries the credit, financing, warranty and after-sales weight a farmer actually transacts through, while the mechanic and the neighbour operate as secondary, reinforcing voices who confirm or disconfirm what the dealer has already recommended, rather than as the trigger for the purchase itself.

**Table T-F9. The tractor and tractor-tyre buying centre, by role**

| Role | What they decide or influence | Evidence | Relative weight |
|---|---|---|---|
| **Dealer** | Which brand and model is actively stocked and financed; first point of contact at replacement; administers credit and, in the recommended design, the tyre-life assurance (§27) | [C3-B03] [C3-B04] [C3-B08] [RG47] | Primary |
| **Village mechanic** | Confirms wear, may recommend a specific tyre pattern for local soil or haulage conditions; closer in role to Case 4's S-B and S-C segments than to the dealer | [C3-B08], Case 4 analogy [C4-B04] | Secondary, reinforcing |
| **Neighbour or peer farmer** | Social proof on durability and value, especially within a cropping community doing similar work (same crop, same terrain) | [RG46]'s own ranking of "relatives/friends" alongside mechanics and dealers | Secondary, reinforcing |
| **Custom hiring centre operator** | For hired-in tractor work, the CHC's own equipment choice is the effective brand decision the smallholder never makes directly | [A3-06], [RG61], [RG62] | Primary, for hired-in work only |

*Source: as cited per row. This structure is the Case 3 analogue of the buying-centre logic used in Case 4's mechanic segmentation (S-A, S-B, S-C), adapted to a dealer-led rather than retailer-led distribution model, consistent with the brief's own constraint that this category is "not a direct-to-consumer or heavy-digital-advertising category" [C3-B11].*

The buying-centre structure also differs by who actually owns the equipment at the moment of tyre replacement, a distinction the Custom Hiring Centre (CHC) channel makes concrete. A CHC is a shared-equipment facility, typically set up under the central Sub-Mission on Agricultural Mechanization (SMAM, now folded into ISAM under Krishonnati Yojana) or through state, FPO or cooperative channels, that rents tractors and implements to farmers who do not own their own. Two different counts of how many CHCs exist nationally disagree sharply by scope, a disagreement this document states rather than resolves: the cumulative central-scheme sanction count from 2014-15 to 2025-26 is 27,554 [RG61], while a separate FY26 trade-press figure states 75,915 CHCs operating nationwide, with Punjab alone accounting for 11,148, the single largest state count [RG62]. The gap, over 48,000 centres, most plausibly reflects the larger figure including state-scheme, FPO and cooperative-funded CHCs outside the central SMAM sanction count, but this lane could not confirm the reconciling definition from either source, and both counts are presented side by side rather than netted into one number.

Whichever count is used, the CHC channel matters for the buying centre because it moves the effective purchase decision away from the individual smallholder entirely: a farmer hiring a CHC's tractor for a day of ploughing never chooses which brand of tyre is on that tractor. The CHC operator does, and does so on the same total-cost-of-ownership basis a commercial haulage operator would, because the CHC's own profitability depends on uptime and tyre life across many rented-out hours, not on any single farmer's preference. This is the structural reason §27 treats custom hiring centres as a segment closer in buying logic to commercial and haulage operators than to smallholder owner-operators, even though the smallholders who hire from a CHC are themselves marginal or small farmers.

**Table T-F13. Scale of the CHC channel: two disagreeing counts, by scope**

| Count | Value | Scope | Source |
|---|---|---|---|
| **Cumulative SMAM-sanctioned CHCs, 2014-15 to 2025-26** | 27,554 | Central-scheme sanctions only | [RG61] |
| **CHCs operating nationwide, FY26 trade estimate** | 75,915 | Likely includes state, FPO and cooperative-funded centres beyond the central sanction count | [RG62] |
| **Of which, Punjab alone** | 11,148 | Single largest state count in the FY26 estimate | [RG62] |

*Source: as cited per row. The two figures are not reconciled in this lane; both are logged in raw/conflicts.md as C-RG1 and repeated here because the scale of the CHC channel, under either count, is large enough to matter for the segment design in §27.*

## 26.2 Regional heat map: ten states, four lenses, one conclusion

Tractor demand, cropping pattern, terrain and landholding size vary enough across India's top ten tractor-selling states that a single regional playbook would misfit most of them. Table T-F10 lays out all four lenses from the real state-level data this lane assembled, and Table T-F11 translates that into a simple heat read for where Eurogrip's recommended segment priorities (commercial and haulage first, per §27) are likely to find the deepest pool of hard-working tractors.

**Table T-F10. Ten-state regional profile (FY25 retail tractor sales and farm structure)**

| State | FY25 retail tractor sales (units) | National share | Average holding (ha) | Small-and-marginal share | Dominant crop or terrain signal |
|---|---|---|---|---|---|
| **Uttar Pradesh** | 1,39,886 | 16.08% | not sourced; national 1.08 ha used as fallback | 92.8% (secondary estimate) | Wheat and sugarcane (39.1% of national sugarcane area); flat Indo-Gangetic plain; highest commercial-haulage-use region alongside other eastern-belt states |
| **Madhya Pradesh** | 1,15,784 | 13.31% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Soybean and oilseeds (28.9% of national oilseeds area, the largest state share); central plateau |
| **Rajasthan** | 1,12,240 | 12.90% | approx. 2.7 ha (derived) | below national 86.1%, consistent with larger holdings | Fodder and green manures (63.2% of national fodder area, by far the largest state share); semi-arid, livestock-integrated |
| **Maharashtra** | 85,970 | 9.88% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Cotton and fibre crops (32.6% of national fibre-crop area); transportation/haulage is the second-largest tractor-use category in one regional study (30.7% of hours) |
| **Gujarat** | 83,962 | 9.65% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Cotton, groundnut, oilseeds; mixed arid and fertile plains |
| **Karnataka** | 54,109 | 6.22% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Pulses and dryland cereals; Deccan plateau and coastal mix |

| State | FY25 retail tractor sales (units) | National share | Average holding (ha) | Small-and-marginal share | Dominant crop or terrain signal |
|---|---|---|---|---|---|
| Chhattisgarh | 44,072 | 5.07% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Paddy-dominant; among the eastern-belt states with the highest commercial-haulage-use share |
| Haryana | 43,936 | 5.05% | not sourced; national 1.08 ha fallback | not sourced; national 86.1% fallback | Wheat-paddy rotation; part of the largest national tractor demand hub (with Punjab and UP) by volume |
| Bihar | 34,469 | 3.96% | not sourced; national 1.08 ha fallback | approx. 97.0% (secondary estimate, among the highest of any major state) | Paddy, wheat, maize; eastern-belt highest commercial-haulage-use share |
| Punjab | 30,671 | 3.53% | approx. 3.6 ha (derived) | approx. 33.1% (secondary estimate, far below national) | Wheat-paddy rotation, highest cropping intensity nationally (1.97 vs 1.37); leads nationally in Custom Hiring Centre count (11,148) |

*Source:* `research/data/tractor_states.csv`*, which cites* `[RG11]` *to* `[RG16]`, `[RG18]`, `[RG53]` *to* `[RG60]`, `[RG62]` *per cell. Where a cell says "not sourced", the CSV substitutes the stated national fallback rather than a state-specific invented figure; this is a logged gap, not a silent assumption, repeated here exactly as the data file carries it.*

**Table T-F11. Regional read: where the two priority segments concentrate**

| Lens | States it favours | Why |
|---|---|---|
| **Commercial and haulage-first sequencing (§27)** | Uttar Pradesh, Bihar, Chhattisgarh | Eastern-belt states are the ones a FY26 trade source explicitly flags as showing the highest commercial-use (haulage) share of tractor usage nationally, though without a disclosed percentage `[RG18]` |
| **Custom hiring centre density** | Punjab | Punjab leads nationally in CHC count at 11,148, almost double its nearest named state, and its landholding structure (3.6 ha average, only about a third small-and-marginal) already supports a larger-operator, rental-economy pattern `[RG62]` `[RG60]` |
| **Smallholder, harvest-credit-first sequencing (§27)** | Bihar, Uttar Pradesh (by landholding share), and directionally Madhya Pradesh and Maharashtra (fallback national share applied) | Bihar's 97.0% and Uttar Pradesh's 92.8% small-and-marginal shares are both above the 86.1% national figure, meaning smallholder cash-flow-timed offers matter more, not less, in these two large-volume states `[RG56]` `[RG57]` |
| **Lower near-term priority for a dealer-trust-building push** | Punjab, Rajasthan | Both show markedly larger average holdings and a smaller small-and-marginal share than the national figure, implying a buyer base with more capital headroom and, per existing coverage, already strong brand and dealer loyalties in a category the brief itself calls entrenched `[C3-B04]` `[RG59]` `[RG60]` |

*Source: as cited per row, synthesising Table T-F10. This table is a read of the regional data against the segment logic developed in full in §27, not a separate recommendation; it foreshadows why §27 sequences commercial and haulage operators first.*

## 26.3 Price sensitivity by farm size

The single clearest, most consistently sourced structural fact in this chapter is that Indian agriculture is overwhelmingly a smallholder system: marginal holdings (below 1 hectare) are 68.5% of all operational holdings nationally and small holdings (1 to 2 hectares) a further 17.6%, for a combined 86.1% marginal-plus-small share `[RG50]`. The national average holding size has fallen steadily, from 2.28 hectares in 1970-71 to 1.15 hectares in 2010-11 to 1.08 hectares in 2015-16 `[RG51]`, a multi-decade trend toward smaller farms, not larger ones, which means price sensitivity at the point of tyre replacement is not a temporary condition but a structural, worsening one for the category as a whole.

This has a direct implication for how a tyre offer should be priced and financed by segment, worked through in full in §27's value-proposition design, but stated here as the underlying fact the design responds to: a smallholder farming 1.08 hectares on average cannot absorb a ₹33,800 rear-pair replacement cost (the base-case price from Table T-F5) the way a commercial haulage operator running tractors for hire can, because the smallholder's annual cash flow is tied to one or two harvest windows, while the hauler's cash flow from charging other farmers for tractor work is spread across the season. The near-universal reliance on credit across the whole tractor category (about 95% of tractors bought on credit, per FY26 trade analysis, with a supportive 125 basis point RBI rate-cut cycle in 2025 cited as a tailwind) `[RG29]` confirms that financing, not sticker price alone, is the real lever available to move a price-sensitive buyer, which is exactly the lever the harvest-timed credit line in §27 and §28 is built to pull.

States where this document could source a state-specific small-and-marginal share show the range price sensitivity actually spans: Bihar at about 97.0% `[RG57]`, Uttar Pradesh at about 92.8% `[RG56]`, both above the national figure, against Punjab at about 33.1% `[RG59]`, markedly below it, and consistent in direction with Punjab's independently derived average holding size of roughly 3.6 hectares `[RG60]`, more than three times the national average. A single national price point and a single national credit offer would be priced wrong for both ends of that range: too generous for Punjab's larger, better-capitalised holdings, and not generous enough, on its own, for Bihar's and Uttar Pradesh's overwhelmingly marginal ones.

**Table T-F12. Price sensitivity read by farm-size band, national**

| Holding band | Share of national holdings | Price sensitivity implication |
|---|---|---|
| **Marginal (below 1 ha)** | 68.5% | Highest; cash-flow constrained, harvest-timed credit is the primary lever, not a lower list price `[RG50]` |
| **Small (1 to 2 ha)** | 17.6% | High; similar credit sensitivity to marginal, somewhat more capacity to self-finance a partial upfront payment `[RG50]` |
| **Semi-medium, medium and large (above 2 ha)** | 13.9% | Lower; closer in buying behaviour to the commercial and custom-hiring segments of §27, more able to absorb list price without subsidised credit `[RG50]` |

*Source:* `[RG50]`*. Percentages are the all-India 2015-16 Agriculture Census size-class shares, the most recent consolidated national breakdown this lane located; no more recent national size-class census was found, a logged currency gap.*

Credit dependency itself varies by what it is financing, and a dealer-led tyre strategy has to distinguish the two. The 95% credit-financing figure `[RG29]` describes tractor purchase, a large, lumpy, multi-year capital decision; a tyre replacement is a smaller, more frequent decision, closer in scale to an input-cost line than a capital purchase, and no source in this lane gives a tyre-specific credit-uptake figure. This document does not assume the tractor-purchase credit rate transfers

one for one to tyre replacement; instead, §27 and §28 size a harvest-timed credit line for tyre replacement as a new, modest-volume financing product ( [A3-22] , [A3-23] ), explicitly a design assumption rather than an extrapolation from the tractor-credit figure, because the two purchases sit at different points on the farmer's cash-flow calendar and at very different ticket sizes.

**Table T-F14. Cropping intensity and holding size, the two states at the extremes**

| State | Cropping intensity | National average | Average holding (ha) | National average |
|---|---|---|---|---|
| **Punjab** | 1.97 (highest in India) | 1.37 | approx. 3.6 (derived) | 1.08 |
| **Mizoram (for contrast, not a top-10 tractor state)** | 1.00 (lowest in India) | 1.37 | not applicable to this document's ten-state table | 1.08 |

*Source:* [RG55] , [RG51] , [RG60] . *Mizoram is included only as the national low-end anchor the Agriculture Census itself reports, not as a tractor-tyre market of interest; it is not part of the ten-state table in T-F10 or T-F11. The contrast illustrates how wide the national range runs, with Punjab's double-cropped wheat-paddy rotation sitting at nearly double the national cropping-intensity average.*

**Table T-F15. National operational-holding trend, 1970-71 to 2015-16**

| Period | National average holding size (ha) |
|---|---|
| **1970-71** | 2.28 |
| **2010-11** | 1.15 |
| **2015-16** | 1.08 |

*Source:* [RG51] . *The multi-decade direction, smaller holdings over time, is the structural reason this document treats price sensitivity as a worsening condition for the category rather than a stable baseline a single static offer can address once and leave unrevisited.*

### What this section establishes, and what it does not

- It establishes, from one directly quantified regional study, that peer, mechanic and dealer recommendation ranks behind five other purchase factors for the tractor itself, which means the programme design in §27 and §28 must route through the dealer as the primary channel, with the mechanic and peer layer as secondary reinforcement, not the other way round.
- It establishes a ten-state regional profile, built from real FY25 sales, cropping, terrain and landholding data, that shows eastern-belt states (Uttar Pradesh, Bihar, Chhattisgarh) carrying the highest commercial-haulage-use signal and Punjab carrying the highest Custom Hiring Centre density, directly informing the segment sequencing in §27.
- It establishes that price sensitivity is structural, not incidental, tracking directly against landholding size and a worsening national trend toward smaller average holdings, and that credit, not list price, is the lever that actually moves a price-sensitive buyer given the category's near-universal reliance on financed purchase.
- It does not have a state-specific landholding-size or small-and-marginal-share figure for six of the ten states in the regional table; the national fallback is used explicitly and flagged in every cell where it applies, not hidden inside a single blended number.
- It does not quantify the relative weight of the mechanic versus the neighbour versus the dealer beyond the single Telangana study's ranking; a national survey of tractor-tyre-specific (as distinct from tractor-purchase-specific) influence was not located, a gap carried into §31.
- It does not yet price the segment-specific value proposition; that is the work of §27.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 27. Win the hardest-working tractors first: they replace rear tyres every 3 years against 8, and talk to many farmers

**Answer.** Commercial and haulage operators and custom hiring centres replace their rear tyres fastest (a 3.0 to 3.3 year base-case interval against 8 years for smallholder owner-operators) [A3-07] to [A3-09] , run a rear-pair cost of about ₹11.30 an hour in the base case [M c3.tco_per_hour] [T20] , and, because each one serves many farmers rather than one, carry word-of-mouth reach that a single smallholder's tyre choice never does; this is why the recommendation sequences commercial and haulage operators and custom hiring centres first, with a total-cost-of-ownership value proposition, and brings smallholder owner-operators along second, with a harvest-timed credit and dealer-trust value proposition instead. At the base-case budget of ₹4.46 crore a year [M c3.budget_cr] , the programme pays for itself at 5,825 extra rear-tyre pairs sold, which is about 0.21 percentage points of the national rear-tyre replacement market this document sizes in §25, ranging 0.17 to 0.26 points bull to bear [M c3.share_points_sc] [T20] . Both segments satisfy the brief's own requirement to address at least two distinct customer segments, not one generic farmer persona [C3-B12] [C3-B16] , and a third, the custom hiring centre, is carried alongside them because its buying logic sits structurally closer to the commercial operator than to the smallholder (§26.1).

### 27.1 Segment profiles, same template, twice over

The three segments are presented with the identical six-dimension template (who they are, share of parc, replacement interval, what they buy on, why they matter beyond their own purchase, entry point into the programme), the same symmetric-treatment discipline the brief's own judging criterion on segment specificity rewards [C3-B16] , and the same discipline this document applies to Case 4's S-A, S-B and S-C segments and to Case 1's commuter, gig and premium rider segments. Reading the three tables together shows a deliberate asymmetry inside the symmetry: commercial operators and custom hiring centres share almost every dimension (parc share, replacement interval, buying logic, entry point), while smallholder owner-operators differ on every one of them, which is the clearest single piece of evidence that two segments, not three, are the real strategic groupings, with the custom hiring centre folded operationally into the commercial operator's playbook rather than requiring its own.

**Table T-F15b. The two real strategic groupings, read across the three segment tables**

| Grouping | Segments inside it | Shared value proposition |
|---|---|---|
| **High-use, TCO-first** | Commercial and haulage operators; custom hiring centres | Cost-per-hour claim backed by dealer-administered tyre-life assurance (§27.2, §27.3) |
| **Price and credit-first** | Smallholder owner-operators | Harvest-timed credit through NBFC or cooperative partners (§27.4) |

*Source: synthesis of Tables T-F16 to T-F18. This is the two-segment strategic read the brief's own requirement for "at least two distinct customer segments"* `[C3-B12]` *is actually built against, with the three-table profile above kept for completeness because the custom hiring centre is operationally distinct even though it shares Segment A's value proposition.*

**Table T-F16. Segment A: Commercial and haulage operators**

| Dimension | Finding | Evidence |
|---|---|---|
| **Who they are** | Operators running tractors commercially for sugarcane, brick-kiln, sand and construction haulage, and general transport-for-hire work, not farming their own land as the primary use | `[C3-B03]`, programme design logic |
| **Share of national parc** | 15% in the base case, 19.5 to 25.5 lakh units bear to bull | `[A3-04]` `[T-F1]` |
| **Replacement interval** | 3.3 years base case (4.0 bear, 2.8 bull), the shortest of the three segments | `[A3-07]` |
| **What they buy on** | Total cost of ownership, cost per working hour, not list price; a regional Ahmednagar, Maharashtra study found transportation and haulage the second-largest use category at 30.72% of hours for tractors in that sample | `[RG65]`, programme logic |
| **Why they matter beyond their own purchase** | Each operator works for many different farmers across a season, so a tyre that performs well on a haulage operator's tractor is seen and discussed by every farmer whose crop that operator hauls, a word-of-mouth multiplier a single-farmer sale never carries | `[C3-B06]` category framing, programme logic |
| **Entry point into the programme** | Dealer-administered tyre-life assurance (§27.2), priced on hours or season, sold at the point of rear-pair replacement | §27.2, `[A3-14]`, `[A3-25]` |

**Table T-F17. Segment B: Smallholder owner-operators**

| Dimension | Finding | Evidence |
|---|---|---|
| **Who they are** | Farmers owning and operating their own tractor primarily on their own landholding, the large majority of India's tractor-owning base | `[RG50]`, `[A3-05]` |
| **Share of national parc** | 70% in the base case, 91.0 to 119.0 lakh units bear to bull, by far the largest segment | `[A3-05]` `[T-F1]` |
| **Replacement interval** | 8.0 years base case (10.0 bear, 6.0 bull), the longest of the three segments, reflecting lower annual operating hours on own-farm work | `[A3-08]`, `[RG66]` |
| **What they buy on** | Price, available credit, and dealer trust, at harvest-linked cash-flow moments; recommendation from relatives, mechanics, dealers or company staff ranks sixth out of six factors even for the tractor purchase itself, so the tyre decision is unlikely to be a researched, brand-driven choice | `[RG46]`, `[C3-B03]` |
| **Why they matter beyond their own purchase** | Sheer volume: 70% of the parc means this segment, even at its slower 8-year replacement cycle, still generates the single largest number of rear-tyre pairs replaced a year of the three segments (13.13 lakh pairs base case, Table T-F3) | `[M c3.sets]` `[T18]` |
| **Entry point into the programme** | Harvest-timed credit through NBFC or cooperative partners (§27.3), administered through the dealer the farmer already trusts | §27.3, `[A3-22]`, `[A3-23]`, `[C3-B11]` |

**Table T-F18. Segment C: Custom hiring centres (carried with Segment A's logic)**

| Dimension | Finding | Evidence |
|---|---|---|
| **Who they are** | Shared-equipment facilities renting tractors and implements to farmers who do not own their own, under central SMAM/ISAM sanction, state schemes, or FPO and cooperative channels | `[RG61]` `[RG62]`, §26.1 |
| **Share of national parc** | 15% in the base case, 19.5 to 25.5 lakh units bear to bull, the same headline share as commercial operators, though a distinct channel | `[A3-06]` `[T-F1]` |
| **Replacement interval** | 3.0 years base case (3.5 bear, 2.5 bull), the shortest of the three segments, consistent with the highest usage-intensity regional study found (Punjab cooperative CHCs, about 900 hours a year) | `[A3-09]`, `[RG65]` |
| **What they buy on** | Total cost of ownership and uptime, the same logic as Segment A, because the CHC's own profitability depends on hours rented out across many different farmer-customers, not on any single farmer's brand preference | §26.1, programme logic |
| **Why they matter beyond their own purchase** | A CHC serves many farmers in a season by design; its tractor's tyre performance is observed by every farmer who hires that equipment, concentrating word-of-mouth reach even more tightly than Segment A's haulage operators | §26.1 |
| **Entry point into the programme** | Same tyre-life assurance product as Segment A, sold through the dealer at replacement; Punjab, the state with the deepest CHC density (11,148 centres), is a natural early-coverage priority (Table T-F11) | §27.2, `[RG62]`, `[T-F11]` |

The word-of-mouth reach argument for sequencing commercial and haulage operators and custom hiring centres first is not quantified with a sourced multiplier in this document, because no study of how many distinct farmers a single commercial operator or CHC serves in a season was located in this lane, a gap stated here rather than filled with an invented reach number. What is sourced is the structural fact the argument rests on: a CHC exists specifically to serve many different farmer-customers from one piece of equipment `[RG61]` `[RG62]`, and a haulage operator by definition works across multiple farmers' harvests rather than one `[C3-B03]`. The reach argument should therefore be read as a directional, structurally grounded reason to sequence these segments first, not as a modelled multiplier the way the break-even and share-points figures in §27.2 are modelled; this document does not claim a specific number of farmers reached per high-use operator, and the validation plan in §31 names this as one of the questions worth testing directly in the field before the deck or a Round 2 submission leans on a reach claim with more confidence than the evidence currently supports.

Sequencing high-use segments first also fits the Five Forces read from §25.3 better than starting with smallholders would. Buyer power sits with the dealer because trust and relationship, not advertising, decide the purchase `[C3-B03]` `[C3-B04]`; a cost-per-hour claim that a commercial operator can check against actual field performance is a harder, more credible thing for a dealer to vouch for than a generic brand message, because the dealer's own reputation is on the line

every time they recommend a specific product to a repeat commercial customer. Starting with smallholders first, where the purchase decision runs through price and credit rather than a checkable performance claim [RG46], would ask the dealer to sell on terms (price) where regional competitors are already entrenched [C3-B04], rather than on a term (hours of service per rupee) where no competitor currently makes a comparably specific claim in the tractor-tyre segment, so far as this lane's search into brand positioning could establish [RG70].

## 27.2 Value proposition and the TCO model

The value proposition is built in two parts for the two sequencing priorities, both administered through the dealer, consistent with the brief's dealer-led distribution constraint [C3-B11]: for commercial and haulage operators and custom hiring centres, a cost-per-hour argument backed by a dealer-administered tyre-life assurance; for smallholder owner-operators, a price-and-credit argument timed to harvest cash flow. The cost-per-hour argument is the one that needs a model, because "buys on total cost of ownership" is a claim that only means something with a number attached.

The rear pair cost per working hour is computed as the price of a rear-tyre pair divided by the tyre's life in hours, the same formula applied consistently across bear, base and bull. Worked example, base case: a rear-tyre pair at ₹33,800 (Table T-F5, A3-10) divided by 3,000 hours of tyre life (A3-11, base case) equals ₹11.27 an hour, rounding to the ₹11.3 the model reports [M c3.tco_per_hour] [T20]. Bear case: ₹34,880 divided by 2,000 hours equals ₹17.44, rounding to ₹17.4. Bull case: ₹32,800 divided by 4,000 hours equals ₹8.20. This is the number a commercial operator or CHC manager can put directly against a competing brand's own cost-per-hour claim, which is the kind of concrete, checkable comparison a total-cost-of-ownership buyer actually uses, rather than a list-price comparison that ignores how long the tyre lasts.

**Table T-F19. Rear pair cost per working hour, by scenario (₹)**

| Item | Bear | Base | Bull |
|---|---|---|---|
| Price per rear-tyre pair (₹) | 34,880 | 33,800 | 32,800 |
| Tyre life (hours) | 2,000 | 3,000 | 4,000 |
| Cost per hour (₹) | 17.4 | 11.3 | 8.2 |

*Source: [A3-10], [A3-11], [M c3.tco_per_hour], [T20]. Arithmetic shown once above; this is the moneyshot number for Case 3, parallel in form to Case 4's break-even-tyres figure, because both state a bar the design has to clear rather than an uplift it has already proven.*

Contribution per set is the complementary number, showing what each extra pair sold is actually worth to Eurogrip after GST and channel margin, which is what the budget in §28 is paid back against. The formula, shown once: net price ex-GST equals the pair price divided by (1 plus the GST rate); after-channel-margin net realisation equals that figure times (1 minus the channel margin); contribution equals that figure times the contribution margin. Worked example, base case: ₹33,800 divided by 1.05 (A3-26, 5% GST) equals ₹32,190; times (1 minus 15%, the base channel margin, A3-27) equals ₹27,362; times 28% (the base contribution margin, A3-15) equals ₹7,661, matching the model's base-case contribution per set exactly [M c3.contrib_per_set] [T20].

**Table T-F20. Contribution per rear-tyre pair, by scenario (₹)**

| Item | Bear | Base | Bull |
|---|---|---|---|
| Price per pair, MRP (₹) | 34,880 | 33,800 | 32,800 |
| GST rate | 5% | 5% | 5% |
| Channel margin (dealer and distributor) | 20% | 15% | 12% |
| Contribution margin | 22% | 28% | 34% |
| Contribution per pair (₹) | 5,847 | 7,661 | 9,346 |

*Source: [A3-15], [A3-26], [A3-27], [M c3.contrib_per_set], [T20]. Note the pattern: the bear case pairs the highest price with the least favourable channel and contribution margins, and the bull case pairs the lowest price with the most favourable margins, so the two effects do not simply cancel out; contribution per pair still rises from bear to bull because the margin assumptions move more than the price does.*

Dividing the base-case annual budget (₹4.4625 crore, §28) by the base-case contribution per pair (₹7,661.33) gives the number of extra pairs the programme must sell a year to pay for itself: 5,824.70, rounding to the 5,825 the model reports [M c3.payback_sets] [T20]. Expressed as a share of the national rear-tyre replacement market this document sizes in §25 (27.44 lakh pairs base case, Table T-F3), that is about 0.21 percentage points [M c3.share_points]. Across bear to bull, the budget divided by the respective contribution per pair, against the respective bear or bull market size, gives 0.26 points bear and 0.17 points bull [M c3.share_points_sc] [T20]. Stated as the moneyshot for this case: Eurogrip needs to win about a fifth of one percentage point of the national rear-tyre replacement market, through the two priority segments defined above, for the Case 3 go-to-market budget to pay for itself, before any uplift beyond that bar is claimed.

## 27.3 Assurance pricing for the high-use segments

The dealer-administered tyre-life assurance is the product vehicle for the cost-per-hour value proposition, priced on hours or season rather than sold as a flat warranty, and settled, like Apollo's own published farm-tyre warranty, on a pro-rata basis against remaining tread depth rather than paid in full regardless of use [RG42]. No tractor-tyre assurance claim-rate or payout-rate source exists, because this is a new, un-launched product design, a gap this document states rather than disguises; both the claim rate and the payout share are reasoned estimates benchmarked to adjacent evidence, not sourced figures.

The claim rate (A3-14) is benchmarked to typical low single-digit manufacturing-defect warranty claim experience, by analogy to Apollo's published pro-rata farm-tyre warranty structure, at 5% bear, 3% base, 1.5% bull [A3-14] [RG42]. The average payout per claim, as a share of the set price, is set at 50% bear, 35% base, 25% bull, consistent with a pro-rata structure settled on remaining tread depth rather than a full refund [A3-25] [RG42]. Applied to a programme design assumption of 1,500 to 5,500 assured sets a year (bear to bull) [A3-24], the assurance line costs about ₹0.11 crore a year in the base case [M c3.assurance_cost_cr], the smallest of the five budget lines detailed in full in §28.

**Table T-F21. Tyre-life assurance pricing assumptions**

| Item | Bear | Base | Bull | Basis |
|---|---|---|---|---|
| Claim rate | 5.0% | 3.0% | 1.5% | Benchmarked to low single-digit manufacturing-defect warranty experience, by analogy to Apollo's farm-tyre warranty [RG42] |

| Item | Bear | Base | Bull | Basis |
|---|---|---|---|---|
| **Average payout per claim (share of set price)** | 50% | 35% | 25% | Pro-rata structure consistent with Apollo's published tread-depth settlement `[RG42]` |
| **Assured sets sold a year** | 1,500 | 3,000 | 5,500 | Rollout design assumption, no source gives a target take-up volume |
| **Assurance line cost (₹ crore)** | n/a (model computes base only) | 0.11 | n/a | `[M c3.assurance_cost_cr]` |

*Source:* `[A3-14]`, `[A3-24]`, `[A3-25]`, `[RG42]`. *This is the one Case 3 budget line priced entirely from a new-product design assumption rather than a directly comparable market benchmark, because no tractor-tyre assurance product currently exists for this document to benchmark against; the gap is logged again in §31.*

### 27.4 Credit timing for the smallholder segment

For smallholder owner-operators, the value proposition is not a cost-per-hour argument, which would be meaningless to a buyer whose tractor sits idle for most of the year between two cropping windows; it is a cash-flow-timing argument. A harvest-timed credit line, delivered through NBFC or cooperative partners and administered through the dealer the farmer already trusts `[C3-B11]`, lets the smallholder replace a worn tyre when the tractor needs it, not only when cash happens to be in hand, and repay after the harvest that the tractor itself just helped bring in.

This design choice rests on two facts this document already established: tractor purchase in India runs overwhelmingly on credit (about 95% of tractors, with a 125 basis point RBI rate-cut cycle in 2025 cited as supportive of continued credit-led demand) `[RG29]`, and marginal-plus-small holdings, at 86.1% of all operational holdings nationally, are the segment for whom a lumpy, off-cycle cash outlay is hardest to absorb `[RG50]`. The credit subvention per financed set, a partial interest-rate buy-down rather than a full subsidy, is priced at ₹2,700 bear, ₹2,000 base, ₹1,500 bull, reasoned as roughly 5% to 8% of a rear-pair price at the base rate, about ₹33,800 `[A3-23]`. Applied to a design assumption of 2,000 to 7,000 financed sets a year (bear to bull) `[A3-22]`, the harvest credit line costs about ₹0.80 crore a year in the base case, the second-largest of the five budget lines after the dealer programme itself (§28).

**Table T-F22. Harvest-timed credit, pricing and volume assumptions**

| Item | Bear | Base | Bull |
|---|---|---|---|
| **Financed sets a year** | 2,000 | 4,000 | 7,000 |
| **Credit subvention per set (₹)** | 2,700 | 2,000 | 1,500 |

*Source:* `[A3-22]`, `[A3-23]`. *No source gives a target financed-set volume or a tractor-tyre-specific credit-subvention rate, since this is a new programme design; both are stated as rollout design assumptions, consistent with the "assumption" disclosure convention used throughout this document.*

Both the assurance and the credit line share a design discipline the Case 4 programme also follows, even though the two programmes are built for different categories: neither pays out on a sign-up alone, and both tie the payment to an event (a claim against remaining tread depth, or a harvest-timed repayment) that only occurs if the underlying tyre is actually in use on a working tractor. This matters for the same reason it matters in Case 4, that the brief's own framing rules out a high-cost, one-off incentive `[C3-B10]`, `[C4-B10]`; a flat sign-up payment for either segment would be easy for a rival to match within a season and would not build the kind of sustained dealer relationship the category's own buyer-power dynamics reward. Fraud and misuse risk for the assurance line follows the same logic as the tool-credit controls built into Case 4's design: a pro-rata, tread-depth-based settlement is self-limiting, because a claim on a tyre that still has most of its tread remaining pays out very little, which removes most of the incentive to file a claim early or fraudulently. The dealer who administers the assurance is also the party best placed to inspect tread depth at the point of claim, since the dealer already handles the physical tyre at replacement, consistent with keeping the programme workable inside the existing dealer-led distribution model rather than adding a new inspection layer `[C3-B11]`.

### What this section establishes, and what it does not

- It establishes two primary segments plus one structurally-similar third (commercial and haulage operators, smallholder owner-operators, and custom hiring centres carried with the commercial logic), satisfying the brief's requirement for at least two distinct, non-generic customer segments.
- It establishes the Case 3 moneyshot in full: a base-case rear-pair cost of ₹11.3 an hour, a base-case contribution of ₹7,661 a pair, and a base-case payback of 5,825 extra pairs, about 0.21 percentage points of the national replacement market, ranging 0.17 to 0.26 points bull to bear.
- It establishes that the two segments need different value propositions, cost-per-hour and a dealer-administered assurance for the high-use segments, harvest-timed credit for smallholders, both delivered through the dealer rather than direct to the farmer.
- It states plainly that the assurance claim rate and payout share, and the credit-subvention rate and financed-set volume, are all new-product design assumptions, not sourced figures, because no comparable tractor-tyre product of either kind currently exists to benchmark against.
- It does not establish a verified brand-specific win rate; the share-points figure is the bar the budget must clear to pay for itself, not a claim that Eurogrip will actually capture that share.
- It does not price a value proposition for a fourth, out-of-scope group analogous to Case 4's OEM-authorised workshops boundary; OEM-fitment tyres are governed by separate supply contracts and are not addressed by this replacement-market strategy.
- It does not claim a sourced word-of-mouth reach multiplier for how many farmers a single commercial operator or CHC influences in a season; the sequencing argument rests on the structural fact that both serve multiple farmer-customers by design, not on a measured number, and this gap is carried forward into the validation plan in §31.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 28. A dealer-led plan for ₹4.46 crore a year, 1.75% of domestic OHT revenue

**Answer.** The Case 3 go-to-market plan spends ₹4.4625 crore a year in the base case, 1.75% of the ₹255 crore base-case domestic OHT revenue envelope `[A3-01]` `[A3-02]` `[M c3.budget_cr]`, ranging ₹3.00 crore (1.5% of a ₹200 crore bear-case revenue base) to ₹6.20 crore (2.0% of a ₹310 crore bull-case base), staying inside the brief's own 1.5% to 2% budget rule throughout `[C3-B10]`. The money runs through six lines, a dealer programme, village mechanics, field days, harvest

credit, tyre-life assurance, and a measurement-and-contingency reserve, with the dealer programme itself the single largest line at ₹1.60 crore [M c3.lines] [T19]. The whole plan is built to work inside the dealer-led distribution model the brief requires, not around it [C3-B11]: every rupee flows to or through a dealer, a village mechanic the dealer already works with, or a financing partner the dealer administers, with no direct-to-farmer digital advertising spend anywhere in the six lines.

## 28.1 Channel approach: working within, not around, the dealer

The plan treats the dealer-led distribution constraint as a design input, not a limitation to work around, because the brief states it as a defining feature of the category rather than a temporary obstacle.

This is also the reading the brief's own differentiation criterion rewards [C3-B19]: Eurogrip's point of difference from how competitors currently operate is not a different channel, it is a different offer inside the same channel, a checkable cost-per-hour claim and a new assurance and credit product, rather than a bid to replace the dealer relationship with something more modern. No source in R-G names a rival tractor-tyre maker running a comparable dealer-administered assurance or harvest-credit product, so the differentiation claim rests on the absence of a found precedent, stated as a logged gap rather than a confirmed competitive void, consistent with how §25.2 treats the absence of a tractor-tyre brand-share figure as a finding rather than a silence to fill in.

The brief's distribution constraint is explicit and binding: "Strategy must work within a dealer-led distribution model, this is not a direct-to-consumer or heavy-digital-advertising category" [C3-B11]. This rules out, by name, the kind of mass-media and digital-activation spend that the Case 1 brand programme uses for Eurogrip's two-wheeler business; a tractor-tyre strategy that spent its budget on television or digital reach, however well-targeted, would be fighting the channel reality the brief itself states rather than working with it. Every one of the six budget lines below is therefore a payment to, through, or alongside a dealer: the dealer programme line pays the dealer directly for display, participation and incentive administration; the village-mechanics line reaches the secondary influence layer identified in §26.1 without bypassing the dealer who ultimately sells the tyre; the field-days line funds events the dealer hosts or co-hosts; the harvest-credit line is a financing product the dealer administers on behalf of an NBFC or cooperative partner; and the tyre-life assurance line is sold and settled by the dealer at the point of replacement.

## 28.2 Dealer tiers

The programme does not treat every one of Eurogrip's dealers identically; it tiers them by enrolment depth, mirroring the tier logic Case 4 uses for mechanics, with the same underlying design principle, that a free entry point should exist, and that higher tiers earn more support in exchange for more activity, not more cash outlay from the dealer.

**Table T-F23. Dealer tiers for the Case 3 programme**

| Tier | Entry | Gets | Gives back |
|---|---|---|---|
| **Tier 1, enrolled** | Any existing Eurogrip dealer; free sign-up through the distributor network | Display materials, the tyre-life assurance product to sell, programme literature | Stocks and displays the Eurogrip tractor-tyre range |
| **Tier 2, active** | Participates in at least one field day a year and administers at least one harvest-credit-financed sale | Priority stock allocation, a dealer-meet invitation, co-funded display upgrade | Hosts or co-hosts field days; refers farmers into the harvest-credit line |
| **Tier 3, lead dealer** | Highest-volume dealers in a priority state (per the regional read in Table T-F11); administers the tyre-life assurance product at scale | Larger display and fascia support, first access to new pattern launches (such as the Tigertrac R-1W radial [RG72]), featured status in dealer-facing communications | Primary assurance administrator and claims point for its district; trains village mechanics in its catchment |

*Source: programme design, consistent with [A3-16] (dealer count at steady state, 500 to 1,200 across bear to bull) and [A3-17] (cost per dealer a year, ₹12,000 to ₹30,000 across bull to bear). The tier structure is a design choice, not a sourced figure; it is included because the brief's own channel-realism criterion asks whether the dealer strategy is realistic for how the category actually buys and sells [C3-B17], and an undifferentiated, flat dealer payment would not reflect how unevenly dealer volume and influence are actually distributed across a 500 to 1,200-dealer network.*

## 28.3 Mechanic influence: village mechanics as the secondary channel

Village mechanics are enrolled as a secondary influence channel, not a primary sales channel, consistent with §26.1's buying-centre finding that mechanic recommendation ranks behind five other purchase factors even for the tractor purchase itself [RG46]. The design assumption is 5,000 bear to 18,000 bull village mechanics enrolled, at a cost of ₹350 to ₹500 a mechanic a year across bull to bear [A3-18] [A3-19], reusing the same per-member cost logic Case 4 applies to its Tier 1 mechanic members (one-time tools and visibility items amortised over a set period, plus a small per-member messaging cost), adapted here to a village-mechanic audience whose role is confirming wear and reinforcing a dealer's recommendation rather than independently sourcing the sale.

**Table T-F24. Village-mechanic channel, scale and cost**

| Item | Bear | Base | Bull |
|---|---|---|---|
| **Village mechanics enrolled** | 5,000 | 10,000 | 18,000 |
| **Cost per mechanic a year (₹)** | 500 | 420 | 350 |

*Source: [A3-18], [A3-19]. The cost figure is derived from Case 4's own Tier 1 cost logic (one-time tools plus one-time visibility, amortised, plus per-member messaging), not a directly sourced village-mechanic programme cost, since no comparable programme for this specific audience was located in R-G's search.*

## 28.4 Budget in full

Reproducing the model's budget lines in full, at base case, with the share of the envelope each line represents:

**Table T-F25. Case 3 budget lines, in full (₹ crore, base case)**

| Line | ₹ crore | Share of base-case spend |
|---|---|---|
| **Dealer programme** | 1.60 | 48.5% |
| **Village mechanics** | 0.42 | 12.7% |

| Line | ₹ crore | Share of base-case spend |
|---|---|---|
| Field days | 0.38 | 11.5% |
| Harvest credit | 0.80 | 24.2% |
| Tyre-life assurance | 0.11 | 3.2% |
| **Subtotal** | **3.30** | **100% of the five operating lines** |
| Measurement and contingency | 1.16 | (brings total to the full envelope) |
| **Total (base case)** | **4.46** | **1.75% of base-case domestic OHT revenue** |

*Source:* `[M c3.lines]`, `[M c3.budget_cr]`, `[T19]`. *The measurement-and-contingency line is sized as the residual between the five operating lines (₹3.30 crore) and the full base-case envelope (₹4.4625 crore), the same budgeting discipline Case 4 applies: spend is capped at the stated percentage of relevant business-unit revenue first, and the operating lines are sized within that cap, not the other way round.*

**Table T-F26. Case 3 budget envelope across scenarios (₹ crore)**

| Item | Bear | Base | Bull |
|---|---|---|---|
| Domestic OHT revenue (₹ crore) | 200 | 255 | 310 |
| Budget share | 1.5% | 1.75% | 2.0% |
| Envelope (₹ crore) | 3.00 | 4.46 | 6.20 |

*Source:* `[A3-01]`, `[A3-02]`, `[M c3.budget_cr]`. *Worked example, base case: ₹255 crore times 1.75% equals ₹4.4625 crore, rounding to the ₹4.46 crore the model reports.*

### 28.4a Field days: the one line with the thinnest cost benchmark

Field days are the budget line with the weakest cost benchmark of the six, and this document states that plainly rather than let the other, better-benchmarked lines carry the weight of an untested assumption. No rural field-day cost benchmark exists in this build's media-cost data; the `media_costs.csv` file's on-ground activation rows price urban metro-mall activations, a materially different scale and venue type than a rural farmer field day `[A3-21]`. The cost per field day is therefore a reasoned estimate for venue, refreshment and local staff cost, set at ₹40,000 bear, ₹25,000 base, ₹15,000 bull, against a design assumption of 100 to 220 field days a year across bear to bull `[A3-20]` `[A3-21]`. At the base case, 150 field days at ₹25,000 each costs ₹0.375 crore, rounding to the ₹0.38 crore the model carries in Table T-F25.

**Table T-F29. Field days, scale and cost**

| Item | Bear | Base | Bull |
|---|---|---|---|
| Field days held a year | 100 | 150 | 220 |
| Cost per field day (₹) | 40,000 | 25,000 | 15,000 |
| Line cost (₹ crore) | 0.40 | 0.38 | 0.33 |

*Source:* `[A3-20]`, `[A3-21]`. *Worked example, base case: 150 field days multiplied by ₹25,000 equals ₹37,50,000, rounding to the ₹0.38 crore carried in Table T-F25; the small apparent inconsistency between the bear, base and bull line costs here and a simple linear read of the two input ranges reflects that higher-volume scenarios are assumed to achieve some scale economy on a per-event basis, consistent with how the model computes the line, not a reporting error.*

Field days are hosted or co-hosted by the dealer (§28.1), typically timed around a sowing or harvest season when farmers are already gathering, and serve two purposes at once: demonstrating the tyre-life assurance and harvest-credit products directly to farmers in the smallholder segment, and giving commercial operators and CHC managers in the same district a venue to discuss cost-per-hour performance with their peers, which is the closest this design comes to manufacturing the word-of-mouth reach effect named in §27.1 rather than simply waiting for it to occur unprompted.

### 28.5 Rollout and KPIs

The rollout follows the same phased, gated logic Case 4 uses, adapted to the dealer-led channel: an initial phase concentrated in the regions Table T-F11 identifies as the strongest fit for the commercial and haulage-first sequencing (the eastern-belt states and Punjab's CHC density), followed by a wider dealer-network rollout once the tyre-life assurance and harvest-credit mechanics are proven to work operationally with real dealers and real NBFC or cooperative partners, followed by steady-state coverage across the dealer network at the scale described in Table T-F23.

**Table T-F27. Case 3 KPIs, by layer**

| Layer | Metric | Why it matters |
|---|---|---|
| **Channel** | Dealers enrolled and active by tier | Tests whether the tier structure (§28.2) is actually pulling dealers up, not just signing them up once |
| **Product uptake** | Tyre-life assurance sets sold; harvest-credit sets financed | Direct inputs to the payback calculation in §27.2; tracked against the 1,500 to 5,500 assurance and 2,000 to 7,000 credit design ranges `[A3-22]` `[A3-24]` |
| **Sales** | Extra rear-tyre pairs sold against the 5,825-pair base-case break-even | The direct test of whether the Case 3 budget is paying for itself, the same discipline as Case 4's break-even gate |
| **Influence** | Village-mechanic enrolment and field-day attendance | Proxy for whether the secondary influence channel (§26.1, §28.3) is actually reaching farmers, since no direct recommendation-rate survey exists for this category |
| **Share** | Modelled share of the national rear-tyre replacement market (§25) actually captured, against the 0.21 percentage-point break-even bar | The long-run test of whether the strategy is winning share, not merely spending inside budget |

*Source: synthesised from `[M c3.budget_cr]`, `[M c3.payback_sets]`, `[A3-22]`, `[A3-24]`, consistent with the balanced, multi-layer measurement discipline Case 4 applies in document §13.*

## 28.6 Risks

No dedicated Case 3 risk register exists in `model/inputs/risks.csv`, which carries only the Case 4 register; this document states that plainly rather than relabelling a Case 4 risk as a Case 3 one. The risks below are drawn directly from the structural features of the Case 3 design itself, stated with the same one-to-one risk-to-control discipline Case 4 uses in its own register, but presented here as a design-level risk read rather than a modelled register with probability and impact scores.

**Table T-F28. Case 3 risks and controls (design-level, not modelled)**

| Risk | Control |
|---|---|
| **Dealers enrol for the display materials but do not actively push the tyre-life assurance or harvest-credit products** | Tier 2 and Tier 3 status is conditional on active participation (field days, financed sales), not sign-up alone, the same loss-aversion logic Case 4's six-month tier review uses |
| **The CHC count used to prioritise Punjab and other states is itself uncertain (27,554 vs 75,915, §26.1)** | Treat the regional prioritisation in Table T-F11 as a starting hypothesis to test in the pilot phase of rollout, not a fixed allocation, and re-weight once real dealer-level enrolment data is available |
| **The assurance product's claim rate or payout share runs above the bear-case assumption, since no comparable product exists to benchmark against** | Cap assurance take-up growth to the design range (1,500 to 5,500 sets a year) and review claims experience against the A3-14/A3-25 assumptions before scaling the product to a wider dealer base |
| **A rival tyre maker launches a comparable assurance or credit product once Eurogrip's is visible in the market** | The programme's early-mover position in a category where no tractor-tyre-specific mechanic or dealer advocacy precedent was found (§25.3, §27) is itself a head start a fast follower would need time to match |

*Source: design-level synthesis against the Case 3 structure described in §27 and §28.1 to §28.5; no Case 3-specific probability or impact scoring exists in `model/inputs/risks.csv`, a gap stated here rather than filled with an invented score.*

Reading Tables T-F23 to T-F29 together against the brief's own feasibility criterion `[C3-B20]`, the plan's realism rests on three load-bearing choices that a judging panel is likely to probe. First, the dealer-tier structure (§28.2) assumes Eurogrip can differentiate its existing dealer network by activity without a disclosed current dealer count specific to tractor tyres (the ₹340 crore Madurai OHT investment and the 600-distributor, 50,000-retailer two-wheeler network are both sourced, but neither is a tractor-tyre dealer count), so the 500 to 1,200-dealer steady-state range in `[A3-16]` is itself a rollout design assumption, not a disclosed target. Second, the harvest-credit line depends on an NBFC or cooperative partner actually agreeing to administer a tyre-specific subvention at the scale and price in Table T-F22, a partnership this document recommends but has not confirmed exists or is under discussion. Third, the tyre-life assurance product is, by its own description in §27.3, entirely new, so its ₹0.11 crore base-case cost is the smallest line in the budget precisely because its take-up assumption is conservative, not because the product itself is expected to remain small once proven; a judging panel should read the assurance line's modest size as caution about an unproven product, not as a signal the team considers it unimportant to the overall thesis.

## Conclusively

Eurogrip's tractor-tyre opportunity is real but not yet proven domestically: the brand's own recent capacity and product investment has been export-led, its first India radial-tractor-tyre appearance came only in February 2024, and no verified share figure exists for Eurogrip or any of its six named competitors in a market this document had to size bottom-up because no official figure does either (§25). The category buys through the dealer, not through advertising, and mechanic and peer recommendation ranks behind five other purchase factors even for the tractor itself, so the channel strategy has to route through dealer trust, with the mechanic layer as reinforcement, across a country where cropping pattern, terrain and landholding size vary enough that no single regional playbook fits all ten of the top tractor-selling states (§26). The recommended sequencing, commercial and haulage operators and custom hiring centres first on a checkable cost-per-hour claim, smallholder owner-operators second on harvest-timed credit, both delivered through the dealer, pays for itself at 5,825 extra rear-tyre pairs a year in the base case, about a fifth of one percentage point of the national replacement market (§27). None of it requires direct-to-consumer advertising spend the category's own buying pattern would not reward; the ₹4.46 crore base-case budget, 1.75% of domestic OHT revenue, runs entirely through dealers, village mechanics and financing partners the dealer already works with (§28).

## What this section establishes, and what it does not

- It establishes the full Case 3 budget, ₹4.46 crore a year in the base case (1.75% of domestic OHT revenue), ranging ₹3.00 crore to ₹6.20 crore bear to bull, and reproduces all six budget lines in full, consistent with the brief's own 1.5% to 2% budget rule.
- It establishes that every line in the budget flows through the dealer-led channel the brief requires, with no direct-to-consumer advertising spend anywhere in the design, and a dealer-tier structure that rewards activity, not sign-up alone.
- It establishes village mechanics as a secondary, dealer-reinforcing influence channel, priced using Case 4's own per-member cost logic, not an independent sales channel.
- It states plainly that no Case 3-specific, probability-and-impact-scored risk register exists, unlike Case 4's ten-item register, and presents the risks here as a design-level read rather than a modelled score.
- It does not claim the regional state prioritisation in Table T-F11 is final; it is explicitly a starting hypothesis the design-level risk register in §28.6 recommends testing and re-weighting once real enrolment data exists.
- It does not extend into the cross-case synthesis or the Q&A bank; those are the work of §29 and §30.
- It does not confirm a current dealer count specific to tractor tyres, an NBFC or cooperative partner for the harvest-credit line, or a proven take-up rate for the new tyre-life assurance product; all three are named explicitly as load-bearing assumptions a judging panel is likely to probe, and all three are carried into the validation plan in §31.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 29. Four answers, one company: the mechanic programme is the shared channel for three of them

**Answer.** The four recommendations were engineered separately, one per case, but they reinforce each other in three specific, stated places, not as a general claim that everything Eurogrip does connects to everything else: the Case 4 mechanic and puncture-shop advocacy programme is the retail proof channel through which Case 1's commuter and gig riders would actually see the distance evidence the brand wants them to trust; Case 2's EV-ready tyre needs trained fitment at the point of sale, which Case 4's own Tier 2 course, which already covers tubeless repair and correct pressures, could extend to cover EV tyre handling specifically; and Case 3 reuses Case 4's core influencer-advocacy logic, paying for advice and status rather than cash, applied to village mechanics and tractor dealers instead of two-wheeler mechanics `[PLAN.md §2.6]`. This is reasoning about fit between four separately-engineered answers, not a claim that Eurogrip runs any of these links today, and the paragraph below recaps the whole 28-section argument that precedes it without adding a new finding.

### 29.1 The three links, each traced to where it actually sits in the four answers

**Table T-F30. The three cross-case links**

| Link | Case 4 side | The other case's side | Why it is reasoning about fit, not a current fact |
|---|---|---|---|
| **Retail proof channel** | The mechanic and puncture-shop advocacy programme, once it has logged codes and tool credits running through the retailer app, is the place a rider stands when a commuter or gig-rider message about Eurogrip's distance proof would actually land, at the counter, from a person the rider already trusts | Case 1's masterbrand architecture needs a proof currency (distance) to be visible where the tyre is actually chosen, which document §5 and §17 both place at the mechanic's shop | Case 4 is a programme design, not yet a running system with logged codes and trained mechanics; Case 1's reliance on it as a proof channel is a design choice that assumes Case 4 exists, not a description of a channel that exists today |
| **Trained fitment** | Case 4's Tier 2 tier already requires either 12 referrals in six months or a 2-hour tyre-fitment course covering tubeless repair, correct pressures and EV tyre handling `[T11]` | Case 2's EV-ready tyre is a different construction (dual-layer tread, raised load index) that a mechanic fitting it incorrectly could undermine, so a trained fitment channel protects the product's actual performance claim | The EV-tyre-handling content inside the Tier 2 course is itself a design element of Case 4, not a confirmed curriculum item that has been taught to any mechanic yet, since the whole programme is pre-pilot |
| **Advocacy logic transplant** | Case 4's governing thought, "pay for the advice, not the stock, and pay in tools and status rather than cash," is the design thesis Case 3 borrows and re-applies | Case 3's village-mechanic and dealer-tier structure (§28.2, §28.3) uses the identical loss-aversion, status-over-cash logic, not a literal shared programme or shared budget line | The two programmes have separate budgets, separate assumption registers (A-series for Case 4, A3-series for Case 3) and separate audiences; only the underlying behavioural design logic is shared, not an operating system |

*Source: `[PLAN.md §2.6]`, Case 4 design (§10, document section cross-referenced via `ARGUMENT.md`), Case 3 design (§27, §28 above). This table is the literal content of the plan's own cross-case links paragraph, expanded into its three constituent pieces with the specific section of each case it touches named explicitly.*

### 29.2 Sequencing: which recommendation would logically come first

If Eurogrip acted on all four recommendations, the sequencing implied by the links in Table T-F30 is not arbitrary. Case 4 would need to exist first, in at least pilot form, before Case 1 could use it as a retail proof channel or Case 3 could borrow its advocacy logic with any field evidence behind it, since both downstream links depend on Case 4's own loop (code, log, credit, tier) actually working, which is exactly what Case 4's own two-state pilot (document §12) is designed to prove before any scale decision. Case 2's EV-ready tyre, meanwhile, runs on an independent engineering and validation timeline (BIS, UNECE R75, FMVSS 119 compliance and stage gates, document §23) that does not depend on Case 4 at all for its core product development, only for the training-channel link once the tyre itself is ready to ship; the two could run in parallel, with the Tier 2 course update as a late-stage addition once both are closer to real deployment. Case 3's own channel (dealer-led, not mechanic-retailer-led) and its own distinct budget line mean it does not strictly need Case 4 to proceed either; it needs only the advocacy design logic, which this document has already engineered and written down in full by §27 and §28, independent of whether Case 4 itself has launched.

**Table T-F31. A plausible sequencing, if all four recommendations were pursued together**

| Order | What happens | Why it sits here |
|---|---|---|
| **1** | Case 4 two-state pilot (Tamil Nadu, Uttar Pradesh) begins | Everything the retail-proof-channel link and the advocacy-logic-transplant link depend on is proven or disproven here first |
| **2, in parallel with 1** | Case 2 EV-ready tyre engineering and compliance work continues on its own validation timeline | Independent of Case 4; no shared dependency until the training-channel link late in the process |
| **2, in parallel with 1** | Case 3's dealer-led tractor-tyre plan launches its own regional rollout (§26.2, §28.5) | Independent channel and budget; borrows only the design logic, which is already written, not a running Case 4 system |
| **3** | Case 4 scales to 8 states, and if the pilot proves the loop works, Case 1's masterbrand campaign begins using the mechanic-shop retail layer as a proof channel for commuter and gig messaging | The proof-channel link only pays off once Case 4 has real logged-code and tool-credit activity to point to, not a design on paper |
| **4** | If Case 2's tyre is market-ready and Case 4 has scaled, the Tier 2 course is updated to cover the specific EV-ready tyre's fitment requirements | The latest-arriving link, since it needs both an actual product (Case 2) and a functioning training channel (Case 4) to exist |

*Source: team sequencing logic built from the dependency structure in Table T-F30 and the rollout timelines already established in document §12 (Case 4) and §28.5 (Case 3); this is reasoning, not a commitment or a timeline Eurogrip has adopted.*

### 29.3 Shared assets: what one investment could serve more than one case

Three investments, if Eurogrip built them once, would serve more than one of the four recommendations rather than needing to be built four separate times. The retailer app's code-logging capability, built for Case 4, is the same infrastructure a Case 1 campaign would want to confirm a gig fleet's or a commuter's tyre was indeed sold through a mechanic-advocated channel, so a single logging system, not two, would serve both. The Tier 2 training curriculum, built for Case 4's general tubeless-repair and pressure-check content, is the natural home for Case 2's EV-tyre-specific fitment content once that tyre exists, rather than a separate training programme Case 2 would otherwise need to stand up on its own. And the behavioural design principle itself, pay for the advice and the status, not the stock and not cash, is a piece of intellectual property in the loose sense, a tested design pattern, that Case 3 reuses without needing Case 4's actual budget,

members or app, which is the cheapest possible form of reuse: no shared infrastructure, no shared cost, only a shared idea that has already been argued through once in this document and does not need to be re-argued from scratch for tractor dealers.

**Table T-F32. Shared assets across the four cases**

| Asset | Built for | Also serves | Nature of the reuse |
|---|---|---|---|
| **Retailer app code-logging capability** | Case 4 (mechanic code logged against tyre serial) | Case 1 (confirming a mechanic-advocated sale for a commuter or gig rider) | Shared infrastructure, one build |
| **Tier 2 training curriculum (tubeless repair, pressures, EV tyre handling)** | Case 4 | Case 2 (EV-ready tyre fitment content, once the product exists) | Shared curriculum slot, content added later |
| **"Pay for advice and status, not stock or cash" design principle** | Case 4 | Case 3 (village mechanics and tractor dealers) | Shared idea, no shared budget or infrastructure |

*Source: synthesis of §29.1 to §29.3 above, consistent with* `[PLAN.md §2.6]` *'s own framing that these are links in reasoning, not claims about a system Eurogrip already runs.*

### Therefore

Across all 28 sections that precede this one, four separately-engineered recommendations converge on a single discipline this document has applied consistently rather than coincidentally: reject the first idea a judge would reach for, because the brief's own evidence usually points somewhere less obvious, and replace it with a design that pays for the thing that actually matters (advice, not stock, in Cases 3 and 4; distance proof, not three fragmented campaigns, in Case 1; an EV-ready variant on existing lines, not a premium new tyre, in Case 2), priced in bear, base and bull because a single point estimate would claim more certainty than the evidence supports, and bounded by the brief's own 1.5% to 2% budget rule in every case where that rule applies. Case 4's mechanic and puncture-shop advocacy, the only one of the four built into this round's Figma deck, breaks even at 4.4 extra tyres a member shop a year; Case 1's masterbrand campaign puts 62% of its budget where the tyre is actually chosen; Case 2's EV-ready tyre lands its cost delta essentially at the brief's own 8% ceiling while adding real range; and Case 3's dealer-led tractor-tyre plan pays for itself at about a fifth of one percentage point of a market this document had to size from first principles because no official figure for it exists. None of the four recommendations depends on inventing a number, a quote, or a name the evidence does not support, and three of the four touch the mechanic or dealer layer in some form, which is the reason this document keeps returning to that single relationship, between a brand and the person a buyer actually trusts at the point of replacement, as the thread that runs under all four answers.

### What this section establishes, and what it does not

- It establishes exactly three cross-case links, each traced to a specific section of a specific case, not a general claim that the four cases form a single integrated system.
- It establishes a plausible sequencing (Case 4 pilot first, Case 2 and Case 3 in parallel, Case 1 and the Tier 2 EV update later, once Case 4 has field evidence) and three shared-asset opportunities (the retailer app's logging capability, the Tier 2 training curriculum, and the advocacy design principle itself).
- It states, in the "Therefore" paragraph, the single discipline that connects all four recommendations: reject the obvious answer, price every claim bear to bull, and stay inside the brief's own budget rule.
- It does not claim Eurogrip currently operates any of these links; every link, every sequencing step and every shared asset is stated as reasoning about fit between four recommendations engineered on paper, consistent with the plan's own framing.
- It does not revisit the depth of any single case's argument; that is the work of §25 to §28 (Case 3) and the earlier parts of this document for Cases 1, 2 and 4.
- It does not anticipate judge questions directly; that is the work of §30.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 30. Forty questions the judges are likely to ask, and our answers

**Answer.** This section anticipates 40 questions across all four cases, weighted toward Case 4 (25 questions) because it is the case built into this round's Figma deck and therefore the one most exposed to live judge questioning; Cases 1, 2 and 3 each carry 5 questions targeted at the specific weakest point of that case's own argument, Case 1's open gig-rider segment, Case 2's near-ceiling cost delta, and Case 3's export-led OHT finding. Every answer below is framed in reported speech, "The panel may ask: ...", and cites the research section and tag that backs the answer, so a reader can trace every response back to where it was actually argued rather than treat the answer as asserted here for the first time.

### 30.1 Index of all 40 questions

**Table T-F33. Question index, by case and topic**

| # | Case | Topic | Section backing the answer |
|---|---|---|---|
| **Q01** | 4 | Universe-count methodology | §6, T1 |
| **Q02** | 4 | The struck-insight ruling and testing tools vs cash | §7, §0.3 rule 5 |
| **Q03** | 4 | Fraud prevention in the code-logging loop | §10, §13, T12 |
| **Q04** | 4 | Why the retailer bothers logging a mechanic's code | §10, T12 (R02) |
| **Q05** | 4 | Dependency on the Bandhan app | §10, DECISIONS.md |
| **Q06** | 4 | Break-even arithmetic, shown in full | §11, T5 |
| **Q07** | 4 | What happens if break-even is not met | §2.2.13, §14 |
| **Q08** | 4 | Why 1.75% of business-unit revenue, not 1.5% or 2% | §11, T4 |
| **Q09** | 4 | Distributor capacity to enrol mechanics | §12, T12 (R04) |

| # | Case | Topic | Section backing the answer |
|---|---|---|---|
| Q10 | 4 | Puncture-shop literacy and phone access | §6, §15 |
| Q11 | 4 | Rival response risk | §10 (7 Powers), T12 (R05) |
| Q12 | 4 | Mystery-audit validity | §13, T8, T12 (R07) |
| Q13 | 4 | National-scale cost curve | §11, §12, T4, T7 |
| Q14 | 4 | The Case 2 EV-tyre training link | §29, T11 |
| Q15 | 4 | What data was never found for Case 4 | §6, §7, §31 |
| Q16 | 4 | Why not a simple cash-per-tyre scheme | §9, T9 |
| Q17 | 4 | How confident is the segment split (S-A, S-B, S-C) | §6, T2 |
| Q18 | 4 | Fairness of the six-month tier review | §10, T11 |
| Q19 | 4 | Why Tamil Nadu and Uttar Pradesh as pilot states | §12, DECISIONS.md |
| Q20 | 4 | Can the counter-positioning claim be tested | §10 (7 Powers) |
| Q21 | 4 | Third-party validation, how strong is it | §8, T10 |
| Q22 | 4 | What if the universe estimate is wrong by a wide margin | §6, T1 |
| Q23 | 4 | Why consumables, not a bigger one-time gift | §10, §2.2.6 |
| Q24 | 4 | Sensitivity of break-even to a single assumption | §11, T6 |
| Q25 | 4 | Why this is a Marketing-and-Operations hybrid case type | §0.4, ARGUMENT.md |
| Q26 | 1 | Who actually decides the gig rider's tyre | §17, kill criterion |
| Q27 | 1 | Is the distance-proof claim measurable before Case 4 scales | §18, §19 |
| Q28 | 1 | Why masterbrand, not three segment sub-brands | §18 |
| Q29 | 1 | Budget realism at 1.75% of operating revenue | §19, T13, T15 |
| Q30 | 1 | How is premium-segment proof different from paid influence | §17, §18 |
| Q31 | 2 | Is an 8.0% cost delta really "within" an 8.0% ceiling | model_outputs, DECISIONS.md (2026-10-17) |
| Q32 | 2 | How reliable is the compound-recipe cost input | T16, T17 |
| Q33 | 2 | Why not drop the load-index upgrade now, given the margin | §2.2.13 kill criterion |
| Q34 | 2 | Does the EV-ready tyre still meet global compliance | §23 |
| Q35 | 2 | What range gain is actually being claimed | T17 |
| Q36 | 3 | Why no verified tractor-tyre market share for Eurogrip | §25.2, §25.4 |
| Q37 | 3 | Is "export-led" too harsh a read of the OHT investment | §25.4 |
| Q38 | 3 | How was the ₹9,276 crore market size actually built | §25.1, T-F5 |
| Q39 | 3 | Why dealer-led, not a mechanic-first design like Case 4 | §26.1, §27, §28.1 |
| Q40 | 3 | How real is the 0.21-percentage-point share-points bar | §27.2, T20 |

*Source: as cited per row, drawing on every prior section of this document plus the specific model, decision and assumption files named. The index itself is a navigation aid; the Q&A pairs below carry the actual answers.*

**Table T-F34. Question count by case and by question type**

| Case | Design-defence questions | Honest-limit or gap questions | Total |
|---|---|---|---|
| **4** | 19 | 6 | 25 |
| **1** | 4 | 1 | 5 |
| **2** | 2 | 3 | 5 |
| **3** | 2 | 3 | 5 |
| **Total** | **27** | **13** | **40** |

*Source: the team's own classification of the 40 questions in Table T-F33, splitting each into whether its answer primarily defends a design choice already made (design-defence) or primarily restates an honest limitation, gap or marginal finding already logged elsewhere in this document (honest-limit). Case 2 and Case 3 carry a higher honest-limit share than Case 1 because their weakest points, the at-the-ceiling cost delta and the unsourced tractor-tyre market share, are each named directly by the brief's own evaluation criteria, not avoidable by better framing.*

## 30.2 Case 4 questions (Q01 to Q25)

**Q01. The panel may ask: how do you know there are about 7.8 lakh mechanic and puncture-shop outlets, when no government survey counts them directly?**
Answer: we do not claim a counted figure; we triangulate four independent methods (an enterprise survey route, a two-wheeler-parc route, a floor set by named rival programme enrolments, and a floor set by Eurogrip's own current partner count) and report the result as bear 2.7 lakh, base 7.8 lakh, bull 15.0 lakh, never as a single point estimate `[M c4.universe]` `[T1]`.

**Q02. The panel may ask: your own brief says tools and equipment overtook cash as mechanics' top preference, why does your document call that struck through?** Answer: that exact sentence is struck through in the brief's own PDF, so we never present it as an Eurogrip finding; we attribute the tools-half of the shift to the brief's judging criterion and the visibility-half to a separate, standing insight, and we test the tools-versus-cash question directly with a randomised reward-currency pilot arm rather than assume the struck sentence is true `[C4-B12]`, §0.3 rule 5.

**Q03. The panel may ask: what stops a mechanic and a retailer colluding to log codes for tyres that were never actually recommended?** Answer: one credit per tyre serial, a monthly cap per member, random IVR call-backs to riders named on the logged sale, a distance flag between the retailer and the mechanic beyond a set kilometre threshold, and a distributor audit of the top earners each quarter, a five-part control set, not a single safeguard `[M c4.risks]` `[T12]` (R01).

**Q04. The panel may ask: why would a busy retailer bother entering a mechanic's code at the point of sale?** Answer: the retailer earns a small logging credit inside its own existing loyalty scheme for every code entered, so logging is not an unpaid favour; the design pilots retailer training before scale specifically to confirm this incentive actually moves behaviour in the field, not only on paper `[T12]` (R02).

**Q05. The panel may ask: what if the Bandhan retailer app is not actually live or capable of this in 2026?** Answer: R-A confirmed Bandhan as a real, launched (2019) TVS Eurogrip retailer app with loyalty and e-ordering added in 2020, with no 2026 discontinuation evidence found, so the ruling names it rather than genericising it; if the pilot finds otherwise, a one-time build cost assumption and a manual WhatsApp or SMS fallback are both already reserved in the design `[M c4.app_name]`, DECISIONS.md (2026-10-17), `[T12]` (R08).

**Q06. The panel may ask: walk us through the break-even arithmetic in one line.** Answer: base-case annual spend of ₹21.99 crore divided by 1.16 lakh members divided by a ₹427 contribution per tyre equals 4.4 extra tyres a member a year, or one roughly every 11.7 weeks; bear and bull run the same formula at ₹10.29 crore over 0.27 lakh members and ₹29.20 crore over 2.43 lakh members respectively `[M c4.be]` `[T4]` `[T5]`.

**Q07. The panel may ask: what happens if the pilot shows break-even needs more than 12 tyres a member a year?** Answer: that is the kill criterion stated in advance: above a base-case break-even of 12 tyres, Tier 3 hardware moves to lease-only and the model is re-run; if break-even still exceeds 12, the programme narrows to the stocking and non-stocking service-mechanic segments (S-A and S-B) only, dropping the puncture-shop segment (S-C) `[§2.2.13]`.

**Q08. The panel may ask: why 1.75% of business-unit revenue specifically, not the floor or the ceiling of the brief's own range?** Answer: 1.75% is the base case inside the brief's stated 1.5% to 2% band `[C4-B19]`; the base case spends at 1.75% and deliberately treats the headroom up to 2.0% as contingency, so the programme is never designed to require the ceiling to function, only to have room to use it if conditions warrant `[§2.2.8]`, `[T4]`.

**Q09. The panel may ask: can your distributor network actually enrol mechanics at this scale without deprioritising its core stocking work?** Answer: this is a named risk (R04) in the register, controlled by a per-enrolment incentive paid to distributor sales staff and a missed-call or WhatsApp self-enrolment path that does not depend on a distributor visit at all, so enrolment does not rest entirely on distributor bandwidth `[T12]` (R04).

**Q10. The panel may ask: can a puncture-shop owner with limited literacy or no smartphone actually use a code-based system?** Answer: the code itself works on a physical card or a board QR a rider can photograph, and enrolment runs by missed call or WhatsApp, not a smartphone app requirement for the mechanic; this document has not tested literacy or device-access rates directly, a logged gap carried into the 60-interview validation plan `[§15]`.

**Q11. The panel may ask: what stops a competitor copying this exact design once it is visible?** Answer: a rival running a purchase-linked cash scheme cannot copy a stock-independent design without paying for advice on tyres it does not sell to that shop, cannibalising its own existing scheme, a counter-positioning argument (7 Powers), stated as reasoning about rivals' incentives, not a claim about their internal economics `[§10]`, `[T12]` (R05).

**Q12. The panel may ask: how do you know a mystery-rider audit actually measures unprompted recommendation rather than a performance for the auditor?** Answer: audits are unannounced, run by a rotating third-party agency, drawn randomly each round from the full member list rather than a pre-notified sample, and compared against matched control districts the shops do not know are being tracked, all four features aimed directly at the risk that shops learn to recognise and perform for auditors `[§13]`, `[T8]`, `[T12]` (R07).

**Q13. The panel may ask: what does the cost curve look like going from the two-state pilot to all of India?** Answer: quarterly spend rises from ₹0.91 crore in Q1 to ₹5.50 crore in Q8 at national steady state, an S-curve, not a straight line, deliberately phased so costs are visible and checkable at each of three gates before the next phase is funded `[T7]`.

**Q14. The panel may ask: concretely, how would the Case 4 Tier 2 course connect to Case 2's EV-ready tyre?** Answer: Tier 2 already requires either 12 referrals in six months or a 2-hour course covering tubeless repair, correct pressures and EV tyre handling; once Case 2's EV-ready tyre exists as a real product, its specific fitment requirements would be added to that existing course slot rather than requiring a new training programme to be built from nothing `[T11]`, §29.1.

**Q15. The panel may ask: what data did you look for on this case and never find?** Answer: a national count of two-wheeler mechanics or puncture shops from any government source, a dated study attaching a percentage to how often a mechanic's recommendation actually decides a replacement-tyre purchase, and a verbatim number behind the brief's own "30,000 partners" campaign claim; all three are stated as gaps, not filled with an assumption `[§6]`, `[§7]`, `[§31]`.

**Q16. The panel may ask: why not just run a simple cash-per-tyre scheme like the lubricant category does?** Answer: modelled at base case, a cash-per-tyre scheme would cost about ₹41.70 crore a year and spend about 91% of that on tyres that would have sold anyway, rewarding stock, not advice, and failing three of the brief's five judging criteria outright `[M c4.cash_scheme]`, `[T9]`.

**Q17. The panel may ask: how confident are you in the 25/40/35 split across the three mechanic segments?** Answer: not fully confident; if R-C could not split S-B from S-C from any source, the model would fall back to the stated assumption register with its own bear/base/bull range, and this document says so plainly rather than present the split as a measured fact `[§2.2.3]`, `[T2]`.

**Q18. The panel may ask: is it fair to drop a mechanic back to Tier 1 after six months without warning?** Answer: the review is scheduled and known in advance to every member at sign-up, not a surprise; the design relies on loss aversion (losing status and tools is a stronger motivator than a one-off gift) as a sourced behavioural-economics principle, not an arbitrary penalty `[§2.2.6]`, `[T11]`.

**Q19. The panel may ask: why Tamil Nadu and Uttar Pradesh as the two pilot states?** Answer: Tamil Nadu is Eurogrip's home state with the deepest existing presence among top-10 two-wheeler states, confirmed by Madurai HQ and plant location and recent Chennai signature-store openings; Uttar Pradesh is the largest two-wheeler registration state where Eurogrip's presence is comparatively thinner, so together they test the design in a strong-presence and a weak-presence market `[§12]`, DECISIONS.md (2026-10-17).

**Q20. The panel may ask: can the counter-positioning claim actually be tested, or is it just a story?** Answer: it is stated explicitly as reasoning about rivals' incentives, not a tested fact; the pilot-to-scale timeline is designed to build a lead in enrolled shops before a rival can plausibly copy and match the design, which is the nearest thing to a test this document can offer before a rival actually moves `[§10]`, `[T12]` (R05).

**Q21. The panel may ask: how strong is your third-party validation that mechanic-advocacy programmes work at scale in India?** Answer: real and sourced, but adjacent-category, not tyre-specific: Castrol's Fast Scan platform enrolled 1.5 lakh mechanics and retailers with about ₹6 crore in monthly rewards, and its Super

Mechanic Contest reached over 1.4 lakh mechanics; no rival tyre maker runs a comparable mechanic-specific programme, which this document treats as a white-space finding, not evidence the design is risk-free [§8], [T10].

**Q22. The panel may ask: what if the true universe is far smaller than even your bear case of 2.7 lakh outlets?** Answer: the bear case is already the floor set by the larger of two hard counts (named rival-programme enrolment and Eurogrip's own current partner count), so a universe smaller than 2.7 lakh would mean a count-level measurement error in those named programmes themselves, not merely an estimation error in this document's own triangulation [T1].

**Q23. The panel may ask: why repair-kit consumables rather than a bigger sign-up gift?** Answer: the brief explicitly rules out high-cost, one-off incentives that are hard to sustain or track [C4-B10]; consumables that run out every quarter create a recurring, low-cost reason for a member to log a code again, which a single large gift, however generous, cannot do by its one-time nature [§2.2.6].

**Q24. The panel may ask: which single assumption, if wrong, would move your break-even figure the most?** Answer: the contribution margin on the company's net realisation (A30), which swings break-even between 3.9 and 5.1 tyres on its own, more than any of the other five tornado-ranked assumptions including the replacement tyre MRP and the tool credit per referral [T6].

**Q25. The panel may ask: you call this a Marketing-and-Operations hybrid case type; does that weaken your framework choices?** Answer: no framework used here is invented to fit the label; MECE issue trees, customer journey mapping, JTBD, Kano, 7 Powers, unit economics and KPI trees are all standard across both disciplines, and the hybrid label is stated once, honestly, precisely so a judge does not mistake this for a pure M&A case borrowing frameworks (DCF, EPS accretion) that would not fit it at all [§0.4], ARGUMENT.md.

### 30.3 Case 1 questions (Q26 to Q30)

**Q26. The panel may ask: who actually decides which tyre goes on a gig rider's bike, the rider or the fleet operator?** Answer: the brief itself leaves this open, and this document states the kill criterion directly: if R-E finds gig-rider tyre decisions are made entirely by the fleet operator with no rider input, the distance-proof narrative shifts from a rider-facing claim to a fleet-procurement claim, while the three-segment structure itself still holds either way [C1-B11], ARGUMENT.md.

**Q27. The panel may ask: can the distance-proof claim actually be measured before Case 4 has scaled enough to carry it at retail?** Answer: the gig-fleet side of the claim is measurable independently through fleet-operator tracked tyre life, which does not depend on Case 4 at all; only the retail-counter and mechanic-shop leg of the same proof currency depends on Case 4's own rollout, which is why §29's sequencing logic places Case 4's pilot before Case 1's full masterbrand activation.

**Q28. The panel may ask: why one masterbrand architecture instead of three segment-specific sub-brands?** Answer: the brief's own coherence constraint penalises fragmenting one budget across three separate campaigns; a single proof currency (distance) under one brand lets each segment's evidence reinforce the others, rather than three unconnected stories competing for the same limited spend [C1-B14].

**Q29. The panel may ask: is a 1.5% to 2% of operating revenue budget (₹54.65 crore to ₹73.16 crore) realistic for three segments plus a brand platform?** Answer: the base-case ₹63.75 crore is allocated across four rows (commuter, gig, premium, brand platform) and three channels (digital, retail, on-ground) with 62% landing in retail and on-ground, where the brief's own evidence says the tyre is actually chosen, not spread evenly as a token gesture to each segment [T13], [T14], [T15].

**Q30. The panel may ask: how is premium-segment peer advocacy different from simply paying influencers, which the brief seems to discourage?** Answer: the design routes premium-segment proof through riding communities and track or test events where the distance evidence is demonstrated directly, not through a paid endorsement with no product proof behind it, the same distinction this document draws between credited advice and paid promotion in Case 4's own obvious-answer rejection.

### 30.4 Case 2 questions (Q31 to Q35)

**Q31. The panel may ask: your own model shows the cost delta at 8.0028% against an 8.0% ceiling; is that really "within" the brief's constraint?** Answer: no, and this document says so directly rather than round past it: the base case lands essentially at the brief's own ceiling, not comfortably under it, a result the build log treats as a genuinely marginal finding rather than a clear pass, and one that motivates the sensitivity discussion in §24's own tornado analysis rather than being hidden from it (model_outputs.json; DECISIONS.md, 2026-10-17, M1 model run).

**Q32. The panel may ask: how reliable is the compound cost input behind that 8.0% figure?** Answer: not fully reliable by design, because Eurogrip's actual compound recipe is proprietary and was never going to be available to this lane; the cap-compound cost and cap-mass figures in Table T16 and T17 are engineering-reasoned estimates, flagged as reasoned, not sourced, which is exactly why the 0.003-percentage-point miss against the ceiling is read as noise inside an estimate, not a precise overshoot.

**Q33. The panel may ask: given the cost is at the ceiling, why not just drop the reinforced load-index step now?** Answer: the kill criterion is written for exactly this situation but is calibrated to a clear miss, not a rounding-level one; because the actual result sits at, not meaningfully above, the 8% target, the recommendation is to carry the sensitivity finding honestly into the next validation stage (§31) rather than trigger the full pivot to an upgrade-only SKU prematurely, per the kill criterion's own stated trigger [§2.2.13].

**Q34. The panel may ask: does the EV-ready tyre still clear global compliance at this cost level?** Answer: yes, by design; the four engineering moves (tyre construct, tread pattern, load index, vital performance) were chosen specifically because they are achievable on existing lines without a redesign that would trigger new BIS, UNECE R75 or FMVSS 119 testing, which is a separate constraint from the cost ceiling and is satisfied independently of how the cost-delta number lands [§23].

**Q35. The panel may ask: what range gain is actually being claimed, in plain terms?** Answer: about 4.2% more range, or roughly 6.3 km more per charge, in the base case, for a cost delta of about ₹68 a tyre, 8.0% of the comparable petrol-scooter tyre's cost; bear and bull run from 2.3% (2.8 km) at a higher cost delta to 6.7% (13.0 km) at a lower one [T17].

### 30.5 Case 3 questions (Q36 to Q40)

**Q36. The panel may ask: what is Eurogrip's actual market share in tractor tyres today?** Answer: unknown, and this document says so rather than estimate one; the only two tractor-adjacent share figures found are undated, unattributed, mutually inconsistent and describe the whole tyre industry, not tractor tyres specifically, so both are excluded and no share figure for Eurogrip or any named rival appears anywhere in this document [§25.2], [RG70].

**Q37. The panel may ask: is "export-led" too harsh a read of Eurogrip's OHT investment, given it also serves the domestic market?** Answer: the evidence is specific, not a general impression: CRISIL's own rating rationale states 100% of the Madurai expansion's output was planned for export, and the brand's first India radial-tractor-tyre appearance was February 2024, both primary, dated facts, not an inference drawn from silence [§25.4], [RG76], [RG72].

**Q38. The panel may ask: how was the ₹9,276 crore tractor-tyre market figure actually built, since you say no official figure exists?** Answer: bottom-up, from the national tractor parc split by use-type, divided by the replacement interval implied by tyre life in hours against annual operating hours, multiplied by a real rear-tyre-pair price from a retail aggregator, with the full arithmetic shown once in Table T-F5 so a judge or a reviewer can check every step `[§25.1]`, `[T-F5]`.

**Q39. The panel may ask: why dealer-led for Case 3, when Case 4 is mechanic-first for two-wheelers?** Answer: because the two categories' own buying-centre evidence differs: the brief's own research, backed by a Telangana study, ranks mechanic and peer recommendation behind five other factors for a tractor purchase, while the two-wheeler brief frames the mechanic as the most frequented touchpoint and the person who most often recommends the tyre at replacement; the channel follows the evidence in each case, not a template carried over from one case to the other `[§26.1]`, `[RG46]`, `[C4-B03]`.

**Q40. The panel may ask: how real is the 0.21-percentage-point share-points figure, given the underlying market size itself is modelled?** Answer: it is a ratio of two things built from the same assumption set (the budget's payback requirement and this document's own bottom-up market size), so it is internally consistent, but it inherits every uncertainty in both; stated honestly, bear to bull it moves from 0.17 to 0.26 points, and it is a bar the strategy must clear, not a forecast of the share Eurogrip will actually win `[§27.2]`, `[T20]`.

### What this section establishes, and what it does not

- It establishes 40 anticipated judge questions, 25 for Case 4 and 5 each for Cases 1, 2 and 3, each answered in reported speech with a citation to the research section and tag behind the answer.
- It establishes that every answer is traceable to a section already written in this document or an earlier part, rather than a new claim introduced here for the first time to sound reassuring.
- It establishes, for the three non-deck cases, that each set of 5 questions targets the specific weakest point of that case's own argument, named plainly: Case 1's open gig-rider decision-maker question, Case 2's at-the-ceiling cost delta, and Case 3's export-led OHT finding and unsourced market share.
- It does not soften any of the honest findings carried from earlier sections; Q31, Q36 and Q37 in particular restate the document's own hardest admissions rather than argue around them.
- It does not anticipate every possible judge question; it anticipates the ones this build's own evidence base makes most likely, given where the evidence itself is thinnest or where a design choice most needs defending.
- It does not replace the method and limits discussion that follows in §31; several answers above point forward to it explicitly (Q15, Q31 to Q33).

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## 31. Method, limits and what we would validate next

**Answer.** This document rests on three distinct kinds of content, a sourced fact tagged to a raw lane or a brief sentence, a team assumption tagged to the model's own assumption register, and a model-computed output tagged to a model key or table, and every number in every section carries one of those three tags rather than floating free of its provenance. The skill's own corpus is three Harvard GCCH M&A decks, a calibration gap this document names honestly rather than papers over, since marketing, product-engineering and go-to-market strategy cases borrow the skill's structural and rhetorical patterns without inheriting its finance-specific frameworks. Each of the four cases carries one clearly named evidentiary gap at its centre, Case 4's uncounted mechanic universe, Case 2's proprietary compound recipe, Case 3's thin tractor-tyre-specific market data, and Case 1's open gig-rider decision-maker question, and the validation plan below names the specific interviews, lab work and pilot steps that would close each one before a Round 2 submission leans on it with more confidence than this desk-research pass can currently support.

### 31.1 The calibration note, stated once more, in full

The case-competition-deck skill this build invoked is calibrated on a corpus of three Harvard GCCH (Global Case Competition for Humanity) decks, all M&A cases, per the skill's own `references/gcch_corpus.md` `[§0.4]`. These four Eurogrip cases are not M&A: Case 1 is a marketing and brand-architecture case, Case 2 is a product-engineering case with operations and compliance constraints, Case 3 is a go-to-market and channel-strategy case, and Case 4 is a hybrid of trade marketing and programme operations. The skill's own stated position, repeated here because it governs how every framework in this document was chosen, is that the structural and rhetorical patterns (the contrarian-recommendation pattern, action titles carrying a number, a single moneyshot per case, foreshadowing, symmetric treatment across segments, defensive depth, three-scenario bear/base/bull thinking) transfer with confidence across case types, while the M&A-specific frameworks (discounted cash flow, acquisition-premium decomposition, EPS accretion and dilution) do not apply at all and are never used anywhere in this document `[§0.4]`, ARGUMENT.md. Every framework actually used, MECE issue trees, customer journey maps, JTBD, Kano, 7 Powers, Porter's Five Forces, QFD, TRIZ, FMEA, TRL ladders, unit economics, break-even and scenario analysis, KPI trees, RACI and pre-mortem risk registers, is a standard cross-disciplinary tool chosen because it fits the specific question each case asks, not because the skill's M&A corpus happened to use it.

**Table T-F35. Case type and calibration flag, all four cases**

| Case | Closest skill case type | Calibration flag |
|---|---|---|
| **1 Brand across Commuter, Gig, Premium** | Marketing | Extrapolated; the skill's own marketing patterns are not corpus-derived, only the structural and rhetorical patterns are |
| **2 EV tyre concept** | Operations and Strategy hybrid | Extrapolated; a product-engineering case with no exact fit in the skill's case-type library |
| **3 OHT tractor share** | Strategy, GTM flavour of Marketing | Extrapolated |
| **4 Mechanic advocacy (the deck case)** | Marketing (trade and influencer) and Operations (programme operations) hybrid | Extrapolated |

*Source: ARGUMENT.md, `[§0.4]`, `[§2.1]`. None of the four cases is the skill's native M&A case type; this is stated once here, in full, as the closing honesty check on every framework choice made across the whole document.*

### 31.2 Desk research, assumption, or model output: a taxonomy

Three kinds of content appear in this document, and the tagging convention used throughout is built to keep them visibly distinct rather than let a reader mistake one for another.

**Table T-F36. The three content types, how each is tagged, and what each means**

| Type | Tag format | What it means | Example from this document |
|---|---|---|---|
| **Sourced fact** | `[RX##]` (raw lane fact) or `[S###]` (source register) or `[CX-B##]` (brief sentence) | A dated, attributable, verifiable statement from a primary or secondary source, or a sentence lifted directly from the brief itself | "CRISIL states 100% of the Madurai expansion's output was planned for export" `[RG76]` |
| **Team assumption** | `[AX-##]` (case-specific assumption register) or the word "assumption" stated once in the paragraph that uses it | A reasoned estimate the team made because no source gave the figure directly, always carrying a stated bear/base/bull range and a basis column explaining the reasoning | The tractor-tyre assurance claim rate, 5% bear to 1.5% bull, benchmarked by analogy to Apollo's published warranty structure `[A3-14]` |
| **Model-computed output** | `[M c#.key]` or `[T#]` (model table) | A number the Python model calculated by combining sourced facts and stated assumptions through an explicit formula, reproducible from the inputs alone | Case 3's break-even of 5,825 extra tyre pairs a year, computed from the budget divided by the contribution per pair `[M c3.payback_sets]` `[T20]` |

*Source: the tagging convention stated in `PLAN.md` §4.4 and `WRITER-BRIEF.md`, applied consistently across all six writers and all 31 sections of this document. A reader who wants to challenge a number in this document has, by this convention, an explicit route to do so: trace the tag back to the raw lane file, the assumption register row, or the model script, rather than take the number on trust.*

## 31.3 Limits, one honest paragraph per case

**Case 4's limit.** No government survey or industry body counts India's two-wheeler mechanic and puncture-shop universe directly, and no dated study attaches a percentage to how often a mechanic's recommendation actually decides a replacement-tyre purchase `[§6]`, `[§7]`, `[RB67]`. Every segment size, every break-even figure and every budget line in this document's Case 4 chapter is built on a four-method triangulation and a stated assumption register precisely because this single counting gap exists; the document states this honestly rather than present the triangulated 7.8 lakh base-case figure as a measured fact, and the 60-interview validation plan named in document §15 exists specifically to narrow this gap before Round 2.

**Case 2's limit.** TVS Srichakra's actual compound recipe is proprietary, so the cost-delta figures behind the EV-ready tyre's moneyshot rest on engineering-reasoned material-fraction estimates, not a disclosed formulation `[T16]`, `[T17]`. The model's own base-case result, a cost delta of 8.0028% against the brief's own 8.0% ceiling, lands at essentially the limit of what this estimate can distinguish from noise, a finding this document states directly rather than round away, and the clearest next step to close this gap is a physical compound trial, not a further desk-research pass, since no public source will ever disclose Eurogrip's actual recipe.

**Case 3's limit.** No industry body, rating agency or company filing gives a tractor-tyre-specific market size, unit volume or brand-share breakdown anywhere in India `[§25.1]`, `[RG68]`, `[RG70]`; this document had to build its own bottom-up market-size estimate from the tractor parc, replacement intervals and real price quotes precisely because the segment-specific figure that would normally anchor a GTM case does not exist in the public record. The same gap means Eurogrip's own tractor-tyre domestic standing (export-led OHT investment, a February 2024 first India radial appearance) is the strongest single piece of company-specific evidence this chapter has, and it is thinner than the equivalent company-standing evidence available for Cases 1 and 4, both built on the two-wheeler business where far more public data exists.

**Case 1's limit.** The brief itself leaves open who actually decides a gig rider's tyre, the rider or the fleet operator that owns or leases the vehicle `[C1-B11]`; this document's distance-proof-currency recommendation is written to survive either answer, but it has not been tested against either, because no source in this build's R-E lane settled the question with a sourced figure. This is the one Case 1 limit that could change which audience (rider or fleet procurement) a Round 2 campaign for the gig segment should actually be written for, and it is named as the first validation priority for that case below.

## 31.4 What we would validate next

**Table T-F37. The next validation step, by case, with what it would close**

| Case | Next validation step | What it would close |
|---|---|---|
| 4 | 60 interviews across the three mechanic and puncture-shop segments (S-A, S-B, S-C), 20 each, across four cities, two in each pilot state, before the pilot itself begins `[§15]`, `[A38]`, `[A39]` | Tests whether the triangulated universe size, the segment split, and the stated preference for tools and status over cash actually hold in the field, rather than resting on secondary sources and design assumptions alone |
| 4 | The two-state pilot itself (Tamil Nadu, Uttar Pradesh), with its matched-district difference-in-differences design and randomised reward-currency arm `[§12]`, `[§13]` | Tests the programme's actual activity rate, advocacy lift and the tools-versus-cash preference directly, against the three gates (G1 to G3) already defined |
| 1 | A direct question to Eurogrip's own gig-fleet partners (platform and fleet operators) on who actually selects the tyre fitted to a gig rider's vehicle | Resolves the open kill criterion named in §31.3 before committing campaign spend to a rider-facing versus a fleet-procurement-facing version of the distance-proof message |
| 2 | A physical compound trial on the proposed dual-layer, silica-rich cap formulation, measured against the same cost and rolling-resistance targets this document's model uses | Replaces the proprietary-recipe-constrained engineering estimate in Table T16 and T17 with a measured cost and performance result, resolving whether the 8.0028% delta is genuinely at the ceiling or comfortably under it |
| 3 | Structured interviews with dealers, commercial haulage operators and custom hiring centre managers in the two priority-region clusters (eastern-belt states and Punjab, Table T-F11), plus direct outreach to an NBFC or cooperative partner for the harvest-credit line | Confirms the dealer-tier structure, the tyre-life assurance take-up assumption, and the harvest-credit partner's willingness to administer the product, three load-bearing assumptions named explicitly in §28 |

*Source: synthesised from document §15 (Case 4's own validation plan), §31.3 above, and the specific load-bearing assumptions named across §27 and §28 for Case 3. No validation step listed here has been run as of this document's writing; all are planned, not completed, consistent with the content-integrity rule against presenting a planned step as a completed one `[§5]`.*

## What this section establishes, and what it does not

- It establishes the calibration note in full, naming which patterns transfer from the skill's M&A corpus (structural and rhetorical) and which do not (finance-specific frameworks), and confirms no M&A-specific framework was used anywhere in this document.
- It establishes a three-part taxonomy, sourced fact, team assumption, model-computed output, with the exact tag format for each, so any number in this document can be traced back to its actual provenance.

- It establishes one honest limiting paragraph per case, naming the single evidentiary gap that most constrains confidence in that case's own recommendation, rather than a generic disclaimer applied identically to all four.
- It establishes a concrete next validation step per case, each tied to the specific load-bearing assumption or gap that step would close, not a generic call for "more research."
- It does not claim any of the five validation steps in Table T-F37 has been run; all are stated as planned, consistent with the document's own content-integrity rules.
- It does not reopen or revise any recommendation made earlier in this document; this section closes the document's own method discussion, it does not change the argument.

Exhibit for the deck: none (Case 3 is not the deck case; this section is research-only).

## Appendix A: Bibliography

Sources were opened and checked on 14 October 2026. Only sources cited in the text are listed; the full 469-source register (including sources gathered but not ultimately cited) is `research/raw/sources.md`.

This bibliography resolves every source actually cited in the document: both the rare direct `[S###]` tags and, far more commonly, every lane-file R-ID tag (`[RA12]`, `[RB07]`, etc.), traced through that lane's own Facts table to the Source ID it rests on. The 'Cited via' column shows which R-ID tags resolve to each source (capped at 4, with a count of any more). 244 of 244 resolved sources are listed below; see `research/raw/sources.md` for the full 421-source register, including sources gathered but not ultimately cited in the final text.

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S002 | Arihant Capital (2026) 'TVS Srichakra Ltd company profile' | https://www.arihantcapital.com/company-information/about-company/526 | RA01, RA26, RA73, RA74, +1 more |
| S003 | NSE archives (2024) 'TVSSRICHAK standby letter of credit intimation' | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_03052024200208_sblctosg.pdf | RA02 |
| S004 | Reveliolabs (2026) 'TVS Srichakra employees and company data' | https://www.reveliolabs.com/companies/tvs-srichakra/employees/ | RA03, RA07, RA77 |
| S006 | NSE archives (2026) 'TVS Srichakra Regulation 30 press release 31 Jul 2026' | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_31072026115313_TVSSRICHAKRALIMITEDREGULATION30PRESSRELEASE31072026.pdf | RA05 |
| S007 | Arihant Capital / IIFL (2026) 'TVS Srichakra Ltd subsidiaries' | https://www.arihantcapital.com/company-information/about-company/526 | RA06 |
| S008 | CRISIL Ratings (2024) 'TVS Srichakra Limited rating rationale, 22 Apr 2024' | https://crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVSSrichakraLimited_April 22_ 2024_RR_341292.html | RA08, RA97 |
| S009 | CRISIL Ratings (2020) 'TVS Srichakra Limited rating rationale, 29 Apr 2020' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVS_Srichakra_Limited_April_29_2020_RR.html | RA10, RA11, RA66, RA67, +2 more |
| S010 | Screener.in (2026) 'TVS Srichakra Ltd consolidated financials' | https://www.screener.in/company/TVSSRICHAK/consolidated | RA12, RA13, RA14 |
| S011 | Business Standard via askfuzz (2026) 'TVS Srichakra Q4 profit surges 276%% to Rs 36.09 crore' | https://askfuzz.ai/discover/news/companies/tvs-srichakra-q4-profit-surges-276-to-36-09-crore | RA16 |
| S012 | FilingReader (2026) 'TVS Srichakra profits more than triple to Rs 71.06 crore' | https://filingreader.com/news-wire/mumbai/2026-05-27/tvs-srichakra-profits-more-than-triple-to-rs-7106-crore | RA16 |
| S013 | Fyers (2026) 'TVS Srichakra Ltd profit and loss' | https://fyers.in/stocks/tvs-srichakra-ltd/profit-loss | RA17, RA92 |
| S014 | Arihant Capital (2026) 'TVS Srichakra Ltd directors report' | https://www.arihantcapital.com/company-information/directors-report/526 | RA17 |
| S015 | Angel One (2026) 'TVS Srichakra share price gains after Q1 FY27 earnings' | https://www.angelone.in/news/stocks/tvs-srichakra-share-price-gains-over-4-after-q1-fy27-earnings-results-total-income-up-31-7-yoy | RA18, RA82 |
| S016 | Univest (2026) 'TVS Srichakra Q1 results FY27, PAT Rs 34 crore' | https://univest.in/blogs/tvs-srichakra-q1-results-fy27-pat-34-crore | RA19 |
| S017 | Outlook Business (2015) 'Wheel of fortune, Fastest Growing Companies 2015' | https://www.outlookbusiness.com/specials-34/fastest-growing-companies_2015/wheel-of-fortune-2513 | RA22, RA24, RA69 |
| S019 | Eurogrip Tyres (2026) 'Eurogrip Tyres website homepage' | https://www.eurogriptyres.com/ | RA27, RA29, RA30, RA31 |
| S020 | Autocar Professional (2019/2020) 'TVS Srichakra facilitates contactless services through TVS Eurogrip Bandhan app' | https://autocarpro.in/news-national/tvs-srichakra-facilitates-contactless-services-through-tvs-eurogrip-bandhan-app-56323 | RA32, RA33, RA70, RA71 |
| S021 | Autocar Professional / Autocomponents India (2021) 'TVS Eurogrip digitises after sales service with Click to Connect' | https://autocomponentsindia.com/tvs-eurogrip-digitises-after-sales-service-with-click-to-connect/ | RA34 |
| S023 | exchange4media (undated) 'Did CSK bag Rs 23 crore sponsorship deal with TVS Srichakra' | https://www.exchange4media.com/ipl-news/csk-bags-rs-23-crore-sponsorship-deal-with-tvs-srichakra-115734.html | RA38 |
| S024 | ImpactOnNet (2022) 'Experience of 3 decades has enabled us to be specialists in our category' (CMO interview) | https://www.impactonnet.com/cmo-interview/experience-of-3-decades-has-enabled-us-to-be-specialists-in-our-category-7892.html | RA39 |
| S025 | Campaign India (2023) 'MS Dhoni converts into a storyteller for TVS Eurogrip' (date corrected on direct fetch 15 Oct 2026: films aired 31 Mar 2023, not 2024) | https://campaignindia.in/video/ms-dhoni-converts-into-a-storyteller-for-tvs-eurogrip/490011 | RA40 |
| S027 | The Machine Maker (2024) 'Eurogrip Set to Launch Next-Gen Fuel-Efficient Tyres for Electric Vehicles' | https://themachinemaker.com/?p=60138 | RA42, RA80, RA84, RA85 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S029 | Intelsense / Substack (2026) 'TVS Srichakra Annual Report Summary' | https://intelsense.substack.com/p/tvs-srichakra-annual-report-summary | RA44, RA45, RA46, RA47 |
| S030 | NSE archives (2026) 'TVS Srichakra Limited press release, 14th signature store in Ludhiana, 31 Mar 2026' | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_31032026125350_TVSSRICHAKRALIMITEDPRESSRELEASE3103202614thsignaturestoreinLudhiana.pdf | RA49 |
| S031 | Arihant Capital (2026) 'Eurogrip Tyres opens exclusive retail store in Bahraich, Uttar Pradesh' | https://www.arihantcapital.com/company-information/companynewsdetails/25117010076 | RA49 |
| S032 | Autocar Professional / Tyre Trends (2021) 'TVS Srichakra launches eleven new products, e-DURAPRO e-rickshaw tyre, 4 Mar 2021' | https://autocarpro.in/news-national/tvs-srichakra-launches-eleven-new-products-78668 | RA51 |
| S045 | Angel One (2025) 'New GST Rates on Tyres Across Categories Effective September 22, 2025' | https://oga-prod.angelone.in/news/taxation/new-gst-rates-on-tyres-across-categories-effective-september-22-2025 | RA60 |
| S049 | Autocar Professional (2026) 'TVS Srichakra approves Rs 220 crore capex for capacity expansion at Madurai plants' | https://www.autocarpro.in/news/tvs-srichakra-approves-rs-220-crore-capex-for-capacity-expansion-at-madurai-plants-132836 | RA48 |
| S050 | Tyrepress (2021) 'Cricket: TVS Eurogrip principal sponsor to Chennai Super Kings' | https://tyrepress.com/2021/11/cricket-tvs-eurogrip-principal-sponsor-to-chennai-super-king | RA101, RA37 |
| S051 | CRISIL Ratings (2023) 'TVS Srichakra Limited rating rationale, 25 Apr 2023' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVSSrichakraLimited_April%2025,%202023_RR_310684.html | RA95, RA96 |
| S052 | NSE archives (2024) 'TVS Srichakra Ltd loss-of-connectivity compliance filing, 22 Nov 2024' | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_22112024175056_TVSSRICHAKRALTDLOC22112024.pdf | RA100 |
| S100 | Autobei (2025) 'Indian Two Wheeler Tyre Market' | https://www.autobei.com/autoreports/two-wheeler/indian-two-wheeler-tyre-market/amp | RB01, RB02, RB03, RB04, +3 more |
| S102 | Tyre Trends (2025) 'India Focuses To Be Global Hub For Quality Tyre Manufacturing, New ATMA Chairman' | https://tyre-trends.com/spotlight/india-focuses-to-be-global-hub-for-quality-tyre-manufacturing-new-atma-chairman | RB07 |
| S103 | Statista via Canberra proxy (undated) 'India production volume of two and three wheeler tires' | https://www-statista-com.ezproxy.canberra.edu.au/statistics/1266207/india-production-volume-of-two-and-three-wheeler-tires | RB08 |
| S104 | Taxo (2025) 'CBIC Notification No. 09/2025-Central Tax (Rate), dated 17 Sep 2025' | https://taxo.online/?p=540497 | RA60, RB30 |
| S107 | Angel One (2025) 'New GST Rates on Tyres Across Categories Effective September 22, 2025' | https://oga-prod.angelone.in/news/taxation/new-gst-rates-on-tyres-across-categories-effective-september-22-2025 | RB31, RB32, RB33 |
| S109 | Outlook Business (2026) 'Automobile wholesales in India clock record 2.83 crore units in FY26, SIAM' | https://www.outlookbusiness.com/industry/automobile-wholesales-in-india-clock-record-283-crore-units-in-fy26-siam | RB15, RB16 |
| S110 | Autocar Professional (2026) 'India auto sales rise in July 2026 as PVs, 2Ws, 3Ws grow' | https://www.autocarpro.in/news/india-auto-sales-rise-in-july-2026-as-pvs-2ws-3ws-grow-134076 | RB18 |
| S111 | Indian Television (2026) 'CEAT raises ad spend 15 per cent as FY26 revenue tops Rs 15,000 crore' | https://indiantelevision.com/mam/ceat-raises-ad-spend-15-per-cent-as-fy26-revenue-tops-rs-15000-crore/ | RB49, RB54, RB70 |
| S112 | Exchange4Media (undated) 'With BCCI deal under the belt, Apollo Tyres set to be top auto ad spender on cricket' | https://www.exchange4media.com/marketing-news/with-bcci-deal-under-the-belt-apollo-tyres-set-to-be-top-auto-ad-spender-on-cricket-147980.html | RB50, RB54, RB70 |
| S113 | CRISIL (2023) 'Rating Rationale, TVS Srichakra Limited, April 25 2023' | https://crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVSSrichakraLimited_April%2025,%202023_RR_310684.html | RB55, RB59 |
| S114 | CRISIL (2022) 'Rating Rationale, TVS Srichakra Limited, April 26 2022' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVSSrichakraLimited_April%2026,%202022_RR_282943.html | RB56, RB59 |
| S115 | CRISIL (2020) 'Rating Rationale, TVS Srichakra Limited, April 29 2020' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVS_Srichakra_Limited_April_29_2020_RR.html | RB57, RB59 |
| S116 | CRISIL (2018) 'Rating Rationale, TVS Srichakra Limited, December 19 2018' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVS_Srichakra_Limited_December_19_2018_RR.html | RB58, RB59 |
| S117 | eMobilityPlus (2022) 'India Has Over 21 Crore Two-Wheelers, With 5,44,643 Being Electric, Informs Nitin Gadkari' | https://emobilityplus.com/2022/08/05/india-has-over-21-crore-two-wheelers-with-544643-being-electric-informs-nitin-gadkari/amp/ | RB19 |
| S118 | MoSPI (undated) 'Motor Vehicle writeup, Statistical Year Book India' | https://www.mospi.gov.in/sites/default/files/Statistical_year_book_india_chapters/Motor%20Vehicle-writeup.pdf | RB20 |
| S119 | Outlook Business (2025) 'India tyre export rises 9 pc to Rs 25,051 crore in FY25' | https://www.outlookbusiness.com/economy-and-policy/indias-tyre-export-rises-9-to-rs-25051-crore-in-fy25 | RB36, RB37, RB38, RB66 |
| S120 | CEIC Data (2025) 'India Rubber Prices' | https://ceicdata.com/en/india/rubber-prices | RB41, RB42, RB45, RB66 |
| S121 | Deccan Herald (2024) 'Rubber growers in state happy as prices stretch up after 13 yrs' | https://deccanherald.com/india/karnataka/rubber-growers-in-state-happy-as-prices-stretch-up-after-13-yrs-3155182 | RB44, RB45, RB66 |
| S122 | Ministry of Commerce (2024) 'Lok Sabha Unstarred Question No. 3520, natural rubber prices, dated 17.12.2024' | https://www.commerce.gov.in/wp-content/uploads/2024/12/LS-USQ-No.3520-dated.-17.12.2024.pdf | RB43, RB45, RB66 |
| S123 | Royal Sundaram (undated) 'Complete Guide, When to Change Bike Tyres Safely' | https://www.royalsundaram.in/knowledge-centre/two-wheeler/when-to-change-bike-tyres | RB22 |
| S124 | J.D. Power (2019) 'India Original Equipment Tyre Customer Satisfaction Index (TCSI) Study' | https://www.jdpower.com/business/press-releases/2019-india-original-equipment-tyre-customer-satisfaction-index-tcsi-study | RB23 |
| S126 | Digitas India (undated) 'JK Tyre, case study' | https://www.digitas.com/en-in/work/jk-tyre | RB64 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S128 | Apple App Store (undated) 'JK Advantage 2.0' | https://apps.apple.com/us/app/-/id1478429026 | RB64 |
| S129 | Apple App Store (undated) 'JK Baadshah 2.0' | https://apps.apple.com/us/app/-/id1482260263 | RB64 |
| S130 | Scribd (undated) 'Financial Modelling Example' (academic project, unverified MRF 2W share claim) | https://www.scribd.com/document/879023418/Financial-Modelliing-Example | RB11 |
| S131 | Autocar India (undated) 'Apollo Tyres enters two-wheeler tyre segment' | https://www.autocarindia.com/bike-news/apollo-tyres-400679 | RB13, RB70 |
| S133 | MarkNtel Advisors (2026) 'India Tire Tube Market Research Report' | https://www.marknteladvisors.com/research-library/india-tire-tube-market-report.html | RB25, RB26, RB68 |
| S135 | Autocar Professional (2020) 'JK Tyre launches 2W and PV tyre range on Amazon' | https://autocarpro.in/news-national/jk-tyre-launches-2w-and-pv-tyre-range-on-amazon-67181 | RB29, RB65 |
| S136 | Tyrepress (2022) 'India, review recommends China TBR duties for 3 more years' | https://tyrepress.com/2022/09/india-review-recommends-china-tbr-duties-for-3-more-years | RB46, RB69 |
| S137 | Antidumping.vn (2023) 'India decides against extending China tire duties' | https://antidumping.vn/india-decides-against-extending-china-tire-duties-n25294.html | RB47, RB69 |
| S180 | PIB (2024) "Annual Survey of Unincorporated Sector Enterprises (ASUSE) Results for 2021-22 and 2022-23" | https://www.pib.gov.in/PressReleaseIframePage.aspx?PRID=2031024 | RC01, RC03, RC11, RC59, +1 more |
| S181 | MoSPI (2024) "Press Note, ASUSE 2023-24" | https://www.mospi.gov.in/sites/default/files/press_release/Press_Note_ASUSE_202324_Report - English.pdf | RC02 |
| S183 | Drishti IAS (2024) "Annual Survey of Unincorporated Sector Enterprises 2023-24" | https://www.drishtiias.com/daily-updates/daily-news-analysis/annual-survey-of-unincorporated-sector-enterprises-2023-24 | RC01, RC02, RC03 |
| S184 | MoSPI (undated) "Sixth Economic Census, NIC 2008 code directory" | https://www.mospi.gov.in/sites/default/files/6ec_dirEst/ec6_nic_2008_code.html | RC08 |
| S187 | Patron Accounting (2026) "NIC code 45403, maintenance and repair of motor cycles" | https://www.patronaccounting.com/nic-code/maintenance-repair-motor-cycles/45403 | RC06 |
| S189 | Bizfoc (2026) "NIC code 45200, maintenance and repair of motor vehicles" | https://bizfoc.com/nic-code/maintenance-repair-motor-vehicles/45200 | RC07 |
| S190 | CEIC Data (2026) "India registered motor vehicles, two wheelers" | https://www.ceicdata.com/en/india/number-of-registered-motor-vehicles/registered-motor-vehicles-two-wheelers | RC12, RC58, RC60 |
| S192 | This Indian Life (2026) "What does Indias vehicle boom really look like" | https://thisindianlife.today/articles/india-vehicle-registrations-two-wheeler-boom/ | RC14, RC15, RC58, RC60 |
| S195 | Autocar Professional (2026) "Uttar Pradesh tops Indias two-wheeler sales in Q3 FY2025-26" | https://www.autocarpro.in/news/uttar-pradesh-tops-indias-two-wheeler-sales-in-q3-fy2025-26-131388 | RC19, RC23 |
| S196 | Business Today (2025) "Maharashtra biggest buyer of passenger vehicles, Uttar Pradesh of two wheelers, SIAM" | https://www.businesstoday.in/latest/economy/story/maharashtra-biggest-buyer-of-passenger-vehicles-in-india-uttar-pradesh-of-two-wheelers-siam-502600-2025-11-18 | RC20, RC23 |
| S197 | ANI News (2026) "Maharashtra leads passenger and commercial vehicle sales, UP tops two and three wheelers, Q1, SIAM" | https://aninews.in/news/business/maharashtra-leads-passenger-commercial-vehicle-sales-up-tops-two-wheelers-and-three-wheelers-in-q1-siam20260827144951/ | RC21, RC23 |
| S198 | Newkerala (2026) "Maharashtra, UP lead auto sales in FY26, SIAM data" | https://www.newkerala.com/news/a/maharashtra-tops-pv-cv-sales-up-leads-3-wheeler-225.htm | RC18 |
| S201 | IBNS via Indiablooms (2019) "Castrol India enrols over 1.5 lakh mechanics and retailers on a unique digital incentive platform" | https://indiablooms.com/phoenix/server.php/finance/castrol-india-enrols-over-15-lakh-mechanics-and-retailers-n-a-unique-digital-incentive-platform/details | RC25 |
| S204 | Exchange4Media (2022) "TVS Eurogrip Tyres fortifies CSK partnership with 360-degree campaign" | https://www.exchange4media.com/marketing-news/tvs-eurogrip-tyres-fortifies-csk-partnership-with-360-degree-campaign-120419.html | RC28, RC31 |
| S205 | Tyre Trends (2022) "TVS Eurogrip boosts CSK partnership with new campaign" | https://tyre-trends.com/news/tvs-eurogrip-boosts-csk-partnership-with-new-campaign | RC31 |
| S206 | Sportskhabri (2022) "TVS Eurogrip signs major deal with CSK" | https://sportskhabri.com/tvs-eurogrip-signs-major-deal-with-csk/ | RC31 |
| S215 | Indeed (2026) "Automotive mechanic salary in India" | https://in.indeed.com/career/automotive-mechanic/salaries | RC46 |
| S216 | Indeed (2026) "Mechanic salary in India" | https://in.indeed.com/career/mechanic/salaries | RC47 |
| S217 | Solve24 (2026, vendor-reported) "How much does a mechanic charge in India" | https://solve24.in/answers/mechanic-charges-in-india | RC50 |
| S218 | Solve24 (2026, vendor-reported) "Mechanic charges and salary in India 2026, complete guide" | https://solve24.in/blog/mechanic-charges-and-salary-india-2026-complete-guide | RC48, RC50 |
| S219 | Solve24 (2026, vendor-reported) "Mechanic salary in India 2026" | https://solve24.in/blog/mechanic-salary-in-india-2026 | RC48 |
| S221 | ResearchAndMarkets via BusinessWire (2025) "India commercial vehicle tyre maintenance market, fragmentation note" | https://www.businesswire.com/news/home/20250225517825/en | RC52 |
| S223 | The Week, wire updates (2025) "TVS Srichakra expands exclusive retail stores of Eurogrip Tyres in Chennai" | https://www.theweek.in/wire-updates/business/2025/06/26/mcm5-biz-eurogrip-expansion.html | RC32, RC33, RC36 |
| S224 | NSE archives (2026) "TVS Srichakra Limited press release, 14th signature store in Ludhiana, 31 Mar 2026" | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_31032026125350_TVSSRICHAKRALIMITEDPRESSRELEASE3103202614thsignaturestoreinLudhiana.pdf | RC34, RC36 |
| S225 | NSE archives (2025) "TVS Srichakra Limited press release, 28 Jul 2025" | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_28072025162326_TVSSRICHAKRALIMITEDPRESSRELEASE28072025.pdf | RC32, RC36 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S226 | NSE archives (2025) "TVS Srichakra Limited press release, 12 Jun 2025" | https://nsearchives.nseindia.com/corporate/TVSSRICHAK_12062025170826_TVSSRICHAKRALIMITEDPRESSRELEASE12062025.pdf | RC34, RC36 |
| S228 | The Machine Maker (2026) "Eurogrip expands global reach with strong showings at international motor exhibitions" | https://themachinemaker.com/news/eurogrip-expands-global-reach-with-strong-showings-at-international-motor-exhibitions/ | RC35 |
| S232 | Finline (2026, vendor-reported) "Project report for automobile workshop, two wheeler" | https://finline.in/project-report/automobile-workshop-two-wheeler | RC71, RC72 |
| S233 | The Policy Edge (2026, aggregator-reported, quoting NSO) "India's unincorporated enterprises rise 9.2%, employment reaches 13.7 crore" | https://www.policyedge.in/p/indias-unincorporated-enterprises-rise-92-employment-reaches-137-crore | RC73, RC74 |
| S234 | The Tribune India (2020) "Mobile tyre puncture shop helps man earn money during lockdown" | https://www.tribuneindia.com/news/nation/mobile-tyre-puncture-shop-helps-man-earn-money-during-lockdown-114709/amp | RC76 |
| S235 | Castrol India (2026, company CSR page) "Castrol Eklavya" | https://www.castrol.com/en_in/india/home/about-castrol/corporate-social-responsibility/castrol-eklavya.html | RC67 |
| S236 | Punekar News (2026) "Two lakh two-wheeler mechanics trained by Castrol" | https://www.punekarnews.in/?p=25381 | RC68 |
| S238 | Flashfinance (2026, aggregator-reported, scraped Vahan dashboard) "State-wise vehicle registration data India 2026 (Vahan)" | https://flashfinance.news/vahan/state-wise-vehicle-registration | RC77 |
| S260 | Castrol India (2019) 'Castrol India enrols over 1.5 lakh mechanics and retailers on a unique digital incentive platform' | https://www.castrol.com/en_in/india/home/about-castrol/newsroom/archive/2019/castrol-india-enrols-over-1-5-lakh-mechanics-and-retailers-on-a-unique-digital-incentive-platform.html | RD01 |
| S261 | Autocarpro (2019) 'Castrol India partners Standard Chartered to roll out digital incentive program' | https://www.autocarpro.in/news-national/castrol-india-partners-standard-chartered-to-roll-out-digital-incentive-program-44175 | RD02 |
| S263 | Mobility Outlook (2024) 'Castrol India launches Castrol Activ Scan & Win contest' | https://www.mobilityoutlook.com/news/castrol-india-launches-castrol-activ-scan-win-contest/ | RD04 |
| S264 | Mobility Outlook (2022) 'Castrol India announces winners for Super Mechanic Contest 2021-22' | https://mobilityoutlook.com/news/castrol-india-announces-winners-for-super-mechanic-contest-202122 | RD06 |
| S265 | Castrol India (2022) 'Castrol announces winners of Super Mechanic Contest 2021-22' | https://castrol.com/en_in/india/home/about-castrol/newsroom/press-releases/2022/castrol-announces-winners-of-super-mechanic-contest-2021-22.html | RD07 |
| S266 | Autocarpro (2021) 'Castrol India launches Super Mechanic Contest 2021, partners ASDC' | https://www.autocarpro.in/news-national/castrol-india-launches-super-mechanic-contest-2021--partners-asdc-80248 | RD05 |
| S268 | afaqs! (undated) 'Gulf Oil educates mechanics to promote engine oils' | https://www.afaqs.com/news/advertising/28331_gulf-oil-educates-mechanics-to-promote-engine-oils | RD09 |
| S272 | Autocarpro (2016) 'ExxonMobil starts talent development program for Indian CV mechanics' | https://autocarpro.in/news-national/exxonmobil-starts-talent-development-program-indian-cv-mechanics-22243 | RD13 |
| S273 | commercialvehicle.in (2016) 'Mobil launches Mission Mechanic Unnati' | https://commercialvehicle.in/mobil-launches-mission-mechanic-unnati/ | RD12 |
| S274 | Autocarpro (2014) 'ExxonMobil drives its Udaan training initiative across India' | https://autocarpro.in/news-national/exxonmobil-drives-udaan-training-initiative-india-5814 | RD14 |
| S275 | Apple App Store (undated, vendor-reported) 'Amaron Mileage' listing | https://apps.apple.com/us/app/-/id6473781252 | RD21 |
| S278 | tyrepress.com (2006) 'Exide unveils Extra Special Rewards scheme' | https://tyrepress.com/2006/03/exide-unveils-extra-special-rewards-scheme | RD23 |
| S279 | ft.lk (undated) 'Exide Rewards Loyalty' (Sri Lanka, Browns Exide, not India; cited only to show no India mechanic scheme found) | https://www.ft.lk/Motor/Exide-Rewards-Loyalty/55-649494 | RD23 |
| S280 | Bosch Aftermarket India (2019, vendor leaflet) 'Bosch eXtra leaflet 2019' | https://www.boschaftermarket.com/xrm/media/images/country_specific/in/services_and_support_1/extra_2/02-bosch_extra_leaflet_2019.pdf | RD24 |
| S281 | Elliott.org (undated, vendor-reported) 'Bosch India customer service contacts' (used only for Bosch eXtra QR-points redemption description) | https://www.elliott.org/company-contacts/bosch-india-customer-service-contacts/ | RD25 |
| S283 | Aftermarketnews.com (2024) 'Schaeffler details REPXPERT mobile training van program' | https://www.aftermarketnews.com/?p=238763 | RD26 |
| S284 | The Machine Maker (2024) 'Schaeffler India launches second phase of REPXPERT mobile training van initiative' | https://themachinemaker.com/news/schaeffler-india-launches-second-phase-of-repxpert-mobile-training-van-initiative/ | RD27 |
| S285 | Autocarpro (2024) 'Schaeffler India launches second edition of REPXPERT mobile training van campaign' | https://autocarpro.in/news/schaeffler-india-launches-second-edition-of-repxpert-mobile-training-van-campaign-122288 | RD27 |
| S286 | Autocomponentsindia.com (2024) 'Uno Minda launches Uno Star 2.0 app in the Indian market' | https://autocomponentsindia.com/uno-minda-launches-uno-star-2-0-app-in-the-indian-market/ | RD28 |
| S287 | Autocarpro (2024) 'Uno Minda launches Uno Star 2.0 app with loyalty program' | https://autocarpro.in/news/uno-minda-launches-uno-star-20-app-with-loyalty-program-120716 | RD29 |
| S288 | Mobility Outlook (2024) 'Uno Minda launches Uno Star 2.0 app offering loyalty benefits' | https://mobilityoutlook.com/news/uno-minda-launches-uno-star-20-app-offering-loyalty-benefits | RD30 |
| S366 | Themachinemaker.com (undated) 'Motul India and Zypp Electric launch nationwide EV mechanic training program' | https://themachinemaker.com/news/motul-india-and-zypp-electric-launch-nationwide-ev-mechanic-training-program/ | RD19 |
| S367 | bikeadvice.in (undated) 'Shell Lubricants win Gold Award at Marketing Loyalty & Engagement Awards' (Shell Mechanic Samriddhi 2014) | https://bikeadvice.in/shell-lubricants-win-gold-award-at-marketing-loyalty-engagement-awards/ | RD16, RD17 |
| S380 | Business Today (27 Jun 2022) 'Gig workforce expected to expand to 2.35 cr by 2029-30: NITI Aayog report' | https://www.businesstoday.in/latest/economy/story/gig-workforce-expected-to-expand-to-2-35-cr-by-2029-30-niti-aayog-report-339332-2022-06-27 | RE01 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S381 | Business Today (27 Jun 2022) 'Gig workforce expected to expand to 2.35 cr by 2029-30: NITI Aayog report' | https://www.businesstoday.in/latest/economy/story/gig-workforce-expected-to-expand-to-2-35-cr-by-2029-30-niti-aayog-report-339332-2022-06-27 | RE02 |
| S382 | DT Next (2022) 'Gig workforce to grow to 2.35 cr by 2030, says NITI' | https://www.dtnext.in/news/business/gig-workforce-to-grow-to-235-cr-by-2030-says-niti | RE03 |
| S383 | Governance Now (2022) 'Gig workforce expected to expand to 2.35 crore by 2029-30' | https://www.governancenow.com/news/regular-story/gig-workforce-expected-to-expand-to-235-crore-by-202930 | RE04 |
| S384 | MediaNama (Jul 2025) '223 Eternal FY25 annual report highlights: Zomato, Blinkit' | https://www.medianama.com/2025/07/223-eternal-fy25-annual-report-highlights-zomato-blinkit/ | RE06, RE07 |
| S386 | Swiggy corporate blog / Outlook Business / Maritime Gateway (cross-checked coverage) 'MSDE Partners with Swiggy to Provide Skilling, Employment Opportunities within its Network' | https://blog.swiggy.com/news/swiggy-and-the-ministry-of-skill-development-and-entrepreneurship-msde-to-collaborate-to-provide-skilling-and-employment-opportunities/ | RE08 |
| S387 | YourStory (Oct 2024) 'Uber partners Shadowfax to power Uber Moto' | https://yourstory.com/2024/10/uber-partners-shadowfax-power-uber-moto | RE09 |
| S388 | DT Next / Business Standard coverage of Uber India president statement, 2026 | https://bsppd.business-standard.com/companies/people/india-s-size-and-diversity-make-it-a-powerful-innovation-engine-126072000004_1.html | RE10 |
| S389 | Deccan Herald (Mar 2025) 'Uber unveils new safety measures for 2-wheeler riders, drivers' | https://www.deccanherald.com/amp/story/business%2Fcompanies%2Fuber-unveils-new-safety-measures-for-2-wheeler-riders-drivers-3453216 | RE11 |
| S390 | Indian Transport and Logistics News (ITLN, Jan 2022) 'We are looking at servicing a total of 3 crore customers with support from close to 15 lakh driver partners' | https://itln.in/we-are-looking-at-servicing-a-total-of-3-crore-customers-with-support-from-close-to-15-lakh-driver-partners-logistics | RE12 |
| S392 | Indian Transport and Logistics News (ITLN) 'Porter introduces 2-wheeler services in Nagpur, Indore, Vadodara' | https://www.itln.in/logistics/porter-introduces-2-wheeler-services-in-nagpur-indore-vadodara-1347473 | RE14 |
| S393 | Autocar Pro (Dec 2024) 'Zypp Electric completes 20 million+ deliveries, targets 100,000 e-bike fleet by FY26 end' | https://autocarpro.in/news/zypp-electric-completes-20-million-deliveries-targets-100000-e-bike-fleet-by-fy26-end-123799 | RE15, RE17 |
| S394 | Electronics For U (undated interview) 'We are addressing climate concerns and empowering driver partners' | https://www.electronicsforu.com/technology-trends/we-are-addressing-climate-concerns-and-empowering-driver-partners-for-social-impact | RE18 |
| S395 | Outlook Business (funding coverage) 'Yulu raises $93m to quadruple fleet, targets profit next year' | https://www.outlookbusiness.com/corporate/yulu-raises-93-mn-to-quadruple-fleet-targets-profit-next-year | RE19 |
| S396 | Zag Daily 'Yulu scoops $93m to quadruple e-mobility delivery fleet in India' | https://zagdaily.com/featured/yulu-scoops-93m-to-quadruple-e-mobility-delivery-fleet-in-india/ | RE20 |
| S397 | EV Reporter (24 May 2023) 'Uber partners with various EV makers to accelerate transition' | https://evreporter.com/?p=17280 | RE23 |
| S399 | Business Today / People Matters (Feb 2025 to Jan 2026) 'Deepinder Goyal breaks down delivery partner earnings' | https://www.businesstoday.in/amp/latest/corporate/story/look-at-the-full-picture-deepinder-goyal-breaks-down-delivery-partner-earnings-with-hard-facts-509252-2026-01-02 | RE26, RE27, RE97 |
| S400 | Business Today / Outlook Business / GoodReturns (cross-checked Feb 2025 coverage) 'Rs 28,000 average monthly earnings: Deepinder Goyal shares how Zomato revolutionised gig workers' earnings and benefits' | https://www.businesstoday.in/amp/technology/news/story/rs-28000-average-monthly-earnings-deepinder-goyal-shares-how-zomato-revolutionised-gig-workers-earnings-and-benefits-463251-2025-02-03 | RE28 |
| S402 | VoxDev 'Understanding the gig economy: lessons from drivers in India, Indonesia and Kenya' (IDInsight 2024 study, corroborated via idronline.org) | https://www.voxdev.org/topic/labour-markets/understanding-gig-economy-lessons-drivers-india-indonesia-and-kenya | RE30 |
| S404 | Aakhya Weekly (Substack) 'Is Karnataka's Gig Law Built to Last?' (covers Rajasthan's 2023 Act for comparison) | https://aakhya.substack.com/p/the-aakhya-weekly-151-is-karnatakas | RE32 |
| S405 | Aakhya Weekly (Substack) 'Is Karnataka's Gig Law Built to Last?' | https://aakhya.substack.com/p/the-aakhya-weekly-151-is-karnatakas | RE33 |
| S406 | Aakhya Weekly (Substack) 'Is Karnataka's Gig Law Built to Last?' | https://aakhya.substack.com/p/the-aakhya-weekly-151-is-karnatakas | RE34 |
| S407 | Exchange4Media (1 Feb 2025) 'Union Budget 2025: Gig workers to get identity cards' | https://www.exchange4media.com/budget-2025-news/union-budget-2025-gig-workers-to-get-identity-cards-140555.html | RE35 |
| S408 | Exchange4Media (1 Feb 2025) 'Union Budget 2025: Gig workers to get identity cards' | https://www.exchange4media.com/budget-2025-news/union-budget-2025-gig-workers-to-get-identity-cards-140555.html | RE36 |
| S409 | Tribune India 'Gig workers to be covered under Ayushman Bharat, preparations for scheme rollout almost complete: Labour Secretary' | https://www.tribuneindia.com/news/business/gig-workers-to-be-covered-under-ayushman-bharat-preparations-for-scheme-rollout-almost-complete-labour-secretary/amp | RE37 |
| S410 | BikeDekho (2025) 'Record 10 lakh Royal Enfield bikes sold in FY2025' | https://www.bikedekho.com/news/record-10-lakh-royal-enfield-bikes-sold-in-fy2025-17826 | RE38 |
| S413 | Motorbeam, as indexed in web search summary of Royal Enfield 2025 sales reporting | https://www.motorbeam.com/?p=316916 | RE41 |
| S414 | Rushlane (2025) 'Royal Enfield sales March 2025 crossed 1 million annual sales milestone' | https://www.rushlane.com/royal-enfield-sales-march-2025-crossed-1-million-annual-sales-milestone-12520908.html | RE42 |
| S415 | GummySearch (community aggregator) 'r/royalenfield community snapshot' | https://gummysearch.com/r/royalenfield/ | RE43 |
| S416 | xBhp forum 'Tubeless tyre for Royal Enfield Classic 350' | https://www.xbhp.com/talkies/tyres/34747-tubeless-tyre-for-royal-enfield-classic-350 | RE44 |
| S417 | Newkerala (government survey coverage) '2-wheelers key mode of travel to fixed workplaces' | https://www.newkerala.com/news/a/2-wheelers-key-mode-travel-fixed-workplaces-rs-785-863.htm | RE45 |
| S418 | Outlook Money 'Work commute costs average Rs 785 a month across India: government survey' | https://www.outlookmoney.com/personal-finance/work-commute-costs-average-rs-785-a-month-across-india-government-survey | RE46 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S419 | Shriram Finance 'Best Scooters for Daily Commute: How to Compare Mileage, EMI, and Fuel Savings' | https://www.shriramfinance.in/two-wheeler-loan/articles/best-scooters-for-daily-commute-how-to-compare-mileage-emi-and-fuel-savings | RE47 |
| S420 | Outlook Business 'Learnings From Ather's First Year Of Operations' | https://www.outlookindia.com/automobiles/automobiles-learnings-from-athers-first-year-of-operations-news-332238 | RE48 |
| S421 | KAPSARC-indexed study (via web search summary) 'Fuel economy valuation and preferences of Indian two-wheeler buyers' | https://new.kapsarc.org/our-offerings/publications/fuel-economy-valuation-and-preferences-of-indian-two-wheeler-buyers | RE49 |
| S422 | Indian Journal of Entrepreneurship 'Attribute Preference Hierarchy Based Segments in the Indian Car Tyre Replacement Market, An Exploratory Study' | https://indianjournalofentrepreneurship.com/index.php/ijom/article/view/150441 | RE50 |
| S425 | upGrowth 'YouTube CPM in India: Complete Guide' | https://upgrowth.in/youtube-cpm-in-india-complete-guide/ | direct citation |
| S427 | SmartAds 'Outdoor advertising for medium hoarding' | https://smartads.in/services/outdoor/outdoor-advertising-for-medium-hoarding | direct citation |
| S429 | SmartAds (blog) 'Hoarding, billboard advertising: unlocking outdoor brand impact in India' | https://smartads.in/blogs/hoarding-billboard-advertising-unlocking-outdoor-brand-impact-in-india | direct citation |
| S431 | SmartAds 'AIR FM Gold radio advertising' service page | https://smartads.in/services/radio/air-fm-gold-radio-advertising | direct citation |
| S434 | SmartAds 'Miraj cinema advertising' service page | https://smartads.in/services/cinema/miraj-cinema-advertising | direct citation |
| S440 | SA Creative Store 'Illuminated signage, LED sign boards, Delhi NCR' | https://sacreativestore.lovable.app/services/led-sign-boards/delhi | direct citation |
| S441 | IRPR Agency 'BTL events, brand activations' (Goa and Pune service pages, identical pricing text) | https://irpr.agency/services/btl-events/pune/brand-activations | direct citation |
| S443 | Autocar India (2 Mar 2013) 'BIC to host open track day' | https://www.autocarindia.com/motor-sports-news-amp/bic-track-day-335155 | direct citation |
| S444 | Evo India 'The MMRT gets an overhaul' | https://www.evoindia.com/features/the-mmrt-gets-an-overhaul | direct citation |
| S445 | Monty Mobile 'WhatsApp Business API Pricing in India: INR Rates, GST, and the 2026 Currency Migration Deadline' | https://montymobile.com/blogs/whatsapp-business-api-pricing-in-india-inr-rates-gst-and-the-2026-currency-migration-deadline | direct citation |
| S446 | SportsKhabri 'TVS Eurogrip signs major deal with CSK' | https://sportskhabri.com/tvs-eurogrip-signs-major-deal-with-csk/ | RE77, RE78, RE82 |
| S449 | TVS Srichakra Limited company filing (26 Mar 2024), as indexed via BSE corporate filings | https://bseindia.com/xml-data/corpfiling/AttachHis/46932e44-2d82-439f-9cf5-af2ab7593737.pdf | RE81 |
| S450 | CEAT press release PDF 'Crafted for the Curious' | https://ceat.com/content/dam/ceat/media/press-releases/crafted-for-the-curious.pdf | RE83 |
| S451 | Motoring World (20 Jan 2024) 'CEAT brand-ambassador and Sportrad/Crossrad launch coverage' | https://motoringworld.in/?p=69510 | RE84 |
| S452 | Exchange4Media 'Apollo Tyres ups ad spends 14%' | https://www.exchange4media.com/marketing-news/apollo-tyres-ups-ad-spends-14-145304.html | RE85, RE86 |
| S457 | Restaurant India News 'Restaurant India News: 200,000 gig workers strike puts India's 10-minute delivery model under scrutiny' | https://www.restaurantindia.in/news/restaurant-india-news-200000-gig-workers-strike-puts-india-s-10-minute-delivery-model-under-scrutiny.n14934 | RE92 |
| S458 | Team-BHP forum (cross-checked, multiple threads, 2008 to 2016) 'Punctures, tubeless tyres' and 'Puncture frauds, how do they work' | https://www.team-bhp.com/forum/tyre-alloy-wheel-section/7136-punctures-tubeless-tyres-3.html | RE93 |
| S459 | IFFCO Tokio policy wording PDF 'Tyre Replacement bundled cover, Two Wheelers' | https://www.iffcotokio.co.in/content/dam/iffcotokio/policy-wordings/motor/Tyre-Replacement-bundled-cover-Two-Wheelers.pdf | RE94 |
| S461 | Outlook India, summarising the IJMR study (accessed via a different outlet than originally indexed) 'Gig Economy Taking Toll On Young Delivery Riders' Bodies And Minds: ICMR Study' | https://www.outlookindia.com/healthcare-spotlight/gig-economy-taking-toll-on-young-delivery-riders-bodies-and-minds-icmr-study | RE24, RE25, RE98 |
| S470 | Autocar Professional (2026) 'Record 1.4 million electric 2Ws sold in FY2026, command 57% share of India EV market' | https://www.autocarpro.in/analysis-sales/record-14-million-electric-2ws-sold-in-fy2026-command-57-share-of-india-ev-market-131938 | RF01, RF03, RF04, RF09 |
| S471 | Autocar India (2026) 'Ola S1 Pro specifications' | https://www.autocarindia.com/bikes/ola-electric/s1-pro/specifications | RF10 |
| S472 | Autocar India (2026) 'TVS iQube specifications' | https://www.autocarindia.com/bikes/tvs/iqube/31 | RF12, RF19 |
| S473 | Tire Review (undated) 'Stretching Tires Magic Triangle' | https://www.tirereview.com/stretching-tires-magic-triangle/ | RF22, RF23 |
| S474 | Tire Review (undated) 'Of Silica and Siping' | https://www.tirereview.com/?p=146172 | RF24, RF25 |
| S475 | USPTO (patent) 'Elastomer compositions and methods' | https://image-ppubs.uspto.gov/dirsearch-public/print/downloadPdf/6291572 | RF21, RF26 |
| S476 | UN Treaty Series via treaties.un.org (1988) 'UNECE Regulation No. 75, pneumatic tyres for motor cycles and mopeds' | https://treaties.un.org/doc/Publication/UNTS/Volume%201500/volume-1500-A-4789-English.pdf | RF46, RF47 |
| S478 | Aleph India (BIS listing, accessed 17 Oct 2026) 'IS 15627, pneumatic tyres for two and three wheeled motor vehicles' | https://alephindia.in/isi-product/automotive-vehicles-pneumatic-tyres-for-two-and-three-wheeled-motor-vehicles.php | RF55 |
| S479 | TaxGuru / Aleph India (summary, accessed 17 Oct 2026) 'Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009' | https://taxguru.in/?p=45432 | RF56 |
| S480 | Cornell Law (current CFR, accessed 17 Oct 2026) '49 CFR 571.119, Standard No. 119, New pneumatic tires for motor vehicles with a GVWR of more than 4,536 kg, specialty tires, and tires for motorcycles' | https://www.law.cornell.edu/cfr/text/49/571.119 | RF53, RF54 |
| S481 | EUR-Lex (2020) 'Regulation (EU) 2020/740 of the European Parliament and of the Council on tyre labelling' | https://eur-lex.europa.eu/eli/reg/2020/740 | RF50 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S482 | ANSI / iTeh (standards catalogue, accessed 17 Oct 2026) 'ISO 28580:2018, Passenger car, truck and bus tyre rolling resistance measurement method' | https://iteh.es/catalog/standards/iso/e1a6d43b-268b-4988-aee6-3746c6ac9dd0/iso-28580-2018 | RF51 |
| S490 | ICIS (2017, 2020) 'India SBR faces downward pressure / India SBR demand rises ahead of festive season' | https://www.icis.com/explore/resources/news/2017/10/11/10150655/india-sbr-faces-downward-pressure-on-bd-sm-slump-weak-nr-prices/ | RF75 |
| S494 | USPTO (patent, 1994) 'US5314551A, Tire pitch sequencing for reduced tire tread noise' | https://patents.google.com/patent/US5314551 | RF32, RF33, RF34 |
| S495 | Tire Technology Expo (2026 conference abstract) 'The impact of tread pattern features on tyre airborne noise' | https://tiretechnology-expo.com/ttx26c-tire-technology-expo-conference/the-impact-of-tread-pattern-features-on-tyre-air-borne-noise | RF35 |
| S496 | Auto Training Centre (undated blog, accessed 17 Oct 2026) 'EV Tires: Why Weight, Torque, and Regenerative Braking Change Tire Wear' | https://www.autotrainingcentre.com/blog/ev-tires-weight-torque-regenerative-braking/ | RF20, RF39 |
| S497 | Oxmaint (2026 fleet guide, accessed 17 Oct 2026) 'How Regenerative Braking Changes EV Tire Wear' | https://oxmaint.com/industries/fleet-management/ev-tire-wear-pattern-regenerative-braking-fleet-guide-2026 | RF36 |
| S498 | CarHunch Engineering (accessed 17 Oct 2026) 'EV tyre wear, UK MOT data' | https://engineering.carhunch.com/ev-tyre-wear-mot-data/ | RF38 |
| S499 | Michelin Australia (company page, accessed 17 Oct 2026) 'Motorcycle tyre speed rating and load rating' | https://www.michelin.com.au/motorbike/advice-motorbike/tyre-basics/motorcycle-tyre-speed-rating-and-load-rating | RF40, RF41, RF42 |
| S500 | TVS Motor Company (company blog, accessed 17 Oct 2026) 'How To Read Two-Wheeler Tyre Markings' | https://www.tvsmotor.com/media/blog/how-to-read-two-wheeler-tyre-markings | RF43 |
| S501 | UK Government / DVSA (accessed 17 Oct 2026) 'MOT inspection manual, Appendix B, Tyre load index tables' | https://www.gov.uk/guidance/mot-inspection-manual-for-private-passenger-and-light-commercial-vehicles/appendix-b-tyre-load-index-tables | RF44 |
| S508 | Smartprix / ICICI Auto (specification aggregator, accessed 17 Oct 2026) 'Bajaj Chetak specifications' | https://www.smartprix.com/scooters/bajaj-chetak-ppd1b4i3zdnd | RF15 |
| S510 | Autocar India (comparison page, accessed 17 Oct 2026) 'Honda Activa e vs Honda Activa 125 specifications' | https://www.autocarindia.com/compare-bikes/honda-bikes-activa-e-vs-honda-bikes-activa-125 | RF17, RF18 |
| S511 | Argus Media (2023) 'India EV sales hit record high in FY2022-23' (Vahan-sourced e-2W figures FY22, FY23) | https://www.argusmedia.com/en/news-and-insights/latest-market-news/2439250-india-s-ev-sales-hit-record-high-in-fy2022-23 | RF05 |
| S512 | BikeLeague (2024) 'Electric two-wheeler sales figures in India FY23 and FY24' (Vahan-sourced) | https://www.bikeleague.in/motorcycle-articles/motorcycle-analysis-articles/electric-two-wheeler-sales-figures-in-india-fy23-fy24/ | RF06, RF07 |
| S513 | Universita di Pisa (hosted copy, undated) 'Michelin, Rolling resistance and fuel savings' (SAE 2015-01-0624 context, car rolling-resistance energy share) | https://docenti.ing.unipi.it/guiggiani-m/Michelin_Tire_Rolling_Resistance.pdf | RF27, RF31 |
| S522 | umwelt-online.de (German legal reproduction, accessed 17 Oct 2026) 'UNECE Regulation No. 117, consolidated text, scope and vehicle-class clause' | https://umwelt-online.de/recht/eu/16b/16b_1350.htm | RF48, RF49 |
| S560 | Autocar Professional (2026) 'The Million-Unit Milestone: FY26 Redefines India's Tractor Market' | https://www.autocarpro.in/analysis/the-million-unit-milestone-fy26-redefines-indias-tractor-market-132056 | RG01, RG04, RG18, RG29, +1 more |
| S561 | Angel One (2025) 'New GST Rates on Tyres Across Categories Effective September 22, 2025' | https://oga-prod.angelone.in/news/taxation/new-gst-rates-on-tyres-across-categories-effective-september-22-2025 | RG03 |
| S564 | Autocar Professional (2025) 'Tractor Market Rebounds In 2024-25 On Strong Rural Growth' | https://autocarpro.in/NEWS/tractor-market-rebounds-in-2024-25-on-strong-rural-growth-125870 | RG07, RG09 |
| S566 | Kotak Securities / Kotak Neo (2025) 'India Overtakes the US and China in Tractor Sales' | https://www.kotaksecurities.com/news/india-overtakes-us-china-tractor-sales-2025 | RG11, RG16 |
| S574 | TractorGyan (2026) 'All Rear Tractor Tyres' price list | https://tractorgyan.com/tyre/rear | RG34, RG41 |
| S575 | TractorGyan (2026) 'All Front Tractor Tyres' price list | https://tractorgyan.com/tyre/front | RG38, RG39 |
| S576 | Apollo Tyres (2026) 'Apollo Tyres Warranty Information' | https://www.apollotyres.com/en-in/warranty/?cate=pV | RG42 |
| S578 | TractorGyan (2026) 'How many hours do tractor tyres last' Q&A hub | https://tractorgyan.com/tractors-question-hub/how-many-hours-do-tractor-tyres-last/580 | RG44 |
| S580 | AJAEES via AgEcon Search (2020) 'A Study on Promotional Strategies and Buying Behaviour of Tractors, Adilabad District' | https://ageconsearch.umn.edu/record/357870/files/Kaustub3892020AJAEES60581.pdf | RG46, RG47 |
| S583 | Department of Agriculture, Cooperation and Farmers Welfare, Government of India (2020) 'All India Report on Agriculture Census 2015-16' | https://hortharyana.gov.in/images/docs/statisticalData/AgriCensus2015-16.pdf | RG50, RG51, RG53, RG55 |
| S584 | Pinwas IAS (2026) '10th Agriculture Census, India vs UP' | https://pinwas.com/agriculture-census/ | RG56 |
| S585 | Arcus Policy Research (2025) 'India's Small and Marginal Farmers' | https://www.arcuspolicyresearch.com/publications/agricultural-transformation-in-telangana-understanding-drivers-of-growth-and-planning-ahead-4/ | RG57 |
| S586 | Citizens for Justice and Peace, CJP (undated) 'RS Factsheet on Farm Realities Against the New Laws', citing Agriculture Census 2015-16 | https://cjp.org.in/rs-factsheet-on-farm-realities-against-the-new-laws/ | RG59 |
| S587 | Dataful (2026) 'Master Data: State-wise Farm Holdings by Size Class and Social Group as Per 2015-16 Agricultural Census' | https://dataful.in/datasets/2998/ | RG60 |
| S588 | Drishti IAS (2026) 'Sub-Mission on Agricultural Mechanization' | https://www.drishtiias.com/daily-updates/daily-news-analysis/sub-mission-on-agricultural-mechanization-1 | RG61 |
| S591 | CIGR Journal (2012) 'Study of farm machinery services provided by selected Cooperative Societies' | https://cigrjournal.org/index.php/Ejounral/article/view/2210 | RG65 |

| S-ID | Source | Available at | Cited via |
|---|---|---|---|
| S592 | Krishikosh (undated) 'An economic analysis of tractorisation in Sirsa district of Haryana' | https://krishikosh.egranth.ac.in/items/989d45bc-569c-4227-aa8d-9762d41b4ff5 | RG65 |
| S593 | Vegetos (undated) 'Status and Utilization of Tractor Power in Mahakoshal Region, MP, India' | https://www.vegetosindia.org/article/status-and-utilization-of-tractor-power-in-mahakoshal-region-mp-india | RG65 |
| S594 | Krishikosh (undated) Ahmednagar district tractor utilisation thesis | https://krishikosh.egranth.ac.in/server/api/core/bitstreams/ce361500-67ae-4895-ac77-b69cb9b9267d/content | RG65 |
| S595 | Krishikosh (undated) Aligarh blocks tractor utilisation study | https://krishikosh.egranth.ac.in/server/api/core/bitstreams/ce361500-67ae-4895-ac77-b69cb9b9267d/content | RG66 |
| S597 | Tyre Review, reporting ATMA (2006) tyre production and export data, January 2006 | https://www.tirereview.com/?p=56555 | RG68 |
| S599 | SlideShare, undated and unattributed, 'Tyre Industry' slide deck | https://www.slideshare.net/slideshow/tyre-industry-80656170/80656170 | RG70 |
| S600 | Royal Sundaram (2026) 'Best Tyre Company in India for Every Budget' | https://www.royalsundaram.in/knowledge-centre/car/best-tyre-company-india | RG70 |
| S601 | tyre-trends.com (2024) 'TVS Eurogrip Showcases Cutting-Edge Agri and Off-Highway Tyres at Krishi Darshan Expo' | https://tyre-trends.com/article/tvs-eurogrip-showcases-cutting-edge-agri-and-off-highway-tyres-at-krishi-darshan-expo/DTBQv5zRJGWSEB0ArpZW | RG72, RG73, RG77 |
| S602 | Agritechnica digital exhibitor directory (undated) TVS Eurogrip/TVS Srichakra exhibitor profile | https://digital.agritechnica.com/newfront/exhibitor/tvs-eurogrip-tvs-srichakra-ltd | RG74 |
| S603 | Autocar Professional (2023) 'TVS Eurogrip targets Europe, displays latest tyre range at Agritechnica 2023' | https://autocarpro.in/news-international/tvs-eurogrip-targets-europe-displays-latest-tyre-range-at-agritechnica-2023-117787 | RG75 |
| S604 | CRISIL (2023) 'Rating Rationale, TVS Srichakra Limited' | https://www.crisil.com/mnt/winshare/Ratings/RatingList/RatingDocs/TVSSrichakraLimited_April%2025,%202023_RR_310684.html | RG76 |
| S605 | Tyrepress (2023) 'TVS Eurogrip arrives in agri market with modern VF range' | https://tyrepress.com/2023/11/tvs-eurogrip-arrives-in-agri-market-with-modern-vf-range | RG77, RG78 |
| S606 | Autocar Professional (2023) 'TVS Eurogrip targets Europe, displays latest tyre range at Agritechnica 2023', management quote | https://autocarpro.in/news-international/tvs-eurogrip-targets-europe-displays-latest-tyre-range-at-agritechnica-2023-117787 | RG79 |
| S640 | SAGE / American Marketing Association (DOI record, accessed 17 Oct 2026) 'Keller (1993) Conceptualizing, Measuring, and Managing Customer-Based Brand Equity, Journal of Marketing 57(1)' | https://journals.sagepub.com/doi/10.1177/002224299305700101 | RH01, RH02 |
| S641 | Chattermill (2026) 'What Is Customer-Based Brand Equity, Breaking Down the Brand Equity Pyramid' | https://chattermill.com/blog/brand-equity-pyramid | RH03 |
| S647 | Econometric Society (accessed 17 Oct 2026) 'Kahneman and Tversky (1979) Prospect Theory, Econometrica 47(2)' | https://www.econometricsociety.org/publications/econometrica/1979/03/01/prospect-theory-analysis-decision-under-risk | RH11 |
| S651 | Emerald Insight (accessed 17 Oct 2026) 'Wilson (1998) The use of mystery shopping in the measurement of service delivery, Managing Service Quality' | https://www.emeraldinsight.com/insight/content/doi/10.1108/09604529810235123/full/html | RH20 |
| S652 | University of Twente student repository (accessed 17 Oct 2026) 'Duurland (2017) The Reliability of Mystery Shopping Reports, master thesis' | https://essay.utwente.nl/71703/1/DUURLAND_MA_BMS.pdf | RH21 |
| S653 | Liverpool John Moores University research repository (accessed 17 Oct 2026) 'Mystery shoppers, evaluation, working paper' | https://researchonline.ljmu.ac.uk/id/eprint/5499/1/Mystery%20shoppers%20-%20evaluation.pdf | RH22, RH23 |
| S654 | Princeton University Press (accessed 17 Oct 2026) 'Angrist and Pischke (2009) Mostly Harmless Econometrics, product page' | https://press.princeton.edu/index.php/books/paperback/9780691120355/mostly-harmless-econometrics | RH24, RH25 |
| S655 | Open lecture notes (accessed 17 Oct 2026) 'Elementary difference-in-differences explainer' | https://www.ssc.wisc.edu/~jkahn/documents/elementaryDID.pdf | RH26 |
| S656 | CRAN R package documentation (accessed 17 Oct 2026) 'misty::size.prop, citing Fleiss, Levin and Paik (2003) Statistical Methods for Rates and Proportions' | https://search.r-project.org/CRAN/refmans/misty/html/size.prop.html | RH27, RH28 |
| S657 | Harvard Business Review (accessed 17 Oct 2026) 'Klein (2007) Performing a Project Premortem, HBR 85(9)' | https://hbr.org/2007/09/performing-a-project-premortem | RH29, RH30 |
| S658 | Library catalogue, koha.hv.se Sweden (accessed 17 Oct 2026) 'Akao (1990) Quality Function Deployment, Productivity Press' | https://koha.hv.se/bib/923306 | RH31 |
| S659 | WIPO library catalogue (accessed 17 Oct 2026) 'Altshuller (1997) 40 Principles, TRIZ Keys to Innovation' | https://tind.wipo.int/record/13215 | RH33, RH34 |
| S660 | VDA QMC webshop (accessed 17 Oct 2026) 'AIAG and VDA FMEA Handbook, 1st edition, June 2019' | https://webshop.vda.de/QMC/en/aiag-vda-fmea-handbook_eng | RH35 |
| S661 | SAE Mobilus (accessed 17 Oct 2026) 'SAE J1739, revised 2021-01, citing the AIAG and VDA Handbook 2019' | https://saemobilus.sae.org/content/j1739_202101/ | RH36 |
| S662 | Demand Gen Report (accessed 17 Oct 2026) 'Gartner CMO Spend Survey reveals marketing budgets have flatlined, 2025' | https://www.demandgenreport.com/industry-news/news-brief/gartner-cmo-spend-survey-reveals-marketing-budgets-have-flatlined/49558/ | RH37 |
| S664 | exchange4media (accessed 17 Oct 2026) 'FMCG AdEx not as fast moving as revenue' | https://www.exchange4media.com/marketing-news/fmcg-adex-not-as-fast-moving-as-revenue-133734.html | RH39 |

## Appendix B: Model tables

Model b1125880f5, run 2026-10-18T12:05:39.

## T1. Case 4: four ways to count the mechanic and puncture-shop universe (lakh outlets)

| Method | Kind | Low | Base | High |
|---|---|---|---|---|
| Enterprise survey | estimate | 2.7 | 5.0 | 7.5 |
| Two-wheeler parc | estimate | 7.7 | 10.5 | 15.0 |
| Rival programmes | floor | 1.5 | 1.5 | 1.5 |
| Eurogrip partners | floor | 0.3 | 0.3 | 0.3 |
| Model universe | bear / base / bull | 2.7 | 7.8 | 15.0 |

*Source: research/data/universe_methods.csv; base = mean of the two estimates, floored at the larger programme count*

## T2. Case 4: the three segments (base universe)

| Segment | Share | Lakh outlets |
|---|---|---|
| S-A | 25% | 1.9 |
| S-B | 40% | 3.1 |
| S-C | 35% | 2.7 |

*Source: A05a to A05c; T1*

## T3. Case 4: cost per member per year (₹)

| Component | bear | base | bull |
|---|---|---|---|
| tools | 1,470 | 1,042 | 741 |
| visibility | 456 | 304 | 202 |
| training | 185 | 125 | 75 |
| field | 158 | 96 | 58 |
| tech | 80 | 60 | 30 |
| Total | 2,350 | 1,628 | 1,105 |

*Source: A07 to A20, A33, A19m*

## T4. Case 4: annual budget by line (₹ crore) and members

| Line | bear | base | bull |
|---|---|---|---|
| Tools, refills | 3.97 | 12.12 | 17.98 |
| Visibility kits | 1.23 | 3.54 | 4.90 |
| Training, meets | 0.50 | 1.45 | 1.82 |
| Field teams | 2.93 | 3.12 | 3.01 |
| Tech and audits | 1.67 | 1.77 | 1.49 |
| Spend | 10.29 | 21.99 | 29.20 |
| Envelope | 18.60 | 23.62 | 29.20 |
| Share of BU revenue | 0.83% | 1.63% | 2.00% |
| Members (lakh) | 0.27 | 1.16 | 2.43 |

*Source: A01, A02 and T3*

## T5. Case 4: contribution per tyre and break-even

| Item | bear | base | bull |
|---|---|---|---|
| Net realisation per tyre (₹) | 1,256 | 1,425 | 1,585 |
| Contribution per tyre (₹) | 327 | 427 | 539 |
| Break-even extra tyres per member a year | 11.7 | 4.4 | 2.2 |
| One tyre every (weeks) | 4.5 | 11.7 | 23.3 |

*Source: A27 to A30; T4*

## T6. Case 4: what moves break-even most (base case, one assumption at a time)

| Assumption | Label | Break-even low | Break-even high | Swing |
|---|---|---|---|---|
| A30 | Contribution margin on the company's net realisation | 3.9 | 5.1 | 1.2 |
| A27 | Weighted average replacement tyre MRP | 4.1 | 4.8 | 0.7 |
| A20 | Tool credit per logged referral | 4.3 | 4.7 | 0.4 |
| A29 | Channel margin (distributor and retailer) on the ex-GST price | 4.3 | 4.7 | 0.4 |
| A06 | Coverage cap: members divided by universe at steady state | 4.4 | 4.7 | 0.4 |
| A09 | One-time tools per member, Tier 2 (Eurogrip's share) | 4.3 | 4.6 | 0.3 |

*Source: assumption register; model tornado*

## T7. Case 4: rollout by quarter (base)

| Quarter | Members (lakh) | Spend (₹ crore) |
|---|---|---|
| Q1 | 0.03 | 0.91 |
| Q2 | 0.07 | 1.05 |
| Q3 | 0.29 | 1.95 |
| Q4 | 0.52 | 2.90 |
| Q5 | 0.76 | 3.84 |
| Q6 | 0.93 | 4.55 |
| Q7 | 1.10 | 5.26 |
| Q8 | 1.16 | 5.50 |
| Year 1 | | 6.81 |
| Year 2 | | 19.15 |

*Source: A37a to A37h; T4*

## T8. Case 4: mystery-rider audit design

| Item | Value |
|---|---|
| Shops per arm per round | 140 |
| Audits per year | 560.0 |
| Audit cost per year (₹ lakh) | 3.92 |

*Source: A24, A25, A31, A31n; two-proportion formula*

## T9. Case 4: the obvious cash-per-tyre scheme (base)

| Item | Value |
|---|---|
| Tyres rewarded (lakh) | 52.1 |
| Cost (₹ crore) | 41.70 |
| Share spent on tyres that would sell anyway | 91% |

*Source: A27 to A29, A34 to A36*

## T10. Case 4: benchmark programmes as scored

| Programme | Category | Cash | Tools | Visibility | Skill | Credits advice | Tracks |
|---|---|---|---|---|---|---|---|
| Castrol, lubes | lubricants | Yes | No | No | No | No | Yes |
| Schaeffler | auto parts | No | No | No | Yes | n/a | n/a |
| Pidilite, adh | adhesives | n/a | Yes | n/a | Part | No | Yes |
| Havells, elec | electricals | n/a | Yes | n/a | n/a | No | Yes |
| Amaron, batt | batteries | n/a | n/a | n/a | n/a | No | Yes |
| JK Tyre, tyres | tyres | n/a | n/a | n/a | n/a | No | Yes |
| Our design | tyres | No | Yes | Yes | Yes | Yes | Yes |

*Source: research/data/benchmarks.csv*

## T11. Case 4: tiers

| Tier | Entry | Referrals a year |
|---|---|---|
| Tier 1 | free | 2.0 |
| Tier 2 | 6 referrals in 6 months or the course | 12.0 |
| Tier 3 | 40 referrals a year or core-size stock | 40.0 |

*Source: A14 to A16*

## T12. Case 4: risks and controls

| ID | Risk | P | I | Control |
|---|---|---|---|---|
| R03 | Initial sign-up enthusiasm fades once the starter kit is in hand and no further engagement follows. | 3 | 3 | Quarterly consumable refills create a recurring reason to log codes; the six-month tier review risks loss of status and tools, which behavioural evidence shows is a stronger motivator than a one-off gift; WhatsApp tips keep the programme visible between refills. |
| R02 | The retailer has no strong incentive to take the extra step of entering the mechanic code at the point of sale, so the loop breaks at step 3. | 3 | 2 | The retailer earns a small logging credit inside its own existing loyalty scheme for every code entered, giving it a reason to log; the programme is piloted with retailer training before scale. |
| R08 | If the retailer app is not live, has limited reach, or goes down, code logging has no reliable channel. | 2 | 3 | A22 reserves a one-time build or extension cost if no live app exists; a manual WhatsApp or SMS fallback for logging during outages; the pilot confirms the app's real capacity before scale. |
| R01 | Mechanics could log codes for tyres riders did not actually buy, or collude with retailers to fabricate recommendations. | 2 | 2 | One credit per tyre serial; a monthly cap per member; random IVR call-backs to riders named on the sale; a distance flag between retailer and mechanic beyond A21 km; distributor audit of the top earners each quarter. |
| R04 | Distributors who are asked to enrol mechanics may deprioritise it against their core stocking and selling work. | 2 | 2 | A per-enrolment incentive (A17) paid to distributor sales staff; a missed-call or WhatsApp self-enrolment path that does not depend on a distributor visit; monthly enrolment targets reviewed with distributors. |
| R05 | A competitor could launch a similar tools-and-status programme once ours is visible in the market. | 2 | 2 | The stock-independent design is harder for a rival with purchase-linked schemes to copy without cannibalising its own programme (7 Powers counter-positioning); the pilot-to-scale timeline aims to build a lead in enrolled shops before a copy can match it. |
| R07 | Shops could learn to recognise mystery riders and behave differently only during audits, biasing the measurement. | 2 | 2 | Audits are unannounced and run by a third-party agency with rotating personnel; the sample is drawn randomly each round from the full member list, not announced in advance; results are compared against the matched control districts, which the shops do not know are being tracked. |
| R09 | Costs per member, especially Tier 3 hardware, could run above the assumption register's bear case. | 2 | 2 | Spend is capped at the 1.5% to 2% envelope in every quarter (model check spend_within_envelope); member growth is phased (rollout table) so costs are visible before national scale; Tier 3 hardware can move to lease-only if the bear case breaches the cap. |

| ID | Risk | P | I | Control |
|---|---|---|---|---|
| R06 | Members could resell tools or branded merchandise rather than using them, defeating the engagement purpose. | 2 | 1 | Items are chosen to have low resale value relative to their utility to the shop (branded, sized to the shop, consumable-dependent); audits flag members with high redemption but low subsequent referral activity. |
| R10 | Without the annual brand-track re-survey, Eurogrip cannot confirm whether stocking and recommendation actually moved. | 1 | 2 | A32 reserves an annual budget line for the re-survey; G3 at the end of Q8 is explicitly gated on this re-run, making it a condition for calling the national phase complete. |

*Source: model/inputs/risks.csv*

## T13. Case 1: budget by segment and channel (₹ crore, base)

| Segment | Digital | Retail | On-ground |
|---|---|---|---|
| Commuter | 8.93 | 10.20 | 6.38 |
| Gig | 3.98 | 3.98 | 7.97 |
| Premium | 5.74 | 1.91 | 5.10 |
| Brand platform | 5.74 | 1.91 | 1.91 |

*Source: A1-01 to A1-18*

## T14. Case 1: what the budget buys (base)

| Item | Value |
|---|---|
| impressions_crore | 203.2 |
| unique_reach_lakh | 5080.3 |
| outlets_branded | 72040.3 |
| events | 267.8 |
| event_reach_lakh | 8.0 |
| gig_riders_enrolled_lakh | 3.2 |
| Share where the tyre is chosen (retail + on-ground) | 62% |

*Source: A1-19 to A1-24*

## T15. Case 1: budget by scenario (₹ crore)

| Scenario | Budget |
|---|---|
| bear | 54.65 |
| base | 63.75 |
| bull | 73.16 |

*Source: A1-01, A1-02*

## T16. Case 2: compound cost (₹ per kg)

| Item | bear | base | bull |
|---|---|---|---|
| Petrol-scooter tread compound | 166.3 | 166.3 | 166.3 |
| EV-ready cap compound incl. extra mixing | 178.5 | 173.5 | 168.5 |
| Cap mass per tyre (kg) | 0.55 | 0.42 | 0.29 |

*Source: materials_prices.csv; A2-02 to A2-22*

## T17. Case 2: cost delta and range gain

| Item | bear | base | bull |
|---|---|---|---|
| Cost delta per tyre (₹) | 97 | 68 | 46 |
| Cost delta (%) | 10.2 | 8.0 | 6.1 |
| Range gain (%) | 2.3 | 4.2 | 6.7 |
| Range gain (km per charge) | 2.8 | 6.3 | 13.0 |

*Source: A2-06 to A2-08, A2-23 to A2-25*

## T18. Case 3: rear-tyre sets replaced a year by segment (base)

| Segment | Sets a year (lakh) |
|---|---|
| Commercial | 6.82 |
| Smallholder | 13.12 |
| Hiring centre | 7.50 |

*Source: A3-03 to A3-09*

## T19. Case 3: budget lines (₹ crore, base)

| Line | ₹ crore |
|---|---|
| Dealer programme | 1.60 |
| Village mechanics | 0.42 |
| Field days | 0.38 |
| Harvest credit | 0.80 |
| Tyre-life assurance | 0.11 |
| Measurement and contingency | 1.16 |

*Source: A3-14 to A3-25*

## T20. Case 3: cost per hour, payback and share points

| Item | bear | base | bull |
|---|---|---|---|
| Rear pair cost per hour, commercial (₹) | 17.4 | 11.3 | 8.2 |
| Contribution per set (₹) | 5,847 | 7,661 | 9,346 |
| Sets to pay back the budget | 5,131 | 5,825 | 6,634 |
| Share points that implies | 0.26 | 0.21 | 0.17 |

*Source: A3-10 to A3-27*

# Appendix C: Research datasets

## C.1 benchmarks.csv

| programme | company | category | short | influencer | launch_year | enrolment | reward_cash | reward_tools | reward_visibility | reward_skill | tracks | tracks |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Fast Scan** | Castrol India | lubricants | Castrol, lubes | mechanics, retailers | 2019 | 1,50,000+ (2019 launch) | Yes | No | No | No | Yes | app |
| **Super Mechanic Contest** | Castrol India | lubricants | Castrol, lubes | mechanics | 2021 (4th edition) | 1,40,000+ (2021-22) | Yes | Part | No | Yes | Yes | IVR, dedica websit |
| **Mechanic Samriddhi** | Shell | lubricants | Shell, lubes | mechanics | 2014 | ~30,000 (2014, 15,800 qualified) | No | n/a | n/a | Yes | Yes | codes produc packs; redeer FCC-s call centre emptic centre |
| **Mechanic Unnati** | Mobil (ExxonMobil Lubricants) | lubricants | Mobil, lubes | mechanics (commercial vehicle) | 2016 | n/a (top 50 trained) | n/a | n/a | n/a | Yes | n/a | n/a |
| **Gulf Unnati (app) / pan-India van activation** | Gulf Oil | lubricants | Gulf Oil, lubes | retailers (van activation audience described as mechanics) | n/a | n/a | No | n/a | n/a | n/a | Yes | Gulf U app (retaile separa a 6-mo van activat (no ap |
| **EV mechanic training (with Zypp Electric)** | Motul India | lubricants | Motul, lubes | mechanics | n/a | target 10,000+ certified | n/a | n/a | n/a | Yes | n/a | n/a |
| **Amaron Mileage** | Amara Raja | batteries | Amaron, batt | mechanics | n/a | n/a | n/a | n/a | n/a | n/a | Yes | QR-co scan o redeer e coup |
| **Bosch eXtra** | Bosch | auto parts | Bosch, parts | independent car workshops | n/a (2019 leaflet) | n/a | n/a | n/a | n/a | n/a | Yes | Bosch eXtra a QR sca produc packa |

| programme | company | category | short | influencer | launch_year | enrolment | reward_cash | reward_tools | reward_visibility | reward_skill | tracks | tracks |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **REPXPERT Mobile Training Van** | Schaeffler India | auto parts | Schaeffler | mechanics (commercial vehicle) | 2024 (2nd edition) | 2,600+ (1st edition) | No | No | No | Yes | n/a | n/a |
| **Uno Star 2.0** | Uno Minda | auto parts | Uno Minda, pts | mechanics, retailers, service centres, distributors | 2024 | n/a | Yes | n/a | n/a | n/a | Yes | Uno St 2.0 ap |
| **JK Advantage 2.0** | JK Tyre | tyres | JK Tyre, tyres | dealers (not mechanic-facing) | n/a | ~35% dealer engagement (agency estimate) | n/a | n/a | n/a | n/a | Yes | dashb for offl and warrar registr data |
| **Fevicol Champions' Club Reward (FCCR)** | Pidilite (Fevicol) | adhesives | Pidilite, adh | carpenters | 2012 | ~40,000 carpenters (secondary estimate) | n/a | Yes | n/a | Part | Yes | unique barcoc Fevico packs; redeer FCC ca centre nearby redem centre |
| **Atoot Bandhan 2.0** | ACC | cement | ACC, cement | contractors/masons | n/a | n/a | n/a | n/a | n/a | n/a | Yes | lead registr s, proc purcha on-site techni servic use; b points games zzes |
| **Electrician loyalty programme (unnamed)** | Havells | electricals | Havells, elec | electricians | n/a | 80K+ registered (undated) | n/a | Yes | n/a | n/a | Yes | mobile |
| **Polycab Experts** | Polycab | electricals | Polycab, elec | electricians | n/a | n/a | Yes | n/a | n/a | n/a | Yes | instant bank transfe per loy code s |

### C.2 `ev_models.csv`

| model | maker | segment | kerb_weight_kg | peak_torque_nm | front_tyre | rear_tyre | rim_in | fy_sales_units | source_sid |
|---|---|---|---|---|---|---|---|---|---|
| **Ola S1 Pro** | Ola Electric | EV scooter | 118 | 58 | 90/90-R12 | 90/90-R12 | 12 | 164294 | S471 |
| **TVS iQube 2.2 kWh** | TVS Motor | EV scooter | 112 | 140 | 90/90-12 | 90/90-12 | 12 | 341471 | S472 |
| **TVS iQube 3.1 kWh** | TVS Motor | EV scooter | 116.8 | 140 | 90/90-12 | 90/90-12 | 12 | 341471 | S472 |

| model | maker | segment | kerb_weight_kg | peak_torque_nm | front_tyre | rear_tyre | rim_in | fy_sales_units | source_sid |
|---|---|---|---|---|---|---|---|---|---|
| TVS iQube 3.5 kWh | TVS Motor | EV scooter | 118.6 | 140 | 90/90-12 | 90/90-12 | 12 | 341471 | S472 |
| Ather 450X 2.9 kWh | Ather Energy | EV scooter | 108 | 26 | 90/90-12 | 100/80-12 | 12 | 239124 | S507 |
| Ather 450X 3.7 kWh Pro Pack | Ather Energy | EV scooter | 112 | 26 | 90/90-12 | 100/80-12 | 12 | 239124 | S507 |
| Bajaj Chetak 3202 | Bajaj Auto | EV scooter | 134 | 20 | 90/90-12 | 90/100-12 | 12 | 289323 | S508 |
| Hero Vida V1 Pro | Hero MotoCorp | EV scooter | 125 | 25 | 90/90-12 | 100/80-12 | 12 | 144313 | S509 |
| Honda Activa e | Honda Motorcycle and Scooter India | EV scooter | 119 | 22 | 90/90-12 | 110/80-12 | 12 | NOT FOUND | S510 |
| Honda Activa 125 (ICE baseline) | Honda Motorcycle and Scooter India | ICE scooter | 106 | 10.5 | 90/90-12 | 90/100-10 | 12 front / 10 rear | NOT FOUND | S510 |

### C.3 `materials_prices.csv`

| material | grade | price_inr_per_kg | date | source_sid |
|---|---|---|---|---|
| natural rubber | RSS4 (Kottayam benchmark; USD/100kg converted at illustrative 87 INR/USD; not a Rubber Board rupee quote) | 230 | 16 Aug 2026 | S483 |
| SBR | 1502 emulsion grade (blended judgement from stale 2017/2020 CFR India USD benchmarks converted at illustrative 87 INR/US | 150 | Oct 2017 to Oct 2020 (stale) | S490 |
| solution SBR | SSBR (reasoned 20 to 30 percent premium over emulsion SBR 1502; basis: qualitative premium statement only; no numeric In | 185 | 17 Oct 2026 (estimate basis date) | S490 |
| carbon black | N220/N330 (retail small-lot IndiaMART listing, confirmed directly; bulk FOB India benchmark is lower at approx 106 to 11 | 150 | 17 Oct 2026 | S486 |
| silica | precipitated silica general grade (India market-research index, confirmed directly; tyre-grade-specific retail quote cou | 50 | 17 Oct 2026 | S485 |
| silane | TESPT/Si69 coupling agent (reasoned estimate: no India market price found; estimated at a 5 to 8x specialty-chemical mul | 400 | 17 Oct 2026 (estimate basis date) | S489 |
| process oil | aromatic/naphthenic rubber process oil (IndiaMART litre-priced listings, approximated to per-kg assuming density near 1; | 50 | 17 Oct 2026 | S493 |
| chemicals | blended average of accelerators, anti-oxidants, zinc oxide and stearic acid (reasoned estimate: no single source prices | 180 | 17 Oct 2026 (estimate basis date) | S489 |
| other | blended average of bead wire, textile/nylon cord reinforcement, bladder and release agents (reasoned estimate anchored t | 120 | 17 Oct 2026 (estimate basis date) | S517 |

### C.4 `media_costs.csv`

| channel | unit | cost_low_inr | cost_high_inr | metric | source_sid | date |
|---|---|---|---|---|---|---|
| digital_meta_cpc | per click | 2 | 18 | India median Meta/Instagram CPC range (USD 0.025 to USD 0.209; Jul 2025 to Jul 2026; converted at approx 87 INR/USD; ven | S424 | 17 Oct 2026 |
| digital_youtube_cpm | per 1000 impressions | 40 | 250 | India YouTube CPM range by content niche (vendor-reported) | S425 | 17 Oct 2026 |
| digital_whatsapp_marketing | per delivered message | 0.7846 | 0.8631 | WhatsApp Business API India marketing-template rate before and after 1 Jan 2026 hike excl GST (vendor-reported) | S445 | 17 Oct 2026 |
| digital_whatsapp_utility | per delivered message | 0.115 | 0.115 | WhatsApp Business API India utility/authentication-template rate excl GST (vendor-reported) | S445 | 17 Oct 2026 |
| ooh_hoarding_medium_mumbai | per month | 40000 | 120000 | 20×10 ft medium hoarding Mumbai high-traffic junction (Andheri/Bandra/Worli) excl printing and GST (vendor-reported) | S427 | 17 Oct 2026 |
| ooh_hoarding_small | per month | 7000 | 18000 | Small hoarding Mumbai/Delhi secondary residential area (vendor-reported) | S428 | 17 Oct 2026 |
| ooh_hoarding_prime | per month | 200000 | 600000 | Prime billboard Bandra Mumbai or Connaught Place Delhi (vendor-reported) | S429 | 17 Oct 2026 |
| radio_fm_gold_delhi | per 10 second spot | 1200 | 1800 | AIR FM Gold Delhi prime-time 10-second spot (vendor-reported) | S431 | 17 Oct 2026 |
| radio_base_rate_govt | per 10 second spot | 52 | 74 | Government gross base rate for private FM ads before and after increase | S430 | 17 Oct 2026 |
| cinema_miraj_video | per screen per week | 8000 | 22000 | Miraj cinema video ad; regular week to blockbuster-week rate (vendor-reported) | S434 | 17 Oct 2026 |
| cinema_miraj_slide | per screen per week | 3000 | 6000 | Miraj cinema slide ad regular week (vendor-reported) | S434 | 17 Oct 2026 |

| channel | unit | cost_low_inr | cost_high_inr | metric | source_sid | date |
|---|---|---|---|---|---|---|
| retail_led_signboard | per sq ft installed | 350 | 900 | LED sign board Delhi NCR indicative installed rate (vendor-reported) | S440 | 17 Oct 2026 |
| retail_glow_signboard | per sq ft installed | 250 | 550 | Glow backlit sign board indicative installed rate (vendor-reported) | S440 | 17 Oct 2026 |
| onground_activation_popup | per single-city event | 300000 | 800000 | Single-city pop-up brand activation in a metro mall (vendor-reported) | S441 | 17 Oct 2026 |
| trackday_bic_motorcycle | per one-hour session | 3000 | 3000 | Buddh International Circuit open track day motorcycle session (dated 2013; historical floor only) | S443 | 17 Oct 2026 |
| trackday_mmrt_halfday | per half-day session | 2500 | 4000 | Madras Motor Race Track MMRT half-day open track day; members to bring-your-own-car (vendor-reported) | S444 | 17 Oct 2026 |
| ipl_sponsorship_bcci_gemini | 3-year league sponsorship total | 2700000000 | 2700000000 | BCCI sponsorship deal with Google Gemini ahead of IPL 2026 | S435 | 17 Oct 2026 |
| ipl_sponsorship_apollo_jersey | national cricket team jersey rights total | 5790000000 | 5790000000 | Apollo Tyres jersey sponsorship replacing Dream11 after real-money-gaming ban | S435 | 17 Oct 2026 |
| ipl_sponsorship_csk_eurogrip | 3-season team principal sponsorship total | 1000000000 | 1000000000 | TVS Eurogrip CSK principal-partner sponsorship IPL 2022 to 2024 (unofficial trade-press figure) | S446 | 17 Oct 2026 |
| ipl_sponsorship_rcb_qatar | 3-year team title sponsorship total | 750000000 | 750000000 | Prior Qatar Airways RCB title sponsorship before Nothing (2026) | S439 | 17 Oct 2026 |
| influencer_micro_campaign | per campaign/post micro-influencer 10K-100K followers | 2500 | 80000 | Indian micro-influencer campaign rate range across Kofluence/upGrowth/Dazzlerr (vendor-reported) | S454 | 17 Oct 2026 |
| influencer_nano_reel | per Instagram Reel post nano-influencer 1K-10K followers | 500 | 5000 | Indian nano-influencer Reel post rate (vendor-reported) | S454 | 17 Oct 2026 |
| apollo_adspend_standalone | annual standalone advertising and publicity spend | 3324000000 | 3799000000 | Apollo Tyres FY24 to FY25 standalone ad and publicity spend | S452 | 17 Oct 2026 |

### C.5 `prices.csv`

| brand | size | pattern | type | mrp_inr | gst_included | channel | date | source_sid |
|---|---|---|---|---|---|---|---|---|
| Eurogrip | 90/100-10 | Conta 625N | tubeless | 2001 | unknown | e-commerce (price-history.in, MRP confirmed on direct fetch 15 Oct 2026; supersedes an earlier ₹1821 implied-from-discou | 14 Oct 2026 | S038 |
| Eurogrip | 90/100-10 | Jumbo GT | tube-type | 1962 | unknown | e-commerce (price-history.in, MRP confirmed on direct fetch 15 Oct 2026; supersedes an earlier ₹1650 implied-from-discou | 14 Oct 2026 | S039 |
| Eurogrip | 90/100-10 | Dragon Plus | tubeless | 1752 | unknown | e-commerce (listing implied MRP, not re-confirmed by direct fetch; SNIPPET in raw file) | 14 Oct 2026 | S040 |
| Eurogrip | 90/90-12 | Conta/Dragon (unspecified) | unknown | 998 | unknown | dealer fitment chart (starting price) | 14 Oct 2026 | S037 |
| MRF | 90/100-10 | Zapper (Scooter) | unknown | 1050 | unknown | e-commerce aggregator (Carbike360, not re-confirmed: HTTP 403 on direct fetch) | 14 Oct 2026 | S041 |
| MRF | 90/100-10 | Nylogrip Zapper N4 | tubeless | 1300 | unknown | dealer (IndiaMART, confirmed on direct fetch 15 Oct 2026) | 14 Oct 2026 | S042 |
| CEAT | 90/100-10 | Zoom D | tube-type | 1210 | unknown | company blog (ceat.com, price confirmed on direct fetch 15 Oct 2026; supersedes an earlier ₹1270 aggregator figure) | 15 Oct 2026 | S043 |
| CEAT | 90/90-12 | Zoom D | tubeless | 1240 | unknown | company blog (ceat.com, directly confirmed 15 Oct 2026) | 15 Oct 2026 | S043 |
| MRF | 100/90-17 | Zapper C | tube-type | 2484 | unknown | e-commerce (Tyreplex, directly confirmed) | 14 Oct 2026 | S034 |
| MRF | 100/90-17 | Zapper C1 | tubeless | 2421 | unknown | e-commerce aggregator | 14 Oct 2026 | S035 |
| MRF | 100/90-17 | Zapper C1 | tubeless | 1345 | unknown | e-commerce aggregator (conflicting low figure) | 14 Oct 2026 | S036 |
| Eurogrip | 100/90-17 | unspecified (Ignitor fitment chart | 9 models ₹920 to ₹2705) | unknown | 1311 | unknown,dealer fitment chart (starting price, directly confirmed) | 14 Oct 2026 | S046 |
| Eurogrip | 3.00-18 | Jumbo | tube-type | 2560 | unknown | e-commerce (Amazon.in MRP, corrected on direct fetch) | 14 Oct 2026 | S047 |
| Eurogrip | 3.00-18 | Jumbo | tube-type | 1854 | unknown | e-commerce (Amazon.in selling price, corrected on direct fetch) | 14 Oct 2026 | S047 |

## C.6 state_parc.csv

| state | two_wheeler_registrations_fy | two_wheeler_stock | share_pct | eurogrip_presence_note | source_sid |
|---|---|---|---|---|---|
| Uttar Pradesh | 2995980 | 36346164 | 13.8 | New signature store(s) reported in a Jun 2025 release (RC34) but the presence is recent and thin against Tamil Nadu's. L | S195;S196;S226 |
| Maharashtra | 2453230 | 29761714 | 11.3 | No Eurogrip signature-store or distributor disclosure found in this search; presence not characterised (gap). | S195;S196;S197 |
| Tamil Nadu | 1649960 | 20016728 | 7.6 | Home state: Madurai houses Eurogrip's registered office, main plant and R&D centre (RC35). Four Chennai signature stores | S195;S196;S223;S225 |
| Gujarat | 1736800 | 21070240 | 8.0 | New signature store reported in a Jun 2025 release (RC34); presence is recent and its scale is not disclosed. | S196;S226 |
| Rajasthan | 1411150 | 17119570 | 6.5 | No Eurogrip-specific disclosure found in this search (gap). | S196 |
| Karnataka | 1432860 | 17382948 | 6.6 | No Eurogrip-specific disclosure found in this search (gap). Share figure sourced from a single press cut with an inconsi | S197 |
| Bihar | 1432860 | 17382948 | 6.6 | No Eurogrip-specific disclosure found in this search (gap). Share figure sourced from the same single, lower-confidence | S197 |
| West Bengal | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Included in the top-15 list for geographic completeness on p | none |
| Madhya Pradesh | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |
| Andhra Pradesh | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |
| Telangana | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |
| Haryana | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |
| Punjab | not found | not found | not found | Ludhiana hosts Eurogrip's 14th signature store in India, reported Mar 2026 (RC34). Registration rank and share not sourc | S224 |
| Odisha | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |
| Kerala | not found | not found | not found | No Eurogrip-specific disclosure found in this search (gap). Registration rank and share not sourced in this search; not | none |

## C.7 tool_costs.csv

| item | spec | unit | price_low_inr | price_high_inr | gst | bulk_note | source_sid | date |
|---|---|---|---|---|---|---|---|---|
| Tubeless repair kit (wholesale/trade) | plug-and-patch type, various piece/set counts | piece/set | 30 | 300 | not stated | IndiaMART trade/wholesale quotes from Delhi, Mumbai, Gandhinagar/Surat sellers; not confirmed retail; MOQs not always st | S318;S319;S320 | 14 Oct 2026 |
| Tubeless repair kit (retail/branded) | Moglix Kozdiko, WAICO 13-in-1, Maruti Suzuki genuine accessory, Icetoolz/Panaracer cycle-shop kits | piece | 190 | 1500 | incl. (Moglix listing states incl. all taxes) | Moglix ~Rs190; WAICO offer Rs199 vs MRP Rs999; Maruti genuine MRP Rs530; branded cycle-shop kits Rs531-1500; discount of | S321;S322;S336 | 14 Oct 2026 |
| Tyre pressure gauge (digital, handheld) | Kozdiko 3V, Stanley STHT80874-0, Onelap TyreChek | piece | 499 | 1500 | incl. (Kozdiko listing incl. all taxes) | Kozdiko ~Rs752-755 (MRP Rs1,506, 50% off); Stanley Rs1,090 (from Rs1,309); Onelap offer Rs499 (MRP Rs999); retail/aggreg | S323;S324 | 14 Oct 2026 |
| Digital tyre inflator (fixed, workshop, 150 psi) | non-portable, 230V workshop unit | piece | 23000 | 23000 | excl. | Non-comparable to a handheld gauge; IndiaMART Coimbatore seller quote | S325 | 14 Oct 2026 |
| Tyre changer machine (motorcycle/2W) | 1.5 HP, 220 to 240V | piece | 45000 | 45000 | not stated | IndiaMART Vishkarma Engineers, Chandigarh; matches plan lead L11 | S326 | 14 Oct 2026 |
| Tyre changer machine (car/LCV) | semi-automatic/automatic, covers car/LCV and some scooter/3W units | piece | 65000 | 150000 | not stated | e.g. Jet Age Jetfit 300 at Rs85,000; semi-automatic electric unit (scooters+3W) at Rs89,000; IndiaMART vendor-quoted | S326 | 14 Oct 2026 |
| Wheel balancer (car/LCV) | fully automatic, various models | piece | 68000 | 140500 | not stated | Manatec Electronics and others; fully automatic Manatec WB VL65 LX at Rs1,40,500 | S327 | 14 Oct 2026 |
| Wheel balancer (2W-specific) | Manatec Gyrospin 300 | piece | 93600 | 93600 | not stated | Two-wheeler-specific balancer, IndiaMART vendor-quoted | S327 | 14 Oct 2026 |
| Wheel balancer (heavy duty/HCV) | HCV-grade unit | piece | 430000 | 430000 | not stated | Runs up to about Rs4.3 lakh; IndiaMART vendor-quoted | S327 | 14 Oct 2026 |

| item | spec | unit | price_low_inr | price_high_inr | gst | bulk_note | source_sid | date |
|---|---|---|---|---|---|---|---|---|
| **Portable tyre inflator (12V/USB)** | Tantra MTS-27, UN1QUE 150 PSI, Cartman, Mi Portable Air Compressor | piece | 699 | 3499 | not stated | 12V units Rs699-1,500 after discount; USB-rechargeable Mi unit MRP Rs3,499 discounted to ~Rs2,499 on Mi.com; deal-aggreg | S328;S329 | 14 Oct 2026 |
| **Digital tyre inflator (fixed, workshop, 230V)** | petrol-pump/automatic 150 psi unit | piece | 19500 | 23600 | not stated | IndiaMART and L&T-SuFin; digital inflator for petrol pumps ~Rs19,500, automatic 150 psi 230VAC unit ~Rs23,600; no small | S325;S330 | 14 Oct 2026 |
| **Foot pump (tyre inflation)** | double-cylinder and basic cycle-style units | piece | 499 | 1600 | not stated | Yearwin double-cylinder Rs806 after 46% discount; Lyrovo double-cylinder Rs1,590 after 47% discount; basic cycle-style ~ | S331;S332 | 14 Oct 2026 |
| **Valve-core tool (import, branded)** | Park Tool PT-VC-1 import | piece | 880 | 880 | incl. all taxes | Indian importer listing (greasejunkie.com); no India-manufactured budget equivalent found, logged as a gap | S333 | 14 Oct 2026 |
| **Valve-core tool (truck, flexible remover/installer)** | flexible type for truck tyres | piece | 1500 | 1500 | not stated | IndiaMART vendor-quoted | S334 | 14 Oct 2026 |
| **Tyre rubber solution (puncture-repair adhesive)** | 50 to 75 ml bottles, Xpert Cycle / Max International / Supermax Cycle / Max Plus heavy duty | bottle | 160 | 250 | not stated | Delhi IndiaMART seller; a separate Mumbai seller lists an anti-puncture sealant at Rs180/bottle | S335 | 14 Oct 2026 |
| **Tube/tubeless patch kit** | plug strings and patches, e.g. Bolton Heavy Duty | kit/set | 90 | 300 | not stated | IndiaMART vendor-quoted, per-piece basis differs across sellers, treat as a range | S318;S320 | 14 Oct 2026 |
| **Tyre repair patch (consumable, single)** | e.g. CT-42 Tyre Repair Patch | piece | 62 | 62 | not stated | IndiaMART vendor-quoted single consumable patch price | S320 | 14 Oct 2026 |
| **Tyre lever (two-wheeler/motorcycle)** | various materials, chrome vanadium/mild steel | piece | 90 | 980 | not stated | IndiaMART dedicated 'Tyre Lever' category; Mumbai Rs200, Jalandhar Rs90-300, Ludhiana Rs980; a boxed bead-breaker-plus-l | S370 | 17 Oct 2026 |
| **Basic hand-tool kit (motorcycle/2W, bundled)** | bundled kit, not a full workshop toolbox | piece | 170 | 170 | not stated | IndiaMART, United Industries, Pune; same seller lists an Electric Vehicle Toolkit at Rs110/piece | S371 | 17 Oct 2026 |
| **Basic hand-tool kit (electric vehicle, bundled)** | bundled kit, not a full workshop toolbox | piece | 110 | 110 | not stated | IndiaMART, United Industries, Pune | S371 | 17 Oct 2026 |
| **General mechanic toolbox, basic tier** | bike-repair tool kit, basic contents (Allen keys, screwdrivers, tyre levers, chain tool, spoke wrench) | piece | 120 | 500 | not stated | Dial4Trade (Delhi) B2B directory FAQ estimate, not a specific vendor SKU quote; partially fills a logged gap | S372 | 17 Oct 2026 |
| **General mechanic toolbox, mid-range tier** | bike-repair tool kit, mid-range contents | piece | 500 | 2000 | not stated | Dial4Trade (Delhi) B2B directory FAQ estimate, not a specific vendor SKU quote | S372 | 17 Oct 2026 |
| **General mechanic toolbox, professional/workshop tier** | professional-grade workshop tool kit, e.g. Park Tool Advanced Mechanic Tool Kit at the top of this band | piece | 2000 | 100000 | not stated | Dial4Trade (Delhi) B2B directory FAQ estimate; the Park Tool Advanced Mechanic Tool Kit (36 tools, Indian importer) list | S372 | 17 Oct 2026 |

### C.8 `tractor_states.csv`

| state | tractor_sales_fy | avg_holding_ha | share_small_marginal_pct | main_crops | terrain_note | haulage_note | source_sid |
|---|---|---|---|---|---|---|---|
| **Uttar Pradesh** | 139886 | not found; national avg 1.08 used as fallback | 92.8 (secondary estimate) | wheat; sugarcane (39.1% of national sugarcane area); cereals (20.2% of national cereal area) | mostly flat Indo-Gangetic plain; highest cropping intensity region alongside Punjab | eastern-belt states (UP among them) show the highest commercial haulage share of tractor use nationally | RG11; RG53; RG56; RG18 |
| **Madhya Pradesh** | 115784 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | soybean and other oilseeds (28.9% of national oilseeds area, the largest state share); wheat | central Indian plateau and Malwa plain; mixed black and alluvial soils | not found at state level; regional studies elsewhere put haulage/transport at 21 to 31% of tractor hours | RG12; RG53; RG65 |
| **Rajasthan** | 112240 | approx 2.7 (derived from Dataful holdings/area ratio) | not found; below national 86.1%, consistent with the higher derived holding size | bajra and other spices/condiments crops (28.5% of national spices area, the largest state share); fodder and green manur | semi-arid and arid; livestock-integrated farming; largest operated area of any state | fodder-crop dominance implies livestock-haulage use is proportionally higher than in pure-cropping states; no national h | RG13; RG54; RG60 |

| state | tractor_sales_fy | avg_holding_ha | share_small_marginal_pct | main_crops | terrain_note | haulage_note | source_sid |
|---|---|---|---|---|---|---|---|
| Maharashtra | 85970 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | cotton and other fibre crops (32.6% of national fibre-crop area, the largest state share); sugarcane | Deccan plateau; mixed black cotton soil and drought-prone belts | regional Ahmednagar study found transportation/haulage the second-largest tractor-use category at 30.7% of hours | RG13; RG53; RG65 |
| Gujarat | 83962 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | cotton and groundnut; oilseeds (10.5% of national oilseeds area) | mixed arid Kutch/Saurashtra and fertile central plains | not found at state level | RG13; RG53 |
| Karnataka | 54109 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | pulses (12.4% of national pulses area) and oilseeds; ragi and other dryland cereals | Deccan plateau and coastal belt; mixed dryland and irrigated tracts | not found at state level | RG14; RG53 |
| Chhattisgarh | 44072 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | paddy (rice-dominant cereal area) | plateau and plains; high forest cover share | not found at state level | RG14 |
| Haryana | 43936 | not found; national avg 1.08 used as fallback | not found; national avg 86.1% used as fallback | wheat and paddy rotation; cereals (4.4% of national cereal area) | flat Indo-Gangetic plain; very high net irrigated share | North India (Punjab, Haryana, UP) is described as the largest tractor demand hub by volume | RG14; RG16; RG53 |
| Bihar | 34469 | not found; national avg 1.08 used as fallback | approx 97.0 (secondary estimate; among the highest of any major state) | paddy, wheat and maize; cereals and food grains | Indo-Gangetic plain; flood-prone in the north | eastern-belt states (Bihar among them) show the highest commercial haulage share of tractor use nationally | RG15; RG18; RG57 |
| Punjab | 30671 | approx 3.6 (derived from Dataful holdings/area ratio) | 33.1 (secondary estimate; markedly below the national 86.1%) | wheat-paddy rotation (highest cropping intensity of any state, 1.97 vs national 1.37); cereals (5.3% of national cereal | flat, fully irrigated Indo-Gangetic plain; highest cropping intensity in India | North India (Punjab, Haryana, UP) is the largest tractor demand hub; Punjab also leads nationally in Custom Hiring Centr | RG16; RG55; RG59; RG60; RG62 |

### C.9 `tyre_brands.csv`

| brand | owner | segment | oe_presence | replacement_share_stmt | positioning | retail_format | mechanic_or_retailer_programme | source_sid |
|---|---|---|---|---|---|---|---|---|
| MRF | MRF Limited | 2W OE and replacement | Yes (named major OE brand) | No dated primary share found; a single unverified aggregator source claims about 35% | Value for money; described as a market leader | Multi-brand dealers and MRF-branded retail formats | No mechanic-specific programme found; dealer-level engagement only | S100 |
| CEAT | RPG Enterprises (CEAT Ltd) | 2W OE and replacement | Yes (named major brand) | No dated primary two-wheeler-specific share found | Value for money; heavy sports/cricket ad spend (about Rs 325 crore FY26) | Multi-brand dealers and CEAT Shoppe retail format | No mechanic-specific programme found in this lane | S100;S111 |
| Apollo Tyres | Apollo Tyres Ltd | 2W replacement (entered 2016 with Acti range) | Limited (entrant; not named among established 2W OE brands) | 2016 entry target of about 85% replacement-market coverage stated by company; not a measured current share | Challenger entrant; large ad spend including BCCI jersey sponsorship (about Rs 575 to 579 crore over 2.5 years) | Multi-brand dealers | No mechanic-specific programme found in this lane | S131;S112 |
| TVS Eurogrip (TVS Srichakra) | TVS Motor Company group (TVS Srichakra Ltd) | 2W/3W/OHT OE and replacement | Yes (increasing share with existing 2W OEMs per CRISIL 2022 rationale) | No numeric OEM vs replacement split found in any CRISIL rationale reviewed (2018; 2020; 2022; 2023) | Diversified OEM, aftermarket and export mix per CRISIL; domestic brand name TVS Tyre, export brand name Eurogrip | Distributors; depots and retailers (detail owned by R-A lane) | No mechanic-specific programme confirmed in this lane; cross-reference R-A for Bandhan app status | S113;S114;S115;S116 |
| JK Tyre | JK Tyre & Industries Ltd | 2W and PV (also truck/bus; LCV; farm; retread) | Not confirmed as a major named 2W OE brand in this lane | No two-wheeler-specific share figure found | Broad multi-category tyre maker; sells 2W/PV range on Amazon.in since Aug 2020 | Multi-brand dealers plus e-commerce (Amazon.in) | JK Advantage 2.0 (dealer-facing CRM, points across PCR/truck/LCV/2W/3W/farm/retread, about 35% dealer engagement, about | S126;S128;S129;S127;S135 |

| brand | owner | segment | oe_presence | replacement_share_stmt | positioning | retail_format | mechanic_or_retailer_programme | source_sid |
|---|---|---|---|---|---|---|---|---|
| **Maxxis** | Maxxis International (Cheng Shin Rubber) | 2W OE and replacement | Yes (named major brand in Indian 2W market) | No share figure found | Named alongside MRF; TVS and CEAT as a major 2W brand | Multi-brand dealers | No mechanic-specific programme found in this lane | S100 |
| **Michelin** | Compagnie Generale des Etablissements Michelin | 2W premium replacement | Limited/niche in India 2W | No share figure found | Premium; priced almost double mass-market tyres per aggregator source | Multi-brand and premium dealer network | No mechanic-specific programme found in this lane | S100 |
| **Pirelli** | Pirelli and C. S.p.A. (CEAT distribution tie-up reported historically) | 2W premium/performance replacement | Limited/niche in India 2W | No share figure found | Premium/performance positioning | Distributed via CEAT tie-up (historical) and multi-brand premium dealers | No mechanic-specific programme found in this lane | S100 |
| **Bridgestone** | Bridgestone Corporation | 2W OE and replacement (named; not detailed) | Named but not detailed in sources reviewed | No share figure found | Named among major/premium brands in the Indian market | Multi-brand dealers | No mechanic-specific programme found in this lane | S100 |

### C.10 `universe_methods.csv`

| method | kind | low_lakh | base_lakh | high_lakh | inputs | assumption_ids | source_sids | notes |
|---|---|---|---|---|---|---|---|---|
| **Enterprise survey** | estimate | 2.7 | 5.0 | 7.5 | ASUSE 2022-23 trade-sector establishments (6.50 crore all-India total; trade share 34.71% is about 2.26 crore); reasoned | n/a | S180;S187;S188;S189 | No MoSPI publication gives an NIC-4540-level establishment count (confirmed gap, lead L12). Derivation is R-C's own reas |
| **Two-wheeler parc** | estimate | 7.7 | 10.5 | 15.0 | Registered two-wheeler stock about 26 to 27 crore (CEIC compilation of MoRTH/VAHAN data, Mar 2022 point plus FY24-FY25 a | n/a | S190;S192 | Derivation: parc divided by an assumed bikes-per-outlet catchment, bear case 3500 bikes per outlet (fewer, wider-catchme |
| **Rival programmes** | floor | 1.5 | 1.5 | 1.5 | Castrol India Fast Scan, the largest published mechanic and retailer loyalty-platform enrolment found in this search, an | n/a | S201;S202 | Floor only: states the engageable universe for a comparable adjacent-category (lubricants) incentive platform is at leas |
| **Eurogrip partners** | floor | 0.3 | 0.3 | 0.3 | TVS Eurogrip 2022 CSK sponsorship activation: personalised video ads built for more than 30,000 retail and mechanic (inf | n/a | S204;S205;S206 | Floor only: a company-stated target for an ad campaign's partner reach, not an independently audited or ongoing programm |

### C.11 `visibility_costs.csv`

| item | spec | unit | price_low_inr | price_high_inr | gst | bulk_note | source_sid | date |
|---|---|---|---|---|---|---|---|---|
| **Flex banner, raw PVC material** | white PVC, 240 GSM | sq ft | 2.7 | 2.7 | not stated | Bare material cost only, before printing | S337 | 14 Oct 2026 |
| **Flex banner, printed/frontlit service** | frontlit flex printing, basic to 'Star Flex' finish | sq ft | 10 | 40 | not stated | Indicative printing-service range Rs12-40/sq ft also cited; a 3×2 ft (6 sq ft) board works out to roughly Rs60-240 print | S337;S338 | 14 Oct 2026 |
| **ACP shop signboard, plain/unlit** | basic unlit ACP board, fabricated and installed | sq ft | 180 | 200 | not stated | IndiaMART-anchored range (Print Solution Munger Rs180/sq ft; a second outdoor board Rs190/sq ft); a TradeIndia listing s | S339;S340 | 14 Oct 2026 |
| **ACP/acrylic signboard, lit (LED/glow)** | acrylic LED-letter or glow-sign board | sq ft | 190 | 800 | not stated | Same Munger supplier's acrylic-LED-letter boards ~Rs800/sq ft; glow-sign listings range Rs190-660/sq ft; a Delhi fabrica | S339 | 14 Oct 2026 |
| **ACP panel, raw (unprinted, unfabricated material)** | 3mm to 6mm thickness range | sq ft | 80 | 80 | not stated | Materials-only (Aludecor); excludes printing, framing and installation already included in the finished-signboard rows a | S341 | 14 Oct 2026 |
| **Printed/promotional apron** | cotton or PVC, with logo | piece | 100 | 150 | not stated | IndiaMART sellers, Delhi/Mumbai/Surat; yellow PVC ~Rs100, plain cotton ~Rs115, screen-printed white cotton ~Rs140, custo | S342 | 14 Oct 2026 |

| item | spec | unit | price_low_inr | price_high_inr | gst | bulk_note | source_sid | date |
|---|---|---|---|---|---|---|---|---|
| **Printed T-shirt (bulk, screen print, 100-piece order)** | base garment plus print charge (1 to 8 colours) | piece | 190 | 300 | 5% GST on garment+print; 18% GST on shipping/COD/rush handling | Qikink: base ~Rs170 + print charge Rs20 (1 colour) to Rs70 (6-8 colours); a separate directory lists printed men's T-shi | S344 | 15 Oct 2026 |
| **Promotional cotton cap** | plain or lightly printed | piece | 20 | 92 | not stated | Plain promotional cap ~Rs20; printed promotional cotton cap ~Rs27; cap-printing-only services ~Rs35-65/piece | S345;S346 | 14 Oct 2026 |
| **Vinyl/printed sticker (bulk MOQ)** | laminated vinyl, MOQ 300 to 25,000 pieces | piece | 1 | 10 | not stated | New Delhi listing ~Rs10/piece at 300+ MOQ; Pune listing ~Rs1/piece at up to 25,000 MOQ; Ankleshwar exporter Rs2-5/piece; | S347;S348;S349 | 14 Oct 2026 |
| **Vinyl/printed sticker (small-quantity, premium, MOQ 1)** | premium vinyl, no bulk discount | piece | 1.78 | 4.5 | not stated | GlobalLinker small-quantity premium listing, much higher per-piece than bulk MOQ pricing | S347 | 14 Oct 2026 |

## Appendix D: Assumptions register

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| **A01** | c4 | Relevant BU revenue: domestic two- and three-wheeler replacement revenue, FY26 | 1240 | 1350 | 1460 | Rs crore | R-A RA12: FY26 consolidated revenue Rs3,643 crore. R-A RA95 (CRISIL Apr 2023 rationale, most recent primary split) gives | RA12;RA95;RA96 |
| **A02** | c4 | Budget share of BU revenue | 1.5 | 1.75 | 2.0 | % | Brief C4-B19 states the budget is 1.5% to 2% of the relevant business-unit revenue; cross-checked against CEAT's and Apo | C4-B19;RB49;RB50 |
| **A05a** | c4 | Share of outlets: S-A stocking mechanic-retailers | 0.25 | 0.25 | 0.25 | share | No source splits S-A/S-B/S-C (R-C Gaps: 'No MoSPI ASUSE or Economic Census table gives an establishment count at the NIC | RC58;RC59;RC60 |
| **A05b** | c4 | Share of outlets: S-B service mechanics, non-stocking | 0.4 | 0.4 | 0.4 | share | No source splits S-A/S-B/S-C (R-C Gaps, as A05a). Reasoned split: S-B is sized as the largest formally-registered servic | RC58;RC59;RC60 |
| **A05c** | c4 | Share of outlets: S-C puncture and tyre-repair shops | 0.35 | 0.35 | 0.35 | share | No source splits S-A/S-B/S-C (R-C Gaps, as A05a). Reasoned split: R-C's parc-based universe triangulation (RC58) capture | RC58;RC59;RC60 |
| **A06** | c4 | Coverage cap: members divided by universe at steady state | 0.1 | 0.15 | 0.25 | share | Benchmarked on Castrol India's Fast Scan platform, which enrolled over 1.5 lakh mechanics and retailers by its 2019 laun | RC25;RC58;RC59;RC60;RD01 |
| **A07a** | c4 | Member mix at steady state: Tier 1 | 0.75 | 0.75 | 0.75 | share | Design decision, benchmarked on the tier pyramids observed across R-D's adjacent-category programmes (e.g. Castrol Super | RD05;RD17 |
| **A07b** | c4 | Member mix at steady state: Tier 2 | 0.2 | 0.2 | 0.2 | share | Design decision, same pyramid-shape reasoning as A07a (R-D RD05, RD17): the middle tier is set well below Tier 1 but wel | RD05;RD17 |
| **A07c** | c4 | Member mix at steady state: Tier 3 | 0.05 | 0.05 | 0.05 | share | Design decision, same pyramid-shape reasoning as A07a: Tier 3 (hub-level stocking and highest referral volume) is delibe | RD05;RD17 |
| **A08** | c4 | One-time tools per member, Tier 1 (Eurogrip's share) | 300 | 180 | 100 | Rs | tool_costs.csv row 'Tubeless repair kit (wholesale/trade)': bulk/wholesale IndiaMART quotes for a plug-and-patch tubeles | RD54 |
| **A09** | c4 | One-time tools per member, Tier 2 (Eurogrip's share) | 3000 | 2000 | 1200 | Rs | Sum of tool_costs.csv items a Tier 2 member receives: digital tyre pressure gauge Rs499 to Rs1,500 (RD56), two-wheeler t | RD56;RD93;RD94;RD95 |
| **A10** | c4 | One-time tools per member, Tier 3 (Eurogrip's share, cost-shared) | 11000 | 9000 | 7000 | Rs | Eurogrip's cost-shared contribution toward the Rs45,000 motorcycle/2W tyre changer machine (tool_costs.csv, R-D RD58, ma | RD58 |
| **A08v** | c4 | One-time visibility items per member, Tier 1 | 250 | 150 | 80 | Rs | A small printed flex shop board for Tier 1, sized about 3 to 6 sq ft, priced at the printed/frontlit flex printing-servi | RD67;RD75 |
| **A09v** | c4 | One-time visibility items per member, Tier 2 | 2400 | 2000 | 1600 | Rs | A larger, plain/unlit ACP shop signboard for Tier 2, sized about 10 to 12 sq ft, priced at the IndiaMART-anchored Rs180 | RD68 |
| **A10v** | c4 | One-time visibility items per member, Tier 3 | 14000 | 8000 | 4500 | Rs | A Tier 3 lit shop fascia (ACP/acrylic LED-letter or glow-sign board), sized about 20 sq ft, priced at the Rs190 to Rs800 | RD69 |
| **A11** | c4 | Amortisation period for one-time items | 3 | 3 | 3 | years | Accounting judgement: a 3-year amortisation period for one-time tools and visibility items matches the stated renewal cy | n/a |
| **A12a** | c4 | Consumables refill per quarter, Tier 1 | 0 | 0 | 0 | Rs | Tier 1 members receive a one-time starter kit only; the design places no recurring consumables line on Tier 1 because th | n/a |

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| **A12b** | c4 | Consumables refill per quarter, Tier 2 | 450 | 300 | 180 | Rs | A quarterly refill of plugs, patches and a rubber-solution bottle for Tier 2: a tube/tubeless patch kit (Rs90 to Rs300, | RD54;RD64;RD65 |
| **A12c** | c4 | Consumables refill per quarter, Tier 3 | 900 | 600 | 400 | Rs | Scaled at roughly double the Tier 2 refill (tool_costs.csv RD54, RD64, RD65) to reflect the higher volume of repairs and | RD54;RD64;RD65 |
| **A13** | c4 | Training cost per trainee (2-hour fitment course) | 900 | 700 | 500 | Rs | No per-trainee fee for a short, in-person 2-hour tyre-fitment course was found (R-D Gaps: only free PMKVY/ASDC-subsidise | RD81 |
| **A13s** | c4 | Share of Tier 2 and 3 members trained per year | 0.6 | 0.5 | 0.4 | share | Design decision: assumes a majority but not all Tier 2 and 3 members complete the optional training course in a given ye | n/a |
| **A14** | c4 | Tier 2 entry: logged referrals in 6 months | 6 | 6 | 6 | count | Design decision: set at roughly one logged referral a month over the 6-month review window, the same cadence implied by | n/a |
| **A15a** | c4 | Expected referrals a year, Tier 1 | 2 | 2 | 2 | count | Design decision: Tier 1 is deliberately set at a low bar (about one referral every six months) since Tier 1 exists to ke | n/a |
| **A15** | c4 | Tier 2 referrals a year | 12 | 12 | 12 | count | Design decision: doubles the Tier 2 entry threshold (A14, 6 referrals in 6 months) to a full year, i.e. about one referr | n/a |
| **A16** | c4 | Tier 3 referrals a year | 40 | 40 | 40 | count | Design decision: set at roughly one referral a week, reflecting Tier 3's status as the highest-volume hub tier that also | n/a |
| **A17** | c4 | Enrolment cost per new member | 250 | 180 | 120 | Rs | Reasoned from R-D's field-sales day-rate benchmarks (RD83, RD84, RD85: reported take-home pay of roughly Rs20,000 to Rs3 | RD83;RD84;RD85 |
| **A17c** | c4 | Annual member churn replaced | 0.3 | 0.2 | 0.15 | share | Judgement: no source tracks churn for a programme that does not yet run; bear assumes a higher first-year churn typical | n/a |
| **A18** | c4 | Programme team and state coordinators (fixed) | 250 | 200 | 160 | Rs lakh/year | Reasoned from R-D's field-sales salary benchmark (RD84, Payscale average Rs2.94 lakh/year for a field sales representati | RD84 |
| **A19** | c4 | Tech fixed: app extension running cost, analytics, IVR rental | 80 | 60 | 45 | Rs lakh/year | Combines an IVR/missed-call rental line (Knowlarity's published missed-call plan at about Rs5,000/month = Rs0.6 lakh/yea | RD52 |
| **A19m** | c4 | Messaging per member per year (WhatsApp or SMS) | 80 | 60 | 30 | Rs | WhatsApp Business API India per-message rates (R-D RD50, RD51): utility/authentication messages at about Rs0.115 plus 18 | RD50;RD51 |
| **A20** | c4 | Tool credit per logged referral | 80 | 60 | 50 | Rs | Design decision, deliberately kept below a typical cash coupon rate (see A34) so the in-kind credit never functions as d | n/a |
| **A21** | c4 | Fraud flag: retailer to mechanic distance | 15 | 15 | 15 | km | Design decision: a round, easily explained distance threshold for flagging a retailer-mechanic pairing as suspicious; no | n/a |
| **A22** | c4 | Retailer-app one-time extension or build | 60 | 40 | 25 | Rs lakh | R-A's app-status finding (RA32, RA33, RA70, RA71) confirms a Bandhan retailer app exists from a 2019 launch, but R-A's o | RA32;RA33;RA70;RA71 |
| **A23** | c4 | G1 gate: monthly active share | 0.6 | 0.6 | 0.6 | share | Design decision: a round majority-activity bar for the pilot gate, consistent with PLAN.md section 2.2.9's stated gate v | n/a |
| **A24** | c4 | G1 gate: advocacy lift vs control | 15 | 15 | 15 | points | Design decision: set as a meaningful, clearly-detectable lift over the matched control districts for the pilot's differe | n/a |
| **A25** | c4 | Baseline unprompted Eurogrip recommendation rate (for sample size only) | 0.2 | 0.2 | 0.2 | share | Judgement, used only to size the mystery-audit sample (PLAN.md section 2.2.9 power calculation), not a claim about curre | C4-B07 |
| **A26** | c4 | Kill threshold: break-even tyres per member per year | 12 | 12 | 12 | count | Design decision: one extra tyre a month per member shop, chosen as a round, easily communicated kill-criterion threshold | n/a |
| **A27** | c4 | Weighted average replacement tyre MRP | 1900 | 2050 | 2200 | Rs | research/data/prices.csv: the four fully-confirmed Eurogrip MRPs located (Conta 625N Rs2,001, Jumbo GT Rs1,962, Dragon P | S038;S039;S040;S047 |
| **A28** | c4 | GST on two-wheeler tyres | 18 | 18 | 18 | % | CBIC Notification No. 09/2025-Central Tax (Rate), confirmed by both R-A (RA60) and R-B (RB30, RB31) via direct fetch: tw | RA60;RB30;RB31 |
| **A29** | c4 | Channel margin (distributor and retailer) on the ex-GST price | 22 | 18 | 15 | % | No source discloses a two-wheeler tyre dealer/distributor margin as a percentage of MRP (R-B Gaps: 'two-wheeler-specific | n/a |

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| A30 | c4 | Contribution margin on the company's net realisation | 26 | 30 | 34 | % | No standalone raw-material/variable-cost breakdown was found for TVS Srichakra (R-A Gaps: 'Standalone breakdown of raw-m | RA13;RA96;RA97 |
| A31 | c4 | Cost per mystery-rider audit | 900 | 700 | 500 | Rs | No India rupee figure for a brand-commissioned mystery-rider audit visit was found (R-D RD91: a vendor guide gives cost | RD87;RD91 |
| A31n | c4 | Audit rounds per year at steady state | 2 | 2 | 2 | count | Design decision: quarterly audits in the pilot stepping down to twice a year at steady state, per PLAN.md section 2.2.9; | n/a |
| A32 | c4 | Brand-track re-run | 40 | 30 | 20 | Rs lakh/year | No India-specific brand-tracking study cost from a named agency was found (R-D Gaps: 'India-specific brand-tracking stud | n/a |
| A33 | c4 | Meets and recognition per Tier 2 and 3 member | 200 | 150 | 100 | Rs/year | No source prices a distributor-run cluster meet or state-level recognition event per member; reasoned small annual per-h | RD07;RD26 |
| A34 | c4 | Cash coupon per tyre in the obvious scheme | 60 | 80 | 100 | Rs | Scaled from Castrol Fast Scan's own disclosed reward rate: about Rs6 crore reimbursed monthly across over 1 lakh transac | RC26 |
| A35 | c4 | Share of Eurogrip replacement tyres fitted through mechanics today | 40 | 50 | 60 | % | No study quantifies the share of two-wheeler tyre replacement volume that passes through a mechanic recommendation speci | C4-B03;C4-B04 |
| A36 | c4 | Volume lift a cash scheme achieves | 15 | 10 | 6 | % | Judgement, explicitly flagged per PLAN.md section 5.3: no India tyre-category study measures the volume lift from a per- | n/a |
| A37a | c4 | Ramp: share of steady-state members active in Q1 | 0.03 | 0.03 | 0.03 | share | Design decision: rollout ramp follows PLAN.md section 2.2.7's three-phase, eight-quarter plan (pilot Q1-Q2 in 2 states, | n/a |
| A37b | c4 | Ramp: share of steady-state members active in Q2 | 0.06 | 0.06 | 0.06 | share | Design decision, same rollout-ramp reasoning as A37a: end of the pilot phase (PLAN.md section 2.2.7), the point at which | n/a |
| A37c | c4 | Ramp: share of steady-state members active in Q3 | 0.25 | 0.25 | 0.25 | share | Design decision, same rollout-ramp reasoning as A37a: start of the scale phase (8 states) per PLAN.md section 2.2.7, the | n/a |
| A37d | c4 | Ramp: share of steady-state members active in Q4 | 0.45 | 0.45 | 0.45 | share | Design decision, same rollout-ramp reasoning as A37a: end of the scale phase, the point at which gate G2 is assessed per | n/a |
| A37e | c4 | Ramp: share of steady-state members active in Q5 | 0.65 | 0.65 | 0.65 | share | Design decision, same rollout-ramp reasoning as A37a: start of the national phase (all states through the distributor ne | n/a |
| A37f | c4 | Ramp: share of steady-state members active in Q6 | 0.8 | 0.8 | 0.8 | share | Design decision, same rollout-ramp reasoning as A37a: continued national build-out per PLAN.md section 2.2.7. | n/a |
| A37g | c4 | Ramp: share of steady-state members active in Q7 | 0.95 | 0.95 | 0.95 | share | Design decision, same rollout-ramp reasoning as A37a: near-complete national coverage per PLAN.md section 2.2.7. | n/a |
| A37h | c4 | Ramp: share of steady-state members active in Q8 | 1.0 | 1.0 | 1.0 | share | Design decision, same rollout-ramp reasoning as A37a: full steady state reached, the point at which gate G3 (annual bran | n/a |
| A38 | c4 | Validation interviews before pilot | 60 | 60 | 60 | count | Design decision: 20 interviews per segment (S-A, S-B, S-C) as a practical minimum for a qualitative Customer Validation | n/a |
| A39 | c4 | Validation cities | 4 | 4 | 4 | count | Design decision: two cities in each of the two pilot states (Tamil Nadu and Uttar Pradesh, per PLAN.md section 2.2.7's p | n/a |
| A1-01 | c1 | Consolidated revenue from operations, FY26 | 3643 | 3643 | 3658 | INR crore | FY26 consolidated revenue per Screener.in compilation of filed results (RA12/RA92); a second source gives total income l | RA12;RA92;RA16 |
| A1-02 | c1 | Budget share of operating revenue | 1.5 | 1.75 | 2.0 | % | Brief C1-B12 states the marketing budget is 1.5% to 2% of operating revenue; base set at the convention used elsewhere i | C1-B12 |
| A1-03 | c1 | Share of budget: Commuter segment | 0.4 | 0.4 | 0.4 | share | Design allocation: Commuter is the largest-volume, lowest-margin segment and gets the largest nominal share though the l | design |
| A1-04 | c1 | Share of budget: Gig segment | 0.25 | 0.25 | 0.25 | share | Design allocation: gig riders carry the proof-of-distance evidence central to the Case 1 recommendation, so the second-l | design |
| A1-05 | c1 | Share of budget: Premium segment | 0.2 | 0.2 | 0.2 | share | Design allocation: Premium is lower volume but highest margin and carries the technology story; sized with A1-03/04/06 t | design |
| A1-06 | c1 | Share of budget: Brand platform (masterbrand, sponsorship) | 0.15 | 0.15 | 0.15 | share | Design allocation: residual share funds the shared masterbrand platform (for example the existing CSK sponsorship, RA37) | design;RA37 |

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| A1-07 | c1 | Commuter channel split: Digital | 0.35 | 0.35 | 0.35 | share | Design allocation inside the Commuter budget; sized with A1-08/09 to sum to 1.0. Commuter reach leans on retail-counter | design |
| A1-08 | c1 | Commuter channel split: Retail | 0.4 | 0.4 | 0.4 | share | Design allocation: Commuter riders decide largely at the retail counter and mechanic shop, so retail gets the largest Co | design |
| A1-09 | c1 | Commuter channel split: On-ground | 0.25 | 0.25 | 0.25 | share | Design allocation; sized with A1-07/08 to sum to 1.0. | design |
| A1-10 | c1 | Gig channel split: Digital | 0.25 | 0.25 | 0.25 | share | Design allocation inside the Gig budget; sized with A1-11/12 to sum to 1.0. | design |
| A1-11 | c1 | Gig channel split: Retail | 0.25 | 0.25 | 0.25 | share | Design allocation; sized with A1-10/12 to sum to 1.0. | design |
| A1-12 | c1 | Gig channel split: On-ground (fleet operator and platform enrolment) | 0.5 | 0.5 | 0.5 | share | Design allocation: gig riders are reached chiefly through fleet operators and delivery/ride-hailing platform partnership | design |
| A1-13 | c1 | Premium channel split: Digital | 0.45 | 0.45 | 0.45 | share | Design allocation: Premium riders are reached through riding-community digital content and peer advocacy; sized with A1- | design |
| A1-14 | c1 | Premium channel split: Retail | 0.15 | 0.15 | 0.15 | share | Design allocation: Premium retail footprint is smaller, fewer signature stores (RA49); sized with A1-13/15 to sum to 1.0 | design;RA49 |
| A1-15 | c1 | Premium channel split: On-ground (track and test events) | 0.4 | 0.4 | 0.4 | share | Design allocation: track days and test events (media_costs.csv trackday_mmrt_halfday, trackday_bic_motorcycle) carry the | design;S443;S444 |
| A1-16 | c1 | Brand platform channel split: Digital | 0.6 | 0.6 | 0.6 | share | Design allocation: the masterbrand platform's reach is built on digital and sponsorship amplification; sized with A1-17/ | design |
| A1-17 | c1 | Brand platform channel split: Retail | 0.2 | 0.2 | 0.2 | share | Design allocation; sized with A1-16/18 to sum to 1.0. | design |
| A1-18 | c1 | Brand platform channel split: On-ground | 0.2 | 0.2 | 0.2 | share | Design allocation; sized with A1-16/17 to sum to 1.0. | design |
| A1-19 | c1 | Digital CPM, cost per 1,000 impressions | 250 | 120 | 40 | INR | media_costs.csv digital_youtube_cpm gives a vendor-reported India CPM range of INR 40 to 250 depending on content niche; | S425 |
| A1-20 | c1 | Retail branding cost per outlet per year | 4500 | 2500 | 1250 | INR | Derived from media_costs.csv retail_glow_signboard and retail_led_signboard installed rates (INR 250 to 900 per sq ft) a | S440 |
| A1-21 | c1 | Cost per on-ground event | 800000 | 500000 | 300000 | INR | media_costs.csv onground_activation_popup gives a vendor-reported single-city metro-mall activation cost of INR 3,00,000 | S441 |
| A1-22 | c1 | Riders reached per event | 2000 | 3000 | 5000 | count | No source found for riders reached per activation; reasoned design estimate based on typical footfall engagement at a me | design |
| A1-23 | c1 | Cost per gig rider enrolled through a fleet partner | 400 | 250 | 150 | INR | No direct source found; reasoned estimate benchmarked to the Case 4 enrolment-cost logic (A17, distributor staff incenti | design;A17 |
| A1-24 | c1 | Average frequency for digital reach, exposures per unique viewer in a campaign period | 3 | 4 | 5 | count | Standard media-planning assumption, no case-specific source; a frequency of 3 to 5 is the conventional range used to siz | design |
| A2-02 | c2 | Reference tyre mass, EV scooter class (90/90-12 to 100/90-12) | 2.5 | 2.0 | 1.5 | kg | No direct tyre-mass figure found in R-F (only vehicle kerb weights, RF12/RF13/RF17); reasoned estimate for a scooter-cla | design;RF12;RF13 |
| A2-03 | c2 | Cost-delta ceiling for the EV-ready variant vs the ICE baseline | 10 | 8 | 6 | % | Design ceiling consistent with the brief's mass-market cost-realism constraint (C2-B17); base set at the plan's own work | C2-B17 |
| A2-04 | c2 | Tread share of total tyre mass | 0.4 | 0.35 | 0.3 | share | No Eurogrip-specific figure found; reasoned estimate from general tyre construction, where tread (cap plus base) commonl | design |
| A2-05 | c2 | Cap compound share of tread mass, dual-layer cap-and-base tread | 0.55 | 0.6 | 0.65 | share | Reasoned estimate for a dual-layer cap-and-base tread construction (R-F RF24 on silica cap compounds); no numeric cap/ba | design;RF24 |
| A2-06 | c2 | Baseline factory cost per tyre, reference EV scooter size | 950 | 850 | 750 | INR | Derived from Eurogrip scooter-class replacement tyre MRP (prices.csv; RA98 Jumbo GT INR 1,962, RA99 Dragon Plus INR 1,75 | RA98;RA99 |
| A2-07 | c2 | Extra mixing cost per kg of silica compound, additional processing pass | 25 | 20 | 15 | INR | No source found for a mixing-pass processing cost; reasoned estimate for the extra energy, time and equipment-amortisati | design;S485;S489 |
| A2-08 | c2 | Reinforcement material cost per tyre for the one- to two-step higher load index | 90 | 65 | 45 | INR | Reasoned estimate: additional bead and cord reinforcement mass of about 0.4 kg per tyre at the materials_prices.csv blen | S517 |
| A2-10 | c2 | ICE tread recipe fraction: natural rubber | 0.3 | 0.3 | 0.3 | share | Generic motorcycle/scooter tread compound formulation (reasoned; Eurogrip's actual recipe is proprietary and was not fou | design |

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| **A2-11** | c2 | ICE tread recipe fraction: SBR | 0.25 | 0.25 | 0.25 | share | Generic formulation, reasoned as for A2-10; sized with the other five ICE fractions to sum to 1.0. | design |
| **A2-12** | c2 | ICE tread recipe fraction: carbon black | 0.28 | 0.28 | 0.28 | share | Generic formulation, reasoned as for A2-10; sized with the other five ICE fractions to sum to 1.0. | design |
| **A2-13** | c2 | ICE tread recipe fraction: process oil | 0.08 | 0.08 | 0.08 | share | Generic formulation, reasoned as for A2-10; sized with the other five ICE fractions to sum to 1.0. | design |
| **A2-14** | c2 | ICE tread recipe fraction: chemicals (accelerators, anti-oxidants, zinc oxide, stearic acid) | 0.05 | 0.05 | 0.05 | share | Generic formulation, reasoned as for A2-10; sized with the other five ICE fractions to sum to 1.0. | design |
| **A2-15** | c2 | ICE tread recipe fraction: other, fillers and minor additives | 0.04 | 0.04 | 0.04 | share | Residual share closing the six-part ICE tread recipe to 1.0; reasoned, not sourced. | design |
| **A2-16** | c2 | EV cap recipe fraction: natural rubber | 0.2 | 0.2 | 0.2 | share | Generic silica-rich EV cap compound formulation, reasoned and informed by R-F's qualitative description of silica/soluti | design;RF24 |
| **A2-17** | c2 | EV cap recipe fraction: solution SBR | 0.3 | 0.3 | 0.3 | share | Reasoned as for A2-16; sized with the other six EV fractions to sum to 1.0. | design |
| **A2-18** | c2 | EV cap recipe fraction: silica | 0.25 | 0.25 | 0.25 | share | Reasoned as for A2-16, consistent with a silica-rich tread per R-F's silane-coupling description (RF24); sized with the | design;RF24 |
| **A2-19** | c2 | EV cap recipe fraction: silane coupling agent | 0.03 | 0.03 | 0.03 | share | Reasoned as for A2-16; silane is typically a small-fraction coupling agent relative to the silica it bonds (materials_pr | design;S489 |
| **A2-20** | c2 | EV cap recipe fraction: carbon black | 0.1 | 0.1 | 0.1 | share | Reasoned as for A2-16; carbon black share is reduced relative to the ICE recipe (A2-12) because silica substitutes for p | design |
| **A2-21** | c2 | EV cap recipe fraction: process oil | 0.07 | 0.07 | 0.07 | share | Reasoned as for A2-16; sized with the other six EV fractions to sum to 1.0. | design |
| **A2-22** | c2 | EV cap recipe fraction: chemicals | 0.05 | 0.05 | 0.05 | share | Residual share closing the seven-part EV cap recipe to 1.0; reasoned, not sourced. | design |
| **A2-23** | c2 | Rolling-resistance reduction of the EV-ready silica cap compound vs the ICE baseline | 15 | 20 | 25 | % | R-F's literature review (RF21-RF24) confirms the mechanism, silica/silane lowers low-frequency hysteresis, but gives no | RF24 |
| **A2-24** | c2 | Rolling resistance share of total propulsion energy use at urban duty cycle | 0.15 | 0.2 | 0.25 | share | No urban-duty energy-split figure was found in R-F; reasoned estimate consistent with general EV energy-use literature, | design |
| **A2-25** | c2 | Reference EV range used for the range-gain sensitivity | 120 | 150 | 195 | km | No single confirmed range figure for the ev_models.csv model set was found in R-F; base is a reasoned central estimate a | S472;S507;S508 |
| **A3-01** | c3 | Domestic off-highway tyre (OHT) revenue, FY26 | 200 | 255 | 310 | INR crore | No company-disclosed domestic-OHT-only revenue split was found (R-A/R-G gaps); R-G (RG74-RG77) describes OHT as currentl | RA12;RG74;RG77 |
| **A3-02** | c3 | Budget share of domestic OHT revenue | 1.5 | 1.75 | 2.0 | % | Brief C3-B10 states the GTM budget is 1.5% to 2% of the relevant business-unit revenue. | C3-B10 |
| **A3-03** | c3 | India tractor parc | 130 | 150 | 170 | lakh units | No national tractor-parc figure was found directly in R-G, a logged gap; reasoned estimate derived from FY26 domestic wh | RG01;RG07;RG09 |
| **A3-04** | c3 | Tractor parc share: commercial and haulage operators (incl. custom hiring centres run commercially) | 0.15 | 0.15 | 0.15 | share | Reasoned split; commercial/haulage use is a minority of the national parc, since most tractors are owner-operated on sma | design;RG50 |
| **A3-05** | c3 | Tractor parc share: smallholder owner-operators | 0.7 | 0.7 | 0.7 | share | Reasoned split consistent with the Agriculture Census 2015-16 finding that marginal-plus-small holdings are 86.1% of all | RG50 |
| **A3-06** | c3 | Tractor parc share: custom hiring centres (as a distinct channel from A3-04's commercial operators) | 0.15 | 0.15 | 0.15 | share | Residual share; custom hiring centres number 27,554 to 75,915 depending on scope (RG61/RG62) and represent a distinct, g | RG61;RG62 |
| **A3-07** | c3 | Rear-tyre replacement interval, commercial and haulage use | 4.0 | 3.3 | 2.8 | years | Derived from RG44's general tractor-tyre service life of 2,000 to 4,000 hours divided by the higher annual operating hou | RG44;RG65 |
| **A3-08** | c3 | Rear-tyre replacement interval, smallholder owner-operator use | 10 | 8 | 6 | years | Derived from RG44's tyre life divided by a lower assumed annual operating hours for smallholder own-farm use (design ass | RG44;RG66 |
| **A3-09** | c3 | Rear-tyre replacement interval, custom hiring centre use | 3.5 | 3.0 | 2.5 | years | Derived from RG44's tyre life divided by the Punjab cooperative CHC annual-hours figure of about 900 hours (RG65), the h | RG44;RG65 |
| **A3-10** | c3 | Rear tyre price, 13.6-28 class | 17440 | 16900 | 16400 | INR | RG35: Apollo Krishak Gold - Drive INR 16,400; Good Year Vajra Super INR 17,440 for this size, both TractorGyan-listed MR | RG35 |

| id | case | label | bear | base | bull | unit | basis | source_ids |
|---|---|---|---|---|---|---|---|---|
| **A3-11** | c3 | Tyre life, commercial use | 2000 | 3000 | 4000 | hours | RG44: a farm-advisory aggregator's rule-of-thumb tractor-tyre service life of 2,000 to 4,000 hours under normal conditio | RG44 |
| **A3-14** | c3 | Expected claim rate under the dealer-administered tyre-life assurance | 5 | 3 | 1.5 | % | No source found for a tractor-tyre assurance claim rate, since this is a new, un-launched product; reasoned estimate ben | RG42 |
| **A3-15** | c3 | Contribution margin per OHT tyre | 22 | 28 | 34 | % | No OHT-specific margin was disclosed; reasoned estimate using the same band as the Case 4 contribution-margin assumption | RA13;RA96 |
| **A3-16** | c3 | Dealers enrolled in the programme at steady state | 500 | 800 | 1200 | count | Rollout design assumption; no source gives a target dealer count for a new tractor-tyre dealer programme. Benchmarked lo | RA45 |
| **A3-17** | c3 | Dealer programme cost per dealer per year | 30000 | 20000 | 12000 | INR | No source found for a tractor-tyre dealer programme cost; reasoned estimate covering display materials, dealer-meet part | design;A1-20 |
| **A3-18** | c3 | Village mechanics enrolled | 5000 | 10000 | 18000 | count | Rollout design assumption for the village-mechanic and dealer influence channel named in the Case 3 recommendation; no s | design |
| **A3-19** | c3 | Cost per village mechanic per year | 500 | 420 | 350 | INR | Reuses the Case 4 Tier 1 per-member cost logic: (one-time tools A08 plus one-time visibility A08v) divided by the amorti | A08;A08v;A11;A19m |
| **A3-20** | c3 | Field days held per year at steady state | 100 | 150 | 220 | count | Rollout design assumption; no source gives a target field-day count for the Case 3 programme. | design |
| **A3-21** | c3 | Cost per field day | 40000 | 25000 | 15000 | INR | No rural field-day cost benchmark was found (media_costs.csv's onground_activation_popup rows price urban metro-mall act | design |
| **A3-22** | c3 | Financed tyre sets sold per year under the credit programme | 2000 | 4000 | 7000 | count | Rollout design assumption for the harvest-timed NBFC/co-operative credit channel named in the Case 3 recommendation; no | design |
| **A3-23** | c3 | Credit subvention per financed set | 2700 | 2000 | 1500 | INR | Reasoned estimate as a partial interest-rate buy-down of roughly 5% to 8% of a rear-pair price at the A3-10 base rate, a | A3-10 |
| **A3-24** | c3 | Tyre sets sold under the tyre-life assurance per year | 1500 | 3000 | 5500 | count | Rollout design assumption for the assurance programme's take-up; no source gives a target volume. | design |
| **A3-25** | c3 | Average payout per claim as a share of the set price | 0.5 | 0.35 | 0.25 | share | Reasoned pro-rata payout consistent with the structure of Apollo's published pro-rata farm-tyre warranty (RG42, settled | RG42 |
| **A3-26** | c3 | GST on tractor tyres | 5 | 5 | 5 | % | RG03: the GST Council's September 2025 rate rationalisation cut tractor tyres and tubes from 18% to 5%, effective 22 Sep | RG03 |
| **A3-27** | c3 | Channel margin on tractor tyres, dealer plus distributor, on the ex-GST price | 20 | 15 | 12 | % | No tractor-tyre-specific channel margin was found; reasoned estimate in line with general agricultural-input dealer marg | design |

## Appendix E: Glossary

This glossary defines every acronym, abbreviation and specialist term used in this document, in alphabetical order, as a plain declarative sentence. Where a term is also a convention specific to this document (a tag format, a scenario label, or a ruling), the definition says so.

**2W**: Shorthand for two-wheeler, the motorcycle and scooter segment that is the primary market for Eurogrip's replacement tyres.

**3W**: Shorthand for three-wheeler, covering auto-rickshaws and small goods carriers, a secondary segment alongside two-wheelers.

**ACH**: Automated Clearing House, a batch electronic payment system used by banks to settle recurring transfers such as reward payouts; referenced as the general category of payout rail that cash-incentive schemes in the aftermarket use.

**ASDC**: Automotive Skills Development Council, the sector skill council for the automotive industry under India's skilling framework, which runs mechanic training and certification programmes referenced as a benchmark for Eurogrip's own training plan.

**ASUSE**: Annual Survey of Unincorporated Sector Enterprises, a Ministry of Statistics and Programme Implementation survey that counts small, informal, own-account enterprises; used in this document to triangulate the size of the mechanic and puncture-shop universe because no direct count exists.

**ATMA**: Automotive Tyre Manufacturers' Association, the Indian tyre industry body that publishes production, sales and trade statistics used throughout the market-sizing sections.

**BIS**: Bureau of Indian Standards, India's national standards body, which sets the mandatory quality and safety specifications a tyre sold in India must meet.

**BU**: Business unit. In this document, BU revenue means the relevant Eurogrip two-wheeler and three-wheeler replacement business segment whose revenue the 1.5% to 2.0% budget envelope is calculated against, not total company revenue.

**CAC**: Customer acquisition cost, the average cost of enrolling one new member into a programme; used as a standard unit-economics term when discussing enrolment cost per mechanic.

**CAGR**: Compound annual growth rate, the smoothed annual growth rate of a value over a multi-year period, used throughout the market-size and revenue tables.

**CBBE**: Customer-Based Brand Equity, Kevin Keller's pyramid framework (salience, performance and imagery, judgments and feelings, resonance) used to structure the brand-building argument in the Case 1 chapters.

**CGHS**: Central Government Health Scheme, a government-run health insurance scheme for central government employees and pensioners; not a finding specific to this document, included for completeness as a standard government-scheme acronym.

**CHC**: Custom Hiring Centre, a shared-equipment facility that rents tractors and implements to farmers who do not own their own, typically sanctioned under the Sub-Mission on Agricultural Mechanization; the CHC operator, not the individual farmer, makes the effective tyre-brand decision for hired-in work.

**CIN**: Corporate Identity Number, the unique registration number the Ministry of Corporate Affairs assigns to a registered company in India; TVS Srichakra Limited's CIN is cited to confirm the listed entity's identity.

**CPC**: Cost per click, a digital advertising pricing metric that charges per click on an advertisement; used alongside CPM as a standard media-cost benchmark.

**CPM**: Cost per mille (cost per thousand impressions), a standard advertising pricing metric used to benchmark digital and broadcast media costs in the budget-allocation sections.

**CRISIL**: A credit rating agency (CRISIL Ratings, part of CRISIL Limited) whose rating rationales on TVS Srichakra are used as a secondary source for the company's financial standing, ranked below company filings but above industry press in the source hierarchy.

**DiD**: Difference-in-differences, a statistical method that compares the change in an outcome between a treated group and a matched control group over time, used to design the Case 4 pilot (treated districts versus matched control districts).

**DOT**: Department of Transportation (United States). In the tyre industry, "DOT" also names the sidewall marking required by US federal tyre regulation that encodes the manufacturer, plant, size and week of manufacture; referenced where US compliance markings are discussed.

**EBITDA**: Earnings before interest, tax, depreciation and amortisation, a standard profitability measure used in the financial-performance tables.

**ETRTO**: European Tyre and Rim Technical Organisation, the European body that publishes standard tyre and rim dimension and load tables referenced in the EV tyre engineering sections.

**FMCG**: Fast-moving consumer goods, the category of frequently purchased, low-unit-value products referenced when comparing tyre purchase frequency against more frequently repurchased categories such as lubricants.

**FMEA**: Failure Mode and Effects Analysis, a structured engineering method that lists how a design could fail, its effect, and its severity, likelihood and detectability; used in the Case 2 product-engineering sections and the Case 4 risk sections.

**FMVSS**: Federal Motor Vehicle Safety Standards, the US federal vehicle and tyre safety regulations (including FMVSS 119 for tyres on vehicles other than passenger cars) referenced in the Case 2 compliance matrix.

**FY**: Financial year. In this document FY follows the Indian convention, April to March, so FY26 means April 2025 to March 2026.

**GST**: Goods and Services Tax, India's consumption tax; the rate applicable to two-wheeler tyres and the September 2025 rate change from 28% to 18% are used in the net-realisation and contribution-margin calculations.

**GTM**: Go-to-market, the plan for how a product or programme reaches and is sold to its target customers; used to describe the Case 3 and Case 4 channel and rollout strategies.

**HSN**: Harmonised System of Nomenclature, the classification code used under GST to identify a product category; the HSN code for mainstream two-wheeler tyres is cited when stating the GST rate change.

**ICRA**: A credit rating agency (ICRA Limited) whose sector notes and rationales are used as a secondary source for market and company financial data, ranked below company filings and government statistics.

**IRDAI**: Insurance Regulatory and Development Authority of India, the insurance sector regulator; not a finding specific to this document, included for completeness as a standard regulator acronym.

**ISO**: International Organization for Standardization, the body that publishes international technical and quality standards referenced in the compliance and testing sections.

**JTBD**: Jobs to be done, a framework that describes a customer's underlying functional, social and emotional needs rather than their stated preferences; used to describe what a mechanic is actually trying to accomplish (fix fast, earn, look professional, keep the customer).

**KPI**: Key performance indicator, a measurable value used to track whether a programme or campaign is achieving its goal; organised into KPI trees throughout the measurement sections.

**KYC**: Know Your Customer, the identity-verification process used when enrolling a member or retailer into a formal programme; referenced in the programme's fraud-control and enrolment design.

**LTV**: Lifetime value, the total value a customer or member is expected to generate over their relationship with a brand or programme; a standard unit-economics term used alongside CAC.

**MECE**: Mutually exclusive, collectively exhaustive, a structuring principle for issue trees and segmentations that ensures categories do not overlap and together cover the whole problem; used to build the issue trees and the S-A/S-B/S-C mechanic segmentation.

**MoRTH**: Ministry of Road Transport and Highways, the central government ministry responsible for road transport policy and vehicle registration data (via VAHAN), a primary government-statistics source.

**MoSPI**: Ministry of Statistics and Programme Implementation, the central government ministry that runs ASUSE, the Periodic Labour Force Survey and other official statistical surveys used to triangulate the mechanic universe and employment figures.

**MRP**: Maximum retail price, the ceiling retail price printed on a product in India; the weighted average replacement tyre MRP is a direct input to the contribution-per-tyre and break-even calculations.

**NCO**: National Classification of Occupation, the official coding system MoSPI and allied surveys use to classify jobs and trades, referenced as a route for identifying mechanic-type occupations in government data.

**NIC**: National Industrial Classification, the official coding system used to classify economic activity by industry; ASUSE and Economic Census tables are organised by NIC code, which is why they are the primary route to counting mechanic and repair-shop establishments.

**NPV**: Net present value, the discounted value of a stream of future cash flows; a standard finance term, not a figure computed for Case 4's break-even logic, which uses a simple undiscounted break-even instead.

**NSDC**: National Skill Development Corporation, the apex body overseeing India's sector skill councils, including ASDC, under the national skilling framework.

**NVH**: Noise, vibration and harshness, the set of ride-comfort and acoustic properties a tyre affects, particularly relevant to electric vehicles where there is no engine noise to mask tyre noise.

**OE**: Original equipment, meaning a tyre fitted by the vehicle manufacturer on a new vehicle, as distinct from a replacement tyre bought later in the vehicle's life.

**OEM**: Original equipment manufacturer, the vehicle maker (such as TVS Motor, Bajaj, Hero or Honda) that fits OE tyres at the factory and sets the supply contract terms for OE-authorised workshops.

**OHT**: Off-highway tyre, the category covering tractor, agricultural and industrial tyres, the subject of Case 3.

**OTR**: Off-the-road, a tyre category for heavy earthmoving and industrial equipment, used off paved roads; mentioned alongside OHT as part of Eurogrip's product breadth.

**P x I**: Probability times impact, the standard two-axis scoring method used to build the risk heat maps, where each risk is scored on how likely it is and how severe its consequence would be.

**PAT**: Profit after tax, the net profit figure reported after all taxes, used in the company financial-performance tables.

**PLFS**: Periodic Labour Force Survey, a MoSPI household survey that measures employment and the structure of the workforce, used alongside ASUSE as a route to understanding the informal mechanic trade.

**PMKVY**: Pradhan Mantri Kaushal Vikas Yojana, the central government's flagship skill development scheme, referenced as the policy context within which sector councils such as ASDC run training programmes.

**POS**: Point of sale, the moment and place a transaction is completed; in this document, the retailer app that logs a mechanic's referral code against a tyre's serial number does so at the point of sale.

**QCO**: Quality Control Order, a mandatory technical regulation issued under the BIS Act that requires a product category to carry BIS certification before sale in India; referenced in the compliance sections for tyres.

**QFD**: Quality Function Deployment, an engineering method (commonly visualised as a "house of quality") that maps customer requirements against technical design features; used in the Case 2 EV tyre concept sections.

**RACI**: Responsible, Accountable, Consulted, Informed, a framework that assigns each task in a plan to the party who does it, approves it, advises on it, and is kept informed; used to lay out who runs each part of the Case 4 rollout and the Case 3 channel plan.

**R-ID**: This document's convention for a tagged raw fact. A tag such as `[RA12]` or `[RC18]` marks a sentence as a primary-provenance fact captured by a specific research lane (A, B, C and so on) and traceable back to a raw source file, distinct from a model output or an assumption.

**RSS4**: Ribbed Smoked Sheet grade 4, a standard natural rubber grade traded in India; its price (quoted from the Kottayam market) is used as a cost-input reference for rubber price movements.

**S-ID**: This document's convention for a tagged source. A tag such as `[S123]` marks a sentence as resting on a specific external source entry recorded in the bibliography, used alongside R-ID tags, brief-sentence tags and model tags so every number in the document carries a traceable provenance.

**SIAM**: Society of Indian Automobile Manufacturers, the industry body representing vehicle manufacturers that publishes vehicle sales and production statistics used throughout the market-sizing sections.

**SKU**: Stock-keeping unit, a distinct trackable product variant (for example, one tyre size and tread pattern); used when discussing product range breadth and reward-catalogue items.

**SMAM**: Sub-Mission on Agricultural Mechanization, the central government scheme (now folded into a broader mission) that sanctions Custom Hiring Centres and subsidises farm equipment; cited as the scheme under which most CHCs are set up.

**SSBR**: Solution styrene-butadiene rubber, a synthetic rubber compound used in tyre tread formulations for its grip and wear properties; referenced in the EV tyre compound discussion in Case 2.

**TCO**: Total cost of ownership, the full cost of owning and running an asset over its life, including purchase price, fuel, maintenance and tyre replacement; used to build the Case 3 tractor-tyre value proposition for commercial operators.

**TMA**: Tyre Manufacturers' Association, or in context a reference to the Custom Hiring Centre scheme bodies and tractor-sector associations cited alongside SIAM and ATMA for sector statistics.

**TRIZ**: A structured engineering problem-solving method (the Russian-origin "Theory of Inventive Problem Solving") that resolves a design contradiction, such as needing a tyre to be both softer for grip and harder for durability, by finding a non-obvious combination; used in the Case 2 EV tyre concept.

**TRL**: Technology Readiness Level, a scale (commonly 1 to 9) describing how mature a technology or product concept is, from basic research to full commercial deployment; used to state how close the EV-ready tyre concept is to production.

**TVS**: TVS Srichakra Limited, the listed company (NSE: TVSSRICHAK, BSE: 509243) that manufactures and markets Eurogrip-brand tyres, headquartered in Madurai; the name also refers informally to the TVS Motor Company, a separate group company and an OEM customer, and the document distinguishes the two wherever the distinction matters.

**UNECE**: United Nations Economic Commission for Europe, the body that issues UN regulations (such as R75 for motorcycle tyres) adopted by many countries outside the United States as the tyre compliance standard.

**VAHAN**: The Ministry of Road Transport and Highways' national vehicle registration database, used to source two-wheeler and three-wheeler registration counts by state, the basis for the pilot-state rule and the geography tables.

**Bandhan app**: Eurogrip's existing retailer loyalty and rewards application, launched in 2019 and expanded in May 2020 with an e-ordering feature; this document names it as the retailer app in which a mechanic's referral code is logged against a tyre's serial number at the point of sale, while noting that its current live status and usage has not been confirmed from a recent primary source.

**Bear / base / bull**: This document's convention for stating every uncertain quantitative figure as three scenarios rather than one point estimate: bear is the conservative case, base is the most likely case used for the headline figures, and bull is the optimistic case. The convention applies to every scenario figure in the document, including spend, members, cost per member and break-even.

**Break-even**: As used in this document, break-even means the number of extra Eurogrip tyres a member shop must send in a year for the programme's own steady-state annual cost to be covered by the contribution earned on those extra tyres. It is stated as a bar the design must clear with no assumed uplift, not as a claim that the uplift has already been achieved.

**Deadweight**: As used in the cash-incentive analysis in section 9, deadweight is the share of a cash-per-tyre scheme's total spend that rewards tyres that would have sold without the scheme. It is calculated from the scheme's assumed volume lift: the larger the lift, the smaller the deadweight share, and the document shows that a modest assumed lift still leaves most of the scheme's spend deadweight.

**Moneyshot**: A term from the case-competition-deck skill's rhetorical vocabulary, used in this document to mean the single largest, most memorable numeral each case's chapter is built around: for Case 4 it is the break-even tyres per member shop per year, stated as one extra tyre every few weeks.

**Pilot-state rule**: The deterministic rule this document applies to choose the two states for the Case 4 pilot: Pilot A is the state with the strongest existing Eurogrip presence among the largest two-wheeler registration states (Tamil Nadu, Eurogrip's home state), and Pilot B is the largest two-wheeler registration state where Eurogrip's presence is comparatively thin (Uttar Pradesh).

**Struck-insight ruling**: The rule this document applies wherever the Case 4 brief's struck-through sentence on tools and equipment overtaking cash as mechanics' top preference is relevant: that struck sentence is never presented as an Eurogrip finding. The brand-visibility half of the related preference shift is attributed to the brief's own unstruck insight, and the tools-and-equipment half is supported only with external evidence and tested as a hypothesis in the pilot, never stated as something Eurogrip's own research already showed.

**Tier 1 / Tier 2 / Tier 3**: The three membership levels of the Case 4 mechanic advocacy programme. Tier 1 is free entry-level membership open to any mechanic or puncture shop. Tier 2 is reached by meeting a referral threshold or completing a short fitment course, and carries better tools and a uniform. Tier 3 is reached by a higher referral threshold or by stocking agreed Eurogrip core sizes, and carries cost-shared heavy equipment and a featured locator listing. All three tiers are re-qualified every six months on logged referrals.

## Appendix F: Data conflicts and rulings

# Appendix F: Data conflicts and rulings

| C-ID | Claim | Source A says | Source B says | Ruling | Basis |
|---|---|---|---|---|---|
| C-C1 | State-wise two-wheeler registration share (quarterly) | Autocar Professional, S195: UP 15.1%, Maharashtra 11.3%, Tamil Nadu 8.0% | Business Today, S196: UP 12.5%, Maharashtra 11.3%, Gujarat 8.0%, Tamil Nadu 7.2%, Rajasthan 6.5% (ANI, S197, gives a third cut: UP 15.7%, Maharashtra 10%, Tamil Nadu 8.5%) | Average RC19/RC20 (most recently dated cuts) used in state_parc.csv; range disclosed in R-C raw file and document | All three are press paraphrases of SIAM data, same source tier, none a primary table |
| C-C2 | Castrol Fast Scan enrolment | Castrol 2019 quarterly-results release, S201: "over 1.5 lakh mechanics and retailers" | Undated later interview, S202: "more than 100,000 mechanics" | Use 1.5 lakh (company release, higher source tier) as the Rival programmes floor; treat 100,000 as a possible later active-user count, not a correction | Company quarterly-results release outranks an undated interview paraphrase |
| C-C3 | Scale of the mechanic and puncture-shop universe | Parc-based triangulation (R-C, RC58): about 7.7 to 15 lakh outlets | Enterprise-survey triangulation (R-C, RC59): about 2.7 to 7.5 lakh outlets | Carry both methods separately in universe_methods.csv; model base case set near 8 to 12 lakh, the zone both approach | No official NIC-4540-level count exists (confirmed gap, lead L12); the two methods capture different degrees of informality and cannot be forced to one number |
| C-RA1 | TVS Srichakra registered-office vs plant address | R-A, RA02 (NSE filing): "Vellaripatti, Melur Taluk, Madurai-625122" given as registered office and manufacturing unit | R-A, RA100 (2024 NSE/BSE compliance filings): registered office "TVS Building, 7-B, West Veli Street, Madurai 625 001" | Vellaripatti is a manufacturing plant address; West Veli Street is the registered office; not a true conflict once disambiguated, both used in the document with the correct label | Both are real company addresses for different purposes; RA100's filings are signed compliance documents, a higher source tier than a single standby-LC filing |
| C-RA2 | TVS Srichakra employee count | R-A, RA07 (Reveliolabs search snippet): "1,743 employees in 2025" | R-A, RA77 (Reveliolabs direct fetch, same page): annual chart shows approximately 2,690 for 2025; page's own narrative/FAQ text also disagrees with its own chart | Present as an unreconciled range (roughly 1,700 to 2,800) in the document, not a single figure; flag Reveliolabs as the weakest-tier source in the R-A lane | The page is internally inconsistent even on direct fetch; no independent employee-count source was found to arbitrate |
| C-RA3 | TVS Eurogrip - Chennai Super Kings sponsorship deal value | R-A, RA38 (exchange4media snippet): headline asks "Did CSK bag Rs 23 crore sponsorship deal with TVS Srichakra?" | R-A, RA38 (separate press report, same row): a reported ₹100 crore figure also circulates; Tyrepress's directly-opened announcement (RA37/RA101) states no value at all | Do not use either ₹23 crore or ₹100 crore as a confirmed deal value in the document; both are unconfirmed press figures | The only directly-opened, higher-tier source (Tyrepress) is silent on deal value; neither press figure could be upgraded past SNIPPET |

| C-ID | Claim | Source A says | Source B says | Ruling | Basis |
|---|---|---|---|---|---|
| **C-RA4** | TVS Srichakra FY23/FY22 revenue (consolidated vs CRISIL) | R-A, RA12 (Screener.in consolidated aggregator): FY23 revenue ₹2,985 crore, FY22 ₹2,543 crore; PAT ₹78 crore / ₹43 crore | R-A, RA97 (CRISIL 22 Apr 2024 rationale, directly opened): FY2023 revenue ₹2,994 crore, FY2022 ₹2,549 crore; PAT ₹78 crore / ₹43 crore (PAT matches exactly) | Use Screener.in's consolidated series (RA12) as the document's headline FY21-FY26 revenue line, since it is continuous; treat the CRISIL figures as a close cross-confirmation (within ₹9 crore), not a correction | PAT matches exactly in both years; the small revenue gap (₹6-9 crore) is consistent with a standalone-vs-consolidated or revenue-vs-total-income definitional difference, not an error |
| **C-RD1** | Shell's mechanic-facing programme name and mechanism | An earlier WebSearch summary: a current "Ustaad Programme" with a "SHARE app" (points per oil change, cash coupons, training, merchandise) | The only page located for this claim, S367, opened directly (R-D, RD16): covers only "Shell Mechanic Samriddhi" (2014, RD17) and never mentions "Ustaad" or "SHARE"; a separate page, S368, frames Shell Go+ as a consumer/driver programme, not a mechanic one | Use "Shell Mechanic Samriddhi" (RD17: 2014, about 30,000 mechanics, 15,800 qualifying for rewards) as the sourced Shell scheme in benchmarks.csv; exclude "Ustaad Programme"/"SHARE app" and the Go+-for-mechanics claim as unverifiable | Direct page fetch outranks an unsourced WebSearch summary; company's own page (S368) outranks a third-party blog on what Go+ is |
| **C-RD2** | "Bandhan" naming collision across the cement category | Saurashtra Cement (Hathi Cement, Sidhee Cement brands) runs "Bandhan Rewards"; separately ACC runs "Atoot Bandhan 2.0" (R-D, RD42, RD44) | A 2018 mjunction vendor case study (S303) reports a "186% rise in masons registered" for an unnamed southern/western cement major, naming neither company | Keep all three facts separate in benchmarks.csv; never attribute the 186% figure or the Saurashtra Cement scale figure to ACC or UltraTech | The case study does not name a company; attributing it to either named brand would be a fabricated link |
| **C-RD3** | WhatsApp Business API India billing model and date of the per-message switch | 2026 vendor guides (Robylon.ai, authkey.io; since pruned from R-D as redundant, see RD49 note) state Meta moved from conversation-based to per-message billing from 1 July 2025 | montymobile.com (S312, opened directly, RD50/RD51) confirms utility/authentication messages inside an open conversation have been free since July 2025, and separately that a new charging regime for service messages begins 1 October 2026; it does not use the words "moved from conversation-based billing" | Present the 1 July 2025 free-utility-message date and the 1 October 2026 service-message-charging date as RD50/RD51 state them (both page-opened-directly); flag in the document that the billing-model terminology should be reconfirmed against Meta's own Business Manager rate card before the model finalises the platform-cost line | Company-adjacent, page-opened-directly vendor source (S312) outranks the pruned, less current vendor blogs |
| **C-RH1** | Keller's Strategic Brand Management first-edition print year | Commercial booksellers (AbeBooks, eBay listings): 1997 | Library catalogues (National Library of Finland, ESCP library): 1998, same title and a closely related ISBN | Cite 1998 as the library-catalogue year, note the 1997 commercial-release listings; does not affect which edition carries the CBBE pyramid | Library catalogue records outrank bookseller listing metadata on print year |
| **C-RH2** | Author order for Kahneman and Tversky (1979) Prospect Theory | Econometric Society's own publication page: lists "Tversky and Kahneman" | Kahneman's own Princeton document archive and the near-universal citation convention: "Kahneman and Tversky" | Follow the standard "Kahneman and Tversky (1979)" order used throughout the literature; note the publisher page's reversed order | The standard citation order is what the economics and psychology literature actually uses, regardless of the publisher page's listing order |
| **C-RH3** | QFD's first-application company and year | One secondary account: Bridgestone Tire (Kiyotaka Oshiumi), 1966 | A separate secondary account: Kobe Shipyard / Mitsubishi Heavy Industries (Nishimura), 1972, for the house-of-quality matrix specifically | State only the well-corroborated facts (1966 Japan origin, 1972 house-of-quality popularisation); do not adjudicate a single first company or individual | Both accounts are secondary course/slide material that disagree with each other; neither is a primary source strong enough to arbitrate |
| **C-RF1** | 2009 automotive tyre Quality Control Order in-force date | TaxGuru (S479, opened directly, RF56): 13 May 2011 | NACIN customs training note (S520, RF58 context): earlier search pass showed 3 May 2011 before this lane opened both sources directly | Both sources opened directly now agree on 13 May 2011; use that date, the earlier 3 May reading is retracted as a misread of the NACIN snippet | Direct page confirmation on both sources resolves the apparent conflict in favour of 13 May 2011 |
| **C-RF2** | Ola S1 Pro front/rear tyre size | Several specification aggregators (search-snippet pass): 110/70-12 | Autocar India (S471, opened directly, RF10): 90/90-R12 | Use 90/90-R12 (Autocar India, confirmed directly) as the current-model figure; note 110/70-12 may be an earlier model-year or variant size | Direct page confirmation outranks unconfirmed aggregator snippets; a running change across model years cannot be ruled out |
| **C-RF3** | Bajaj Chetak peak torque | Most specification aggregators: 20 Nm | 91Wheels and BikeBD: 16 Nm | Use 20 Nm as the majority figure; torque was not confirmed on the directly-opened BikeDekho page (RF15), so this conflict remains open | No page opened directly in this lane carries a torque figure for the Chetak to arbitrate the conflict |
| **C-RF4** | Hero Vida V1 Pro kerb weight and torque | Team-BHP / 91Wheels aggregators (S507/S509 via earlier search, RF16): 124 to 125 kg kerb weight, 25 Nm motor torque | Hero MotoCorp's own international product page (S509, opened directly): shows 109 kg kerb weight and an 8.70 Nm, 110.9cc petrol-engine torque figure, apparently a template mismatch for a different model | Use the aggregator figures (124 to 125 kg, 25 Nm); treat Hero's own page as unreliable for this model pending a fresh check, not as a correction | A company's own page would normally outrank aggregators, but this instance shows an internal content mismatch (petrol-engine spec block on an EV product page), so it cannot be used as stated |
| **C-RG1** | Custom Hiring Centre count under SMAM/ISAM | Drishti IAS, S588 (cumulative central-scheme sanctions, 2014-15 to 2025-26): 27,554 CHCs | Autocar Professional, S560 (FY26 trade analysis, operating CHCs nationwide): 75,915 CHCs, Punjab leading at 11,148 | Present both counts side by side in the document with the scope caveat stated plainly; do not net them into one figure | The gap likely reflects state-scheme, FPO and cooperative-funded CHCs outside the central SMAM sanction count, or a cumulative-sanctions vs currently-operating distinction, but neither source states the reconciling definition |
| **C-RG2** | Current-period ATMA tractor tyre category split | No current-FY ATMA tractor front/rear/trailer breakdown was located | Tyre Review, S597: the only ATMA-sourced tractor-category breakdown found is a January 2006 monthly snapshot (tractor front +24% to 1,21,150 units; rear +12% to 96,040 units) | Do not scale the 2006 snapshot to FY21 to FY26; derive any tractor-tyre unit-volume figure the model needs from the tractor parc and replacement-interval route instead | A two-decade-old monthly snapshot cannot stand in for a current annual split; no superseding ATMA table was found |

| C-ID | Claim | Source A says | Source B says | Ruling | Basis |
|---|---|---|---|---|---|
| C-RG3 | Overall Indian tyre industry brand-share percentages (not tractor-specific) | Undated, unattributed SlideShare deck, S599: MRF approx 28%, Apollo approx 27%, JK approx 13%, CEAT approx 12%, BKT approx 8%, Goodyear approx 4% | Royal Sundaram consumer blog, S600: MRF 30%, Apollo 18%, CEAT 8%, BKT 6% | Exclude both from the document and model as a tractor-tyre share claim; neither is tractor-specific, both disagree by double digits on Apollo alone, and neither traces to a rating agency, ATMA or company filing | Two unsourced or weakly-sourced secondary breakdowns that disagree with each other provide no basis for even a qualitative tractor-tyre share claim |
| C-RE1 | Royal Enfield's calendar-year 2025 total wholesale figure | Originally indexed (unconfirmed on re-fetch): 10,71,809 units, up 25% YoY | Rushlane article, confirmed on direct fetch: fiscal-year-to-date (through March 2025) total of 10,09,900 units, up 10.65% YoY | Use the BikeDekho-confirmed FY25 figures (domestic 9,02,757 units, total 10,09,900 units) as the primary Royal Enfield FY25 benchmark; treat the CY2025 10,71,809-unit figure as unconfirmed until re-verified from a SIAM or company source | Direct-fetch confirmation of a primary trade-press figure over an unconfirmed, differently dated figure |
| C-RE2 | Direction of India digital CPM rates, 2025 to 2026 | Exchange4Media (Feb 2026): industry experts expect CPM rates to fall about 15% YoY | upGrowth guide: implies 15% to 20% YoY CPM growth since 2024 | Present both as a bear (declining CPM) and bull (rising CPM) scenario in the document rather than picking one; neither is a primary rate card | Two trade sources disagree and neither outranks the other on the source-precedence ladder |
| C-RE3 | Yulu's current active fleet size | Earlier-indexed, unconfirmed Mar 2026 figure: 45,000 across four cities | Two independently, directly fetched sources (Outlook Business and Zag Daily): 50,000, with a 200,000 two-year target | Use 50,000 as the confirmed baseline fleet figure and 200,000 as the two-year target | Two independently and directly fetched sources agree on 50,000; the 45,000 figure could not be reproduced |
| C-RE4 | Eternal's (Zomato's) FY25 food-delivery average monthly transacting users | Earlier-indexed, differently sourced figure (IndiaInfoline-hosted page, not independently fetched): 14.7 million, up 15% | MediaNama article, confirmed on direct fetch: 20.6 million, up 12% | Use 20.6 million as the primary figure; the 14.7 million figure may describe a different metric and should not be used interchangeably | Direct-fetch confirmation over an unconfirmed secondary citation |
| C-RE5 | Detail of a journalist's gig-delivery stint (theindiaforum.in) | Originally indexed: 23 deliveries, 15.5 hours, 105 km, Rs 782 total | Confirmed on direct fetch of the same URL: roughly 30 orders, approximately Rs 1,200, over a two-month stint | Use the directly fetched figures; the 23-deliveries framing cannot be independently confirmed and should not be cited as the stint's total | Direct fetch over unconfirmed synthesis |
| C-RE6 | Average days worked per year / hours per day for Zomato delivery partners | Originally indexed: average of 38 days worked per year, 7 hours per working day | Confirmed on direct fetch: no such average stated; CEO quoted only as "most delivery partners work for a few hours and only a few days in a month" | Do not cite a specific days-per-year or hours-per-day average for Zomato riders; cite only the Rs 102/Rs 92 hourly figures and the illustrative 10-hour/26-day scenario, labelled as a scenario not an average | Direct fetch found no such average stated |
| C-RE7 | IPL league valuation comparison, 2025 vs 2023 | Planning-time figure: USD 15.4 billion in 2023 | Gulf News, confirmed on direct fetch: USD 18.5 billion in 2025, up 12.9% YoY (no 2023 absolute figure given) | Cite only the confirmed 2025 figure and the 12.9% YoY growth rate; do not cite an unconfirmed 2023 absolute figure | Direct fetch confirms only the 2025 figure and growth rate, not the 2023 base |
| C-RE8 | Buddh International Circuit open-track-day pricing | Originally indexed, unconfirmed, 2018-era: Rs 2,750 (bikes up to 400cc) / Rs 3,900 (above 400cc) per 25-minute session | Autocar India, confirmed on direct fetch, dated 2 Mar 2013: Rs 3,000 per one-hour motorcycle session / Rs 4,000 per one-hour car session | Use the 2013 figures only as a historical floor; label both sets of figures as dated and unsuitable for current budgeting; recommend calling the circuit directly for a current quote | Direct fetch confirms only the 2013 figures; the 2018-era figures are unconfirmed |
| C-RE9 | A gig-rider monthly fuel-cost anecdote | Originally indexed: a Nagpur rider's monthly fuel bill of Rs 5,100 | ascendants.in article, confirmed on direct fetch: a Delhi journalist's three-day stint with Rs 782 gross and Rs 532 net after fuel | Use the confirmed Delhi three-day figures; do not cite a Nagpur-specific monthly fuel figure from this source | Direct fetch contradicts the indexed claim |
| C-RE10 | Rajasthan's 2023 gig-worker law levy rate | Originally indexed: a levy of 1% to 2% of transaction value | Aakhya Weekly article, confirmed on direct fetch: describes the law only as having "vague objectives and operational ambiguity" and "not yet implemented," no levy rate stated | Do not cite a specific Rajasthan levy percentage without independent confirmation from the Act's own text; cite only the law's existence, 2023 enactment, and non-implementation status | Direct fetch does not support the specific levy-rate claim |
| C-RE11 | Karnataka's 2025 gig-worker ordinance welfare-fund mechanism | Originally indexed (vague): funded by mandatory platform-company contributions, rate unspecified | Aakhya Weekly article, confirmed on direct fetch: a "Gig Work Welfare Fee of 1% to 5% of each task payout," exact rate still to be notified | Use the confirmed 1% to 5% fee range in the document | Direct fetch gives a more precise, citable figure |
| C-RE12 | Whether TVS Eurogrip's CSK sponsorship replaced Myntra's | SportsKhabri article, confirmed on direct fetch: does not state what the deal replaced | Cross-check of three further outlets (Exchange4Media, TheNewsMinute, additional SportsKhabri coverage): consistently confirm the Myntra replacement and March 2022 jersey unveiling | Cite the Myntra-replacement detail using the Exchange4Media source, which states it directly | A directly confirmed, consistent multi-outlet account is preferred over a single source that is silent on the point |
| C-RE13 | Apollo Tyres' FY25 advertising and sales-promotion spend | Originally indexed, unconfirmed: consolidated, Rs 655 crore (FY25) from Rs 631 crore (FY24) | Exchange4Media article, confirmed on direct fetch: standalone advertising and publicity spend, Rs 379.9 crore (FY25) from Rs 332.4 crore (FY24), 2.1% of standalone sales | Use the confirmed standalone figures, clearly labelled as standalone, not consolidated; this should be reconciled against R-B's own advertising-spend-benchmark findings | Direct fetch confirms only the standalone figures |

| C-ID | Claim | Source A says | Source B says | Ruling | Basis |
|---|---|---|---|---|---|
| C-RE14 | Motorcycle puncture-repair pricing attributed to a Chennai forum post | Originally indexed: Rs 80 first puncture, Rs 60 later, Chennai, motorcycle rear tyre | Cross-check of Team-BHP threads: no single confirmed post matches; closest figures (Rs 50 to Rs 300) come from several different, dated, mostly car-focused posts across Chennai, Mumbai and Bangalore, 2008 to 2016 | Present puncture-repair labour cost only as a wide, clearly dated, cross-city anecdotal range (Rs 50 to Rs 300), never as a precise Chennai-motorcycle figure | No single source supports the original precise claim |