



Reading and printing elements of array:



```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 17 Col 1 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],n,i;
clrscr();
printf("Enter array size between 1-100 ");scanf("%d",&n);
if(n<1 || n>100 ) puts("Array size 1-100 Only");
else
{
printf("Enter %d elements ",n);
for(i=0;i<n;i++)scanf("%d",&a[i]);
printf("Elements are "); for(i=0;i<n;i++)printf("%8d",a[i]);
}
getch();
}
```

Enter array size between 1-100 -5
Array size 1-100 only



The image displays two screenshots of a Turbo C++ (TC) IDE window. The top screenshot shows the program's initial prompts: "Enter array size between 1-100 104" and "Array size 1-100 only". The bottom screenshot shows the program after receiving input: "Enter array size between 1-100 5", "Enter 5 elements 3 -8 7 1 5", and "Elements are 3 -8 7 1 5_". The IDE's taskbar and system clock (2:24 PM, 19-Sep-24) are visible at the bottom of both screenshots.

```
Enter array size between 1-100 104
Array size 1-100 only

Enter array size between 1-100 5
Enter 5 elements 3 -8 7 1 5
Elements are 3 -8 7 1 5_
```

Read n elements into array and find the elements sum and avg.

```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 5 Col 1 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
float a[100],s=0; int n,i;
clrscr();
printf("Enter array size between 1-100 ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(i=0;i<n;i++){scanf("%f",&a[i]);s+=a[i];}
printf("Elements sum=%.2f, Avg=%.2f",s,s/n);
getch();
}
```

TC

```
Enter array size between 1-100 4
Enter 4 elements 1.1 2.2 3.3 4.4
Elements sum=11.00, Avg=2.75_
```

TC

```
TC
Enter array size between 1-100 3
Enter 3 elements 1 2 3.3
Elements sum=6.30, Avg=2.10_
```

$s=0+1.1+2.2+3.3+4.4=11$

for(i=0; i<4;i++)

{

scanf("%f",&a[i]);

s+=a[i];

}

p("Sum=%.2f, Avg=%.2f",s,s/n);

a

1.1	2.2	3.3	4.4		
0	1	2	3	4	5

sum = $11/4 = 2.75$

Read n elements into array and find the no of even/odd/zero elements.

```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 12 Col 42 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],n,i,e,o,z;
clrscr();
printf("Enter array size between 1-100 ");scanf("%d",&n);
printf("Enter %d elements ",n);
for(e=o=z=i=0;i<n;i++){scanf("%d",&a[i]);
if(a[i]==0)z++;else if(a[i]%2==0)e++; else o++;
}
printf("Even=%d, Odd=%d, Zero's=%d",e,o,z);
getch();
}

TC
Enter array size between 1-100 9
Enter 9 elements 1 0 -2 7 5 -6 8 10 3
Even=4, Odd=4, Zero's=1
```

```

for(i=0;i<4;i++)
{
scanf("%d",&a[i]);
if(a[i]==0) z++; ✓
else if(a[i]%2==0) e++; ✓
else o++; ✓✓
}
p( e, o, z );

```

a

5	0	1	4		
0	1	2	3	4	5

i	e	o	z
0	0	0	0
1		1	1
2	1	2	
3			
4			

Finding the prime / composite elements of array:

```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 17 Col 19 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h> #include<conio.h>
void main()
{
int a[100],n,i,j,c;
clrscr();
printf("Enter array size between 1-100 ");scanf("%d",&n);
printf("Enter %d elements ",n);for(i=0;i<n;i++)scanf("%d",&a[i]);
for(i=0;i<n;i++)
{
if(a[i]==1) puts("1 Not a prime/composite no");
else
{
for( c=0, j=1; j<=a[i];j++)
{
if(a[i]%j==0)c++;
}
if(c==2)printf("%d is prime\n",a[i]);else printf("%d composite no\n",a[i])
}
}
getch();
}
```

Enter array size between 1-100 8
Enter 8 elements 1 2 3 4 5 6 7 9
1 Not a prime/composite no
2 is prime
3 is prime
4 composite no
5 is prime
6 composite no
7 is prime
9 composite no

```

for( i=0; i<4;i++ )
{
if(a[i]==1) p("not prime/com");
else
{
for( c=0, j=1; j<=a[i];j++)
{
if(a[i]%j==0)c++;
}
}
if(c==2)p(prime);else p(com);
}

```

a

1	2	3	4		
0	1	2	3	4	5

a[i]	j	c
0 = 1 ✓		
1 = 2 %	1 = 0	0 2 ✓
2 = 2 %	1 = 0	
3 = 4 %	1 = 0	0
4 = 4 %	2 = 0	1
4 = 4 %	4 = 0	2
		3 ✓

Finding max, min array elements:


```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 2 Col 1 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a[100],n,i,max, min;
clrscr();
printf("Enter array size between 1-100 ");scanf("%d",&n);
printf("Enter %d elements ",n);for(i=0;i<n;i++)scanf("%d",&a[i]);
max=min=a[0];
for(i=1;i<n;i++)
{
if(max<a[i])max=a[i];
if(min>a[i])min=a[i];
}
printf("Max=%d, Min=%d", max, min);
getch();
}
```

Enter array size between 1-100 9
Enter 9 elements 2 0 4 -2 8 -9 1 7 3
Max=8, Min=-9_

The image shows a Turbo C++ (TC) IDE window. The top menu bar includes File, Edit, Run, Compile, Project, Options, Debug, and Break/watch. The status bar at the top indicates 'Line 9', 'Col 53', and 'Insert Indent Tab Fill Unindent * E:2PM.C'. The main editor area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int id, sub[6], tot=0, p=1, i;
char name[30];
float avg;
clrscr();
printf("Enter stu id "); scanf("%d",&id);flushall();
printf("Enter stu name "); gets(name);
printf("Enter 6 sub marks ");
for(i=0;i<6;i++)
{scanf("%d",&sub[i]); if(sub[i]<35)p=0; tot+=sub[i];}
avg=tot/6.0;
printf("%s tot=%d, avg=%.2f and got %s",name,tot,avg,p?"Passed":"Failed");
getch();
}
```

Below the editor is a Windows taskbar with icons for Windows, File Explorer, DEV, zm, Word, Chrome, and other applications. The system clock shows 'Thursday, 19 September, 2024' and '3:25 PM 19-Sep-24'.

The bottom window is a black console with white text showing the program's execution:

```
Enter stu id 1
Enter stu name Kishore Naidu
Enter 6 sub marks 99 90 98 89 88 99
Kishore Naidu tot=563, avg=93.83 and got Passed
```

The bottom taskbar is identical to the one above, showing the same icons and system clock.

```
TC
Enter stu id 2
Enter stu name Jhanvi Kapoor
Enter 6 sub marks 40 54 33 30 45 55
Jhanvi Kapoor tot=257, avg=42.83 and got Failed_
```

```
TC
Enter stu id 3
Enter stu name suresh raina
Enter 6 sub marks 88 78 35 20 88 78
suresh raina tot=387, avg=64.50 and got Failed
```

**BOARD OF SECONDARY EDUCATION
ANDHRA PRADESH**

ROLLNO: XXXXXXXX NAME: XXXXXXXXX
FATHER : XXXXXXXX MOTHER: XXXXXXXX
DOB: XXXXXXXX GENDER: XXXXXXXX
SCHOOL: XXXXXXXXXXXXXXXX

IDENTIFICATION MARKS:

1. A mole on right hand
2. A mole on fore head

subject	marks	pass/fail
Telugu	72	P
English	65	P
Hindi	22	F
Maths	99	P
Science	34	F
Social	66	P

xxxxxxx tot=xxxxxxx avg=xxxxxxx and got failed

```
TC
Enter stu id 101
Enter stu name Jhanvi Kapoor
Enter father name Boni Kapoor
Enter mother name Sri devi
Enter gender Female
Enter date of birth 1-1-1998
Enter school name St'anns school
Enter 1st identification mark A mole on right hand
Enter 2nd identification mark A mole on neck
Enter 6 sub marks 76 45 65 33 65 77

-----
                BOARD OF SECONDARY EDUCATION
                ANDHRA PRADESH
-----
Rollno: 101      Name: Jhanvi Kapoor
Father: Boni Kapoor      Mother: Sri devi
DOB: 1-1-1998      Gender: Female
School: St'anns school
-----
Identification Marks
-----
1. A mole on right hand
2. A mole on neck
-----
Subj      Marks      Pass/Fail
-----
Tel      76      P
Eng      45      P
Hin      65      P
Mat      33      F
Sci      65      P
Soc      77      P
-----
Jhanvi Kapoor tot=361, avg=60.17 and got Failed_
```



```
TC
Enter stu id 2
Enter stu name bablu
Enter father name bunty
Enter mother name aunty
Enter gender male
Enter date of birth 1-1-2000
Enter school name dumpala badi
Enter 1st identification mark a mole on tie
Enter 2nd identification mark a mole on left hand
Enter 6 sub marks 66 77 65 99 87 67

-----
                BOARD OF SECONDARY EDUCATION
                ANDHRA PRADESH
-----

Rollno: 2      Name: bablu
Father: bunty  Mother: aunty
DOB: 1-1-2000  Gender: male
School: dumpala badi
-----

Identification Marks
-----
1. a mole on tie
2. a mole on left hand

-----
2. a mole on left hand
-----

subj      Marks      Pass/Fail
-----
Tel       66         P
Eng       77         P
Hin       65         P
Mat       99         P
Sci       87         P
Soc       67         P
-----

bablu tot=461, avg=76.83 and got Passed_

TC
```

