



Irctc login:




The image shows a screenshot of a Turbo C++ (TC) IDE. The top window displays the source code for a program titled "E:2PM.C". The code is a C program that simulates an IRCTC login process. It includes headers for `conio.h` and `string.h`. The `main` function declares three character arrays: `user[20]`, `pass[20]`, and `cap[20]`. It uses `clrscr()` to clear the screen. It then prompts the user to enter their name, password, and captcha code using `printf` and `scanf`. The program checks if the entered name is "Kishore", the password is "Indian", and the captcha code is "Hyd-16". If all three conditions are met, it prints "Welcome to IRCTC". Otherwise, it prints an appropriate error message: "Invalid Captcha", "Invalid Pass word", or "Invalid User name". The bottom window shows the output of the program, where the user has entered "Kishore", "Indian", and "Hyd-16", resulting in the output "Welcome to IRCTC".

```
File Edit Run Compile Project Options Debug Break/watch
Line 21 Col 1 Insert Indent Tab Fill Unindent * E:2PM.C
#include<conio.h>
#include<string.h>
void main()
{
char user[20],pass[20],cap[20];
clrscr();
printf("Enter user name "); scanf("%s",user);
printf("Enter pass word "); scanf("%s",pass);
printf("Enter captch code ");scanf("%s",cap);
if(strcmp(user,"Kishore")==0)
{
if(strcmp(pass,"Indian")==0)
{
if(strcmp(cap,"Hyd-16")==0)puts("Welcome to IRCTC");
else puts("Invalid Captcha");
}
else puts("Invalid Pass word");
}
else puts("Invalid User name");
getch();
}
```

Enter user name Kishore
Enter pass word Indian
Enter captch code Hyd-16
Welcome to IRCTC







Gmail style login:

```
TC
File Edit Run Compile Project Options Debug Break/watch
Line 6 Col 33 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
#include<string.h>
void main()
{
char user[20],pass[20],cap[20]; clrscr();
printf("Enter user name "); scanf("%s",user);
if(strcmp(user,"Kishore")==0)
{
printf("Enter pass word "); scanf("%s",pass);
if(strcmp(pass,"Indian")==0)
{
printf("Enter captch code ");scanf("%s",cap);
if(strcmp(cap,"Hyd-16")==0)puts("Welcome to Gmail");
else puts("Invalid Captcha");
}
else puts("Invalid Pass word");
}
else puts("Invalid User name");
getch();
}
```

Enter user name abc
Invalid User name






Net Banking style login:

The image shows a screenshot of a Turbo C++ (TC) IDE. The top window displays the source code for a C program named E:2PM.C. The code includes headers for stdio.h, conio.h, and string.h. It defines a main function that prompts the user for a username, password, and captcha code. The program checks if the username is "Kishore", the password is "Indian", and the captcha code is "Hyd-16". If all conditions are met, it prints "Welcome to SBI Net Banking"; otherwise, it prints "Invalid User name/Pass Word/Captcha".

```
File Edit Run Compile Project Options Debug Break/watch
Line 11 Col 25 Insert Indent Tab Fill Unindent * E:2PM.C
#include<stdio.h>
#include<conio.h>
#include<string.h>
void main()
{
char user[20],pass[20],cap[20]; clrscr();
printf("Enter user name "); scanf("%s",user);
printf("Enter pass word "); scanf("%s",pass);
printf("Enter captch code ");scanf("%s",cap);
if(strcmp(user,"Kishore")==0&&strcmp(pass,"Indian")==0&&
strcmp(cap,"Hyd-16")==0)puts("Welcome to SBI Net Banking");
else puts("Invalid User name/Pass Word/Captcha");
getch();
}
```

The bottom window shows the program's execution. It displays the prompts and the user's input: "Enter user name Kishore", "Enter pass word Indian", and "Enter captch code Hyd-16". The final output is "Welcome to SBI Net Banking".

```
Enter user name Kishore
Enter pass word Indian
Enter captch code Hyd-16
Welcome to SBI Net Banking
```



Read a stu id, name, 6 sub marks. Find tot, avg and grade using below table.

Avg	Grade
≥ 75	Distinction
≥ 60	1 st
≥ 50	2 nd
≥ 35	3 rd
< 35	Fail

```
#include<stdio.h>
```

```
#include<conio.h>
```

```
void main()
```

```
{
```

```
int id,tel,eng,hin,mat,sci,soc,tot;
```

```
char name[20];
```

```
float avg;
```

```
clrscr();
```

```
printf("Enter stu id, name, 6 sub marks ");
```

```
scanf("%d %s %d%d%d%d%d%d",&id,name,&tel,&eng,&hin,&mat,&sci,&soc);
```

```
tot=tel+eng+hin+mat+sci+soc;

avg=tot/6.0;

puts("Id\tName\tTot\tAvg\tGrade");

puts("-----");

printf("%d\t%s\t%d\t%.2f\t",id,name,tot,avg);

if(tel>=35&&eng>=35&&hin>=35&&mat>=35&&sci
>=35&&soc>=35)
{
if(avg>=75)puts("Distinction");
else if(avg>=60)puts("1st class");
else if(avg>=50)puts("2nd class");
else puts("3rd class");
}
else puts("Fail");

getch();
```

}

```
TC
Enter stu id, name, 6 sub marks 1 baby 54 45 34 45 55 45
Id      Name    Tot    Avg    Grade
-----
1       baby    278    46.33  Fail
```

```
TC
Enter stu id, name, 6 sub marks 2 pappu 35 40 36 38 42 44
Id      Name    Tot    Avg    Grade
-----
2       pappu    235    39.17  3rd class
```

```
TC
Enter stu id, name, 6 sub marks 1 Krish 99 90 89 98 89 98
Id      Name      Tot      Avg      Grade
-----
1      Krish      563      93.83    Distinction
```

Electricity bill generation

SLAB SYSTEM

UNITS	UNIT PRICE
1-50	1.45
51-100	2.80
101-200	3.05
201-300	4.75
301-500	6.00
>500	6.25

$$30U * 1.45 = 43.5$$

$$80U = 50*1.45+(80-50)*2.8=156.5$$

$$180U = 50*1.45+50*2.8+(180-100)*3.05=456.5$$

$$580U=50*1.45+50*2.8+100*3.05+100*4.75+200*6+(580-500)*6.25=2692.5$$

```
#include<stdio.h> #include<conio.h>
```

```
void main()
```

```
{
```

```
long serno, pre,cur,units;
```

```
char name[20];
```

```
float amt;
```

```
clrscr();
```

```
printf("Enter serial no"); scanf("%ld",&serno);
```

```
printf("Enter name "); scanf("%s",name);
```

```
printf("Enter previous month reading  
");scanf("%ld",&pre);
```

```
current:
```

```
printf("Enter current month reading
");scanf("%ld",&cur);

if(cur<pre) {puts("\aCheck current month
reading"); goto current;}

units = cur - pre;

if(units<=50)amt=units*1.45;

else if(units<=100) amt = 50*1.45 + (units-50)*2.8;

else if(units<=200)amt=50*1.45+50*2.8+(units-
100)*3.05;

else
if(units<=300)amt=50*1.45+50*2.8+100*3.05+(uni
ts-200)*4.75;

else
if(units<=500)amt=50*1.45+50*2.8+100*3.05+100
*4.75+(units-300)*6;

else
amt=50*1.45+50*2.8+100*3.05+100*4.75+200*6+(
units-500)*6.25;
```

```
if(amt<50) amt=50;  
printf("Amount=%.2f",amt);  
getch();  
}
```