

**COWTOWN INFOTECH SERVICES LIMITED**

412, Floor- 4, 17G Vardhaman Chamber, Cawasji Patel Rd, Horniman Circle, Fort,
MUMBAI 400001

GSTIN NO : 27AAACC4889L1Z4**PAN NO : AAACC4889L****Work Order**

To,
Madhura Enterprises
Borivali (East)
Dattapada cross road no. 2
Mumbai - 400066
Contact No : 2228700604
Contact Person : .Manish Trikambhai Nakum
Vendor No : 30010937

PAN No: AESPN7117D
GST No : 27AESPN7117D1ZA
Vendor Category :

Name of Company: COWTOWN INFOTECH SERVICES LIMITED
Name of Projir Center: ANJUR CASA EDEN C
Name of Project : ANJUR CASA EDEN C / ANJUR CASA EDEN C
Address of Plant: Thane,421302
Work Order No: 6100023325
Work Order date: 01.04.2023
Work Order for: Supply,Installation, Testing & Commissioning of Fire Fighting work
at ANJUR CASA EDEN C, Anjur
SAP GL Description: LABOUR + MATERIAL

REF:SR NO.2400081098 Shortlisting no - SHT032023_394

COMPANY

1

CONTRACTOR

(Sign & Stamp)

Dear Sir

With reference to Quotation submitted by you for the subject work and the subsequent discussions you had with us, we are glad to award you the said work on the scope, specifications, price and terms & conditions agreed and detailed hereunder:-

The Following document shall form part and parcel of this WO:

1. Bill of Quantities (BOQ)
2. Particular Conditions of Contract
3. General Conditions of Contract
4. Technical Specification
5. Welding procedure.
6. Techno commercial compliance letter
7. List of procedure
8. Drawings.

The terms and conditions mentioned in this contract shall prevail over those mentioned in all prior correspondence related to this contract.

CRN No : 5000032302

WO number : 6100023325

WO Description:

Vendor Name :

First released value of WO : 5721322.06

Current value of WO : 5721322.06

Variation in WO value requested : 151880.340

Cumulative variation in WO value from first release : 5721322.06

%age variation (requested from current WO value) : 2.655

%age variation (from first WO release value) : 2.655

COMPANY

2

CONTRACTOR

(Sign & Stamp)

BILL OF QUANTITIES

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1	SITC of Fire Fighting work at ANJUR CASA					
1.01	FIRE FIGHTING PUMP INSTALLATIONS Include for the supply, complete installation, Testing & Commissioning as detailed in the specifications and on the Drawings and to the complete satisfaction and approval of the Engineer, client and all concerned Statutory Authorities and under the following sections					
1.01.1	SITC of Booster Pump set including all anti vibration isolators, complete. As shown in drawing. (Valve shall be paid Separately) Booster pump set Including CI body, Bronze Impeller, SS Shaft with mechanical seal motor IP-56 having 1W +1S Flow : 900 LPM Head : 40 Mts Cost shall be inclusive of 22 Gauge GSM 180 GI sheet Canopy for Booster pump. Note: Panel Location at terrace level	995468	SET	1.000	186,000.00	186,000.00
1.01.2	"SITC of Starter Panel for booster Pump. Panel Shall have provision for Interfacing with FA system. (Starter Panel shall be of star delta)" Note: Panel Location at terrace level	995468	NOS	1.000	89,930.00	89,930.00
1.01.3	Cables "Supply, laying, testing and commissioning of heavy duty 1100V grade FR/XLPE/SWA (Flat)/Al Cabling works including, accessories, support,etc." 3Cx10 Sq.mm (Power Cable from Starter Panel to Pumps)	995468	M	20.000	210.00	4,200.00

COMPANY

3

CONTRACTOR

(Sign & Stamp)

Work Order :6100023325

Version No : 0

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.01.4	"Supply, laying, testing and commissioning of heavy duty 1100V grade FR/XLPE/SWA (Flat)/CU Cabling works including, accessories, support, etc. " 2Cx2.5 Sq.mm (Control Cables for pressure switch to Panel)	995468	M	10.000	178.00	1,780.00
1.01.5	"Supply, laying, testing and commissioning of heavy duty 1100V grade FS/PH120/XLPE/SWA (Flat)/CU Cabling works including, accessories, support etc. " 2C x 2.5 Sq.mm (Control Cables for Remote push bottom at Ground Floor.)	995468	M	0.010	215.00	2.15
1.01.6	"SITC of Cable end termination of the following 1100V Grade FR/XLPE/SWA/AL cable including supplying and fixing of bi-metallic crimping lugs, double compression glands with earthing etc. " 3Cx 10 Sq.mm	995468	NOS	8.000	375.00	3,000.00
1.01.7	"SITC of Cable end termination of the following 1100V grade FR/XLPE/SWA/CU cable including supplying and fixing of bi-metallic crimping lugs, double compression glands with earthing etc. " 2Cx2.5 Sq.mm	995468	NOS	2.000	250.00	500.00
1.01.8	"SITC of Cable end termination of the following 1100V grade FS/PH120/XLPE/SWA/CU cable including supplying and fixing of bi-metallic crimping lugs, double compression glands with earthing etc. " 2Cx2.5 Sq.mm	995468	NOS	2.000	250.00	500.00
1.01.9	Earthing SITC of 2Rx 8 SWG GI wire from Panel to Motor (2 run each for each motor)	995468	M	20.000	20.00	400.00

COMPANY

4

CONTRACTOR

(Sign & Stamp)

This Purchase Order is electronically generated and does not require signature. Please read all the Terms and Conditions carefully before accepting.

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.01.10	Valves & Accessories as mentioned below, valves made from CI, except specified, confirming to IS 780/2906 as applicable & pressure class PN 10, including flanges, nuts, bolts, washers and other accessories complete as required. SITC of 100mm dia Butterfly Valves at suction and discharge side of pumps. SG iron disc	995468	NOS	2.000	4,184.00	8,368.00
1.01.11	SITC of 80 mm dia Y-strainer made at suction (Self cleaning type)	995468	NOS	2.000	7,456.00	14,912.00
1.01.12	SITC of Flexible Bellows 80 mm. fixed flange type with tie rod arrangement.	995468	NOS	2.000	5,937.00	11,874.00
1.01.13	SITC of 80mm dia Butterfly Valves at suction of pumps. SG iron disc	995468	NOS	2.000	3,251.00	6,502.00
1.01.14	SITC of 65 mm dia swing type NRV at discharge of pumps	995468	NOS	2.000	5,000.00	10,000.00
1.01.15	SITC of Flexible single rubber Bellows 65mm. fixed flange type with tie rod arrangement.	995468	NOS	2.000	5,200.00	10,400.00
1.01.16	SITC of Differential Pressure Switch with Forged Brass ball valve	995468	NOS	1.000	6,750.00	6,750.00
1.01.17	SITC of Pressure Gauge (Glycerin Filled Bourdon type) with Forged Brass ball valve	995468	NOS	2.000	2,564.00	5,128.00
1.01.18	SITC of 65 mm dia Butterfly Valves at discharge of pumps.	995468	NOS	2.000	3,000.00	6,000.00
1.01.19	SITC of 50mm dia Forged Brass Ball Valves (PN 16) for sprinkler & hydrant drainage	995468	NOS	2.000	3,100.00	6,200.00
1.01.20	SITC of Pressure Switch with Ball Valve at discharge header of fire booster pumps.	995468	NOS	0.001	4,500.00	4.50

COMPANY

5

CONTRACTOR

(Sign & Stamp)

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.02	FIRE FIGHTING SPRINKLER & HOSE REEL SYSTEM INSTALLATION CONT'D Include for the supply, complete installation, Testing & Commissioning as detailed in the specifications and on the Drawings and to the complete satisfaction and approval of the Engineer, client and all concerned Statutory Authorities and under the following sections The following items including accessories, supports, Painting as specified etc., complete					
1.02.1	SITC of S.S fire hydrant Double landing valve with 100 mm N.B. flanged inlet, brass spindle controlled 63 mm dia female instantaneous outlet type. SS coupling, PVC blank cap, chain, twist release type lug & all accessories Conforming to IS:5290-1993 including fixing with anchor fastener and flanged tapping from wet riser	995468	NOS	25.000	11,300.00	282,500.00
1.02.2	SITC of SS branch pipe & nozzle as per IS 903	995468	NOS	25.000	1,610.00	40,250.00
1.02.3	SITC of Swinging type First Aid hose reel (As per IS 444) in red color drum with 36.5 Mts long and 20 mm dia heavy duty rubber water hose, stop cock terminating with SS coupling & nozzle of 20 mm outlet confirming to IS 8090-1976 complete with MS socket for tap-off, drum and brackets (including painting) for fixing on wall with anchor fastener, bolts & nuts conforming to IS:884-1985 complete as required.	995468	NOS	24.000	7,475.00	179,400.00

COMPANY

6

CONTRACTOR

(Sign & Stamp)

Work Order :6100023325

Version No : 0

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.02.4	SITC of Non-percolating, rubber reinforced fabric lined Fire hose pipe Type A (as per IS : 636-1988) of 63 mm dia and 15 m length. The hose shall be rated for burst pressure of 37.5 Kg/sqcm. Hose shall be complete with ISI marked SS male & female coupling (IS:903-1993) bound & riveted to hose pipe with copper rivets & 1.5 mm copper wire.	995468	NOS	50.000	4,300.00	215,000.00
1.02.5	SITC for Fire Man Axe etc. Complete.	995468	NOS	24.000	950.00	22,800.00
1.02.6	SITC for 25mm dia forged brass ball Valve etc. all complete.	995468	NOS	24.000	903.00	21,672.00
1.02.7	SITC of GI Pipe (Class-C) work including fittings, bends, tees, fixing accessories, sleeves, SUPPORTS, painting in Red P.O. color including Red Oxide primer coat etc., complete . All fittings shall be as per Tedner Specifications. 25mm dia (Inside FHC)	995468	RMT	48.000	610.00	29,280.00
1.02.8	65mm dia (Booster Pump Assembly)	995468	RMT	5.000	1,420.00	7,100.00
1.02.9	80mm dia (Booster Pump Assembly)	995468	RMT	5.000	1,750.00	8,750.00
1.02.10	100mm dia (Shaft & Terrace)	995468	RMT	32.500	2,440.00	79,300.00
1.02.11	150mm dia (Vertical)	995468	RMT	145.000	3,600.00	522,000.00
1.02.12	GI Pipe (Class-C) Underground pipe work including fittings, bends, tees, fixing accessories, sleeves, painting in Red P.O. colour including Red oxide primer coat etc., complete with "Pypcoat" wrapping. All fittings shall be as per Tedner Specifications. 150mm dia (Underground hydrant riser pipe in entrance area)	995468	RMT	9.950	3,750.00	37,312.50
1.02.13	SITC of Orifice plate made of stainless steel plate as per specification 80mm dia Orifice plate (6mm thick)	995468	NOS	16.000	1,281.00	20,496.00
1.02.14	SITC of 25 mm Air release valve with isolation valve	995468	NOS	2.000	1,690.00	3,380.00

COMPANY

7

CONTRACTOR

(Sign & Stamp)

This Purchase Order is electronically generated and does not require signature. Please read all the Terms and Conditions carefully before accepting.

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.02.1 5	SITC of Dial type (100mm) pressure gauge (Non Glycerin Filled Bourdon type) with ball valve [for Hydrant & Sprinkler riser at terrace Fire shaft]	995468	NOS	2.000	2,600.00	5,200.00
1.02.1 6	SITC of Nahani trap of 110 mm inlet and 75 mm outlet with 50 mm water seal for drain inside FHC in each floor and connection to drain riser.	995468	NOS	24.000	350.00	8,400.00
1.02.1 7	SITC of BFV valve of 150 mm dia PN 16 Rating for isolation of hydrant riser at ground floor in FHC shaft complete.	995468	NOS	1.000	7,360.00	7,360.00
1.02.1 8	SITC of Drain Valve (50mm Forged Brass ball valve for hydrant riser drain at Ground floor in FHC shaft complete.)	995468	NOS	0.001	1,505.06	1.51
1.02.1 9	SITC of 75 mm uPVC SWR type B pipe conforming to IS 13592 (Location : Vertical pipe in FHC Shaft & Shaft Drain Tapping to Drain down comer)	995468	RMT	87.500	510.00	44,625.00
1.02.2 0	75mm dia (Underground uPVC SWR type B pipe pipe in entrance area)	995468	RMT	0.010	510.00	5.10
1.02.2 1	The following items including accessories, supports, Painting as specified etc., complete SPRINKLER & FIRE HOSE REEL SYSTEM, (cont'd) "SITC of Sprinkler head including fittings, fixtures, accessories, complete with escutcheon plate with powder coated as shown on drgs etc..- (Sprinkler Shall be of Brass with CP Finish, MOC for sprinkler escutcheon plate shall be SS.)" Pendant Type 68°C Brass Sprinklers with powder coated escutcheon plate Standard response type. (K:5.6) (For Typical lobby)	995468	NOS	274.000	360.00	98,640.00
1.02.2 2	Side Wall Type 68°C Brass Sprinklers with powder coated escutcheon plate Standard response standard coverage (K:5.6) (for bedrooms, study and living)	995468	NOS	328.000	390.00	127,920.00

COMPANY

8

CONTRACTOR

(Sign & Stamp)

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.02.23	Side Wall Type 79°C Brass Sprinklers with powder coated escutcheon plate standard response standard coverage (K:5.6) (for Kitchen)	995468	NOS	164.000	640.00	104,960.00
1.02.24	Side Wall Type 68°C Brass Sprinklers with powder coated escutcheon plate Standard response extended coverage type (K:5.6) (for Living)	995468	NOS	164.000	700.00	114,800.00
1.02.25	SITC of G I Pipe(Class - C) work including fittings, bends, tees, fixing accessories, sleeves, SUPPORTS, painting in Red P.O. color including Red Oxide primer coat etc., complete as shown and specified. All fittings shall be as per tender specification. For Fire Sprinkler System - G.I Heavy class-C pipe 25mm dia	995468	RMT	2,072.230	603.00	1,249,554.69
1.02.26	32mm dia	995468	RMT	118.625	747.00	88,612.88
1.02.27	40mm dia	995468	RMT	205.760	855.00	175,924.80
1.02.28	50mm dia	995468	RMT	533.400	1,146.00	611,276.40
1.02.29	65mm dia	995468	RMT	249.120	1,418.00	353,252.16
1.02.30	80mm dia	995468	RMT	165.120	1,756.00	289,950.72
1.02.31	GI Pipe (Class-C)Underground pipe work including fittings, bends, tees, fixing accessories, sleeves, painting in Red P.O. colour including red oxide primer coat etc., complete with "Pypcoat" wrapping .All fittings shall be as per Tender Specifications. 150mm dia (Underground sprinkler riser pipe in entrance area)	995468	RMT	5.400	3,750.00	20,250.00

COMPANY

9

CONTRACTOR

(Sign & Stamp)

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.02.3 2	SITC of GI Pipe (Class- B) including fittings, supports, painting in red P.O. color including Red oxide primer coat etc (for sprinkler drain) All fittings shall be as per tender specification. 80 mm dia	995468	RMT	72.500	1,530.00	110,925.00
1.02.3 3	GI Pipe (Class-B)Underground pipe work including fittings, bends, tees, fixing accessories, sleeves, painting in Red P.O. colour including Zinc primer coat etc.. complete with "Pypcoat" wrapping .All fittings shall be as per Tender Specifications. 80mm dia (underground sprinkler drain pipe in entrance area)	995468	RMT	4.200	1,680.00	7,056.00
1.02.3 4	SITC of Zone Control Valve (ZCV) assembly including all valves, Flow switch, Union & fittings etc. as listed below & shown in drawing complete 80mm dia Butterfly valve with in built supervisory switch PN 16 - 01 No. Flow Switch - 01 No. Pressure Gauge:- 01 no. (Dial type (100mm) pressure gauge (Non Glycerin Filled Bourdon type) with Forged Brass Ball Valve) Union & Fittings	995468	SET	24.000	14,782.00	354,768.00
1.02.3 5	SITC of Inspectors test assembly including all valves, sight glass assembly, Auxillation drain 40mm, Union & fittings etc. as listed below & shown in drawing complete Inspectors Test Valve 25mm - 01 No. Sight Glass - 01 No. Drain Valve (Forged brass ball valve) 40mm - 01 No.	995468	SET	24.000	6,300.00	151,200.00
1.02.3 6	SITC of 25 mm Air release valve with isolation valve	995468	NOS	2.000	2,000.00	4,000.00
1.02.3 7	SITC of BFV valve (PN 16) of 150 mm dia for isolation of sprinkler riser at ground floor in FHC shaft complete.	995468	NOS	1.000	7,459.00	7,459.00
1.03	Extinguishers					

COMPANY

10

CONTRACTOR

(Sign & Stamp)

SR. No.	ITEM DESCRIPTION	HSN/SAC Code	UNIT	QTY	RATE	AMOUNT
1.03.1	SITC of Dry chemical powder type fire extinguisher of 06 kgs. capacity having I.S.I. certification As per IS 15683. (Meter Room, Ground floor Lobby, Typical & Refuge Area)	995468	NOS	27.000	2,300.00	62,100.00
1.03.2	SITC of Sand Bucket as per standard specification and relevant IS standard. Cost shall be inclusive of Suppoert/stand etc.all complete. (@ nos. each for Meter Room and Ground Lobby)	995468	NOS	2.000	910.00	1,820.00
2	Extra Items					
2.1	SITC of 3C X 2.5 SQ MM FS CABLE	995468	RMT	100.000	217.00	21,700.00
2.2	SITC of PUSH BUTTON	995468	NOS	1.000	2,000.00	2,000.00
2.3	The following items including accessories, supports, etc., complete. CO2 type fire extinguisher of 4.5 kgs... As per IS 15683	995468	NOS	1.000	7,750.00	7,750.00
	TOTAL OF AMOUNT					5,873,202.41
	IN: Central GST for item, 1, 2 9.00%					528,588.22
	IN: State GST for item, 1, 2 9.00%					528,588.22
	TOTAL TAX AMOUNT					1,057,176.44
	CONTRACT AMOUNT					6,930,378.85

(Rupees Sixty Nine Lakh Thirty Thousand Three Hundred Seventy Eight And Eighty Five Paise Only)

You are requested to sign and return one copy of this order in token of your acceptance.

Thanking you,
Yours faithfully,

Accepted:-

For M/s. COWTOWN INFOTECH SERVICES For Madhuram Enterprises LIMITED

In order to improve our Corporate Governance record, our company has instituted a Transparency & Ethics Policy. In case you come across any unethical behavior of our employees, kindly contact us at mobile no 96199 93643 or e-mail address LodhaOmbudsman@gmail.com. Information so received will be kept strictly confidential.

We expect all parties working with the company to strictly abide by the Transparency & Ethics policy of the company, which is available on <http://www.lodhagroup.com/TEP/EthicsPolicy.pdf> or www.lodhavms.com and it explains our zero tolerance attitude to any act of corruption.

~~This Purchase Order is electronically generated and does not require signature. Please read all the Terms and Conditions carefully before accepting.~~