
PIZZA SALES SQL QUERIES

A.KPI's

1. Total Revenue:

```
SELECT SUM(total_price) AS Total_Revenue from pizza_sales
```




Results | Messages

	Total_Revenue
1	817860.05083847

2. Average order Value:

```
SELECT SUM(total_price)/ COUNT(DISTINCT order_id) as AVG_ORDER_VALUE from
pizza_sales
```




Results | Messages

	AVG_ORDER_VALUE
1	38.3072623343546

3. Total Pizza Sold:

```
SELECT SUM(quantity) as Total_Pizzas_Sold from pizza_sales
```




Results | Messages

	Total_Pizzas_Sold
1	49574

4. Total Orders:

```
SELECT COUNT(DISTINCT order_id) as Total_orders from pizza_sales
```




Results | Messages

	Total_orders
1	21350

5. Avg Pizzas Per Order:

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2)) AS
Avg_Pizzas_per_order from pizza_sales
```



Results | Messages

	Avg_Pizzas_per_order
1	2.32

B. TABLE CHARTS:

1. Total Orders Per Day:

```
SELECT DATENAME(DW,order_date) as order_day ,COUNT(DISTINCT order_id) as
Total_orders FROM pizza_sales
GROUP BY DATENAME(DW,order_date)
```

Results Messages

	order_day	Total_orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

2. Total Orders Per Month:

```
SELECT DATENAME(MONTH, order_date) as Month_Name,COUNT(DISTINCT order_id) as
Total_orders FROM pizza_sales
GROUP BY MONTH(order_date),
DATENAME(MONTH, order_date)
ORDER BY MONTH(order_date)
```

Results Messages

	Month_Name	Total_orders
1	January	1845
2	February	1685
3	March	1840
4	April	1799
5	May	1853
6	June	1773
7	July	1935
8	August	1841
9	September	1661
10	October	1646
11	November	1792
12	December	1680

3.Percentage of Sales By Pizza Category:

```
SELECT pizza_category,SUM(total_price) as Total_Sales, SUM(total_price)*100/
(SELECT sum(total_price) from pizza_sales WHERE MONTH(order_date) = 1 ) AS PCT
FROM pizza_sales
WHERE MONTH(order_date) = 1
GROUP BY pizza_category
```

Results Messages

	pizza_category	Total_Sales	PCT
1	Chicken	16188.75	23.1952780348435
2	Supreme	17929.7499866486	25.6897867985821
3	Classic	18619.4000015259	26.6779189176038
4	Veggie	17055.4000778198	24.4370162489706

4. Percentage of Sales By Pizza Size:

```
SELECT pizza_size,CAST(SUM(total_price) AS DECIMAL(10,2)) as Total_Sales,
CAST(SUM(total_price)*100/
(SELECT sum(total_price) from pizza_sales) AS DECIMAL (10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_size
```

Results Messages

	pizza_size	Total_Sales	PCT
1	L	375318.70	45.89
2	XXL	1006.60	0.12
3	M	249382.25	30.49
4	XL	14076.00	1.72
5	S	178076.50	21.77

5. Top 5 Pizzas by Revenue:

```
SELECT TOP 5 pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue DESC
```

Results Messages

	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

6. Bottom 5 Pizzas by Revenue:

```
SELECT TOP 5 pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue ASC
```

Results Messages

	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

7. Top 5 Pizzas by Quantity:

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Quantity DESC
```

	pizza_name	Total_Quantity
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

8. Bottom 5 Pizzas by Quantity:

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Quantity ASC
```

Results Messages

	pizza_name	Total_Quantity
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961