

SOURCE CODE

FRONTEND

```
import React from "react";
```

```
const Badge = ({ status }) => {
```

```
  const getStatusClass = () => {
```

```
    switch (status) {
```

```
      case "Scheduled":
```

```
        return "bg-blue-500 text-white";
```

```
      case "Completed":
```

```
        return "bg-green-500 text-white";
```

```
      case "Pending":
```

```
        return "bg-yellow-500 text-white";
```

```
      case "Rejected":
```

```
        return "bg-red-500 text-white";
```

```
      default:
```

```
        return "bg-gray-500 text-white";
```

```
    }
```

```
  };
```

```
  return (
```

```
    <span
```

```
      className={`inline-block px-3 py-1 h-auto rounded-full text-xs font-semibold  
${getStatusClass()}`
```

```
    >
```

```

        {status}
      </span>
    );
  };

export default Badge;

import React from "react";

const Button = ({
  onClick,
  children,
  className = "",
  size = "md",
  isLoading = false,
}) => {
  const sizeClasses = {
    sm: "px-4 py-2 text-sm",
    md: "px-6 py-3 text-md",
    lg: "px-8 py-4 text-lg",
  };

  return (
    <button
      onClick={onClick}
      className={`font-semibold text-white transition-all rounded-full bg-gradient-to-r
from-teal-300 to-sky-700 hover:scale-110 font-['Poppins'] ${sizeClasses[size]} ${className}`}
      disabled={isLoading}
    >

```

```

>
{isLoading ? (
  <svg
    className="w-5 h-5 mr-2 text-white animate-spin"
    xmlns="http://www.w3.org/2000/svg"
    fill="none"
    viewBox="0 0 24 24"
  >
    <circle
      className="opacity-25"
      cx="12"
      cy="12"
      r="10"
      stroke="currentColor"
      strokeWidth="4"
    ></circle>
    <path
      className="opacity-75"
      fill="currentColor"
      d="M4 12a8 8 0 018-8v4a4 4 0 00-4 4H4z"
    ></path>
  </svg>
) : (
  children
)}
</button>
);
};

```

```
export default Button;
```

```
import React from "react";
```

```
import Logo_Image from "../Assets/HealthConnectLogo.png"; // Ensure the correct path to  
your image
```

```
import { useNavigate } from "react-router-dom";
```

```
const Logo = () => {
```

```
  const navigate = useNavigate();
```

```
  return (
```

```
    <img
```

```
      src={Logo_Image}
```

```
      alt="Logo"
```

```
      loading="lazy"
```

```
      className="w-auto h-16 cursor-pointer "
```

```
      onClick={() => navigate("/")}
```

```
    />
```

```
  );
```

```
};
```

```
export default Logo;
```

```
import React, { useContext, useState } from "react";
```

```
import { Link, useNavigate } from "react-router-dom";
```

```
import { AppContext } from "../Context/AppContext";
```

```
import Button from "../Button";
```

```
import Logo from "../Logo";
```

```

const NavBar = () => {

  const { isLoggedIn, setAndCheckExpiration } = useContext(AppContext);

  const { name } = useContext(AppContext);


  const [mobileMenuOpen, setMobileMenuOpen] = useState(false);

  const navigate = useNavigate();


  const toggleMobileMenu = () => {

    setMobileMenuOpen(!mobileMenuOpen);

  };


  return (

    <nav className="sticky top-0 z-50 bg-white border-teal-700 border-b-[1px]">

      <div className="container px-4 mx-auto sm:px-6 lg:px-8">

        <div className="flex items-center justify-between py-4">

          {/* Logo */}

          <Logo />


          {/* Mobile Menu Toggle */}

          <div className="lg:hidden">

            <button

              className="text-gray-700 focus:outline-none focus:text-gray-900"

              id="mobile-menu-toggle"

              onClick={toggleMobileMenu}

            >

            <svg

              className="w-6 h-6"

```

```

        xmlns="http://www.w3.org/2000/svg"
        fill="none"
        viewBox="0 0 24 24"
        stroke="currentColor"
    >
        <path
            strokeLinecap="round"
            strokeLinejoin="round"
            strokeWidth="2"
            d="M4 6h16M4 12h16m-7 6h7"
        />
    </svg>
</button>
</div>

```

```

{ /* Desktop Menu */}

<div className="items-center hidden gap-6 lg:flex">

    { /* Display for logged-out users */}

    {!isLoggedIn && (
        <>
            <Link to="/login">
                <Button>Login</Button>
            </Link>
            <Link to="/signup">
                <Button>SignUp</Button>
            </Link>
        </>
    )}

```

```

    {/* Display for logged-in users */}

    {isLoggedIn && (
      <>
        <div className="text-center font-semibold font-['Poppins'] text-gray-
700">
          {name}
        </div>
        <Button
          onClick={() => {
            setAndCheckExpiration(false);
            navigate("/");
          }}
          className="w-auto h-auto px-5 py-2 rounded-full shadow bg-gradient-
to-r from-teal-300 to-sky-700"
        >
          <div className="text-white font-semibold font-['Poppins'] text-sm">
            Log Out
          </div>
        </Button>
      </>
    )}
  </div>
</div>

  {/* Mobile Menu */}

  {mobileMenuOpen && (
    <div

```

```

id="mobile-menu"

className="flex-col items-center bg-white border-t shadow-md lg:hidden"
>
{!isLoggedIn && (
  <>
    <Link to="/login">
      <div className="w-full py-3 font-semibold text-center text-teal-500
hover:bg-gray-100">
        Log in
      </div>
    </Link>
    <Link to="/signup">
      <div className="w-full py-3 font-semibold text-center text-teal-500
hover:bg-gray-100">
        Sign up
      </div>
    </Link>
  </>
)}

{isLoggedIn && (
  <>
    <div className="py-3 font-semibold text-center text-gray-700">
      {name}
    </div>
    <button
      onClick={() => {
        setAndCheckExpiration(false);
        navigate("/");

```



```

        }}
        className="w-full py-3 font-semibold text-center text-teal-500 hover:bg-
gray-100"
      >
        Log Out
      </button>
    </>
  }}
</div>
)}
</nav>
);
};

```

```
export default NavBar;
```

```

import React from "react";
import Book_Appointment from "../Components/Home/Book_Appointment";
import { Link } from "react-router-dom";
import Brands from "../Components/Home/Brands/Brands";
import Special_Services from "../Components/Home/Special Services/Special_Services";
import Latest_News from "../Components/Home/Latest_News/Latest_News";

const Home = () => {
  return (
    <div>
      <div>
        <Book_Appointment />

```

```

        <Brands/>
        <Special_Services/>
        <Latest_News/>
    </div>
</div>

);

};

export default Home;

import React, { useState, useEffect, useContext } from "react";
import { useNavigate, useParams } from "react-router-dom";
import { AppContext } from "../Components/Context/AppContext";
import Button from "../Components/Button";
import {
    FaUser,
    FaFileUpload,
    FaFileMedical,
    FaHeartbeat,
} from "react-icons/fa";

function Patient() {
    const { id, appointmentId } = useParams();
    const [patient, setPatient] = useState(null);
    const [loading, setLoading] = useState(true);
    const [error, setError] = useState(null);
    const [file, setFile] = useState(null);
    const [description, setDescription] = useState("");

```

```
const [uploadStatus, setUploadStatus] = useState(null);

const { isLoggedIn, Uid } = useContext(AppContext);

const navigate = useNavigate();


console.log("id", id);

console.log("appointmentId", appointmentId);


if (!isLoggedIn) {
  navigate("/");
}


useEffect(() => {
  const fetchPatientDetails = async () => {
    try {
      const response = await fetch(
        `${process.env.REACT_APP_BACKEND_URL}/get_User_Details?id=${id}`
      );

      if (!response.ok) throw new Error("Failed to fetch patient details");

      const data = await response.json();

      setPatient(data.data);

      setLoading(false);
    } catch (err) {
      setError("Unable to fetch patient details");

      setLoading(false);
    }
  };
});
```

```
    fetchPatientDetails();  
  }, [id]);
```

```
const handleFileChange = (e) => {  
  e.preventDefault();  
  setFile(e.target.files[0]);  
};
```

```
const handleUploadReport = async (e) => {  
  e.preventDefault();  
  if (!file) {  
    setUploadStatus("Please select a file to upload");  
    return;  
  }
```

```
  const formData = new FormData();  
  formData.append("file", file);  
  formData.append("doctorId", Uid);  
  formData.append("patientId", id);  
  formData.append("appointmentId", appointmentId); //todo come have again  
  formData.append("description", description);
```

```
  try {  
    setUploadStatus("Uploading...");  
    const response = await fetch(  
      `${process.env.REACT_APP_BACKEND_URL}/uploadReport`,  
      {  
        method: "POST",
```

```

        body: formData,
      }
    );

    if (!response.ok) throw new Error("Failed to upload report");

    const data = await response.json();
    setUploadStatus("Report uploaded successfully");
  } catch (err) {
    setUploadStatus("Failed to upload report");
  }
};

if (loading)
  return (
    <div className="flex items-center justify-center min-h-screen bg-gradient-to-br from-blue-50 to-blue-100">
      <div className="p-6 text-center animate-pulse">
        <FaUser className="w-16 h-16 mx-auto mb-4 text-blue-500" />
        <p className="text-xl font-semibold text-gray-700">Loading...</p>
      </div>
    </div>
  );

if (error)
  return (
    <div className="flex items-center justify-center min-h-screen bg-red-50">
      Error
    </div>
  );

```

```

    </div>

    );

    return (

        <div className="w-full min-h-screen px-4 py-12 bg-gradient-to-br from-blue-50 to-blue-100 sm:px-6 lg:px-8">

            <div className="max-w-3xl mx-auto overflow-hidden transition-all duration-300 transform bg-white rounded-xl ">

                {/* Patient Header */}

                <div className="p-6 bg-gradient-to-r from-blue-500 to-teal-400">

                    <h1 className="flex items-center justify-center text-3xl font-extrabold text-center text-white">

                        <FaUser className="w-8 h-8 mr-3" />

                        Patient Details

                    </h1>

                </div>

                {/* Patient Information */}

                <div className="p-6 space-y-4">

                    <div className="grid gap-4 md:grid-cols-2">

                        <div className="p-4 rounded-lg shadow-inner bg-blue-50">

                            <h2 className="flex items-center mb-2 text-lg font-bold text-blue-700">

                                <FaUser className="w-5 h-5 mr-2" /> Personal Info

                            </h2>

                            <div className="space-y-2">

                                <p>

                                    <strong className="text-gray-600">Name:</strong>{" "}

                                    {patient.name}

                                </p>

```

```

    <p>
      <strong className="text-gray-600">Email:</strong>{" "}
      {patient.email}
    </p>
    <p>
      <strong className="text-gray-600">Gender:</strong>{" "}
      {patient.gender}
    </p>
    <p>
      <strong className="text-gray-600">Age:</strong> {patient.age}
    </p>
  </div>
</div>

{/* Medical History */}
<div className="p-4 rounded-lg shadow-inner bg-blue-50">
  <h2 className="flex items-center mb-2 text-lg font-bold text-blue-700">
    <FaHeartbeat className="w-5 h-5 mr-2" /> Medical History
  </h2>
  {patient.medicalHistory?.length > 0 ? (
    <ul className="space-y-2">
      {patient.medicalHistory.map((entry, index) => (
        <li
          key={index}
          className="p-2 transition-all duration-200 bg-white rounded-md
shadow-sm hover:bg-blue-100"
        >
          {entry.condition}

```

```

        <span className="block text-sm text-gray-500">
            Diagnosed:{" "}
            {new Date(entry.diagnosisDate).toLocaleDateString()}
        </span>
    </li>
    )}}
</ul>
): (
    <p className="italic text-gray-500">
        No medical history available.
    </p>
    )}
</div>
</div>

{/* Upload Report Section */}
<div className="p-6 mt-6 rounded-lg shadow-inner bg-blue-50">
    <h2 className="flex items-center mb-4 text-lg font-bold text-blue-700">
        <FaFileUpload className="w-5 h-5 mr-2" /> Upload Medical Report
    </h2>
    <form onSubmit={handleUploadReport} className="space-y-4">
        <div>
            <label className="block mb-2 text-sm font-medium text-gray-700">
                Description
            </label>
            <textarea
                value={description}
                onChange={(e) => setDescription(e.target.value)}

```



```

        placeholder="Enter report description"

        className="w-full px-3 py-2 transition duration-200 border border-gray-
300 rounded-md shadow-sm focus:outline-none focus:ring-2 focus:ring-blue-500"

    />
</div>
<div>

    <label className="block mb-2 text-sm font-medium text-gray-700">

        Report File

    </label>

    <input

        type="file"

        required

        name="file"

        onChange={handleFileChange}

        className="w-full px-3 py-2 border border-gray-300 rounded-md
shadow-sm file:mr-4 file:rounded-md file:border-0 file:bg-blue-500 file:text-white file:px-4
file:py-2 hover:file:bg-blue-600"

    />

</div>

<Button isLoading={loading} type="submit">

    Upload Report

</Button>

</form>

{uploadStatus && (

    <div

        className={`mt-4 text-center font-semibold ${

            uploadStatus.includes("success")

                ? "text-green-600 bg-green-50"

                : "text-red-600 bg-red-50"

```

```

        } p-2 rounded-md`}
      >
        {uploadStatus}
      </div>
    )}
  </div>
</div>
</div>
</div>
);
}

```

```
export default Patient;
```

```

import React from "react";

import ShowAllUserAppointments from
"../Components/Home/Book_Appointment/showAllUserAppointments";

import ShowAllUserAppointmentsByHospital from
"../Components/Home/Book_Appointment/showAllUserAppointmentsByHospital";

const ViewAppointments = () => {
  return (
    <div>
      <div className="text-2xl text-center">Scheduled Appointments</div>
      <div className="text-2xl text-center">Appointments as Per Doctor</div>
      <ShowAllUserAppointments />
      <div className="text-2xl text-center">Appointments as Per Hospital</div>
      <ShowAllUserAppointmentsByHospital />
    </div>
  )
}

```

```
);  
};
```

```
export default ViewAppointments;
```

```
import React from "react";  
import "./index.css";  
import NavBar from "./Components/NavBar";  
import Home from "./Pages/Home";  
import Login from "./Pages/Registration/Login";  
import Signup from "./Pages/Registration/Signup";  
import { Routes, Route } from "react-router-dom";  
import Forget from "./Pages/Registration/Forget";  
import ResetPassword from "./Pages/Registration/ResetPassword";  
import Book_Appointment_State from  
"./Pages/Book_Appointment/Book_Appointment_State";  
import Book_Appointment_District from  
"./Pages/Book_Appointment/Book_Appointment_District";  
import Book_Appointment_Hospital from  
"./Pages/Book_Appointment/Book_Appointment_Hospital";  
import Hospital_Near_ME from "./Components/Home/Special Services/Special Services  
Components/Hospital_Near_Me";  
import Book_Appointment_SelectType from  
"./Components/Home/Book_Appointment/Book_Appointment_SelectType";  
import Book_Appointment_Type from  
"./Pages/Book_Appointment/Book_Appointment_Type";  
import Book_Appointment_Departement from  
"./Pages/Book_Appointment/Book_Appointment_Departement";  
import Book_Appointment_SelectMode from  
"./Pages/Book_Appointment/Book_Appointment_SelectMode";
```

```

import Book_Appointment_Doctors from
"./Pages/Book_Appointment/Book_Appointment_Doctors";

import Book_Appointment_Dates from
"./Pages/Book_Appointment/Book_Appointment_Dates";

import Book_Appointment_Doctor_Date_Data from
"./Components/Home/Book_Appointment/Book_Appointment_Doctor_Date_Data";

import Book_Appointment_Doctor_Date from
"./Pages/Book_Appointment/Book_Appointment_Doctor_Date";

import Doctor_HomeScreen from "./Pages/DoctorHome/Home/Doctor_HomeScreen";

import Available_Appointments from
"./Components/Doctor_UI/Home/Available_Appointments";

import Scheduled_Appointments from
"./Components/Doctor_UI/Home/scheduled_Appointments";

import ViewAppointments from "./Pages/ViewAppointments";

import BMICalculator from "./Components/Home/Special Services/Special Services
Components/BMI_Calculator";

import LabReport from "./Components/Home/Special Services/Special Services
Components/labreport";

import Patient from "./Pages/Patient";

```

```

function App() {
  return (
    <div>
      <NavBar />
      <Routes>
        <Route path="/" element={<Home />} />
        <Route path="/login" element={<Login />} />
        <Route path="/signup" element={<Signup />} />
        <Route path="/Forget" element={<Forget />} />
        <Route path="/ResetPassword/:id" element={<ResetPassword />} />
      </Routes>
    </div>
  );
}

```

```

{ /* <Route path="/Verify_Otp" element={<Verify_Otp />} /> */}

<Route path="/Hospital_Near_Me" element={<Hospital_Near_ME />}></Route>

<Route path="/BMI_Calculator" element={<BMICalculator />}></Route>

<Route path="/labreport" element={<LabReport />}></Route>

<Route
  path="/Book_Appointment_State"
  element={<Book_Appointment_State />}
></Route>

<Route
  path="/Book_Appointment_District"
  element={<Book_Appointment_District />}
></Route>

<Route
  path="/Book_Appointment_Hospital"
  element={<Book_Appointment_Hospital />}
></Route>

<Route
  path="/Book_Appointment_type"
  element={<Book_Appointment_Type />}
></Route>

<Route
  path="/Book_Appointment_Depart"
  element={<Book_Appointment_Departement />}
></Route>

<Route
  path="/Book_Appointment_Mode"
  element={<Book_Appointment_SelectMode />}
></Route>

```

```

<Route
  path="/Book_Appointment_Doctor"
  element={<Book_Appointment_Doctors />}
></Route>

<Route
  path="/Book_Appointment_Dates"
  element={<Book_Appointment_Dates />}
></Route>

<Route
  path="/Book_Appointment_Doctor_Date_Data"
  element={<Book_Appointment_Doctor_Date />}
></Route>

<Route path="/Doctor_UI" element={<Doctor_HomeScreen />}></Route>

<Route
  path="/Available_Appointments"
  element={<Available_Appointments />}
></Route>

<Route
  path="/scheduled_Appointments"
  element={<Scheduled_Appointments />}
></Route>

<Route
  path="/view_Appointments"
  element={<ViewAppointments />}
></Route>

<Route path="/patient/:id/:appointmentId" element={<Patient />} />

<Route path="*" element={<Home />} />
</Routes>

```

```

        </div>

    );
}

export default App;

import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";
import { BrowserRouter } from "react-router-dom";
import { AppContextProvider } from "../Components/Context/AppContext";
import { ToastContainer } from "react-toastify";
import "react-toastify/dist/ReactToastify.css";

const root = ReactDOM.createRoot(document.getElementById("root"));

root.render(
    <AppContextProvider>
        <BrowserRouter>
            <App />
            <ToastContainer
                position="top-right"
                autoClose={3000}
                hideProgressBar={false}
                newestOnTop={false}
                closeOnClick
                rtl={false}
                pauseOnFocusLoss

```

```
        draggable
        pauseOnHover
        theme="light"
    />
</BrowserRouter>
</AppContextProvider>
);
```