

WEB APPLICATION ATTACK DETECTOR

Security Analysis Report

Generated: 2026-09-25 06:34:44
CONFIDENTIAL – For authorized security personnel only

Executive Summary

Metric	Value
Analysis Period	2026-09-25 10:30:01 → 2026-09-25 10:37:21
Total HTTP Requests	165
Total Alerts Generated	69
Suspicious Source IPs	5
Attack Campaigns Detected	4
Critical Alerts	23
High Alerts	26
Medium Alerts	20
Low Alerts	0

During the analysis period, 165 HTTP requests were processed. The detection engine identified 69 suspicious events from 5 unique source IP address(es). Of these, 23 alert(s) were classified as CRITICAL risk, requiring immediate attention. An additional 26 alert(s) were classified as HIGH risk. Correlation analysis identified 4 coordinated attack campaign(s) suggesting targeted activity against this application.

Attack Type Summary

Attack Type	Alert Count	Highest Risk	Affected Endpoints
Cross-Site Scripting	23	HIGH	/post, /feedback, /search
Path Traversal	21	CRITICAL	/diagnostic, /download, /template
SQL Injection	16	CRITICAL	/login, /reports, /search
Command Injection	8	CRITICAL	/diagnostic, /network, /ping
Authentication Attack	1	CRITICAL	/login

Top Suspicious Source IPs

Source IP	Alert Count	Attack Types	Highest Risk
192.168.1.20	26	Cross-Site Scripting, SQL Inje...	CRITICAL
10.0.0.99	17	Cross-Site Scripting	HIGH
172.16.0.50	16	Path Traversal	CRITICAL
45.33.32.156	9	Path Traversal, Command Inject...	CRITICAL
192.168.1.50	1	Authentication Attack	CRITICAL

Correlated Attack Campaigns

Campaign ID	CAMP-687A4C04
Source IP	192.168.1.20
Risk Level	CRITICAL
Risk Score	97
Total Alerts	26
First Seen	2026-09-25 10:31:05
Last Seen	2026-09-25 10:34:19
Duration	194s
Endpoints	/download, /login, /reports, /search, /file
Attack Types	SQL Injection(16), Cross-Site Scripting(6), Path Traversal(4...

Source IP 192.168.1.20 launched 26 attacks over 3m 14s. Attack types: SQL Injection (16), Cross-Site Scripting (6), Path Traversal (4). Targeted endpoints: /download, /login, /reports, /search, /file. Overall risk: CRITICAL.

Campaign ID	CAMP-EACAD409
Source IP	10.0.0.99
Risk Level	HIGH
Risk Score	70
Total Alerts	17
First Seen	2026-09-25 10:32:20
Last Seen	2026-09-25 10:33:38
Duration	78s
Endpoints	/post, /feedback, /search, /comment, /message
Attack Types	Cross-Site Scripting(17)

Source IP 10.0.0.99 launched 17 attacks over 1m 18s. Attack types: Cross-Site Scripting (17). Targeted endpoints: /post, /feedback, /search, /comment, /message. Overall risk: HIGH.

Campaign ID	CAMP-95ABCEF3
Source IP	172.16.0.50
Risk Level	CRITICAL

Risk Score	87
Total Alerts	16
First Seen	2026-09-25 10:33:18
Last Seen	2026-09-25 10:33:54
Duration	36s
Endpoints	/download, /template, /img, /file, /static
Attack Types	Path Traversal(16)

Source IP 172.16.0.50 launched 16 attacks over 36s. Attack types: Path Traversal (16). Targeted endpoints: /download, /template, /img, /file, /static. Overall risk: CRITICAL.

Campaign ID	CAMP-09059DED
Source IP	45.33.32.156
Risk Level	CRITICAL
Risk Score	92
Total Alerts	9
First Seen	2026-09-25 10:34:27
Last Seen	2026-09-25 10:35:10
Duration	43s
Endpoints	/diagnostic, /network, /ping, /check, /lookup
Attack Types	Command Injection(8), Path Traversal(1)

Source IP 45.33.32.156 launched 9 attacks over 43s. Attack types: Command Injection (8), Path Traversal (1). Targeted endpoints: /diagnostic, /network, /ping, /check, /lookup. Overall risk: CRITICAL.

Detailed Alert Analysis

Alert #1	CRITICAL Score: 90 Authentication Attack
Timestamp	2026-09-25 10:31:35
Source IP	192.168.1.50
Endpoint	/login
Parameter	
Rule	AUTH-001 – Brute-force / credential stuffing detection
Confidence	100%
Evidence	Failed login attempts: 25 in 5 minutes Endpoints: /login

Source IP 192.168.1.50 produced 25 failed authentication requests within 5 minutes. This pattern is consistent with a brute-force or credential stuffing attack.

Alert #2	CRITICAL Score: 82 SQL Injection
Timestamp	2026-09-25 10:31:05
Source IP	192.168.1.20
Endpoint	/login
Parameter	username=admin%27%20OR%201%3D1--&password=x
Rule	SQLI-001 – Boolean-based authentication bypass (OR 1=1 variants)
Confidence	92%
Evidence	' OR 1=1 ' OR 1=1

The request contains a SQL pattern matched by rule SQLI-001 (Boolean-based authentication bypass (OR 1=1 variants)). The evidence " ' OR 1=1 | ' OR 1=1" suggests an attempt to manipulate the application's database query.

Alert #3	CRITICAL Score: 82 SQL Injection
Timestamp	2026-09-25 10:31:16
Source IP	192.168.1.20
Endpoint	/login
Parameter	username=%27%20OR%20%271%27%3D%271&password=wrong
Rule	SQLI-001 – Boolean-based authentication bypass (OR 1=1 variants)
Confidence	92%
Evidence	' OR '1'='1 ' OR '1'='1 ' OR '

The request contains a SQL pattern matched by rule SQLI-001 (Boolean-based authentication bypass (OR 1=1 variants)). The evidence " ' OR '1'='1 | ' OR '1'='1 | ' OR '" suggests an attempt to manipulate the application's database query.

Alert #4	CRITICAL Score: 82 SQL Injection
Timestamp	2026-09-25 10:32:09
Source IP	192.168.1.20
Endpoint	/login
Parameter	user=admin%27%20OR%20%27a%27%3D%27a
Rule	SQLI-001 – Boolean-based authentication bypass (OR 1=1 variants)
Confidence	92%
Evidence	' OR 'a'='a ' OR '

The request contains a SQL pattern matched by rule SQLI-001 (Boolean-based authentication bypass (OR 1=1 variants)). The evidence " OR 'a'='a | ' OR " suggests an attempt to manipulate the application's database query.

Alert #5	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:18
Source IP	172.16.0.50
Endpoint	/download
Parameter	file
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/passwd

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/passwd' suggests an attempt to access files outside the intended directory.

Alert #6	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:22
Source IP	172.16.0.50
Endpoint	/file
Parameter	name
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/shadow

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/shadow' suggests an attempt to access files outside the intended directory.

Alert #7	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:27
Source IP	172.16.0.50
Endpoint	/static
Parameter	path
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/hosts

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/hosts' suggests an attempt to access files outside the intended directory.

Alert #8	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:38
Source IP	172.16.0.50
Endpoint	/img
Parameter	src
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/var/log/

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/var/log/' suggests an attempt to access files outside the intended directory.

Alert #9	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:47
Source IP	172.16.0.50
Endpoint	/template
Parameter	file
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/root/

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/root/' suggests an attempt to access files outside the intended directory.

Alert #10	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:33:54
Source IP	172.16.0.50
Endpoint	/export
Parameter	path
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/passwd

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/passwd' suggests an attempt to access files outside the intended directory.

Alert #11	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:34:04
Source IP	192.168.1.20
Endpoint	/download
Parameter	file
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/passwd

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/passwd' suggests an attempt to access files outside the intended directory.

Alert #12	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:34:19
Source IP	192.168.1.20
Endpoint	/file
Parameter	name
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/shadow

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/shadow' suggests an attempt to access files outside the intended directory.

Alert #13	CRITICAL Score: 82 Path Traversal
Timestamp	2026-09-25 10:34:42
Source IP	45.33.32.156
Endpoint	/diagnostic
Parameter	host=192.168.1.1%26%26cat%20/etc/passwd
Rule	PATH-002 – Sensitive file access attempt (Linux)
Confidence	92%
Evidence	/etc/passwd

The request contains directory traversal sequences matched by rule PATH-002 (Sensitive file access attempt (Linux)). The evidence '/etc/passwd' suggests an attempt to access files outside the intended directory.

Alert #14	CRITICAL Score: 81 SQL Injection
Timestamp	2026-09-25 10:31:22
Source IP	192.168.1.20
Endpoint	/search
Parameter	q
Rule	SQLI-002 – UNION-based SQL injection (data extraction)
Confidence	90%
Evidence	UNION SELECT

The request contains a SQL pattern matched by rule SQLI-002 (UNION-based SQL injection (data extraction)). The evidence 'UNION SELECT' suggests an attempt to manipulate the application's database query.

Alert #15	CRITICAL Score: 81 SQL Injection
Timestamp	2026-09-25 10:31:34
Source IP	192.168.1.20
Endpoint	/products
Parameter	id
Rule	SQLI-002 – UNION-based SQL injection (data extraction)
Confidence	90%
Evidence	UNION ALL SELECT UNION ALL SELECT NULL,NULL,table_name FROM

The request contains a SQL pattern matched by rule SQLI-002 (UNION-based SQL injection (data extraction)). The evidence 'UNION ALL SELECT | UNION ALL SELECT NULL,NULL,table_name FROM' suggests an attempt to manipulate the application's database query.

Alert #16	CRITICAL Score: 81 Path Traversal
Timestamp	2026-09-25 10:33:31
Source IP	172.16.0.50
Endpoint	/view
Parameter	doc
Rule	PATH-003 – Sensitive file access attempt (Windows)
Confidence	90%
Evidence	windows\system32

The request contains directory traversal sequences matched by rule PATH-003 (Sensitive file access attempt (Windows)). The evidence 'windows\system32' suggests an attempt to access files outside the intended directory.

Alert #17	CRITICAL Score: 81 Path Traversal
Timestamp	2026-09-25 10:33:42
Source IP	172.16.0.50
Endpoint	/resource
Parameter	name
Rule	PATH-003 – Sensitive file access attempt (Windows)
Confidence	90%
Evidence	boot.ini

The request contains directory traversal sequences matched by rule PATH-003 (Sensitive file access attempt (Windows)). The evidence 'boot.ini' suggests an attempt to access files outside the intended directory.

Alert #18	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:34:27
Source IP	45.33.32.156
Endpoint	/ping
Parameter	host
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	;whoami

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence ';whoami' suggests an attempt to execute arbitrary shell commands on the server.

Alert #19	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:34:35
Source IP	45.33.32.156
Endpoint	/lookup
Parameter	domain
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	id

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence '|id' suggests an attempt to execute arbitrary shell commands on the server.

Alert #20	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:34:42
Source IP	45.33.32.156
Endpoint	/diagnostic
Parameter	host=192.168.1.1%26%26cat%20/etc/passwd
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	&&cat

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence '&&cat;' suggests an attempt to execute arbitrary shell commands on the server.

Alert #21	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:34:50
Source IP	45.33.32.156
Endpoint	/check
Parameter	ip
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	;ls

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence ';ls' suggests an attempt to execute arbitrary shell commands on the server.

Alert #22	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:35:03
Source IP	45.33.32.156
Endpoint	/network
Parameter	addr
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	`whoami`

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence '`whoami`' suggests an attempt to execute arbitrary shell commands on the server.

Alert #23	CRITICAL Score: 81 Command Injection
Timestamp	2026-09-25 10:35:06
Source IP	45.33.32.156
Endpoint	/util
Parameter	cmd
Rule	CMDI-001 – Shell separator + command pattern (;cmd, &&cmd, cmd)
Confidence	90%
Evidence	\$(id)

The request contains OS command injection patterns matched by rule CMDI-001 (Shell separator + command pattern (;cmd, &&cmd;, |cmd)). The evidence '\$(id)' suggests an attempt to execute arbitrary shell commands on the server.

Alert #24	HIGH Score: 79 SQL Injection
Timestamp	2026-09-25 10:31:43
Source IP	192.168.1.20
Endpoint	/user
Parameter	id
Rule	SQLI-003 – Time-based blind SQL injection (SLEEP/BENCHMARK/WAITFOR)
Confidence	88%
Evidence	SLEEP(5)

The request contains a SQL pattern matched by rule SQLI-003 (Time-based blind SQL injection (SLEEP/BENCHMARK/WAITFOR)). The evidence 'SLEEP(5)' suggests an attempt to manipulate the application's database query.

Alert #25	HIGH Score: 79 SQL Injection
Timestamp	2026-09-25 10:32:03
Source IP	192.168.1.20
Endpoint	/items
Parameter	sort
Rule	SQLI-003 – Time-based blind SQL injection (SLEEP/BENCHMARK/WAITFOR)
Confidence	88%
Evidence	WAITFOR DELAY

The request contains a SQL pattern matched by rule SQLI-003 (Time-based blind SQL injection (SLEEP/BENCHMARK/WAITFOR)). The evidence 'WAITFOR DELAY' suggests an attempt to manipulate the application's database query.

Alert #26	HIGH Score: 79 Command Injection
Timestamp	2026-09-25 10:34:58
Source IP	45.33.32.156
Endpoint	/trace
Parameter	host
Rule	CMDI-002 – Shell binary access (/bin/sh, /bin/bash, cmd.exe)
Confidence	88%
Evidence	/bin/bash

The request contains OS command injection patterns matched by rule CMDI-002 (Shell binary access (/bin/sh, /bin/bash, cmd.exe)). The evidence '/bin/bash' suggests an attempt to execute arbitrary shell commands on the server.

Alert #27	HIGH Score: 79 Command Injection
Timestamp	2026-09-25 10:35:10
Source IP	45.33.32.156
Endpoint	/test
Parameter	host
Rule	CMDI-002 – Shell binary access (/bin/sh, /bin/bash, cmd.exe)
Confidence	88%
Evidence	powershell

The request contains OS command injection patterns matched by rule CMDI-002 (Shell binary access (/bin/sh, /bin/bash, cmd.exe)). The evidence 'powershell' suggests an attempt to execute arbitrary shell commands on the server.

Alert #28	HIGH Score: 76 SQL Injection
Timestamp	2026-09-25 10:31:52
Source IP	192.168.1.20
Endpoint	/api/data
Parameter	filter
Rule	SQLI-004 – SQL DDL/DML statements (DROP/INSERT/DELETE/UPDATE)
Confidence	85%
Evidence	DROP TABLE

The request contains a SQL pattern matched by rule SQLI-004 (SQL DDL/DML statements (DROP/INSERT/DELETE/UPDATE)). The evidence 'DROP TABLE' suggests an attempt to manipulate the application's database query.

Alert #29	HIGH Score: 65 Cross-Site Scripting
Timestamp	2026-09-25 10:32:20
Source IP	10.0.0.99
Endpoint	/search
Parameter	q=%3Cscript%3Ealert(1)%3C%2Fscript%3E
Rule	XSS-001 – Script tag injection
Confidence	94%
Evidence	<script> </script>

The request contains a cross-site scripting payload matched by rule XSS-001 (Script tag injection). The evidence ' | ' suggests an attempt to inject executable scripts into the application.

Alert #30	HIGH Score: 65 Cross-Site Scripting
Timestamp	2026-09-25 10:33:19
Source IP	10.0.0.99
Endpoint	/search
Parameter	q=%22%3E%3Cscript%3Eprompt(1)%3C%2Fscript%3E
Rule	XSS-001 – Script tag injection
Confidence	94%
Evidence	<script> </script>

The request contains a cross-site scripting payload matched by rule XSS-001 (Script tag injection). The evidence ' | ' suggests an attempt to inject executable scripts into the application.

Conclusion

Analysis of 165 HTTP requests identified 69 suspicious event(s) from 5 unique source IP(s). Detected attack categories include: Authentication Attack, Command Injection, Cross-Site Scripting, Path Traversal, SQL Injection. 23 CRITICAL alert(s) were identified and require immediate investigation and remediation. Correlation analysis identified 4 coordinated attack campaign(s), suggesting active targeting of this application. Recommended actions include reviewing parameterized query implementation, input validation, rate limiting, and IP-based access controls for the affected endpoints listed in this report.

This report was generated by Web Application Attack Detector. All findings are based on pattern matching against supplied log data. Manual verification is recommended before taking enforcement action.