Rajalakshmi Engineering College

Name: Harsha Vardhini S

Email: 240701180@rajalakshmi.edu.in

Roll no: 240701180 Phone: 9787756112

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 2_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

1. Problem Statement

Alex is practicing programming and is curious about prime and non-prime digits. He wants to write a program that calculates the sum of the non-prime digits in a given integer using loops.

Help Alex to complete his task.

Example:

Input:

845

output:

12

Digits: 8 (non-prime), 4 (non-prime), 5 (prime)

The sum of Non-Prime Digits: 9 1 4

Output: 12

Input Format

The input consists of a single integer X.

Output Format

The output prints an integer representing the sum of non-prime digits in X.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 845 Output: 12

Answer

```
# You are using Python
x=str(input())
sum=0
for i in str(x):
  if int(i)==1:
     sum+=int(i)
  for j in range (2,int(i)):
    if(int(i)%j==0):
       sum+=int(i)
       break
print(sum)
```

Status: Correct Marks: 10/10

2. Problem Statement

Nisha is a mathematics enthusiast, eager to explore the realm of twin prime numbers. The objective is to develop a program that enables the discovery and presentation of twin prime pairs.

The program should take an integer 'n' as input and generate 'n' pairs of twin primes, displaying the pairs with a difference of 2 between them.

Input Format

The input consists of a single integer, n.

Output Format

The output displays the 'n' pairs of twin primes, the pairs with a difference of 2 between them.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 5

```
Output: 3 5
    57
    11 13
    17 19
    29 31
Answer
    # You are using Python
    n=int(input())
    Ι=Π
    for i in range(2,1000):
      a=0
      for j in range(2,i):
        if i%j==0:
           a=1
      if a!=1:
   I.append(i)
   for i in range(len(l)-1):
      if |[i+1]-|[i]|==2:
```

```
print(|[i],|[i+1])
c+=1
if c>n:
break
```

Status: Correct Marks: 10/10

3. Problem Statement

Taylor is tasked with a mathematical challenge that requires finding the smallest positive number divisible by all integers from 1 to n.

Help Taylor to determine the smallest positive number that is divisible by all integers from 1 to n. Make sure to employ the break statement to ensure efficiency in the program.

Input Format

The input consists of a single integer, n.

Output Format

The output displays the smallest positive number that is divisible by all integers from 1 to n.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 10

Output: 2520

Answer

You are using Python import math

n=int(input())

240701780

```
def lcm(n):
    ans=1
    for i in range(1,n+1):
        ans=((ans*i)//math.gcd(ans,i))
    return (ans)
print(lcm(n))
```

Status: Correct Marks: 10/10

4. Problem Statement

John is tasked with configuring the lighting for a high-profile event, where different lighting modes affect the ambiance of the venue. He can choose from three distinct lighting modes, each requiring a specific adjustment to the initial light intensity:

Ambient Lighting (Mode 1): The intensity level is multiplied by 1.5.Stage Lighting (Mode 2): The intensity level is multiplied by 2.0.Spotlight (Mode 3): The intensity level is multiplied by 1.8.

In the event that an invalid mode is provided, the program should output an error message indicating the invalid selection.

Your task is to write a program that reads the selected lighting mode and the initial intensity level, applies the appropriate adjustment, and prints the final intensity.

Input Format

The first line of input is an integer n, representing the lighting mode.

The second line is a floating value m, representing the initial intensity level of the light.

Output Format

The output displays "Intensity: " followed by a float representing the adjusted intensity level, formatted to two decimal places, if the mode is valid.

If the mode is invalid, the output should display "Invalid".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1 10.0

Output: Intensity: 15.00

Answer

```
# You are using Python
n=int(input())
m=float(input())
if(n==1):
    print("Intensity: {:.2f}".format(m*1.5))
elif(n==2):
    print("Intensity: {:.2f}".format(m*2.0))
elif(n==3):
    print("Intensity: {:.2f}".format(m*1.8))
else:
    print("Invalid")
```

Status: Correct Marks: 10/10

40101180

040701780

040701180

040707180

240701180

240701180

2,40701180

20101180