



RETAIL PRICE LIST

MAY 2022



	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
HAND SOCKETS Chrome Vanadium construction with rust-proof and scratch-proof Ultra Premium finish 'Super Grip' profile: For firm grip with enhanced engagement and transmission of higher torque Knurled band for non-slip grip						
1/4" DRIVE SOCKETS						
	1/4" HEX SOCKETS					
	SKT/H/1-4/4/UG	4 mm	8204	18%	59.00	10
	SKT/H/1-4/4.5/UG	4.5 mm	8204	18%	59.00	10
	SKT/H/1-4/5/UG	5 mm	8204	18%	59.00	10
	SKT/H/1-4/5.5/UG	5.5 mm	8204	18%	59.00	10
	SKT/H/1-4/6/UG	6 mm	8204	18%	59.00	10
	SKT/H/1-4/7/UG	7 mm	8204	18%	59.00	10
	SKT/H/1-4/8/UG	8 mm	8204	18%	59.00	10
	SKT/H/1-4/9/UG	9 mm	8204	18%	59.00	10
	SKT/H/1-4/10/UG	10 mm	8204	18%	59.00	10
	SKT/H/1-4/11/UG	11 mm	8204	18%	59.00	10
	SKT/H/1-4/12/UG	12 mm	8204	18%	65.00	10
	SKT/H/1-4/13/UG	13 mm	8204	18%	68.00	10
	SKT/H/1-4/14/UG	14 mm	8204	18%	84.00	10
1/4" HEX SOCKETS - DEEP						
						
	SKT/H/1-4/5D/UG	5 mm	8204	18%	112.00	10
	SKT/H/1-4/6D/UG	6 mm	8204	18%	112.00	10
	SKT/H/1-4/7D/UG	7 mm	8204	18%	112.00	10
	SKT/H/1-4/8D/UG	8 mm	8204	18%	112.00	10
	SKT/H/1-4/9D/UG	9 mm	8204	18%	112.00	10
	SKT/H/1-4/10D/UG	10 mm	8204	18%	131.00	10
	SKT/H/1-4/11D/UG	11 mm	8204	18%	151.00	10
	SKT/H/1-4/12D/UG	12 mm	8204	18%	165.00	10
	SKT/H/1-4/13D/UG	13 mm	8204	18%	163.00	10
1/4" POZI BIT SOCKETS						
						
	SKT/I-4/PZ1/UG	PZ1	8204	18%	105.00	10
	SKT/I-4/PZ2/UG	PZ2	8204	18%	105.00	10
SKT/I-4/PZ3/UG	PZ3	8204	18%	105.00	10	
1/4" HEX BIT SOCKETS						
						
	SKT/I-4/H3/UG	H3	8204	18%	105.00	10
	SKT/I-4/H4/UG	H4	8204	18%	105.00	10
	SKT/I-4/H5/UG	H5	8204	18%	105.00	10
	SKT/I-4/H6/UG	H6	8204	18%	105.00	10
	SKT/I-4/H7/UG	H7	8204	18%	113.00	10
	SKT/I-4/H8/UG	H8	8204	18%	113.00	10
SKT/I-4/H10/UG	H10	8204	18%	135.00	10	
1/4" TORX BIT SOCKETS						
						
	SKT/I-4/T8/UG	T8	8204	18%	105.00	10
	SKT/I-4/T10/UG	T10	8204	18%	105.00	10
	SKT/I-4/T15/UG	T15	8204	18%	105.00	10
SKT/I-4/T20/UG	T20	8204	18%	105.00	10	


38-55 HRC

DIN 3120


	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	SKT/I-4/T25/UG	T25	8204	18%	105.00	10
	SKT/I-4/T27/UG	T27	8204	18%	116.00	10
	SKT/I-4/T30/UG	T30	8204	18%	105.00	10
	SKT/I-4/T40/UG	T40	8204	18%	105.00	10
1/4" SLOTTED BIT SOCKETS						
	SKT/I-4/S4/UG	4 mm	8204	18%	105.00	10
	SKT/I-4/S5.5/UG	5.5 mm	8204	18%	105.00	10
	SKT/I-4/S7/UG	7 mm	8204	18%	105.00	10
1/4" PHILLIPS BIT SOCKETS						
	SKT/I-4/PH1/UG	PH1	8204	18%	105.00	10
	SKT/I-4/PH2/UG	PH2	8204	18%	105.00	10
	SKT/I-4/PH3/UG	PH3	8204	18%	105.00	10
3/8" DRIVE						
	3/8" HEX SOCKETS					
	SKT/H/3-8/6/UG	6 mm	8204	18%	70.00	15
	SKT/H/3-8/7/UG	7 mm	8204	18%	68.00	15
	SKT/H/3-8/8/UG	8 mm	8204	18%	68.00	15
	SKT/H/3-8/9/UG	9 mm	8204	18%	68.00	15
	SKT/H/3-8/10/UG	10 mm	8204	18%	68.00	15
	SKT/H/3-8/11/UG	11 mm	8204	18%	68.00	15
	SKT/H/3-8/12/UG	12 mm	8204	18%	79.00	15
	SKT/H/3-8/13/UG	13 mm	8204	18%	82.00	15
	SKT/H/3-8/14/UG	14 mm	8204	18%	92.00	15
	SKT/H/3-8/15/UG	15 mm	8204	18%	98.00	12
	SKT/H/3-8/16/UG	16 mm	8204	18%	98.00	12
	SKT/H/3-8/17/UG	17 mm	8204	18%	108.00	10
	SKT/H/3-8/18/UG	18 mm	8204	18%	130.00	10
	SKT/H/3-8/19/UG	19 mm	8204	18%	130.00	10
	SKT/H/3-8/20/UG	20 mm	8204	18%	136.00	8
	SKT/H/3-8/21/UG	21 mm	8204	18%	136.00	8
	SKT/H/3-8/22/UG	22 mm	8204	18%	149.00	6
1/2" DRIVE						
	1/2" HEX SOCKETS					
	SKT/H/1-2/8/UG	8 mm	8204	18%	104.00	15
	SKT/H/1-2/9/UG	9 mm	8204	18%	102.00	15
	SKT/H/1-2/10/UG	10 mm	8204	18%	102.00	15
	SKT/H/1-2/11/UG	11 mm	8204	18%	102.00	15
	SKT/H/1-2/12/UG	12 mm	8204	18%	108.00	15
	SKT/H/1-2/13/UG	13 mm	8204	18%	108.00	15
	SKT/H/1-2/14/UG	14 mm	8204	18%	108.00	15
	SKT/H/1-2/15/UG	15 mm	8204	18%	108.00	12
	SKT/H/1-2/16/UG	16 mm	8204	18%	108.00	12
	SKT/H/1-2/17/UG	17 mm	8204	18%	116.00	10
	SKT/H/1-2/18/UG	18 mm	8204	18%	118.00	10
	SKT/H/1-2/19/UG	19 mm	8204	18%	118.00	10
	SKT/H/1-2/20/UG	20 mm	8204	18%	145.00	8

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	SKT/H/1-2/21/UG	21 mm	8204	18%	145.00	6
	SKT/H/1-2/22/UG	22 mm	8204	18%	163.00	6
	SKT/H/1-2/23/UG	23 mm	8204	18%	167.00	6
	SKT/H/1-2/24/UG	24 mm	8204	18%	173.00	6
	SKT/H/1-2/25/UG	25 mm	8204	18%	210.00	6
	SKT/H/1-2/26/UG	26 mm	8204	18%	227.00	4
	SKT/H/1-2/27/UG	27 mm	8204	18%	234.00	4
	SKT/H/1-2/28/UG	28 mm	8204	18%	273.00	4
	SKT/H/1-2/29/UG	29 mm	8204	18%	275.00	4
	SKT/H/1-2/30/UG	30 mm	8204	18%	284.00	4
	SKT/H/1-2/32/UG	32 mm	8204	18%	307.00	4
	SKT/H/1-2/33/UG	33 mm	8204	18%	554.00	2
	SKT/H/1-2/36/UG	36 mm	8204	18%	857.00	2
1/2" HEX SOCKETS - DEEP						
						
	SKT/H/1-2/10D/UG	10 mm	8204	18%	250.00	15
	SKT/H/1-2/11D/UG	11 mm	8204	18%	250.00	15
	SKT/H/1-2/12D/UG	12 mm	8204	18%	250.00	15
	SKT/H/1-2/13D/UG	13 mm	8204	18%	250.00	15
	SKT/H/1-2/14D/UG	14 mm	8204	18%	250.00	15
	SKT/H/1-2/15D/UG	15 mm	8204	18%	259.00	12
	SKT/H/1-2/16D/UG	16 mm	8204	18%	259.00	12
	SKT/H/1-2/17D/UG	17 mm	8204	18%	259.00	10
	SKT/H/1-2/18D/UG	18 mm	8204	18%	278.00	10
	SKT/H/1-2/19D/UG	19 mm	8204	18%	278.00	10
	SKT/H/1-2/20D/UG	20 mm	8204	18%	294.00	8
	SKT/H/1-2/21D/UG	21 mm	8204	18%	294.00	8
	SKT/H/1-2/22D/UG	22 mm	8204	18%	335.00	6
	SKT/H/1-2/23D/UG	23 mm	8204	18%	423.00	6
	SKT/H/1-2/24D/UG	24 mm	8204	18%	364.00	6
	SKT/H/1-2/26D/UG	26 mm	8204	18%	588.00	6
	SKT/H/1-2/27D/UG	27 mm	8204	18%	466.00	6
	SKT/H/1-2/28D/UG	28 mm	8204	18%	677.00	4
	SKT/H/1-2/29D/UG	29 mm	8204	18%	683.00	4
	SKT/H/1-2/30D/UG	30 mm	8204	18%	587.00	4
	SKT/H/1-2/32D/UG	32 mm	8204	18%	630.00	4
SOCKET MERCHANTISER						
						
	SKT/H/1-2/UG/ST50	49 Hex Sockets in sizes: 7 pcs - 10 mm 7 pcs - 13 mm 7 pcs - 17 mm 6 pcs - 19 mm 5 pcs - 22 mm 5 pcs - 24 mm 4 pcs - 27 mm 4 pcs - 30 mm 4 pcs - 32 mm 1 Metal Merchandiser Stand	8204	18%	12,440.00	1

3/4" DRIVE

	3/4" HEX SOCKETS				
	SKT/H/3-4/22/MT	22 mm	8204	18%	511.00
	SKT/H/3-4/24/MT	24 mm	8204	18%	511.00
	SKT/H/3-4/27/MT	27 mm	8204	18%	530.00

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	SKT/H/3-4/28/MT	28 mm	8204	18%	592.00	6
	SKT/H/3-4/30/MT	30 mm	8204	18%	603.00	4
	SKT/H/3-4/32/MT	32 mm	8204	18%	681.00	4
	SKT/H/3-4/36/MT	36 mm	8204	18%	930.00	4
	SKT/H/3-4/38/MT	38 mm	8204	18%	985.00	4
	SKT/H/3-4/41/MT	41 mm	8204	18%	1,081.00	4
	SKT/H/3-4/46/MT	46 mm	8204	18%	1,405.00	4
	SKT/H/3-4/50/MT	50 mm	8204	18%	1,375.00	2

1" DRIVE

	1" HEX SOCKETS					
	SKT/H/0-1/36/MT	36 mm	8204	18%	1,446.00	4
	SKT/H/0-1/41/MT	41 mm	8204	18%	1,583.00	4
	SKT/H/0-1/46/MT	46 mm	8204	18%	1,872.00	4
	SKT/H/0-1/50/MT	50 mm	8204	18%	2,134.00	2
	SKT/H/0-1/55/MT	55 mm	8204	18%	2,685.00	2
	SKT/H/0-1/60/MT	60 mm	8204	18%	2,892.00	2
	SKT/H/0-1/65/MT	65 mm	8204	18%	3,407.00	1
	SKT/H/0-1/70/MT	70 mm	8204	18%	4,652.00	1
	SKT/H/0-1/75/MT	75 mm	8204	18%	5,213.00	1
	SKT/H/0-1/80/MT	80 mm	8204	18%	5,373.00	1

SOCKET ACCESSORIES

	SLIDING T BARS					
	SLTB/I-4/UG	1/4" Drive, Length: 4-1/2" (115 mm)	8204	18%	221.00	10
	SLTB/3-8/UG	3/8" Drive, Length: 6-1/2" (165 mm)	8204	18%	437.00	10
	SLTB/1-2/UG	1/2" Drive, Length: 10" (250 mm)	8204	18%	617.00	5
	SLTB/3-4/MT	3/4" Drive, Length: 18" (450 mm)	8204	18%	2,326.00	1
	SLTB/0-1/MT	1" Drive, Length: 22" (550 mm)	8204	18%	5,822.00	1
	FLEX HANDLE/ POWER BARS					
	DFH/3-8/9/MT	3/8" Drive, Length: 9" (225 mm)	8204	18%	877.00	5
	DFH/1-2/15/MT	1/2" Drive, Length: 15" (375 mm)	8204	18%	1,308.00	5
	DFH/3-4/20/MT	3/4" Drive , Length: 20" (500 mm)	8204	18%	7,328.00	5
	DFH/0-1/26/MT	1" Drive , Length: 26" (650 mm)	8204	18%	7,480.00	5
	EXTENSION BARS					
	DRXB/1-4/2/UG	1/4" Drive , Length: 2" (50 mm)	8205	18%	104.00	10
	DRXB/1-4/4/UG	1/4" Drive , Length: 4" (100 mm)	8205	18%	135.00	10
	DRXB/1-4/6/UG	1/4" Drive , Length: 6" (150 mm)	8204	18%	152.00	10
	DRXB/3-8/3/UG	3/8" Drive , Length: 3" (75 mm)	8205	18%	192.00	5
	DRXB/3-8/6/UG	3/8" Drive , Length: 6" (150 mm)	8205	18%	260.00	5
	DRXB/1-2/5/UG	1/2" Drive , Length: 5" (125 mm)	8204	18%	335.00	5
	DRXB/1-2/10/UG	1/2" Drive , Length: 10" (250 mm)	8204	18%	511.00	5
	DRXB/3-4/4/MT	3/4" Drive , Length: 4" (100 mm)	8204	18%	993.00	10
	DRXB/3-4/8/MT	3/4" Drive , Length: 8" (200 mm)	8204	18%	1,342.00	5
	DRXB/0-1/8/MT	1" Drive , Length: 8" (200 mm)	8204	18%	3,651.00	5
	DRXB/0-1/16/MT	1" Drive , Length: 16" (400 mm)	8204	18%	5,144.00	2

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
UNIVERSAL JOINTS						
	UVJ/1-4/UG	1/4" Drive	8204	18%	316.00	10
	UVJ/3-8/UG	3/8" Drive	8204	18%	391.00	5
	UVJ/1-2/UG	1/2" Drive	8204	18%	550.00	5
	UVJ/3-4/UG	3/4" Drive	8204	18%	2,784.00	5
SPEEDER HANDLE						
	SPDH/1-2/UG	1/2" Drive	8204	18%	1,446.00	5
ADAPTORS						
	SADP/1-4F/3-8M/UG	1/4" (F) to 3/8" (M)	8204	18%	97.00	5
	SADP/3-8F/1-4M/UG	3/8" (F) to 1/4" (M)	8204	18%	110.00	5
	SADP/3-8F/1-2M/UG	3/8" (F) to 1/2" (M)	8204	18%	167.00	5
	SADP/1-2F/3-8M/UG	1/2" (F) to 3/8" (M)	8204	18%	192.00	5
	SADP/1-2F/3-4M/UG	1/2" (F) to 3/4" (M)	8204	18%	387.00	5
	SADP/3-4F/1-2M/UG	3/4" (F) to 1/2" (M)	8204	18%	454.00	5
	SADP/3-4F/0-1M/UG	3/4" (F) to 1" (M)	8204	18%	1,198.00	2
	SADP/0-1F/3-4M/UG	1" (F) to 3/4" (M)	8204	18%	1,476.00	2
1/2" HEX SPARK PLUG SOCKETS						
	SKT/1-2/SP/16/UG	16 mm	8204	18%	212.00	5
	SKT/1-2/SP/21/UG	21 mm	8204	18%	271.00	5
L HANDLE						
	LDH/1-2/UG	1/2" Drive, Length: 5" (125 mm)	8204	18%	640.00	5
SPINNER HANDLE						
	DRSH/1-4/UG	1/4" Drive	8205	18%	312.00	10
FLEXIBLE EXTENSION						
	FLEX/1-4/G	1/4" Drive	8205	18%	245.00	10
RATCHET HANDLES						
	SLIM LINE RATCHET HANDLES			30% slimmer & lighter than any regular ratchet handle; Engages 60 tooth with 6-degree control for high torque; Quick-release button replaces sockets quickly with a push of a button; Reversible Lever Switch mode for clockwise or anti-clockwise direction		
	RTD/SL/1-4/UG	1/4" Drive, Torque: 80 Nm	8204	18%	1,846.00	5
	RTD/SL/3-8/UG	3/8" Drive, Torque: 270 Nm	8204	18%	2,307.00	5
	RTD/SL/1-2/UG	1/2" Drive, Torque: 670 Nm	8204	18%	2,895.00	5
	PUSH THROUGH RATCHET HANDLE			Ratchet rotates only in one direction To reverse, remove socket, push square drive out and re-attach socket on other end		
	RTD/PT/1-2/UG	1/2" Drive, Torque: 512 Nm	8204	18%	2,680.00	5
	ROUND HEAD RATCHET HANDLE			Classic round head design for reliable performance Spring loaded ball attaches onto sockets, preventing them from dropping		
	RTD/RH/3-4/MT	3/4" Drive, Torque: 1412 Nm	8205	18%	6,277.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	PEAR HEAD RATCHET HANDLE Classic pear head design for strength, durability and high performance					
	RTD/PH/3-4/MT	3/4" Drive, Torque: 2000 Nm	8205	18%	5,951.00	1
	RTD/PH/0-1/MT	1" Drive, Torque: 2515 Nm	8205	18%	12,107.00	1

SOCKET SETS IN METAL CASES

	3/4" DRIVE					
	3/4" HEX SOCKET SET - 14 PCS					
	KIT/SKT/H/3-4/14/MT	Constituents 10 pcs : 3/4" Hex Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm 1 pc : 3/4" Drive Round Head Ratchet Handle 2 pcs : 3/4" Extension Bar: 4" (100 mm), 8" (200 mm) 1 pc : 3/4" Sliding T Bar	8204	18%	20,758.00	1
	1" DRIVE					
	1" HEX SOCKET SET - 14 PCS					
	KIT/SKT/H/0-1/14/MT	Constituents 10 pcs : 1" Hex Sockets: 36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm 1 pc : 1" Ratchet Handle 2 pcs : 1" Extension: 8" (200 mm), 16" (400 mm) 1 pc : 1" Sliding T Bar	8204	18%	57,909.00	1

HAND SOCKET SETS IN BLOW MOULDED CASES

	1/4" DRIVE					
	1/4" HEX SOCKET SET - 19 PCS					
	KIT/SKT/H/1-4/19/UG	Constituents 13 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1 pc : 1/4" Ratchet Handle 2 pcs : 1/4" Extension Bar: 2" (50 mm), 4" (100 mm) 1 pc : 1/4" Universal Joint 1 pc : 1/4" Sliding T Bar 1 pc : 1/4" Spinner Handle	8204	18%	4,068.00	10
	1/4" HEX SOCKET SET - 42 PCS					
	KIT/SKT/H/1-4/42/UG	Constituents 13 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 6 pcs : 1/4" Hex Bit Socket: 3, 4, 5, 6, 7, 8 mm 3 pcs : 1/4" Slotted Bit Socket: 4, 5, 5.5, 7 mm 3 pcs : 1/4" Philips Bit Socket: PH1, PH2, PH3 3 pcs : 1/4" Pozi Bit Socket: PZ1, PZ2, PZ3 7 pcs : 1/4" Torx Bit Socket: T8, T10, T15, T20, T25, T30, T40 2 pc : 1/4" Extension Bar: 2" (50 mm), 4" (100 mm) 1 pc : 1/4" Spinner Handle 1 pc : 1/4" Flexible Extension 1 pc : 1/4" Universal Joint 1 pc : 1/4" Sliding T Bar 1 pc : 1/4" Ratchet Handle	8204	18%	6,096.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	1/2" DRIVE					
	1/2" HEX SOCKET SET - 13 PCS					
	KIT/SKT/H/1-2/13/UG	Constituents 11 pcs : 1/2" Hex Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm 1 pc : 1/2" Ratchet Handle 1 pc : 1/2" Extension Bar: 5" (125 mm)	8204	18%	5,313.00	5
	1/2" HEX SOCKET SET - 27 PCS					
	KIT/SKT/H/1-2/27/UG	Constituents 22 pcs : 1/2" Hex Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 29, 30, 32 mm 2 pcs : 1/2" Extension Bar: 5" (125 mm), 10" (250 mm) 1 pc : 1/2" Universal Joint 1 pc : 1/2" Sliding T-Bar 1 pc : 1/2" Ratchet Handle	8204	18%	9,026.00	5
HAND SOCKET SETS ON RAILS						
	1/4" DRIVE					
	1/4" HEX SOCKET SET - 9 PCS					
	KIT/SKT/H/1-4/9LH/UG	Constituents 8 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm 1 pc : 1/4" Ratchet Handle	8204	18%	2,487.00	5
	1/4" HEX SOCKET SET - 13 PCS					
	KIT/SKT/H/1-4/13L/UG	Constituents 13 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	8204	18%	1,140.00	5
	3/8" DRIVE					
	3/8" HEX SOCKET SET - 8 PCS					
	KIT/SKT/H/3-8/8L/UG	Constituents 8 pcs : 3/8" Hex Sockets: 6, 8, 10, 12, 13, 14, 17, 19 mm	8204	18%	888.00	5
	3/8" HEX SOCKET SET - 9 PCS					
	KIT/SKT/H/3-8/9LH/UG	Constituents 8 pcs : 3/8" Hex Sockets: 6, 8, 10, 12, 13, 14, 17, 19 mm 1 pc : 3/8" Ratchet Handle	8204	18%	3,259.00	5
	1/2" DRIVE					
	1/2" HEX SOCKET SET - 9 PCS					
	KIT/SKT/H/1-2/9L/UG	Constituents 9 pcs : 1/2" Hex Sockets: 9, 10, 12, 13, 14, 17, 19, 22 mm	8204	18%	1,393.00	5

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	1/2" HEX SOCKET SET - 11 PCS					
	KIT/SKT/H/1-2/11LH/UG	Constituents 10 pcs : 1/2" Hex Sockets: 8, 9, 10, 12, 13, 14, 17, 19, 22, 24 mm 1 pc : 1/2" Ratchet Handle	8204	18%	4,257.00	5
	1/2" SPLINE BIT SOCKET SET - 6 PCS					
	KIT/BIT-SKT/SPL/1-2/6/UG	Constituents 6 pcs : 1/2" Spline Bit Sockets 55 mm length: M6, M8, M10 100 mm length: M8, M10, M12	8204	18%	1,930.00	5
	1/2" HEX BIT SOCKET SET - 8 PCS					
	KIT/BIT-SKT/H/1-2/8/UG	Constituents 8 pcs : 1/2" Hex Bit Sockets: 5, 6, 7, 8, 10, 12, 14, 17 mm	8204	18%	2,110.00	5
	1/2" TORX BIT SOCKET SET - 9 PCS					
	KIT/BIT-SKT/TX/1-2/9/UG	Constituents 9 pcs : 1/2" Torx Bit Sockets: T20, T25, T27, T30, T40, T45, T50, T55, T60	8204	18%	2,211.00	5

IMPACT SOCKETS HEX

Chrome Molybdenum Construction, precision machined & heat treated
Pin hole facilitates use with impact tools with pin & ring retaining mechanism

	1/2" DRIVE					
	1/2" HEX IMPACT SOCKETS					
	ISKT/H/1-2/10	10 mm	8204	18%	162.00	15
	ISKT/H/1-2/11	11 mm	8204	18%	162.00	15
	ISKT/H/1-2/12	12 mm	8204	18%	162.00	15
	ISKT/H/1-2/13	13 mm	8204	18%	162.00	15
	ISKT/H/1-2/14	14 mm	8204	18%	162.00	15
	ISKT/H/1-2/15	15 mm	8204	18%	167.00	12
	ISKT/H/1-2/16	16 mm	8204	18%	167.00	12
	ISKT/H/1-2/17	17 mm	8204	18%	167.00	10
	ISKT/H/1-2/18	18 mm	8204	18%	208.00	10
	ISKT/H/1-2/19	19 mm	8204	18%	208.00	10
	ISKT/H/1-2/21	21 mm	8204	18%	235.00	8
	ISKT/H/1-2/24	24 mm	8204	18%	267.00	6
	ISKT/H/1-2/27	27 mm	8204	18%	398.00	6

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
1/2" DRIVE						
1/2" HEX IMPACT SOCKETS - DEEP						
	ISKT/H/1-2/14D	14 mm	8204	18%	296.00	15
	ISKT/H/1-2/17D	17 mm	8204	18%	362.00	10
	ISKT/H/1-2/18D	18 mm	8204	18%	362.00	10
	ISKT/H/1-2/19D	19 mm	8204	18%	362.00	10
	ISKT/H/1-2/20D	20 mm	8204	18%	362.00	8
	ISKT/H/1-2/21D	21 mm	8204	18%	362.00	8
	ISKT/H/1-2/23D	23 mm	8204	18%	410.00	6
	ISKT/H/1-2/24D	24 mm	8204	18%	450.00	6
3/4" DRIVE						
3/4" HEX IMPACT SOCKETS						
	ISKT/H/3-4/17	17 mm	8204	18%	718.00	10
	ISKT/H/3-4/19	19 mm	8204	18%	718.00	8
	ISKT/H/3-4/21	21 mm	8204	18%	718.00	6
	ISKT/H/3-4/22	22 mm	8204	18%	718.00	6
	ISKT/H/3-4/24	24 mm	8204	18%	718.00	6
	ISKT/H/3-4/27	27 mm	8204	18%	718.00	6
	ISKT/H/3-4/28	28 mm	8204	18%	864.00	6
	ISKT/H/3-4/29	29 mm	8204	18%	800.00	4
	ISKT/H/3-4/30	30 mm	8204	18%	813.00	4
	ISKT/H/3-4/33	33 mm	8204	18%	883.00	4
	ISKT/H/3-4/35	35 mm	8204	18%	883.00	4
	ISKT/H/3-4/36	36 mm	8204	18%	909.00	4
	ISKT/H/3-4/38	38 mm	8204	18%	909.00	4
	ISKT/H/3-4/41	41 mm	8204	18%	934.00	4
	ISKT/H/3-4/46	46 mm	8204	18%	1,081.00	2
3/4" DRIVE						
3/4" HEX IMPACT SOCKETS - DEEP						
	ISKT/H/3-4/24D	24 mm	8204	18%	951.00	4
	ISKT/H/3-4/27D	27 mm	8204	18%	988.00	4
	ISKT/H/3-4/28D	28 mm	8204	18%	988.00	4
1" DRIVE						
1" HEX IMPACT SOCKETS						
	ISKT/H/0-1/19	19 mm	8204	18%	1,189.00	8
	ISKT/H/0-1/22	22 mm	8204	18%	1,189.00	6
	ISKT/H/0-1/24	24 mm	8204	18%	1,207.00	6
	ISKT/H/0-1/26	26 mm	8204	18%	1,268.00	6
	ISKT/H/0-1/27	27 mm	8204	18%	1,268.00	6
	ISKT/H/0-1/29	29 mm	8204	18%	1,397.00	4
	ISKT/H/0-1/30	30 mm	8204	18%	1,397.00	4

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	ISKT/H/0-1/32	32 mm	8204	18%	1,397.00	4
	ISKT/H/0-1/33	33 mm	8204	18%	1,397.00	4
	ISKT/H/0-1/35	35 mm	8204	18%	1,397.00	4
	ISKT/H/0-1/36	36 mm	8204	18%	1,397.00	4
	ISKT/H/0-1/38	38 mm	8204	18%	1,525.00	4
	ISKT/H/0-1/41	41 mm	8204	18%	1,638.00	4
	ISKT/H/0-1/46	46 mm	8204	18%	2,182.00	4
	ISKT/H/0-1/50	50 mm	8204	18%	2,481.00	2
	ISKT/H/0-1/55	55 mm	8204	18%	3,174.00	2
	ISKT/H/0-1/60	60 mm	8204	18%	4,063.00	1
	ISKT/H/0-1/65	65 mm	8204	18%	4,444.00	1


1" DRIVE
1" HEX IMPACT SOCKET - DEEP


ISKT/H/0-1/27D	27 mm	8204	18%	1,669.00	4
ISKT/H/0-1/30D	30 mm	8204	18%	1,669.00	2
ISKT/H/0-1/32D	32 mm	8204	18%	1,669.00	2
ISKT/H/0-1/33D	33 mm	8204	18%	1,669.00	2

IMPACT WRENCHES
3/8" IMPACT WRENCH

	IPW/201	Body Type : Aluminium Max Torque : 360 Nm Net Weight : .35 Kg Hammer Mechanism : Jumbo	8204	18%	21,855.00	1
---	---------	---	------	-----	-----------	---

1/2" IMPACT WRENCH

	IPW/301	Body Type : Aluminium Max Torque : 1223 Nm Net Weight : 2.56 Kg Hammer Mechanism : Twin	8204	18%	20,085.00	1
---	---------	--	------	-----	-----------	---

	IPW/302	Body Type : Aluminium Max Torque : 500 Nm Net Weight : 2 Kg Hammer Mechanism : Rocking Dog	8204	18%	5,619.00	1
---	---------	---	------	-----	----------	---

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	IPW/305	Body Type : Composite Max Torque : 1356 Nm Net Weight : 2.3 Kg Hammer Mechanism : Twin	8204	18%	22,692.00	1
	IPW/306	Body Type : Composite Max Torque : 1200 Nm Net Weight : 2.1 Kg Hammer Mechanism : Twin	8204	18%	13,055.00	1
3/4" IMPACT WRENCH						
	IPW/402	Body Type : Composite Max Torque : 2305 Nm Net Weight : 4.19 Kg Hammer Mechanism : Improved Twin	8204	18%	50,047.00	1
1" D-HANDLE IMPACT WRENCH						
	IPW/502	Body Type : Aluminium Max Torque : 2400 Nm Net Weight : 11 Kg Hammer Mechanism : Twin	8204	18%	60,154.00	1
1" IMPACT WRENCH						
	IPW/503	Body Type : Composite Max Torque : 2305 Nm Net Weight : 4.24 Kg Hammer Mechanism : Improved Twin	8204	18%	52,901.00	1
RATCHET WRENCHES						
	RTW/201	Body Type : Aluminium Max Torque : 68 Nm Net Weight : 1.17 Kg Square Drive : 3/8"	8204	18%	10,066.00	1
	RTW/301	Body Type : Aluminium Max Torque : 68 Nm Net Weight : 1.17 Kg Square Drive : 1/2"	8204	18%	10,322.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
TORQUE TOOLS						
		PROFESSIONAL RATCHETING TORQUE WRENCHES Chrome Molybdenum alloy square drive To tighten move Torque Wrench clockwise. Reverse ratchet to loosen nuts & fasteners Accuracy: ± of reading. Comes with calibration certificate in a blow moulded case				
	TQW/RT/3-8/25	Square Drive : 3/8" Torque Range : 5-25 Nm	8204	18%	14,000.00	1
	TQW/RT/3-8/50	Square Drive : 3/8" Torque Range : 10-50 Nm	8204	18%	14,000.00	1
	TQW/RT/1-2/100	Square Drive : 1/2" Torque Range : 20-100 Nm	8204	18%	14,777.00	1
	TQW/RT/1-2/200	Square Drive : 1/2" Torque Range : 40-200 Nm	8204	18%	15,557.00	1
	TQW/RT/1-2/340	Square Drive : 1/2" Torque Range : 60-340 Nm	8204	18%	17,114.00	1
AUTOMOTIVE TOOLS & ACCESSORIES						
		TYRE LEVERS				
	TLVR/16	Length : 16" (400 mm)	8203	18%	421.00	10
	TLVR/21	Length : 21" (530 mm)	8203	18%	561.00	10
	TLVR/24	Length : 24" (600 mm)	8203	18%	633.00	10
		OIL FILTER WRENCH				
	STW/12G	Aluminium I-beam handle with non-marring nylon belt Handle Length: 12" (300 mm) For objects with dia: 9" (230mm)	8204	18%	1,081.00	25
		PISTON RING COMPRESSORS				
	PRC/1-2/53-125-75	Size : Small Ring Dia : 53 mm - 125 mm Height : 75 mm	8204	18%	961.00	10
	PRC/1-2/60-175-100	Size : Medium Ring Dia : 60 mm - 175 mm Height : 100 mm	8204	18%	990.00	10
	PRC/1-2/60-175-150	Size : Large Ring Dia : 60 mm - 175 mm Height : 150 mm	8204	18%	1,722.00	10
BEARING PULLERS						
		2 JAW BEARING PULLERS				
	BPL/2J/3	Max. Reach : 75 mm Safe Working Load : 2 Ton	8206	18%	1,958.00	5
	BPL/2J/4	Max. Reach : 100 mm Safe Working Load : 4 Ton	8206	18%	2,943.00	5
	BPL/2J/6	Max. Reach : 150 mm Safe Working Load : 6 Ton	8206	18%	5,375.00	5
	BPL/2J/8	Max. Reach : 200 mm Safe Working Load : 10 Ton	8206	18%	10,012.00	1
		3 JAW BEARING PULLERS				
	BPL/3J/3	Max. Reach : 75 mm Safe Working Load : 3 Ton	8206	18%	2,874.00	5
	BPL/3J/4	Max. Reach : 100 mm Safe Working Load : 6 Ton	8206	18%	4,054.00	5
	BPL/3J/6	Max. Reach : 150 mm Safe Working Load : 9 Ton	8206	18%	7,434.00	1
	BPL/3J/8	Max. Reach : 200 mm Safe Working Load : 15 Ton	8206	18%	12,959.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
JACKS						
BOTTLE JACKS Welded construction for leak-proof performance; 50% safety overload factor; Forged Steel base for better stability; Comes with 'Load Limiting Device'		  				
	JACK/BT/2W	Capacity : 2 Ton Lift Range : 175-339 mm	8425	18%	2,457.00	1
	JACK/BT/4W	Capacity : 4 Ton Lift Range : 190-368 mm	8425	18%	2,914.00	1
	JACK/BT/12W	Capacity : 12 Ton Lift Range : 230-465 mm	8425	18%	5,091.00	1
	JACK/BT/20W	Capacity : 20 Ton Lift Range : 240-450 mm	8425	18%	7,406.00	1
	JACK/BT/32W	Capacity : 32 Ton Lift Range : 260-420 mm	8425	18%	14,566.00	1
	JACK/BT/50W	Capacity : 50 Ton Lift Range : 280-450 mm	8425	18%	21,388.00	1
	FLOOR JACK Heavy duty steel body with 2 piece steel handle Hydraulic oil bypass system protects ram from being overextended Built in safety valve protect against overloading					
	JACK/FL/3D	Fast lifting design for Quick Jump Start to reach lifting point Capacity : 3 Ton Lift Range : 133-465 mm (5-1/4"-18-1/4") Weight : 33 Kg	8425	18%	21,525.00	1
SCREWDRIVERS						
	ACETATE SCREWDRIVERS					
	STANDARD - SLOTTED TIP					
	SCDR/PA/FL6/100	FL6 x 100	8205	18%	83.00	10
	SCDR/PA/FL6/150	FL6 x 150	8205	18%	103.00	10
	SCDR/PA/FL6/200	FL6 x 200	8205	18%	109.00	10
	SCDR/PA/FL8/200	FL8 x 200	8205	18%	156.00	10
	SCDR/PA/FL8/250	FL8 x 250	8205	18%	170.00	10
	SCDR/PA/FL8/300	FL8 x 300	8205	18%	176.00	10
	SCDR/PA/FL10/400	FL10 x 400	8205	18%	322.00	10
	SCDR/PA/FL10/450	FL10 x 450	8205	18%	340.00	10
	STANDARD - PHILLIPS TIP					
	SCDR/PA/PH2/150	PH2 x 150	8205	18%	134.00	10
	SCDR/PA/PH2/200	PH2 x 200	8205	18%	140.00	10
	INSULATED - SLOTTED TIP					
	SCDR/PA/FL5/200/I	FL5 x 200, Insulated	8205	18%	109.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	INSULATED - 2 IN 1					
	SCDR/PA/FL6/PH2/100	FL6 × PH2 × 100	8205	18%	117.00	10
	SCDR/PA/FL6/PH2/100/I	FL6 × PH2 × 100	8205	18%	126.00	10
	SCDR/PA/FL6/PH2/140/I	FL6 × PH2 × 140	8205	18%	131.00	10
	SCDR/PA/FL6/PH2/250/I	FL6 × PH2 × 250	8205	18%	150.00	10
	STRIKE THROUGH SCREWDRIVER					
	SCDR/PA/FL8/210/SR	FL6 × 210	8205	18%	199.00	10
	VDE SCREWDRIVER					
	SUITABLE FOR LIVE WIRE WORKING					
SCDR/VDE/7/ST	Slotted: 6.5 x 150 mm, 5.5 x 125mm, 4 x 100mm, 3 x 100mm Phillip: PH1 x 80mm, PH2 x 100mm Voltage Tester: VT 110-250	8205	18%	2,111.00	10	
	VOLTAGE TESTER					
	VT/110-250	Voltage Tester, 110 - 250V VDE Approved	9024	18%	286.00	10
HEXAGON KEY SETS						
	S2 STEEL					
	ALN/HX-BL/7L/GRZ	7 pc Set, Long, Ball End Metric: 2.5mm - 10mm	8204	18%	1,327.00	10
	ALN/HX-BL/7L/SAE/GRZ	7 pcs Set, Long, Ball End Imperial: 3/32" - 3/8"	8204	18%	1,379.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	ALN/HX-BL/9EL/GRZ	9 pcs Set, Extra Long, Ball End Metric: 1.5mm - 10mm	8204	18%	1,393.00	10
	ALN/TX-TX/9L/GRZ	9 pcs Set, Long, T10 - T50	8204	18%	1,922.00	10
	CHROME VANADIUM					
	ALN/HX-HX/8/GRZ	8 pcs Set, Crv Steel Metric : 1.5 mm - 6 mm	8204	18%	393.00	10
	ALN/HX-HX/10/GRZ	10 pcs Set, Crv Steel Metric : 1.5 mm - 10 mm	8204	18%	372.00	10
	ALN/HX-HX/10/SAE/GRZ	10 pcs Set, Crv Steel Imperial : 1/16" - 3/8"	8204	18%	369.00	10
	ALN/HX-HX/25/GRZ	25 pcs Set, Crv Steel 13 pcs Metric : 1.5 mm - 10 mm 12 pcs Imperial : 1/16" - 3/8"	8204	18%	1,124.00	10
	ALN/HX-HX/7/GRZ	7 pcs Set, Crv Steel Metric : 2.5 mm - 10 mm	8204	18%	774.00	10
	ALN/TX-TX/8/GRZ	8 Pcs Set, Crv Steel T9 - T40	8204	18%	723.00	10
TOOL STORAGE						
	PORTABLE WORKSTATIONS					
	MTB/7	27" 7 Drawer Portable Workstation Trolley Load Capacity : 450 Kg	7310	18%	57,702.00	1


	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
 MTB/50	MTB/50	27" 5 Drawer Portable Workstation Trolley Load Capacity : 450 Kg	8204	18%	50,825.00	1
	5 TRAY CANTILEVER TOOL BOX					
	MTB/5	5 tray cantilever tool box Load Capacity : 35 Kg	7310	18%	4,438.00	1
	MTB/5T	5 tray cantilever tool box with Trolley Load Capacity : 35 Kg	7310	18%	6,509.00	1
	BDL/MTB/5	Tool Box Trolley	8467	18%	2,159.00	1
	5 TRAY CANTILEVER TOOL BOX WITH TOOLS					
	MTB/5/64/AU	64 pcs tools assortment for use in automotive workshops & service stations	8204	18%	29,366.00	1
	MTB/5/84/AU	84 pcs tools assortment for use in automotive workshops & service stations	8205	18%	42,101.00	1
	NYLON TOOL BAGS					
	NTB/1	Size : 420 x 260 x 300 Load Capacity : 30 Kg	8205	18%	2,529.00	1
	NTB/2	Size : 455 x 280 x 300 Load Capacity : 60 Kg	8205	18%	3,015.00	1
	NTB/3	Size : 300 x 225 x 140 Load Capacity : 10 Kg	8205	18%	1,588.00	1
	BACK PACK					
	NTB/4	Durable backpack with multiple pockets & divisions Size : 490 x 350 x 430 mm	8205	18%	3,345.00	1

SPANNERS & WRENCHES

	SPANNERS					
	REVERSIBLE RATCHETING COMBINATION SPANNERS					
	CSP/RRT/8/UG	8 mm	8204	18%	978.00	5
	CSP/RRT/10/UG	10 mm	8204	18%	992.00	5
	CSP/RRT/12/UG	12 mm	8204	18%	1,100.00	5
	CSP/RRT/13/UG	13 mm	8204	18%	1,157.00	5
	CSP/RRT/14/UG	14 mm	8204	18%	1,238.00	5
	CSP/RRT/17/UG	17 mm	8204	18%	1,513.00	5
	CSP/RRT/19/UG	19 mm	8204	18%	1,788.00	5
	CSS/RRT/7ST/UG	7 pcs Spanners Set Size: 8, 10, 12, 13, 14, 17, 19 mm	8204	18%	10,665.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.	
	RING SPANNER						
	RSP/SF/6-7/S	6 × 7 mm	8204	18%	114.00	10	
	RSP/SF/8-9/S	8 × 9 mm	8204	18%	123.00	10	
	RSP/SF/10-11/S	10 × 11 mm	8204	18%	141.00	10	
	RSP/SF/12-13/S	12 × 13 mm	8204	18%	160.00	10	
	RSP/SF/14-15/S	14 × 15 mm	8204	18%	198.00	10	
	RSP/SF/16-17/S	16 × 17 mm	8204	18%	255.00	10	
	RSP/SF/18-19/S	18 × 19 mm	8204	18%	302.00	10	
	RSP/SF/20-22/S	20 × 22 mm	8204	18%	385.00	10	
	RSP/SF/21-23/S	21 × 23 mm	8204	18%	443.00	10	
	RSP/SF/24-27/S	24 × 27 mm	8204	18%	535.00	10	
	RSP/SF/25-28/S	25 × 28 mm	8204	18%	614.00	10	
	RSP/SF/30-32/S	30 × 32 mm	8204	18%	823.00	10	
RSS/SF/12/ST	12 pc Metric Set: 6 × 7, 8 × 9, 10 × 11, 12 × 13, 14 × 15, 16 × 17, 18 × 19, 20 × 22, 21 × 23, 24 × 27, 25 × 28, 30 × 32 mm	8204	18%	4,269.00	1		
	DOUBLE OPEN END SPANNER						
	DOSP/SF/6-7/S	6 × 7 mm	8204	18%	71.00	10	
	DOSP/SF/8-9/S	8 × 9 mm	8204	18%	78.00	10	
	DOSP/SF/10-11/S	10 × 11 mm	8204	18%	85.00	10	
	DOSP/SF/12-13/S	12 × 13 mm	8204	18%	101.00	10	
	DOSP/SF/14-15/S	14 × 15 mm	8204	18%	122.00	10	
	DOSP/SF/16-17/S	16 × 17 mm	8204	18%	188.00	10	
	DOSP/SF/18-19/S	18 × 19 mm	8204	18%	223.00	10	
	DOSP/SF/20-22/S	20 × 22 mm	8204	18%	231.00	10	
	DOSP/SF/21-23/S	21 × 23 mm	8204	18%	290.00	10	
	DOSP/SF/24-27/S	24 × 27 mm	8204	18%	352.00	10	
	DOSP/SF/25-28/S	25 × 28 mm	8204	18%	422.00	10	
	DOSP/SF/30-32/S	30 × 32 mm	8204	18%	513.00	10	
DOSS/SF/12/ST	12 pc Metric Set: 6 × 7, 8 × 9, 10 × 11, 12 × 13, 14 × 15, 16 × 17, 18 × 19, 20 × 22, 21 × 23, 24 × 27, 25 × 28, 30 × 32 mm	8204	18%	2,803.00	1		
PLIERS & CUTTERS							
	INSULATION PLIERS						
	COMBINATION PLIERS						
	CPL/CV/6#1	Length : 6"	8203	18%	420.00	72	
	CPL/CV/7#1	Length : 7"	8203	18%	465.00	72	
CPL/CV/8 #1	Length : 8"	8203	18%	550.00	54		
	LONG NOSE PLIERS						
	LNP/CV/6 #1	Length : 6"	8203	18%	420.00	72	
	LNP/CV/7#1	Length : 7"	8203	18%	465.00	72	
LNP/CV/8 #1	Length : 8"	8203	18%	502.00	72		
	SIDE CUTTING PLIERS						
	SCP/CV/6 #1	Length : 6"	8203	18%	420.00	72	
	SCP/CV/7#1	Length : 7"	8203	18%	465.00	72	

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	CIRCLIP PLIERS					
	CLP/ST/E/150	Length: 150 mm, External Straight	8203	18%	408.00	54
	CLP/ST/E/175	Length: 175 mm, External Straight	8203	18%	419.00	54
	CLP/ST/I/150	Length: 150 mm, Internal Straight	8203	18%	408.00	54
	CLP/ST/I/175	Length: 175 mm, Internal Straight	8203	18%	419.00	54
	CLP/BND/E/150	Length: 150 mm, External Bent	8203	18%	408.00	54
	CLP/BND/E/175	Length: 175 mm, External Bent	8203	18%	419.00	54
	CLP/BND/I/150	Length: 150 mm, Internal Bent	8203	18%	408.00	54
CLP/BND/I/175	Length: 175 mm, Internal Bent	8203	18%	419.00	54	
	WATER PUMP PLIERS					
	WPP/BJ/7/CV	Size: 7", Length 175 mm	8203	18%	423.00	10
	WPP/BJ/10/CV	Size: 10", Length 250 mm	8203	18%	584.00	10
	WPP/BJ/12/CV	Size: 12", Length 300 mm	8203	18%	703.00	8
	WPP/BJ/16/CV	Size: 16", Length 400 mm	8203	18%	2,114.00	5
	ADJUSTABLE WRENCHES					
	AWR/CV/8	Length: 8" (200 mm)	8203	18%	402.00	10
	AWR/CV/10	Length: 10" (250 mm)	8203	18%	610.00	10
	AWR/CV/12	Length: 12" (300 mm)	8203	18%	804.00	10
	TAP WRENCHES Extra Heavy Duty industrial quality straight handle tap wrenches					
	ARWR/SG/0	Body : Forged Square size : 2.0 - 7.35 mm Tap size : M1 - M6 mm Length : 133 mm	8204	18%	687.00	20
	ARWR/SG/00	Body : Die-cast Square size : 2.5 - 12.0 mm Tap size : M1 - M12 mm Length : 200 mm	8204	18%	592.00	20
	ARWR/SG/5	Body : Forged Square size : 4.25 - 14.4 mm Tap size : M4 - M16 mm Length : 270 mm	8204	18%	690.00	10
	ARWR/SG/6	Body : Forged Square size : 4.25 - 17.7 mm Tap size : M4 - M20 mm Length : 370 mm	8204	18%	1,200.00	10
	ARWR/SG/7	Body : Die-cast Square size : 6.8 - 23.35 mm Tap size : M6 - M30 mm Length : 490 mm	8204	18%	1,698.00	10
	ARWR/SG/8	Body : Die-cast Square size : 9.2 - 36.0 mm Tap size : M9 - M45 mm Length : 740 mm	8204	18%	3,200.00	5

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
KNIVES						
	RETRA KNIFE Quick change blade operation; In-built storage compartment upto 6 blades (included); Ergonomic TPR handle for comfort; Each blade can be used twice	KNV/R/6	Retractable Knife with SK2 Steel blades	8205	18%	1,748.00
	RETRACTABLE UTILITY KNIFE					
	KNV/5	Retractable utility knife Aluminium Die cast body, SK2 Steel blade	8205	18%	470.00	6
	BLD/KNV/5/ST	Set of 10 blades	8205	18%	234.00	10
	KNV/10	Construction Knife Zinc Body, SK2 Blades	8205	18%	774.00	6
	KNV/R/7	Retractable Utility Knife Zinc Body, SK2 Blades	8205	18%	1,093.00	6
	KNV/S/1	Snap off Knife Aluminium Body, SK2 Blades	8205	18%	315.00	10
	BLD/KNV/S/1/ST	Spare Blades for Snap off Knife Set of 10	8205	18%	200.00	10
STRIKING TOOLS						
	DOUBLE FACE PLASTIC MALLET					
	HMR/SF/25	Multipurpose striking tool used for light hammering applications, fitted with plastic & rubber head	8205	18%	718.00	8
	CENTRE PUNCHES ROUND HEAD					
	CP/5-64	Point size : 5/64" (2 mm) Body Dia. : 5/16" (8 mm)	8207	18%	129.00	20
	CP/5-32	Point size : 5/32" (4 mm) Body Dia. : 3/8" (10 mm)	8207	18%	129.00	20
	CP/1-4	Point size : 1/4" (6 mm) Body Dia. : 7/16" (11 mm)	8207	18%	166.00	25
VICES & CLAMPS						
	BENCH VICES - FIXED BASE					
	BV/F/75	Jaw width : 75 mm Jaw opening : 100 mm Net wt. : 5.5 Kg	8205	18%	3,855.00	4
	BV/F/100	Jaw width : 100 mm Jaw opening : 125 mm Net wt. : 9.7 Kg	8205	18%	5,800.00	3
	BV/F/125	Jaw width : 125 mm Jaw opening : 150 mm Net wt. : 14.7 Kg	8205	18%	7,874.00	2
	BV/F/150	Jaw width : 150 mm Jaw opening : 175 mm Net wt. : 18.2 Kg	8205	18%	10,226.00	1
	BV/F/200	Jaw width : 200 mm Jaw opening : 200 mm Net wt. : 30.40 Kg	8205	18%	16,202.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
G CLAMPS GENERAL PURPOSE						
	GCL/13D/50	Capacity : 50 mm Throat depth : 42 mm Frame proof load : 363 Kg	8205	18%	510.00	20
	GCL/13D/75	Capacity : 75 mm Throat depth : 44 mm Frame proof load : 455 Kg	8205	18%	651.00	20
	GCL/13D/100	Capacity : 100 mm Throat depth : 59 mm Frame proof load : 545 Kg	8205	18%	806.00	20
	GCL/13D/150	Capacity : 150 mm Throat depth : 75 mm Frame proof load : 635 Kg	8205	18%	1,035.00	15
	GCL/13D/200	Capacity : 200 mm Throat depth : 80 mm Frame proof load : 775 Kg	8205	18%	1,469.00	8
	GCL/13D/250	Capacity : 250 mm Throat depth : 90 mm Frame proof load : 1000 Kg	8205	18%	2,283.00	8
	GCL/13D/300	Capacity : 300 mm Throat depth : 100 mm Frame proof load : 1135 Kg	8205	18%	2,878.00	8

SPRING CALIPERS & DIVIDERS

	INSIDE CALIPERS					
	ID/EC/4	Inside Caliper : Size 100 mm (4")	9017	18%	218.00	10
	ID/EC/6	Inside Caliper : Size 150 mm (6")	9017	18%	275.00	10
	ID/EC/8	Inside Caliper : Size 200 mm (8")	9017	18%	381.00	5
	ID/EC/10	Inside Caliper : Size 250 mm (10")	9017	18%	479.00	5
	ID/EC/12	Inside Caliper : Size 300 mm (12")	9017	18%	605.00	5
	OUTSIDE CALIPERS					
	OD/EC/4	Outside Caliper : Size 100 mm (4")	9017	18%	218.00	10
	OD/EC/6	Outside Caliper : Size 150 mm (6")	9017	18%	275.00	10
	OD/EC/8	Outside Caliper : Size 200 mm (8")	9017	18%	381.00	5
	OD/EC/10	Outside Caliper : Size 250 mm (10")	9017	18%	479.00	5
	OD/EC/12	Outside Caliper : Size 300 mm (12")	9017	18%	605.00	5
	SPRING DIVIDERS					
	DD/EC/4	Spring Divider : Size 100 mm (4")	8205	18%	218.00	10
	DD/EC/6	Spring Divider : Size 150 mm (6")	8205	18%	275.00	10
	DD/EC/8	Spring Divider : Size 200 mm (8")	8205	18%	381.00	5
	DD/EC/10	Spring Divider : Size 250 mm (10")	8205	18%	479.00	5
	DD/EC/12	Spring Divider : Size 300 mm (12")	8205	18%	605.00	5

HACKSAW FRAMES & BLADES

	HANDYMAN'S HACKSAW					
	HF/15/BS	Aluminium Die cast handle with tubular frame Adjustable for 10" & 12" blade Complete with 12" (300 mm) chrome alloy steel blade	8202	18%	564.00	12
HACKSAW FRAME PROFESSIONAL						
	HF/12/RB	Black plated frame with red powder coated handle Complete with 12" (300 mm) chrome alloy steel blade	8202	18%	602.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
SPECIALITY HAND TOOLS						
	2 JAW HAND RIVETER RT/FH-10	Suitable for riveting Aluminium POP Rivets and Stainless Steel Rivets Complete with 4 nose pieces for a range of rivets sizes 1pc : 3/32" (2.4 mm) 1pc : 1/8" (3.2 mm) 1pc : 5/32" (4.0 mm) 1pc : 3/16" (4.8 mm)	8205	18%	1,441.00	5
LED WORK LIGHTS						
	WORK LIGHTS 7W LED WATERPROOF SPOTLIGHT 7W LED handheld spotlight with 400m distance	 700	 4.5 HRS at lowest intensity	 4 HRS	 400M / 1312'	 70°
	LED/402	Lumen: 700 Power Source: 3.7V, 2200 mAh Li-ion Battery, DC Car Charger Water Proof Spotlight CE, RoHs, CREE	9405	12%	4,768.00	1
	3W COB RECHARGEABLE PEN LIGHT Super bright, dual function portable worklight & top torch	 180	 1.5 HRS	 3 HRS	 120°	
	LED/335	Lumen: 180 Power Source: 3.7V, 800 mAh Li-ion Battery Adjustable Pocket Clip CE, RoHs rated	9405	12%	1,443.00	1
	FLASHLIGHTS 2W COB RECHARGEABLE POCKET FLASHLIGHT	 200	 3 HRS	 3 HRS	 90°	
	LED/150	Lumen: 200 Power Source: 3.7V, 1800 mAh Li-ion Battery Power Bank CE, RoHs rated	9405	12%	3,045.00	1
	3W LED SLIM PEN LIGHT Extra-ordinary, high quality slim pen light designed for the professional user	 150	 8 HRS at lowest intensity	 50M / 164'	 20°	
	LED/160	Lumen: 150 Power Source: 2 x AAA Battery CE, RoHs rated	9405	12%	2,587.00	1
	TELESCOPIC MAGNETIC PICK-UP LIGHT Dual Purpose Light	 30	 4 HRS	 10M / 32'	 15°	
	LED/131	Lumen: 30 Power Source: 4 x 1.5 LR44 Batteries	9405	12%	1,472.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	3W COB POCKET FLASHLIGHT 3W COB LED light				  	
	LED/140	Lumen: 150 Power Source: 3 x AAA Alkaline Batteries CE, RoHS rated	9405	12%	726.00	1

FLUID HANDLING EQUIPMENT

	GREASING EQUIPMENT					
	LEVER GREASE GUN DOUBLE PISTON High Output Greasing Solution for high volume and frequent greasing applications					
	G2R/B	Pressure : Upto 6000 PSI Delivers : Upto 2.4 gm/stroke Complete with 150 mm bent steel extension & coupler or 300 mm flexible hose	8205	18%	1,349.00	16
	LEVER GREASE GUNS HEAVY DUTY - V SERIES					
	V1R/HD/CP/B	Pressure : Upto 10,000 PSI Delivers : Upto 1 gm/stroke Complete with 150 mm rigid steel extension & 4 jaw coupler, Zinc plated	8205	18%	1,159.00	16
	V1R/HD/BL/B	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Complete with 150 mm rigid steel extension & 4 jaw coupler, Black finish	8205	18%	1,056.00	16
	LEVER GREASE GUNS - V SERIES					
	V1R/B	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Complete with 150 mm rigid steel extension & 4 jaw coupler, Orange finish	8205	18%	1,014.00	16
	LEVER GREASE GUN - SUPER VALUE					
	G1R/B/T/EC/BL/G	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Complete with 150 mm rigid steel extension & 4 jaw coupler	8205	18%	1,020.00	16
	MINI LEVER GREASE GUN					
	G14R/B	Pressure : Upto 6,000 PSI Delivers : Upto 0.55 gm/stroke Complete with 150 mm steel extension & 4 jaw coupler	8205	18%	755.00	30
	MINI PISTOL GREASE GUN - DELUXE					
	G-16/B	Pressure : Upto 3,500 PSI Deliver : Upto 0.40 gm/stroke Complete with 100 mm rigid steel extension & 4 jaw coupler	8205	18%	760.00	30
	HYDRAULIC COUPLER STANDARD					
	HC/11/4/B	4 Jaw coupler, 3,000 PSI Threaded 1/8" BSPT	8205	18%	100.00	500
	HC/11/4/BSP	4 Jaw coupler, 3,000 PSI Threaded 1/8" BSP	8205	18%	100.00	100

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
		HYDRAULIC COUPLER PROFESSIONAL				
HC/14/3/B	3 Jaw coupler 6,000 PSI	8205	18%	136.00	100	
HC/14/4/B	4 Jaw coupler 6,000 PSI	8205	18%	136.00	100	
		HYDRAULIC COUPLER HEAVY DUTY				
HC/12/4/B	4 Jaw coupler 10,000 PSI	8205	18%	219.00	100	
		BUTTON HEAD CONNECTORS – FIXED PUSH ON				
PCN/1/B	For 5/8" (16mm) Button Head Fittings Upto 3000 PSI	8205	18%	294.00	10	
PCN/2/B	For 7/8" (22mm) Button Head Fittings Upto 7500 PSI	8205	18%	678.00	10	
PCN/3/B	For 5/8" (16mm) Button Head Fitting Upto 6000 PSI	8205	18%	411.00	10	
		GREASE GUN HOSES				
GHC-12/B	Length : 300 mm (12")	3917	18%	193.00	30	
GHC-18/B	Length : 450 mm (18")	3917	18%	230.00	20	
GHC-20/B	Length : 500 mm (20")	3917	18%	268.00	10	
		GREASE GUN STEEL EXTENSIONS				
GSP/4/B	Straight, Length : 100 mm (4")	8205	18%	49.00	100	
GBP/6/B	Bent, Length : 150 mm (6")	8205	18%	63.00	100	
		GREASE FITTINGS				
6.0MM × 1.0MM TAPER THREADS						
GFT/6/1	Type : Straight Overall length : 16 mm max. Hex size : 7 mm	8487	18%	10.00	100	
GFT/6/1/45	Type : Angled 45° Overall length : 21 mm max. Hex size : 9 mm	8487	18%	24.00	50	
GFT/6/1/90	Type : Angled 90° Overall length : 18 mm max. Hex size : 9 mm	8487	18%	24.00	50	
8.0MM × 1.0MM TAPER THREADS						
GFT/8/1	Type : Straight, Overall Overall length : 16 mm max. Hex size : 9 mm	8487	18%	14.00	100	
GFT/8/1/45	Type : Angled 45° Overall length : 21 mm max. Hex size : 9 mm	8487	18%	24.00	50	
GFT/8/1/90	Type : Angled 90° Overall length : 18 mm max. Hex size : 9 mm	8487	18%	24.00	50	
10.0MM × 1.0MM TAPER THREADS						
GFT/10/1	Type : Straight Overall length : 16 mm max. Hex size : 11 mm	8487	18%	18.00	100	
GFT/10/1/45	Type : Angled 45° Overall length : 21 mm max. Hex size : 11 mm	8487	18%	28.00	50	
GFT/10/1/90	Type : Angled 90° Overall length : 18 mm max. Hex size : 11 mm	8487	18%	28.00	50	

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
10.0MM x 1.5MM TAPER THREADS						
	GFT/10/1.5	Type : Straight Overall length : 18 mm max. Hex size : 11 mm	8487	18%	21.00	100
	GFT/10/1.5/45	Type : Angled 45° Overall length : 21 mm max. Hex size : 11 mm	8487	18%	28.00	50
	GFT/10/1.5/90	Type : Angled 90° Overall length : 18 mm max. Hex size : 11 mm	8487	18%	28.00	50
1/4" - 28 BSPT - TAPER THREADS						
	GFT/R/1-8/28	Type : Straight Overall length : 16 mm max. Hex size : 11 mm	8487	18%	18.00	100
	GFT/R/1-8/28L	Type : Straight, Long Overall length : 20 mm max. Hex size : 11 mm	8487	18%	21.00	50
	GFT/R/1-8/28/45	Type : Angled 45° Overall length : 21 mm max. Hex size : 11 mm	8487	18%	28.00	50
	GFT/R/1-8/28/45L	Type : Angled 45° long Overall length : 26.3 mm max. Hex size : 11 mm	8487	18%	30.00	50
	GFT/R/1-8/28/90	Type : Angled 90° Overall length : 18 mm max. Hex size : 11 mm	8487	18%	28.00	50
	GFT/R/1-8/28/90L	Type : Angled 90° long Overall length : 21.4 mm max. Hex size : 11 mm	8487	18%	30.00	50
1/4" - 19 BSPT - TAPER THREADS						
	GFT/R/1-4/19	Type : Straight Overall length : 17.5 mm max. Hex size : 9/16"	8487	18%	35.00	50
	GFT/R/1-4/19L	Type : Straight, Long Overall length : 23.5 mm max. Hex size : 0.60"	8487	18%	46.00	25
	GFT/R/1-4/19/45	Type : 45° Overall length : 22.5 mm max. Hex size : 9/16"	8487	18%	47.00	50
	GFT/R/1-4/19/90	Type : Angled 90° Overall length : 22 mm max. Hex size : 9/16"	8487	18%	47.00	50
SCOOP & SWIPE						
	GSW/1/ST	Ideal solution for handling bulk grease	8205	18%	374.00	50
FOOT OPERATED GREASE PUMP High pressure portable foot operated pump						
	FOP/10A	Pressure : 8,700 PSI Delivers : Upto 2 gm/stroke Bucket Capacity: 10 Kg	8413	5%	11,391.00	1
BUCKET GREASE PUMPS						
	VGP/3A/RF	Without wheels, Capacity 3 kg	8413	5%	6,106.00	1
	VGP/6A	Without wheels, Capacity 6 kg	8413	5%	6,348.00	1
	VGP/10A	Without wheels, Capacity 10 kg	8413	5%	7,135.00	1
	VGP/6	With wheels, Capacity 6 kg	8413	5%	7,009.00	1
	VGP/10	With wheels, Capacity 10 kg	8413	5%	7,921.00	1
	VGP/15	With wheels, Capacity 15 kg	8413	5%	8,617.00	1
	VGP/20	With wheels, Capacity 20 kg	8413	5%	10,222.00	1
	ZSA/HOS/VGP10A	2m x 1/4" ID Spare Hose	8413	5%	2,098.00	20
	KIT/05/VGP	Repair Kit	8413	5%	395.00	100


	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
		PORTABLE GREASE PUMP SYSTEM COMPLETE WITH GREASE DRUM Grease Output: Upto 1.10 kg/min (NLGI 2 Grease) Max Outlet Pressure: 7500 PSI (500 BAR)			 	
BGRP/15	Portable Pump with 15 kg built-in bucket	8467	18%	30,031.00	1	
BGRP/30	Portable Pump with 30 kg built-in bucket	8467	18%	36,495.00	1	
BGRP/50	Portable Pump with 50 kg built-in bucket	8467	18%	38,929.00	1	

OILING EQUIPMENT

	LEVER ACTION BARREL PUMP For use with oil based fluids, Heating Oils, Motor Oils, Diesel & Kerosene					
	LBP/04/PT	Suitable for 50-210 litre drums Inlet : 3/4"	8413	5%	1,589.00	10
	ROTARY BARREL PUMP ROTARY BARREL PUMP Rotary action drum pump for general purpose lubrication Recommended use: Diesel, Kerosene & Oils					
	V10	Pump inlet : 1" Outlet : 3/4" Use on 50-210 litre drums	8413	5%	2,287.00	5
	BUNG ADAPTOR					
	BUNG/P/4B	2" plastic bung to fit onto plastic barrel	8467	18%	395.00	1
	EZEE FLOW PUMPS					
	UPSTROKE PUMP	Pump suitable for 50 litres plastic drums with pull-out Spout				
	BUCKET OIL PUMPS Portable pumps complete with in-built bucket for dispensing transmission, differentials & heavy oils					
	WITHOUT WHEELS					
	V12	Bucket capacity : 12 litres	8413	5%	3,384.00	1
	V16	Bucket capacity : 16 litres	8413	5%	3,603.00	1
	WITH WHEELS					
	V12W	Bucket capacity : 12 litres	8413	5%	3,853.00	1
	OIL CANS, FUNNELS & MEASURES					
	OIL CANS					
	V200R	Capacity : 200 ml Complete with rigid steel spout	8467	18%	266.00	72
	V300R	Capacity : 300 ml Complete with rigid steel spout	8467	18%	267.00	72
	V500R	Capacity : 500 ml Complete with rigid steel spout	8467	18%	312.00	72

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
FLEXIBLE SPOUT MEASURES						
	MSR/P/F-1	Capacity : 1 litre	3926	18%	268.00	40
	MSR/P/F-2	Capacity : 2 litre	3926	18%	352.00	25
	MSR/P/F-3	Capacity : 3 litre	3926	18%	498.00	20
	MSR/P/F-5	Capacity : 5 litre	3926	18%	630.00	15
	MSR/P/F/6	Capacity : 6 litre	3926	18%	769.00	12
	MSR/P/F-8	Capacity : 8 litre	3926	18%	975.00	12
SMART FUNNELS						
	FNL/8	Capacity : 1.7 litres	3926	18%	411.00	15
	FNL/9B	Capacity : 3 litres Complete with 2" Bung For direct attachment on drums	3926	18%	555.00	15
	FUEL & OIL FUNNEL					
	FNL/11F	Capacity : 4.7 litres, With filter screen	3926	18%	550.00	15
	CONICAL FUNNELS					
	FNL/6	Capacity : 650 ml	8205	18%	108.00	60
	FNL/7	Capacity : 1800 ml	8205	18%	227.00	40
AIR HOSE REEL Plastic Hose Reel with 15m hose						
	HRP/AW/15M/3-8/B	Hose ID : 3/8" Working Pressure : 217 PSI Burst Pressure : 580 PSI	3917	18%	11,026.00	1
DRAIN PAN						
	ODP/16/GN	Capacity : 16 litres Suitable for use with Waste Oil, Anti freeze etc.	8467	18%	1,529.00	15
	ODP/16	Capacity : 16 litres Suitable for use with Waste Oil	8467	18%	1,408.00	15
SIPHON PUMPS Recommended Use : Water-based fluids, Detergents, Waxes, Soaps, some mild acids						
	SPH/1	For 5-20 litre packs Discharge : 6.5 LPM	8413	5%	220.00	25
	SPH/2	For 210 litre drums Discharge : 17.5 LPM	8413	5%	954.00	25
	SPH/3	For 210 litre drums Discharge : 21 LPM	8413	5%	1,469.00	25
DRUM HANDLING EQUIPMENT						
DRUM WRENCH						
	DRW/AL-01	Aluminium die cast wrench designed to open 2" & 3/4" drum plugs	8204	18%	970.00	10
AIR LINE ACCESSORIES						
AIR BLOW GUN - STANDARD						
	ABG/10/BSP	Air blow gun (Nylon) with 4-1/2" tip	8205	18%	840.00	60

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
AIR HOSE						
POLYURETHANE COIL HOSE						
	PUH/5BO/15/1-4/BSP	4.5 m long × 5 mm ID Threaded 1/4" BSP (M)	8205	18%	1,348.00	10
	PUH/5BO/20/1-4/BSP	6 m long × 5 mm ID Threaded 1/4" BSP (M)	8205	18%	1,592.00	10
	PUH/5BO/25/1-4/BSP	7.5 m long × 5 mm ID Threaded 1/4" BSP (M)	8205	18%	1,836.00	10
	PUH/6BO/15/1-4/BSP	4.5 m long × 6.50 mm ID Threaded 1/4" BSP (M)	8205	18%	1,836.00	10
	PUH/6BO/20/1-4/BSP	6 m long × 6.50 mm ID Threaded 1/4" BSP (M)	8205	18%	2,206.00	10
	PUH/6BO/25/1-4/BSP	7.5 m long × 6.50 mm ID Threaded 1/4" BSP (M)	8205	18%	2,636.00	10
	PUH/10BO/15/3-8/BSP	4.5 m long × 9.5 mm ID Threaded 3/8" BSP (M)	8205	18%	2,747.00	10
	PUH/10BO/20/3-8/BSP	6 m long × 9.5 mm ID Threaded 3/8" BSP (M)	8205	18%	3,390.00	10
	PUH/10BO/25/3-8/BSP	7.5 m long × 9.5 mm ID Threaded 3/8" BSP (M)	8205	18%	4,027.00	10
TYRE INFLATOR GAUGE FOR CARS						
	TIG/2.5/N	3 in 1 Tyre Inflator Gauge - Analog type Accuracy : ± 2.5% Operating Pressure : Upto 60 PSI	9026	18%	1,549.00	10
RUST REMOVAL & PREVENTION						
	RUST PREVENTIVE LUBRICANT SPRAY The ultimate multi-purpose spray in a can!					
	GO20	Rust preventive lubricant spray, Capacity : 300 gms	3811	18%	404.00	96
	GO20-150	Rust preventive lubricant spray, Capacity : 150 gms	3811	18%	307.00	96
	RUST REMOVER GEL					
	GO12	Rust remover gel, Capacity 200 ml	3811	18%	494.00	96
	PENETRATING RUST SOLVENT SPRAY					
	GO10	Penetrating rust solvent spray Capacity : 400 gms	3811	18%	808.00	96
MERCHANDIZER STANDS						
	D10	Display Stand for Torque Wrenches (Supplied without tools)	8205	18%	6,583.00	1
	D12	Hammer display stand for 16 indestructible handle hammer (Supplied without tools)	8205	18%	10,903.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	D7	3 Pc wooden hammer stand (Supplied without tools)	8205	18%	2,634.00	1
	D6	Pyramid design floor mounted stand for display of Bench & Machine Vices (Supplied without vices)	8205	18%	17,939.00	1
	D5	Heavy duty merchandiser with perforation & shelving for products display (Supplied without tools)	8205	18%	44,649.00	1
	D17	Two sided banner mounting standee.	8467	18%	6,583.00	1
	D19	Grease cartridge merchandiser stand for 10 cartridges	8205	18%	2,634.00	1
	D2	Miniature steel drum with 2" threaded slots for mounting 4 pumps (Supplied without tools)	8205	18%	9,298.00	1
	D1	Wall mount bracket for pumps with 2" threaded bung	8467	18%	1,580.00	1
	D14	LED display stand with perforated sheet & branding (Supplied without products)	8205	18%	6,583.00	1



NOTES



NOTES



Groz Engineering Tools (P) Ltd.

Groz Net Industries

Village Kherki Daula, National Highway-8, Gurugram-122001, Haryana, INDIA

TEL +91.124. 2827777, 282.7734/40, | **FAX** +91.124.2827980, 2827986

E-MAIL india@groz-tools.com | URL www.groz-tools.com

Manufacturing Facilities

Gurugram, Noida, Karoli & Chennai

Representative Offices in India:

NORTH: New Delhi, Gurugram, Faridabad, Ghaziabad, Lucknow, Chandigarh, Ludhiana, Rudrapur, Noida, Bhiwadi

EAST: Kolkata, Durgapur, Guwahati, Bhubaneswar, Jamshedpur, Patna

WEST: Mumbai, Pune, Nagpur, Ahmedabad, Rajkot, Jaipur, Udaipur, Indore, Satna, Raipur, Vadodara

SOUTH: Hyderabad, Bangalore, Chennai, Coimbatore, Kerala, Vijaywada

The GROZ name, GROZ logo and the  mark are trademarks of
Groz Engineering Tools Pvt. Ltd., India

Proudly Indian